Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Dokumentacija

(http://interestingfacts.byethost11.com/)

Predmet: Web programiranje **Student:** Uros Markov 42/15

Table of Contents

1.0 Uvod9
1.1. Korišćeni programski
jezici9
1.2. Opis funkcionalnosti9
1.3. Template10
1.3.1. index.php10
1.4. Korišćeni CSS15
2.1. Organizaciona sema26
2.3. PrintScreen stranica .27
2.3.1. Index.php27
2.3.2. shop.php28
2.3.3. gallery.php29
2.3.4. author.php30
2.3.5. login.php31
2.3.6. signup.php32
2.3.7. admin.php32
3.0. HTML i CSS kodovi33
3.1. index.php33
3.2. shop.php39
3.3. gallery.php41
3.4. author.php41
3.5. login.php44
3.5. signup.php44
3.5. admin.php47
3.6. CSS kod50
3.7. ostali kodovi51
3.7.1. connection,inc51
3.7.2. functions.inc53
3.7.3. letmein.php54
3.7.4. logout.php55
3.7.5. serverRegEx.php55
3.7.6. slider.php58

3.8. JavaScript i jQuery kodovi60
3.8.1. regEx.js60
//Client side checking60
var greske = Array();60
function checkForm(){ 60
<pre>var firstName = document.getElementByI d('tbFirstName');60</pre>
<pre>var lastName = document.getElementByI d('tbLastName');60</pre>
<pre>var email = document.getElementByI d('tbEmail');60</pre>
<pre>var userName = document.getElementByI d('tbUsername');60</pre>
<pre>var gender = document.regFormm.rbG ender;60</pre>
var information = new Array();60
var errors = new Array();60
var reFirstName = /^[A-Z][a-z]{1,20}\$/;60
var reLastName = $/^[A-Z][a-z]\{1,20\}(\s[A-Z][a-z]\{1,20\})*$/;60$
var reEmail = /^[a-z0- 9=+&^%]{3,20}@([a- z]{2,8}\.[a-z]{2,6} [a- z]{2,8}\.[a-z]{2,4}\.[a- z]{2,4})\$/;60
var reUserName = /^[A-z0-9]{3,}\$/;60
//First name check60
<pre>if(firstName.value.match (reFirstName)){60</pre>
document.getElementByI d('labelFirstName').inner HTML = "Good!";60

document.getElementByI d('labelFirstName').style. color = "#00FF00";60
}61
else{61
document.getElementByI d('labelFirstName').inner HTML = "A-z characters allowed";61
document.getElementById('labelFirstName').style.color = "#FF0000";61
}61
//Last name check61
<pre>if(lastName.value.match(reLastName)){61</pre>
<pre>document.getElementByI d('labelLastName').inner HTML = "Looks OK!";</pre>
61
document.getElementByI d('labelLastName').style. color = "#00FF00";61
}61
else{61
document.getElementByI d('labelLastName').inner HTML = "A-z characters allowed";61
document.getElementByI d('labelLastName').style. color = "#FF0000";61
}61
//Email61
if(email.value.match(reE mail)){61
document.getElementById('labelEmail').innerHTML = "Nice!";61
document.getElementByI d('labelEmail').style.color = "#00FF00";61
}61

else{62
document.getElementByI d('labelEmail').innerHT ML = "Invalid email adress";62
document.getElementByI d('labelEmail').style.color = "#FF0000";62
}
if(userName.value.match (reUserName)){62
document.getElementByI d('labelUsername').inner HTML = "Available"; .62
document.getElementByI d('labelUsername').style.c olor = "#00FF00"62
}62
else{62
document.getElementByI d('labelUsername').inner HTML = "Wrong format.";62
document.getElementByI d('labelUsername').style.c olor = "#FF0000";62
}62
//Gender62
var genderStatus = ""; .62
for(var $i = 0$; $i < gender.length$; $i++$){62
if(gender[i].checked){.62
genderStatus = gender[i].value;62
}62
}62
if(genderStatus == ""){ 62
document.getElementByI d('spanGender').innerHT

ML = "Select your gender.";62
document.getElementByI d('spanGender').style.col or = "#FF0000";63
}63
else{63
document.getElementByI d('spanGender').innerHT ML = "You're good to go!";63
document.getElementByI d('spanGender').style.col or = "#00FF00";63
}63
//birth date check63
var ddlDay = document.regFormm.ddl Day.options[document.re gFormm.ddlDay.selected Index];63
<pre>var ddlMonth = document.regFormm.ddl Month.options[document .regFormm.ddlMonth.sel ectedIndex];63</pre>
var ddlYear = document.regFormm.ddl Year.options[document.r egFormm.ddlYear.selecte dIndex];63
if(ddlDay.value == "Day" ddlMonth.value == "Month" ddlYear.value == "Year"){63
document.getElementByI d('labelDate').innerHTM L = "Select your birth date";63
document.getElementByI d('labelDate').style.color = "#FF0000";63
}63
else{63

document.getElementByI d('labelDate').style.color = "#00FF00";	document.getElementByI d('labelDate').innerHTM L = "Yay!";63
function passCheck() { 64 var pass = document.getElementByI d('tbPassword');	d('labelDate').style.color
function passCheck() { 64 var pass = document.getElementByI d('tbPassword');	
document.getElementByI d('tbPassword');	
var passConfirm = document.getElementByI d('tbPassword2');	document.getElementByI
var rePass = /^[A-z]{6,}[0-9]{1,}\$/;64 //Password check64 if(pass.value.match(rePass)){	var passConfirm = document.getElementByI
if(pass.value.match(rePass)){	var rePass = $/^[A-$
s)){	//Password check64
d('labelPassword').innerH TML = "Nice!";	•
d('labelPassword').style.c olor = "#00FF00";64 }	d('labelPassword').innerH
else{	d('labelPassword').style.c
document.getElementByI d('labelPassword').innerH TML = "Must have min 6 letters and a digit";64 document.getElementByI d('labelPassword').style.c olor = "#FF0000";64 //Password again64 if(pass.value == passConfirm.value){64 document.getElementByI d('labelPassword2').inner HTML = "Passwords	
d('labelPassword').innerH TML = "Must have min 6 letters and a digit";64 document.getElementByI d('labelPassword').style.c olor = "#FF0000";64 //Password again64 if(pass.value == passConfirm.value){64 document.getElementByI d('labelPassword2').inner HTML = "Passwords	else{64
document.getElementByI d('labelPassword').style.c olor = "#FF0000";64 }64 //Password again64 if(pass.value == passConfirm.value){64 document.getElementByI d('labelPassword2').inner HTML = "Passwords	d('labelPassword').innerH TML = "Must have min 6
//Password again64 if(pass.value == passConfirm.value){64 document.getElementByI d('labelPassword2').inner HTML = "Passwords	document.getElementByI d('labelPassword').style.c
if(pass.value == passConfirm.value){64 document.getElementByI d('labelPassword2').inner HTML = "Passwords	
d('labelPassword2').inner HTML = "Passwords	if(pass.value ==
	document.getElementByI d('labelPassword2').inner HTML = "Passwords

	document.getElementByI d('labelPassword2').style. color = "#00FF00";65
	}65
	else{65
	document.getElementByI d('labelPassword2').inner HTML = "Passwords don't match!";65
	document.getElementByI d('labelPassword2').style. color = "#FF0000";65
	}65
	}65
	function checkForm1(){65
	if(greske.length == 0){ 65
	<pre>var forma = document.getElementByI d('regFormm');65</pre>
	forma.action = "index.php?page=signup &btnSignUp=1";65
	forma.submit();65
	}65
	}65
	3.8.2 functionSort.js66
4. Dizajn ba	ze67

1.0 Uvod

1.1. Korišćeni programski jezici

Za izradu sajta su korišćeni su sledece tehnologije: HTML, CSS, CSS3, JavaScript, PHP, Bootstrap framework.


1.2. Opis funkcionalnosti

Sajt ima sledeće funkcionalnosti:

- **Ekspandirajući meni** koji je urađen pomoću bootstrap-a nalazi se na svakoj stranici.
- **Slajder** koji se nalazi na naslovnoj strani urađen je takodje pomoću Bootstrap-a.
- **Registracija i logovanje** HTML kod je uradjen u bootstrap-u, vrsi se provera na klijentskoj strani(JavaScript) i na serverskoj(PHP).
- Galerija odrađena pomoću JQuery-ja (korišćen fancybox plugin).
- Sve slike na sajtu animirane gore navedenim JQuery plugin-om

1.3. Template

1.3.1. index.php



```
<!-- Add mousewheel plugin (this is optional) -->
                <script type="text/javascript" src="fancybox/lib/jquery.mousewheel-</pre>
3.0.6.pack.js"></script>
                <!-- Add fancyBox -->
                rel="stylesheet" href="fancybox/source/jquery.fancybox.css?v=2.1.5"
type="text/css" media="screen" />
                <script type="text/javascript"</pre>
src="fancybox/source/jquery.fancybox.pack.js?v=2.1.5"></script>
                <!-- Optionally add helpers - button, thumbnail and/or media -->
                k rel="stylesheet" href="fancybox/source/helpers/jquery.fancybox-
buttons.css?v=1.0.5" type="text/css" media="screen" />
                <script type="text/javascript" src="fancybox/source/helpers/jquery.fancybox-</pre>
buttons.js?v=1.0.5"></script>
                <script type="text/javascript" src="fancybox/source/helpers/jquery.fancybox-</pre>
media.js?v=1.0.6"></script>
                k rel="stylesheet" href="fancybox/source/helpers/jquery.fancybox-
thumbs.css?v=1.0.7" type="text/css" media="screen" />
                <script type="text/javascript" src="fancybox/source/helpers/jquery.fancybox-</pre>
thumbs.js?v=1.0.7"></script>
                <script type="text/javascript">
                       var $= jQuery.noConflict();
                </script>
                <script type="text/javascript">
                       $(document).ready(function() {
                                $(".fancybox").fancybox();
                       });
                </script>
     <!--<script language="text/javascript">
       $(document).ready(function(){
          $('.surveyLabel').hover(function(){
            $('.spanSurvey').css("margin-left", "20px");
          });
       });
     </script>-->
     <!--<li>src="lightbox2-master/lightbox2-master/dist/css/lightbox.min.css" rel="stylesheet">-->
     <!--<li>rel="stylesheet" type="text/css" href="css/jquery.lightbox-0.5.css" media="screen"/>
     <script type="text/javascript" src="js/jquery.js"></script>
     <script type="text/javascript" src="js/jquery.lightbox-0.5.min.js"></script>
     <script type="text/javascript">
       $(document).ready(function()
          $('#galerija a').lightBox();
       });
     </script>-->
     k rel="stylesheet" type="text/css" href="css/footer.css">
     <meta name="viewport" content="width=device-width, initial-scale=1.0 maximum-scale=1.0">
```

```
<body>
    <div class="container-fluid">
       <div id="header" class="container-fluid">
         <nav class="navbar navbar-default">
           <div class="container-fluid">
           <!-- The whole NavMenu groups together in order to adjust for mobile screen size -->
             <div class="navbar-header">
                <button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-
target="#bs-example-navbar-collapse-1" aria-expanded="false">
                  <span class="sr-only">Toggle navigation</span>
                  <span class="icon-bar"></span>
                  <span class="icon-bar"></span>
                  <span class="icon-bar"></span>
               </button>
             <a class="navbar-brand" href="index.php">Phone<i class="company-
name">Arena</i></a>
             </div>
           <!-- Collect the nav links, forms, and other content for toggling -->
           <div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">
             <?php
             $menu = "SELECT * FROM menu WHERE ParentId = 0 AND Text NOT LIKE
'%Users%'":
             $resultMenu = mysql_query($menu, $connection);
             if(mysql_num_rows(sresultMenu) > 0)
               while($r = mysql_fetch_array($resultMenu)){
                  echo "
                    ";
                  echo "<a href="".$r['Path']."' class='dropdown-toggle' data-toggle='dropdown'
role='button' aria-haspopup='true' aria-expanded='false'>".$r['Text']."<span
class='caret'></span></a>";
                  $child = "SELECT * FROM menu WHERE ParentId = ".$r['IdLink'];
                  $resultChild = mysql_query($child, $connection);
                  if(mysql num rows(resultChild) > 0){
                    echo '';
                    counter = 1;
                    while($v = mysql_fetch_array($resultChild)){
                      echo '<a href="index.php?page='.$v['Path'].'">'.$v['Text'].'</a>';
                      if(\$counter \% 3 == 0)
                        echo 'role="separator" class="divider">';
                      $counter++;
                    echo "";
                  echo "";
                }
             }
```

```
?>
            cli class="dropdown">
              <a href="#" class="dropdown-toggle" data-toggle="dropdown" role="button" aria-
haspopup="true" aria-expanded="false">Users <span class="caret"></span></a>
              <?php
                 if(isset($_SESSION['sessUserID'])){
                 }
                 else{ ?>
                   <a href="index.php?page=login" aria-hidden="true"><i class="fa fa-sign-
in"></i> Log in</a>
                   role="separator" class="divider">
                   <a href="index.php?page=signup" aria-hidden="true"><i class="fa fa-user-
plus"></i> Sign up</a>
              <?php } ?>
                <?php
                 if(isset($_SESSION['sessUserID'])){ ?>
                   role="separator" class="divider">
                   <a href="index.php?page=logout" aria-hidden="true"><i class="glyphicon"</a>
glyphicon-log-out"></i>Logout</a>
                <?php } ?>
              <form class="navbar-form navbar-left">
             <div class="input-group">
               <span class="input-group-addon glyphicon glyphicon-search"></span>
               <input type="text" class="form-control" placeholder="Under construction."</pre>
disabled>
             </div>
             <button type="submit" class="btn btn-primary" disabled>Submit</button>
             <?php
               if(isset($ SESSION['sessUlogaID']) && $ SESSION['sessUlogaID'] == 1){ ?>
                 <button type="submit" name="btnAdmin" class="btn btn-primary"><a</pre>
href="index.php?page=admin" class="adminLink">Admin panel</a></button>
             <?php }
             ?>
          </form>
          </div>
         </div>
        </nav>
      </div>
    </div>
    </div>
    <div id="footer" class="container-fluid">
      <footer class="footer-distributed">
        <div class="footer-left">
          <h3>Phone<span>Arena</span></h3>
          <?php
```

```
$footerMenu = "SELECT * FROM menu WHERE ParentId = 1 AND Text NOT
LIKE '% Useres%'";
               $resultFooterMenu = mysql_query($footerMenu, $connection);
               if(mysql_num_rows($resultFooterMenu) > 0){
                 while($x = mysql_fetch_array($resultFooterMenu)){
                   echo "<a href='index.php?page=".$x['Path']."'>".$x['Text']."</a>";
                   echo " - ";
                 }
             ?>
           Phone Arena © 2017
         </div>
         <div class="footer-center">
           <div>
             <i class="fa fa-map-marker"></i>
             <span>Dimitrija Tucovica</span> Belgrade, Serbia
           </div>
           <div>
             <i class="fa fa-phone"></i>
             +381 63 8899 1010
           </div>
           <div>
             <i class="fa fa-envelope"></i>
             <a
href="mailto:uros.markov.42.15@ict.edu.rs">uros.markov.42.15@ict.edu.rs</a>
           </div>
         </div>
         <div class="footer-right">
                            <span>About the site/span>
                                   This is just a fictive website, and was constructed as project
during my fifth trimester.
                            <div class="footer-icons">
                                   <a href="https://www.facebook.com/"><i class="fa fa-
facebook"></i></a>
                                   <a href="https://twitter.com/"><i class="fa fa-
twitter"></i></a>
                                   <a href="https://www.linkedin.com/"><i class="fa fa-
linkedin"></i></a>
                                   <a href="https://github.com/"><i class="fa fa-
github"></i></a>
                            </div>
         </div>
      </footer>
    </div>
  </body>
```

</html>

1.4. Korišćeni CSS

Fancybox:

```
./*! fancyBox v2.1.5 fancyapps.com | fancyapps.com/fancybox/#license */
.fancybox-wrap,
.fancybox-skin,
.fancybox-outer,
.fancybox-inner,
.fancybox-image,
.fancybox-wrap iframe,
.fancybox-wrap object,
.fancybox-nav,
.fancybox-nav span,
.fancybox-tmp
      padding: 0;
      margin: 0;
      border: 0;
      outline: none;
      vertical-align: top;
}
.fancybox-wrap {
      position: absolute;
      top: 0;
      left: 0;
      z-index: 8020;
}
.fancybox-skin {
      position: relative;
      background: #f9f9f9;
      color: #444;
      text-shadow: none;
      -webkit-border-radius: 4px;
       -moz-border-radius: 4px;
           border-radius: 4px;
}
.fancybox-opened {
      z-index: 8030;
}
```

```
.fancybox-opened .fancybox-skin {
      -webkit-box-shadow: 0 10px 25px rgba(0, 0, 0, 0.5);
        -moz-box-shadow: 0.10px 25px rgba(0, 0, 0, 0.5);
           box-shadow: 0 10px 25px rgba(0, 0, 0, 0.5);
}
.fancybox-outer, .fancybox-inner {
      position: relative;
}
.fancybox-inner {
      overflow: hidden;
}
.fancybox-type-iframe .fancybox-inner {
      -webkit-overflow-scrolling: touch;
}
.fancybox-error {
      color: #444;
      font: 14px/20px "Helvetica Neue", Helvetica, Arial, sans-serif;
      margin: 0;
      padding: 15px;
      white-space: nowrap;
}
.fancybox-image, .fancybox-iframe {
      display: block;
      width: 100%;
      height: 100%;
}
.fancybox-image {
      max-width: 100%;
      max-height: 100%;
}
#fancybox-loading, .fancybox-close, .fancybox-prev span, .fancybox-next span
      background-image: url('fancybox_sprite.png');
}
```

```
#fancybox-loading {
      position: fixed;
      top: 50%;
      left: 50%;
      margin-top: -22px;
      margin-left: -22px;
      background-position: 0 -108px;
      opacity: 0.8;
      cursor: pointer;
      z-index: 8060;
}
#fancybox-loading div {
      width: 44px;
      height: 44px;
      background: url('fancybox_loading.gif') center center no-repeat;
}
.fancybox-close {
      position: absolute;
      top: -18px;
      right: -18px;
      width: 36px;
      height: 36px;
      cursor: pointer;
      z-index: 8040;
}
.fancybox-nav {
      position: absolute;
      top: 0;
      width: 40%;
      height: 100%;
      cursor: pointer;
      text-decoration: none;
      background: transparent url('blank.gif'); /* helps IE */
      -webkit-tap-highlight-color: rgba(0,0,0,0);
      z-index: 8040;
}
.fancybox-prev {
      left: 0;
}
```

```
.fancybox-next {
      right: 0;
}
.fancybox-nav span {
      position: absolute;
      top: 50%;
      width: 36px;
      height: 34px;
      margin-top: -18px;
      cursor: pointer;
      z-index: 8040;
      visibility: hidden;
}
.fancybox-prev span {
      left: 10px;
      background-position: 0 -36px;
}
.fancybox-next span {
      right: 10px;
      background-position: 0 -72px;
}
.fancybox-nav:hover span {
      visibility: visible;
.fancybox-tmp {
      position: absolute;
      top: -99999px;
      left: -99999px;
      visibility: hidden;
      max-width: 99999px;
      max-height: 99999px;
      overflow: visible !important;
}
/* Overlay helper */
.fancybox-lock {
```

```
overflow: hidden !important;
  width: auto;
}
.fancybox-lock body {
  overflow: hidden !important;
}
.fancybox-lock-test {
  overflow-y: hidden !important;
.fancybox-overlay {
      position: absolute;
      top: 0;
      left: 0;
      overflow: hidden;
      display: none;
      z-index: 8010;
      background: url('fancybox_overlay.png');
}
.fancybox-overlay-fixed {
      position: fixed;
      bottom: 0;
      right: 0;
}
.fancybox-lock .fancybox-overlay {
      overflow: auto;
      overflow-y: scroll;
}
/* Title helper */
.fancybox-title {
      visibility: hidden;
      font: normal 13px/20px "Helvetica Neue", Helvetica, Arial, sans-serif;
      position: relative;
      text-shadow: none;
      z-index: 8050;
}
```

```
.fancybox-opened .fancybox-title {
      visibility: visible;
}
.fancybox-title-float-wrap {
      position: absolute;
      bottom: 0;
      right: 50%;
      margin-bottom: -35px;
      z-index: 8050;
      text-align: center;
}
.fancybox-title-float-wrap .child {
      display: inline-block;
      margin-right: -100%;
      padding: 2px 20px;
      background: transparent; /* Fallback for web browsers that doesn't
support RGBa */
      background: rgba(0, 0, 0, 0.8);
      -webkit-border-radius: 15px;
        -moz-border-radius: 15px;
           border-radius: 15px;
      text-shadow: 0 1px 2px #222;
      color: #FFF;
      font-weight: bold;
      line-height: 24px;
      white-space: nowrap;
}
.fancybox-title-outside-wrap {
      position: relative;
      margin-top: 10px;
      color: #fff;
}
.fancybox-title-inside-wrap {
      padding-top: 10px;
}
.fancybox-title-over-wrap {
      position: absolute;
      bottom: 0;
```

```
left: 0;
      color: #fff:
      padding: 10px;
      background: #000;
      background: rgba(0, 0, 0, .8);
}
/*Retina graphics!*/
@media only screen and (-webkit-min-device-pixel-ratio: 1.5),
        only screen and (min-moz-device-pixel-ratio: 1.5),
        only screen and (min-device-pixel-ratio: 1.5){
      #fancybox-loading, .fancybox-close, .fancybox-prev span, .fancybox-next
span {
            background-image: url('fancybox_sprite@2x.png');
            background-size: 44px 152px; /*The size of the normal image, half
the size of the hi-res image*/
      #fancybox-loading div {
            background-image: url('fancybox_loading@2x.gif');
            background-size: 24px 24px; /*The size of the normal image, half
the size of the hi-res image*/
Futer
.footer-distributed{
      background-color: #292c2f;
      box-shadow: 0 1px 1px 0 rgba(0, 0, 0, 0.12);
      box-sizing: border-box;
      width: 100%;
      text-align: left;
      font: bold 16px sans-serif;
      padding: 55px 50px;
      margin-top: 80px;
}
.footer-distributed .footer-left,
.footer-distributed .footer-center,
.footer-distributed .footer-right{
      display: inline-block;
      vertical-align: top;
```

```
}
/* Footer left */
.footer-distributed .footer-left{
      width: 40%;
}
/* The company logo */
.footer-distributed h3{
      color: #ffffff;
      font: normal 36px 'Cookie', cursive;
      margin: 0;
.footer-distributed h3 span{
      color: #5383d3;
/* Footer links */
.footer-distributed .footer-links{
      color: #ffffff;
      margin: 20px 0 12px;
      padding: 0;
}
.footer-distributed .footer-links a{
      display:inline-block;
      line-height: 1.8;
      text-decoration: none;
      color: inherit;
}
.footer-distributed .footer-company-name{
      color: #8f9296;
      font-size: 14px;
      font-weight: normal;
      margin: 0;
}
/* Footer Center */
```

```
.footer-distributed .footer-center{
      width: 35%;
}
.footer-distributed .footer-center i{
      background-color: #33383b;
      color: #ffffff;
      font-size: 25px;
      width: 38px;
      height: 38px;
      border-radius: 50%;
      text-align: center;
      line-height: 42px;
      margin: 10px 15px;
      vertical-align: middle;
}
.footer-distributed .footer-center i.fa-envelope{
      font-size: 17px;
      line-height: 38px;
}
.footer-distributed .footer-center p{
      display: inline-block;
      color: #ffffff;
      vertical-align: middle;
      margin:0;
}
.footer-distributed .footer-center p span{
      display:block;
      font-weight: normal;
      font-size:14px;
      line-height:2;
}
.footer-distributed .footer-center p a{
      color: #5383d3;
      text-decoration: none;;
}
```

```
/* Footer Right */
.footer-distributed .footer-right{
      width: 20%;
}
.footer-distributed .footer-company-about{
      line-height: 20px;
      color: #92999f;
      font-size: 13px;
      font-weight: normal;
      margin: 0;
}
.footer-distributed .footer-company-about span{
      display: block;
      color: #ffffff;
      font-size: 14px;
      font-weight: bold;
      margin-bottom: 20px;
}
.footer-distributed .footer-icons{
      margin-top: 25px;
}
.footer-distributed .footer-icons a{
      display: inline-block;
      width: 35px;
      height: 35px;
      cursor: pointer;
      background-color: #33383b;
      border-radius: 2px;
      font-size: 20px;
      color: #ffffff;
      text-align: center;
      line-height: 35px;
      margin-right: 3px;
      margin-bottom: 5px;
}
```

```
/* If you don't want the footer to be responsive, remove these media queries */
@media (max-width: 880px) {


    footer-distributed{
        font: bold 14px sans-serif;
    }

    footer-distributed .footer-left,
    .footer-distributed .footer-center,
    .footer-distributed .footer-right{
        display: block;
        width: 100%;
        margin-bottom: 40px;
        text-align: center;
    }

    .footer-distributed .footer-center i{
        margin-left: 0;
    }
}
```


32.0. Organizacija

2.1. Organizaciona sema




2.3. PrintScreen stranica


2.3.1. Index.php



2.3.2. shop.php




2.3.3. gallery.php








2.3.4. author.php






2.3.5. login.php




2.3.6. signup.php











3.0. HTML i CSS kodovi

3.1. index.php

```
<?php
  @session start();
  @ob_start();
  include("connection.inc");
  include("functions.inc");
?>
<!DOCTYPE html>
<html lang="en">
  <head>
     <title>Neki vebsajt</title>
    <meta charset="UTF-8"/>
    <script src="jquery/jquery-3.1.1.min.js"></script>
    <!-- Latest compiled and minified CSS -->
     link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css" integrity="sha384-
BVYiiSIFeK1dGmJRAkycuHAHRg32OmUcww7on3RYdg4Va+PmSTsz/K68vbdEjh4u"
crossorigin="anonymous">
     <!-- Optional theme -->
     k rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap-
theme.min.css" integrity="sha384-
rHyoN1iRsVXV4nD0JutlnGaslCJuC7uwjduW9SVrLvRYooPp2bWYgmgJQIXwl/Sp"
crossorigin="anonymous">
     <!-- Latest compiled and minified JavaScript -->
     <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"</pre>
integrity="sha384-
Tc5IQib027qvyjSMfHjOMaLkfuWVxZxUPnCJA7l2mCWNIpG9mGCD8wGNIcPD7Txa"
crossorigin="anonymous"></script>
     k rel="stylesheet" href="font-awesome-4.7.0/font-awesome-4.7.0/css/font-
awesome.min.css">
    k rel="stylesheet" type="text/css" href="css/style.css">
     <script src="js/regEx.js"></script>
    <!-- Add jQuery library -->
               <script type="text/javascript" src="http://code.jquery.com/jquery-</pre>
latest.min.js"></script>
               <!-- Add mousewheel plugin (this is optional) -->
               <script type="text/javascript" src="fancybox/lib/jquery.mousewheel-</pre>
3.0.6.pack.js"></script>
```

```
<!-- Add fancyBox -->
               rel="stylesheet" href="fancybox/source/jquery.fancybox.css?v=2.1.5"
type="text/css" media="screen" />
               <script type="text/javascript"</pre>
src="fancybox/source/jquery.fancybox.pack.js?v=2.1.5"></script>
               <!-- Optionally add helpers - button, thumbnail and/or media -->
               k rel="stylesheet" href="fancybox/source/helpers/jquery.fancybox-
buttons.css?v=1.0.5" type="text/css" media="screen" />
               <script type="text/javascript" src="fancybox/source/helpers/jquery.fancybox-</pre>
buttons.js?v=1.0.5"></script>
               <script type="text/javascript" src="fancybox/source/helpers/jquery.fancybox-</pre>
media.js?v=1.0.6"></script>
               k rel="stylesheet" href="fancybox/source/helpers/jquery.fancybox-
thumbs.css?v=1.0.7" type="text/css" media="screen" />
               <script type="text/javascript" src="fancybox/source/helpers/jquery.fancybox-</pre>
thumbs.js?v=1.0.7"></script>
               <script type="text/javascript">
                       var $= jQuery.noConflict();
               </script>
               <script type="text/javascript">
                       $(document).ready(function() {
                               $(".fancybox").fancybox();
                       });
               </script>
     <!--<script language="text/javascript">
       $(document).ready(function(){
          $('.surveyLabel').hover(function(){
            $('.spanSurvey').css("margin-left", "20px");
          });
       });
     </script>-->
     <!--<li>src="lightbox2-master/lightbox2-master/dist/css/lightbox.min.css" rel="stylesheet">-->
     <!--<li>k rel="stylesheet" type="text/css" href="css/jquery.lightbox-0.5.css" media="screen"/>
     <script type="text/javascript" src="js/jquery.js"></script>
     <script type="text/javascript" src="js/jquery.lightbox-0.5.min.js"></script>
     <script type="text/javascript">
       $(document).ready(function()
          $('#galerija a').lightBox();
     </script>-->
     k rel="stylesheet" type="text/css" href="css/footer.css">
     <meta name="viewport" content="width=device-width, initial-scale=1.0 maximum-scale=1.0">
  <body>
     <div class="container-fluid">
       <div id="header" class="container-fluid">
          <nav class="navbar navbar-default">
            <div class="container-fluid">
```

```
<!-- The whole NavMenu groups together in order to adjust for mobile screen size -->
             <div class="navbar-header">
               <button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-
target="#bs-example-navbar-collapse-1" aria-expanded="false">
                 <span class="sr-only">Toggle navigation</span>
                 <span class="icon-bar"></span>
                 <span class="icon-bar"></span>
                 <span class="icon-bar"></span>
               </button>
             <a class="navbar-brand" href="index.php">Phone<i class="company-
name">Arena</i></a>
             </div>
           <!-- Collect the nav links, forms, and other content for toggling -->
           <div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">
             <?php
             $menu = "SELECT * FROM menu WHERE ParentId = 0 AND Text NOT LIKE
'%Users%'";
             $resultMenu = mysql_query($menu, $connection);
             if(mysql_num_rows(sresultMenu) > 0){
               while($r = mysql_fetch_array($resultMenu)){
                 echo "
                    ";
                 echo "<a href="".$r['Path']."' class='dropdown-toggle' data-toggle='dropdown'
role='button' aria-haspopup='true' aria-expanded='false'>".$r['Text']."<span
class='caret'></span></a>";
                 $child = "SELECT * FROM menu WHERE ParentId = ".$r['IdLink'];
                 $resultChild = mysql_query($child, $connection);
                 if(mysql_num_rows(sresultChild) > 0)
                   echo '';
                   counter = 1;
                   while($v = mysql_fetch_array($resultChild)){
                      echo '<a href="index.php?page='.$v['Path']."'>'.$v['Text'].'</a>';
                     if(\$counter \% 3 == 0){
                        echo 'role="separator" class="divider">';
                      $counter++;
                   echo "";
                 echo "";
               }
             }
             ?>
            cli class="dropdown">
              <a href="#" class="dropdown-toggle" data-toggle="dropdown" role="button" aria-
haspopup="true" aria-expanded="false">Users <span class="caret"></span></a>
```

```
<?php
                  if(isset($_SESSION['sessUserID'])){
                  }
                  else{ ?>
                    <a href="index.php?page=login" aria-hidden="true"><i class="fa fa-sign-
in"></i> Log in</a>
                    role="separator" class="divider">
                    <a href="index.php?page=signup" aria-hidden="true"><i class="fa fa-user-
plus"></i> Sign up</a>
              <?php } ?>
                 <?php
                  if(isset($_SESSION['sessUserID'])){ ?>
                    role="separator" class="divider">
                    <a href="index.php?page=logout" aria-hidden="true"><i class="glyphicon"</a>
glyphicon-log-out"></i>Logout</a>
                 <?php } ?>
              <form class="navbar-form navbar-left">
             <div class="input-group">
               <span class="input-group-addon glyphicon glyphicon-search"></span>
               <input type="text" class="form-control" placeholder="Under construction."</pre>
disabled>
             </div>
             <button type="submit" class="btn btn-primary" disabled>Submit</button>
             <?php
               if(isset($_SESSION['sessUlogaID']) && $_SESSION['sessUlogaID'] == 1){ ?>
                  <button type="submit" name="btnAdmin" class="btn btn-primary"><a
href="index.php?page=admin" class="adminLink">Admin panel</a></button>
             <?php }
             ?>
           </form>
           </div>
          </div>
         </nav>
      </div>
    </div>
    <div id="middle" class="container-fluid">
      <?php
        if(isset($_GET['page'])){
           typ = GET['page'];
           switch($typ){
             case 'shop':
               include("shop.php");
               break;
```

```
case 'slider':
            include("slider.php");
            break;
         case 'signup':
            include("signup.php");
            break;
         case 'login':
            include("login.php");
            break;
         case 'gallery':
            include("gallery.php");
            break;
         case 'logout':
            include("logout.php");
            break;
         case 'author':
            include("author.php");
            break;
         case 'admin':
            include("admin.php");
            break;
         default:
            include("slider.php");
            break;
       }
     }else{
       include("slider.php");
     }
    /*if(isset($_GET['page'])){
       if(\$\_GET['page'] == 'shop'){}
         include("shop.php");
       if($_GET['page'] == 'slider'){
         include("slider.php");
     }*/
  ?>
</div>
<div id="footer" class="container-fluid">
  <footer class="footer-distributed">
     <div class="footer-left">
       <h3>Phone<span>Arena</span></h3>
       <?php
```

```
$footerMenu = "SELECT * FROM menu WHERE ParentId = 1 AND Text NOT
LIKE '% Useres%'";
               $resultFooterMenu = mysql_query($footerMenu, $connection);
               if(mysql_num_rows($resultFooterMenu) > 0){
                 while($x = mysql_fetch_array($resultFooterMenu)){
                   echo "<a href='index.php?page=".$x['Path']."'>".$x['Text']."</a>";
                   echo " - ";
                 }
             ?>
           Phone Arena © 2017
         </div>
         <div class="footer-center">
           <div>
             <i class="fa fa-map-marker"></i>
             <span>Dimitrija Tucovica</span> Belgrade, Serbia
           </div>
           <div>
             <i class="fa fa-phone"></i>
             +381 63 8899 1010
           </div>
           <div>
             <i class="fa fa-envelope"></i>
             <a
href="mailto:uros.markov.42.15@ict.edu.rs">uros.markov.42.15@ict.edu.rs</a>
           </div>
         </div>
         <div class="footer-right">
                            <span>About the site/span>
                                   This is just a fictive website, and was constructed as project
during my fifth trimester.
                            <div class="footer-icons">
                                   <a href="https://www.facebook.com/"><i class="fa fa-
facebook"></i></a>
                                   <a href="https://twitter.com/"><i class="fa fa-
twitter"></i></a>
                                   <a href="https://www.linkedin.com/"><i class="fa fa-
linkedin"></i></a>
                                   <a href="https://github.com/"><i class="fa fa-
github"></i></a>
                            </div>
         </div>
      </footer>
    </div>
  </body>
```

</html>

3.2. shop.php

```
<div class="row">
         <div class="col col-lg-3 col-md-3 col-sm-6 col-xs-12">
            Manufacturer
            <form method="POST" action="index.php?page=shop">
              <?php
                $manus = "SELECT * FROM manufacturer";
                $result = mysql_query($manus, $connection);
                if(mysql_num_rows(\$result) > 0){
                   while($m = mysql_fetch_array($result)){
                     echo "<label class='form-control custom-checkbox'>
                          <input type='radio' class='custom-control-input'</pre>
value="'.$m['IdManufacturer']."' name='rbManufacturer' >
                          <span class='custom-control-indicator'></span>
                          <span class='custom-control-description'>".$m['Name']."
                       </label>";
                     }
                   }
              <input type="submit" class="btn btn-primary" name="btnSort" id="btnSort"</pre>
value="Sort"/>
            </form>
         </div>
         <?php
           if(isset($_REQUEST['btnSort'])){
             $test = $_POST['rbManufacturer'];
             if(empty($test)){
                echo "Select manufacturer.";
```

```
else{
                $sorted = "SELECT * FROM smartphones WHERE IdManufacturer = '$test'";
                $resultSorted = mysql_query($sorted, $connection);
                echo "<div class='col col-lg-9 col-md-6 col-sm-9 col-xs-12'>
                     <div class='row'>
                        <i class='fa fa-mobile' aria-
hidden='true'></i>&nbsp;&nbsp;Mobile phones
                     </div>";
                if(mysql\_num\_rows(\$resultSorted) > 0){
                  while($xx = mysql_fetch_array($resultSorted)){
                     echo "<div class='col col-lg-5 col-md-8 col-sm-8 col-xs-12 img-thumb'>
                            <img src="".$xx['Picture']."'alt="".$xx['Model']."'/><br/><a</pre>
href='#'>".$xx['Model']."</a>
                          </div>";
                  echo "</div>";
              }
           }
         ?>
         <?php
              if(isset($_REQUEST['btnSort'])){
              else{ ?>
              <div class="col col-lg-9 col-md-9 col-sm-12 col-xs-12"> <!--Ovde dodati ID-->
                <div class="row">
                   <i class="fa fa-mobile" aria-</pre>
hidden="true"></i>&nbsp;&nbsp;Mobile phones
                </div>
             <?php }
            ?>
            <div class="row">
              <?php
                if(isset($_REQUEST['btnSort'])){
                else{
                   $phones = "SELECT * FROM smartphones";
                   $result = mysql_query($phones, $connection);
                   if(mysql_num_rows(sresult) > 0)
                     while($phone = mysql_fetch_array($result)){
                       echo "<div class='col col-lg-5 col-md-6 col-sm-12 col-xs-12 img-thumb'>
                            <img src="".$phone['Picture']."'alt="".$phone['Model']."'/><br/><a</pre>
href='#'>".$phone['Model']."</a>
                          </div>";
                       //U href-u staviti javascript:show($phone['IdSmartphone']);
                     }
                   }
```

3.3. gallery.php

```
<div class="row">
     <?php
        $selectPhotos = "SELECT * FROM pictures";
        $resultSelectPhotos = mysql_query($selectPhotos, $connection);
        if(mysql_num_rows($resultSelectPhotos) > 0){
           while($p = mysql_fetch_array($resultSelectPhotos)){
              echo "<div class='col col-lg-4 col-md-4 col-sm-6 col-xs-12'>
                   <a href="".$p['Picture']."' data-title="".$p['AltTag']."' class='fancybox' rel='group'> <img src="".$p['Picture']."' alt="".$p['AltTag']."' class='img-thumbnail' />
                   </a>
                 </div>";
           }
        }
     ?>
</div>
                                         3.4. author.php
<div class="container-fluid">
```

```
<div class="col col-lg-4 col-md-4 col-sm-6 col-xs-12">
       About author
       <?php
         $authorBio = "SELECT * FROM author";
         $result = mysql_query($authorBio, $connection);
         if(mysql_num_rows($result) == 1){
           $author = mysql_fetch_array($result);
           echo "".$author['AboutAuthor']."";
       ?>
    </div>
     <div class="col col-lg-4 col-md-4 col-sm-6 col-xs-12">
       <form method="POST" action="index.php?page=author" class="form-horizontal">
         <i class="glyphicon glyphicon-list-alt"></i> Quick survey
         <span id="spanSurvey">How would you rate my website ?</span><br/>br/>
         <div class="btn-group btn-group-vertical">
           <?php
              $surveys = "SELECT * FROM survey";
              $result = mysql_query($surveys, $connection);
             if(mysql_num_rows(\$result) > 0){
                while($survey = mysql_fetch_array($result)){
                  echo "<label class='surveyLabel'>
                         <input type='radio' name='rbSurvey' value="'.$survey['IdSurvey']."' />
                         <span
class='spanSurvey'>".$survey['LabelSpan']."  (".$survey['Counter']." votes)"."</span>
                       </label>";
                }
         <input type="submit" class="btn btn-primary" name="btnSurvey" id="btnSurvey"
value="Submit my vote!"/>
          </div>
       </form>
       <?php
         if(isset($_REQUEST['btnSurvey'])){
           $survey = $_POST['rbSurvey'];
           if(empty($survey)){
              echo "<div class='alert alert-warning alert-dismissible' role='alert'>
                     <button type='button' class='close' data-dismiss='alert' aria-label='Close'>
                       <span aria-hidden='true'>&times;</span>
                     </button>
                     <strong>Please submit a vote first.</strong>
                  </div>":
            }
           else{
              $counter = "UPDATE survey SET Counter = Counter + 1 WHERE IdSurvey =
'$survey'";
              $resultCounter = mysql query($counter, $connection);
```

```
echo "Successfully submitted your vote.";
}

?>
    </div>
    </div>
    </div>
```

3.5. login.php

```
<div class="form-bottom">
  <div class="container container-test">
  <div class="row row-bg">
     <div class="col col-lg-4 col-lg-offset-4 col-md-offset-3 col-md-6 col-sm-offset-2 col-sm-8 col-</pre>
xs-12">
         include("letmein.php");
       <form role="form" action="index.php?page=login" method="POST">
         <div class="form-group">
            <label class="sr-only" for="tbUsername">First name</label>
            <input type="text" name="tbUsername" placeholder="Username..." class="form-control"</pre>
id="tbUsername">
         </div>
         <div class="form-group">
            <label class="sr-only" for="tbPassword">Last name</label>
            <input type="password" name="tbPassword" placeholder="Password..." class="form-</pre>
control" id="tbPassword">
         </div>
         <button type="submit" name="btnLogIn" class="btn btn-primary">Let me in!</button>
         <a href="index.php?page=signup">Don't have an account?</a>
       </form>
     </div>
  </div>
  </div>
</div>
                                   3.5. signup.php
<div class="jumbotron">
  <div class="row">
     <div class="col col-lg-8 col-md-7 col-sm-6 col-xs-12">
       <form method="POST" action="serverRegEx.php" name="regFormm" id="regFormm"</pre>
enctype="multipart/form-data">
         <div class="form-group">
            <label for="tbFirstName">First name:</label>
            <label for="tbFirstName" id="labelFirstName">*</label>
            <input type="text" class="form-control" onBlur="checkForm();" name="tbFirstName"</pre>
id="tbFirstName" placeholder="Your real name in here.."/>
         </div>
         <div class="form-group">
            <label for="tbLastName">Last name:</label>
            <label for="tbLastName" id="labelLastName">*</label>
            <input type="text" class="form-control" onBlur="checkForm();" name="tbLastName"</pre>
id="tbLastName" placeholder="Your last name.."/>
         </div>
         <div class="form-group">
            <label for="tbEmail">Email:</label>
```

<label for="tbEmail" id="labelEmail">*</label>

```
<input type="text" class="form-control" onBlur="checkForm();" name="tbEmail"</pre>
id="tbEmail" placeholder="john.smith@yahoo.com"/>
         </div>
         <div class="form-group">
            <label for="tbUsername">Username:</label>
            <label for="tbUsername" id="labelUsername">*</label>
            <input type="text" class="form-control" onBlur="checkForm();" name="tbUsername"</pre>
id="tbUsername" placeholder="Your username in here"/>
         </div>
         <div class="form-group">
            <label for="tbPassword">Password:</label>
            <label for="tbPassword" id="labelPassword">*</label>
            <input type="password" class="form-control" name="tbPassword" id="tbPassword"
placeholder="Password.."/>
         </div>
         <div class="form-group">
            <label for="tbPassword2">Confirm Password:</label>
            <label for="tbPassword2" id="labelPassword2">*</label>
            <input type="password" class="form-control" onBlur="passCheck();"</pre>
name="tbPassword2" id="tbPassword2" placeholder="Confirm Password.."/>
         </div>
         <div class="form-group">
            <label for="ddlDay">Birth date: *</label>
            <select name="ddlDay" id="ddlDay" class="custom-select" onChange="checkForm();">
              <option value="Day">Day</option>
              <?php
                dynamicList(1, 31);
              ?>
            </select>
            <select name="ddlMonth" id="ddlMonth" class="custom-select"</pre>
onChange="checkForm();">
              <option value="Month">Month</option>
              <?php
                dynamicMonthList();
              ?>
            </select>
            <select name="ddlYear" id="ddlYear" class="custom-select"</pre>
onChange="checkForm();">
              <option value="Year">Year</option>
              <?php
                dynamicList(1921, 2017);
            </select>
            <label for="ddlYear" id="labelDate"></label>
         </div>
         <div class="form-group">
            <label for="ddlCity">City: *</label>
            <select name="ddlCity" class="custom-select" id="ddlCity">
              <option value="City">City..</option>
              <?php
                 $queryCities = "SELECT * FROM cities";
                $queryAction = mysql_query($queryCities, $connection);
                if(mysql\_num\_rows(\$queryAction) > 0){
                   while($city = mysql fetch array($queryAction)){
```

```
echo("<option value="".$city['IdCity']."'>".$city['City']."</option>");
                  }
                }
              ?>
           </select>
         </div>
         <div class="custom-controls-stacked">
           <label for="rbGender">Gender: *</label><br/>>
           <label class="custom-control custom-radio">
              <input id="rbMale" name="rbGender" value="Male" type="radio" class="custom-
control-input">
              <span class="custom-control-indicator"></span>
              <span class="custom-control-description">Male</span>
              <span id="spanGender"></span>
           </label><br/>
           <label class="custom-control custom-radio">
              <input id="rbFemale" name="rbGender" value="Female" type="radio" class="custom-</p>
control-input">
              <span class="custom-control-indicator"></span>
              <span class="custom-control-description">Female</span>
           </label>
         </div>
         <div class="form-group">
           <label for="fileAvatar">Avatar:</label>
           <input type="file" id="fileAvatar" name="fileAvatar" class="btn btn-primary"/>
           <span id="spanAvatar">Picture formats(5 Mb max)</span>
         </div>
         <input type="button" class="btn btn-primary btn-lg btn-block" name="btnSignUp"</pre>
onClick="checkForm1();" value="Sign up!"/>
      </form>
       <?php
         include("serverRegEx.php");
    </div>
    <div class="col col-lg-4 col-md-5 col-sm-6 col-xs-12">
      <div class="panel panel-default">
         First name should start with a capital letter and can not
contain any numbers.
           class="list-group-item">Last name should be the same as the first name with the
possibility of additional names(e.g. Smith Doe)
           cli class="list-group-item">Email should contain only small letters and digits,including
some special characters(- . etc)
           cli class="list-group-item">Username can contain letters, digits and some special
characters..
           class="list-group-item">Password must have at least 6 letters and 1 digit.
           class="list-group-item">Birth date, city, gender and an avatar are all required.
         </div>
    </div>
  </div>
</div>
```

3.5. admin.php

```
<?php
  @session_start();
 include("connection.inc");
 if(!isset($_SESSION['sessUlogaID']) || $_SESSION['sessUlogaID'] != 1){
   header("Location: index.php");
 $userss = "SELECT * FROM users";
 $resultUserss = mysql_query($userss, $connection);
 echo "<div class='container-fluid'>
     <div class='row'>
         <form method='POST' action='index.php?page=admin' enctype='multipart/form-data'>
           <div class='table-responsive'>
           IdUser
               FirstName
               LastName
               Email
               Username
               Password
               BirthDate
               IdCity
               Gender
               Avatar
               IdUloga
               Delete
             ";
 if(mysql\_num\_rows(\$resultUserss) > 0){
   while($usersA = mysql_fetch_array($resultUserss)){
     echo "
         ".$usersA['IdUser']."
         ".$usersA['FirstName']."
         ".$usersA['LastName']."
         ".$usersA['Email']."
         ".$usersA['Username']."
         ".$usersA['Password']."
         ".$usersA['BirthDate']."
         ".$usersA['IdCity']."
         ".$usersA['Gender']."
         ".$usersA['Avatar']."
         ".$usersA['IdUloga']."
         <input type='checkbox' name='forDeletion[]' value="".$usersA['IdUser']."'/>
       ";
   echo "
         <input type='text' class='new' name='tbNewId' disabled/>
         <input type='text' class='new' name='tbNewFName'/>
         <input type='text' class='new' name='tbNewLName'/>
```

```
<input type='text' class='new' name='tbNewEmail'/>
           <input type='text' class='new' name='tbNewUser'/>
           <input type='password' class='new' name='tbNewPass'/>
           <input type='text' class='new' name='tbNewBirthDate'/>
           <input type='text' class='new' name='tbNewCityID'/>
           <input type='text' class='new' name='tbNewGender'/>
           <input type='file' class='new' name='fNewAvatar' id='fNewAvatar'/>
           <input type='text' class='new' name='tbNewUlogaID'/>
           <input type='checkbox' class='new' disabled/>
         ";
    echo "
         <input type='submit' class='btn btn-primary' name='btnAdd' id='btnAdd'
value='Add User'/>
         <input type='submit' class='btn btn-primary' name='btnDelete' id='btnDelete'
value='Delete'/>
      ":
    echo "</div></form>";
    echo "</div>
      </div>";
  }
  if(isset($_REQUEST['btnDelete'])){
    $forDelete = $_POST['forDeletion'];
    foreach($forDelete as $d){
      $deleteUser = "DELETE FROM users WHERE IdUser = ".$d;
      $resultDelete = mysql_query($deleteUser, $connection);
    if(!$resultDelete){
      echo "<div class='alert alert-danger alert-dismissible' role='alert'>
           <button type='button' class='close' data-dismiss='alert' aria-label='Close'>
             <span aria-hidden='true'>&times;</span>
           </button>
           <strong>Error!</strong> Failed to delete user, please try again.
         </div>";
    else{
      echo "<div class='alert alert-success alert-dismissible' role='alert'>
           <button type='button' class='close' data-dismiss='alert' aria-label='Close'>
             <span aria-hidden='true'>&times;</span>
           </button>
           <strong>Success!</strong> User successfuly deleted.
         </div>";
    }
  if(isset($_REQUEST['btnAdd'])){
    $newName = $_POST['tbNewFName'];
    $newLast = $ POST['tbNewLName'];
    $newEmail = $_POST['tbNewEmail'];
    $newUser = $_POST['tbNewUser'];
    $newPass = md5(trim($_POST['tbNewPass']));
    $newDate = $ POST['tbNewBirthDate'];
```

```
$newCity = $_POST['tbNewCityID'];
     $newGender = $_POST['tbNewGender'];
     $avatarNew = $_FILES['fNewAvatar']['name'];
     $avatar = $_FILES['fNewAvatar']['tmp_name'];
    $newUloga = $_POST['tbNewUlogaID'];
    $avatarPerm = "avatars/".time().$avatarNew;
    $userCheck = "SELECT * FROM users WHERE Username = '$newUser'";
    $resultCheck = mysql_query($userCheck, $connection);
    if(mysql_num_rows($resultCheck) > 0){
       echo "<div class='alert alert-warning alert-dismissible' role='alert'>
              <button type='button' class='close' data-dismiss='alert' aria-label='Close'>
                 <span aria-hidden='true'>&times;</span>
              </button>
              <strong>Username </strong>already exists.
            </div>";
     }
    else{
       if(move_uploaded_file($avatar, $avatarPerm)){
       $addUser = "INSERT INTO users
VALUES(", '$newName', '$newLast', '$newEmail', '$newUser', '$newPass', $newDate, $newCity, '$newGe
nder', '$avatarPerm', '$newUloga')";
       $resultAdd = mysql_query($addUser, $connection);
       if(!$resultAdd){
         echo "<div class='alert alert-danger alert-dismissible' role='alert'>
              <button type='button' class='close' data-dismiss='alert' aria-label='Close'>
                 <span aria-hidden='true'>&times;</span>
              </button>
              <strong>Error!</strong> Failed to add user, please try again.
            </div>";
       }
       else{
         echo "<div class='alert alert-success alert-dismissible' role='alert'>
              <button type='button' class='close' data-dismiss='alert' aria-label='Close'>
                 <span aria-hidden='true'>&times;</span>
              <strong>Success!</strong> User successfuly added.
            </div>";
       }
     }
    else{
       echo "<div class='alert alert-danger alert-dismissible' role='alert'>
              <button type='button' class='close' data-dismiss='alert' aria-label='Close'>
                 <span aria-hidden='true'>&times;</span>
              <strong>Error!</strong> Failed to upload the file, please try again.
            </div>";
```

3.6. **CSS** kod

```
.h1, .h2, .h3{
  text-align:center;
  background-color:#CCC;
  border-radius:5px;
  padding:5px;
}
i.company-name\{\\
  color:#5383d3 !important;
  font: normal 20px 'Cookie', cursive;
}
.carousel-inner img{
  width:100% !important;
  max-height:500px !important;
.img-thumb img{
  width:340px;
  height:240px;
  border:1px solid #000;
  border-radius:15px;
}
. img\text{-}thumb\{
  text-align:center;
  font-size:22px;
}
.img-thumb a{
  background-color:steelblue;
  padding-left:30px;
  padding-right:30px;
  border-radius:25px;
  color:#FFF;
}
```

```
.img-thumb a:hover{
  text-decoration:none;
  color:yellow;
.borders{
  border:1px solid #337ab7;
  border-radius:5px;
  box-shadow: 1px 1px 1px #000;
}
#spanSurvey{
  color: #000;
  font-size:18px;
}
#pSurvey{
  font-size:20px;
  font-weight:bold;
}
#pAuthor{
  font-size:24px;
  text-align:center;
}
.adminLink{
  text-decoration: none;
  color:aliceblue;
}
. adminLink: hover \{
  text-decoration: none;
  color:aliceblue;
[class='new']{
  width:92px;
```

3.7. ostali kodovi

3.7.1. connection,inc

```
<?php
$domain = "localhost";
$user = "root";
$pass = "";

$errors = array();

$connection = mysql_connect($domain, $user, $pass);
if(!$connection){
    $errors[] = "Error, couldnt connect to the database server.";
}

$selectDatabase = mysql_select_db('phone_arena_db', $connection);
if(!$selectDatabase){
    $errors[] = "Error, the database doesn't exist";
}

mysql_set_charset("utf8", $connection);
?>
```

3.7.2. functions.inc

```
<?php
  function dynamicList($begin, $end){
     for(\$i = \$begin; \$i \le \$end; \$i++){
       echo("<option value="".$i."'>".$i."</option>");
  }
  function dynamicMonthList(){
     months = array(
       '1' => 'January',
       '2' => 'February',
       '3' => 'March',
       '4' => 'April',
       '5' = > 'May',
       '6' => 'June',
       '7' => 'July',
       '8' => 'August',
       '9' => 'September',
       '10' => 'October',
       '11' => 'November',
       '12' => 'December',
     );
     foreach($months as $index => $value){
       echo("<option value="".$index."'>".$value."</option>");
  }
?>
```

3.7.3. letmein.php

```
<?php
  if(isset($_POST['btnLogIn'])){
    $user = $_POST['tbUsername'];
    $pass = md5(trim($ POST['tbPassword']));
    $findUser = "SELECT * FROM users WHERE Username = '$user' AND Password = '$pass'";
    $result = mysql_query($findUser, $connection);
    if(mysql_num_rows($result) == 1){
       $user = mysql fetch array($result);
       $idUser = $user['IdUser'];
       $idUloga = $user['IdUloga'];
       $username = $user['Username'];
       $firstName = $user['FirstName'];
       $lastName = $user['LastName'];
       $email = $user['Email'];
       $birthDate = $user['BirthDate'];
       $idCity = $user['IdCity'];
       $gender = $user['Gender'];
       //creating a session
       $_SESSION['sessUserID'] = $idUser;
       $_SESSION['sessUlogaID'] = $idUloga;
       $_SESSION['sessUserName'] = $username;
       $_SESSION['sessFirstName'] = $firstName;
       $_SESSION['sessLastName'] = $lastName;
       $_SESSION['sessEmail'] = $email;
       $_SESSION['sessBirthDate'] = $birthDate;
       $_SESSION['sessCityID'] = $idCity;
       $_SESSION['sessGender'] = $gender;
       //creating a cookie
       setcookie($idUser, $username, time() + 86400 * 180);
    else{
       echo "<div class='alert alert-danger alert-dismissible' role='alert'>
            <button type='button' class='close' data-dismiss='alert' aria-label='Close'>
              <span aria-hidden='true'>&times;</span>
            </button>
            <strong style='text-align:center'>Access denied!</strong><br/>br/> Incorrect username or
password.
         </div>";
  }
```

3.7.4. logout.php

```
<?php
  @session_start();
  if(isset($_SESSION['sessUserID'])){
    unset($_SESSION['sessUserID']);
    unset($ SESSION['sessUserName']);
    unset($_SESSION['sessFirstName']);
    unset($_SESSION['sessLastName']);
    unset($_SESSION['sessEmail']);
    unset($_SESSION['sessBirthDate']);
    unset($_SESSION['sessCityID']);
    unset($ SESSION['sessGender']);
    session destroy();
    header("Location: index.php");
?>
                                3.7.5. serverRegEx.php
<?php
  include("connection.inc");
  if(isset($_REQUEST['btnSignUp'])){
    $firstName = $_POST['tbFirstName'];
    $lastName = $_POST['tbLastName'];
    $email = $_POST['tbEmail'];
    $username = $_POST['tbUsername'];
    $password = $ POST['tbPassword'];
    $passwordConfirm = $_POST['tbPassword2'];
    //Birth date (day, month, year);
    dy = POST['ddlDay'];
    $month = $_POST['ddlMonth'];
    $year = $ POST['ddlYear'];
    det{sdate} = mktime(0, 0, 0, day, month, year);
    $city = $_POST['ddlCity'];
    $gender = $_POST['rbGender'];
    $picName = $_FILES['fileAvatar']['name'];
    $tmpPath = $ FILES['fileAvatar']['tmp name'];
    $picSize = $_FILES['fileAvatar']['size'];
    $picType = $_FILES['fileAvatar']['type'];
    $permPath = "avatars/".time().$picName;
    ext{serrors} 2 = array();
```

```
$errors = array();
                   reFirstName = "/^[A-Z][a-z]{1,20}$/";
                   reLastName = "/^[A-Z][a-z]{1,20}(\s[A-Z][a-z]{1,20})*$/";
                   \label{eq:condition} $$ reEmail = ''/^[a-z0-9=+-_&^\%] \{3,20\} @([a-z]\{2,8\} \setminus [a-z]\{2,6\} | [a-z]\{2,8\} \setminus [a-z]\{2,4\} \setminus [a-z]\{2,4\} \setminus [a-z]\{2,8\} \setminus [a-z]
z]{2,4})$/";
                   reUserName = "/^[A-z0-9-.]{3,}$/";
                   rePass = "/^[A-z]{6,}[0-9]{1,}$/";
                   if(!preg_match($reFirstName, $firstName)){
                           $errors2[] = "Invalid first name.";
                   if(!preg_match($reLastName, $lastName)){
                           $errors2[] = "Invalid last name.";
                  if(!preg match($reEmail, $email)){
                           $errors2[] = "Invalid email.";
                   if(preg_match($reUserName, $username)){
                           $userNameCheck = "SELECT * FROM users WHERE Username='$username'";
                           $result = mysql_query($userNameCheck, $connection);
                           if(mysql_num_rows(\$result) > 0){
                                     $errors2[] = "Username already taken.";
                   else{
                           $errors2[] = "Invalid usernmae.";
                   if(preg_match($rePass, $password)){
                           if($password != $passwordConfirm){
                                     $errors2[] = "Passwords do not match.";
                   }
                  else{
                           $errors2[] = "Invalid password.";
                  if($day == "Day" || $month == "Month" || $year == "Year"){
                           $errors2[] = "Must select birthdate.";
                  if($city == "City"){
                           $errors2[] = "Must select a city.";
                   if(empty($gender)){
                           $errors2[] = "Must select gender.";
                  if(count($errors2) != 0){
                           echo "":
                           foreach($errors2 as $g){
                                     echo "".$g."";
                           echo "";
```

```
else{
       $password = md5(trim($_POST['tbPassword']));
       $passwordConfirm = md5(trim($_POST['tbPassword2']));
       echo "Everything is okay, moving on to Picture upload and checkup.<br/>
";
       if($picSize < 5 * 1024 * 1024){
         if($picType == "image/jpeg" || $picType == "image/jpg" || $picType = "image/png"){
            if(move_uploaded_file($tmpPath, $permPath)){
              $newUser = "INSERT INTO users
VALUES(", '$firstName', '$lastName', '$email', '$username', '$password', $date, $city, '$gender', '$permPath'
,'2')";
              $signUp = mysql_query($newUser, $connection);
              if($signUp){
                echo "Successfully registered.";
              }
              else{
                echo "Oh snap! Something went wrong, we are already on it.".mysql_error();
            }
            else{
              $errors[] = "Picture upload failed, please try again.";
         }
         else{
            $errors[] = "Only .jpg .jpeg and .png allowed.";
         }
       }
       else{
         $errors[] = "Picture is too large.";
         if(count(\$errors) > 0){
         echo "";
         foreach($errors as $g){
            echo "".$g."";
         echo "";
         }
         else{
            header("Location: index.php");
     }
  }
```

?>

3.7.6. slider.php

```
<!--<img src="imgs/z5.jpg" alt="z5">-->
<div id="myCarousel" class="carousel slide" data-ride="carousel">
   <!-- Indicators -->

    class="carousel-indicators">

     data-target="#myCarousel" data-slide-to="0" class="">
    data-target="#myCarousel" data-slide-to="1" class="">
    data-target="#myCarousel" data-slide-to="2" class="active">
   <div class="carousel-inner" role="listbox">
     <div class="item">
      <img class="first-slide" src="imgs/iphone6s_3.jpg" alt="First slide">
      <div class="container">
       <div class="carousel-caption">
        <h1>The Apple's iPhone 6s is finally here!</h1>
        <a class="btn btn-lg btn-primary" href="index.php?page=signup" role="button">Sign up
today</a>
       </div>
      </div>
     </div>
     <div class="item">
      <img class="second-slide" src="imgs/note4.jpg" alt="Second slide">
      <div class="container">
       <div class="carousel-caption">
        <h1>Samsung Galaxy Note 4</h1>
        Vnlike its successor, the Galaxy Note 7, Note 4 is safe to use and will not explode in your
face when you need to charge it. Stay safe!
        <a class="btn btn-lg btn-primary"
href="http://www.gsmarena.com/samsung_galaxy_note_4-6434.php" role="button">Learn
more</a>
       </div>
      </div>
     </div>
     <div class="item active">
      <img class="third-slide" src="imgs/note5 3.jpg" alt="Third slide">
      <div class="container">
       <div class="carousel-caption">
        <h1>Masterpiece, the Galaxy Note 5</h1>
        In its first three days on sale, over 75,000 units of the Note 5 were sold in South
Korea!
      </div>
     </div>
   </div>
   <a class="left carousel-control" href="#myCarousel" role="button" data-slide="prev">
     <span class="glyphicon glyphicon-chevron-left" aria-hidden="true"></span>
    <span class="sr-only">Previous</span>
   </a>
   <a class="right carousel-control" href="#myCarousel" role="button" data-slide="next">
```

```
<span class="glyphicon glyphicon-chevron-right" aria-hidden="true"></span>
  <span class="sr-only">Next</span>
  </a>
</div>
```

3.8. JavaScript i jQuery kodovi

3.8.1. regEx.js

//Client side checking
var greske = Array();

function checkForm(){

var firstName = document.getElementById('tbFirstName');
var lastName = document.getElementById('tbLastName');
var email = document.getElementById('tbEmail');
var userName = document.getElementById('tbUsername');
var gender = document.regFormm.rbGender;

var information = new Array();
var errors = new Array();

 $var\ reFirstName = /^[A-Z][a-z]\{1,20\}\$/;$ $var\ reLastName = /^[A-Z][a-z]\{1,20\}(\s[A-Z][a-z]\{1,20\})^*\$/;$ $var\ reEmail = /^[a-z0-9=+-_&^%]\{3,20\}@([a-z]\{2,8\}\.[a-z]\{2,6\}\|[a-z]\{2,4\}).[a-z]\{2,4\}).[a-z]\{2,4\}).[a-z]\{2,4\}.[a-z]\{2,4\}).[a-z]\{2,4\}.[a-z]\{2,4\}).$ $var\ reUserName = /^[A-z0-9-.]\{3,\}\%/;$

//First name check

if(firstName.value.match(reFirstName)){

```
}
                          else{
 document.getElementById('labelFirstName').innerHTML = "A-z
                characters allowed";
    document.getElementById('labelFirstName').style.color =
                    "#FF0000";
                            }
                    //Last name check
         if(lastName.value.match(reLastName)){
document.getElementById('labelLastName').innerHTML = "Looks
                      OK!";
    document.getElementById('labelLastName').style.color =
                    "#00FF00";
                            }
                          else{
 document.getElementById('labelLastName').innerHTML = "A-z
                characters allowed";
    document.getElementById('labelLastName').style.color =
                    "#FF0000";
                            }
                       //Email
             if(email.value.match(reEmail)){
 document.getElementById('labelEmail').innerHTML = "Nice!";
document.getElementById('labelEmail').style.color = "#00FF00";
                            }
```

```
else{
```

```
document.getElementById('labelEmail').innerHTML = "Invalid" \\
                         email adress";
      document.getElementById('labelEmail').style.color = "#FF0000";
                                  }
                           //Username
             if(userName.value.match(reUserName)){
document.getElementById('labelUsername').innerHTML = "Available";
 document.getElementById('labelUsername').style.color = "#00FF00"
                              else{
  document.getElementById('labelUsername').innerHTML = "Wrong
                           format.";
 document.getElementById('labelUsername').style.color = "#FF0000";
                                }
                              //Gender
                        var genderStatus = "";
                for(var i = 0; i < gender.length; i++){
                           if(gender[i].checked){
                          genderStatus = gender[i].value;
                                  }
                       if(genderStatus == ""){
       document.getElementById('spanGender').innerHTML = "Select
```

your gender.";

```
else{
            document.getElementById('spanGender').innerHTML = "You're
                             good to go!";
           document.getElementById('spanGender').style.color = "#00FF00";
                                     }
                             //birth date check
                               var ddlDay =
document.regFormm.ddlDay.options[document.regFormm.ddlDay.selectedInde] \\
                                 x];
                              var ddlMonth =
document.regFormm.ddlMonth.selected\\
                               Index];
                             var ddlYear =
document.regFormm.ddlYear.selectedInd\\
                                 ex];
     if(ddlDay.value == "Day" || ddlMonth.value == "Month" || ddlYear.value
                             == "Year"){
           document.getElementById('labelDate').innerHTML = "Select your
                             birth date";
            document.getElementById('labelDate').style.color = "#FF0000";
                                     }
                                   else{
             document.getElementById('labelDate').innerHTML = "Yay!";
            document.getElementById('labelDate').style.color = "#00FF00";
                                     }
```

document.getElementById('spanGender').style.color = "#FF0000";

```
function passCheck(){
```

```
var pass = document.getElementById('tbPassword');
var passConfirm = document.getElementById('tbPassword2');
          var rePass = /^[A-z]{6}, [0-9]{1}, $
                   //Password check
               if(pass.value.match(rePass)){
document.getElementById('labelPassword').innerHTML = "Nice!";
     document.getElementById('labelPassword').style.color =
                     "#00FF00";
                             }
                           else{
 document.getElementById('labelPassword').innerHTML = "Must
           have min 6 letters and a digit";
     document.getElementById('labelPassword').style.color =
                     "#FF0000";
                             }
```

if(pass.value == passConfirm.value){

//Password again

```
document.getElementById('labelPassword2').innerHTML =
              "Passwords match!";
      document.getElementById('labelPassword2').style.color =
                   "#00FF00";
                              }
                            else{
     document.getElementById('labelPassword2').innerHTML =
            "Passwords don't match!";
      document.getElementById('labelPassword2').style.color =
                   "#FF0000";
                              }
                        }
             function checkForm1(){
              if(greske.length == 0){
  var forma = document.getElementById('regFormm');
forma.action = "index.php?page=signup&btnSignUp=1" ;
                   forma.submit();
                         }
                        }
```

3.8.2 functionSort.js

```
function sortM(){
  var ms = document.getElements
  var sortChoice = "";
   <div class="btn-group btn-group-vertical" data-toggle="buttons">
            <?php
              $surveys = "SELECT * FROM survey";
              $result = mysql_query($surveys, $connection);
              if(mysql\_num\_rows(\$result) > 0)
                 while($survey = mysql_fetch_array($result)){
                   echo "<label class='btn active'>
                           <input type='radio' name='rbSurvey' ><i class='fa fa-
circle-o fa-2x'/></i><i class='fa fa-dot-circle-o fa-2x'></i>
                          <span>".$survey['LabelSpan']."</span>
                        </label>";
            <input type="submit" class="btn btn-primary" name="nesto"</pre>
id="btnSurvey" value="Submit my vote!"/>
         </div>
}
```

4. Dizajn baze

