

INSTITUTE OF TECHNOLOGY BLANCHARDSTOWN

Year	Year 2					
Semester	Spring					
Date of Examination	Wednesday 21st May 2008					
Time of Examination	9.30am - 11.30am					

	THE STEEL OF THE PROPERTY OF THE			
Programme Title	HIGHER CERTIFICATE IN SCIENCE IN			
11091	COMPUTING IN INFORMATION TECHNOLOGY			
Programme Code	BN002			
Programme Title	BACHELOR OF SCIENCE IN COMPUTING IN			
1 Togramme Trais	INFORMATION TECHNOLOGY			
Programme Code	BN013			
Programme Title	BACHELOR OF SCIENCE (HONOURS) IN			
Programme Title				
	COMPUTING			
Programme Code	BN104			
	A. I. and and Duca supering of			
Module Title	Advanced Programming			
D Madula Cada	COMP H2030			
Banner Module Code	COIVIF 112030			

Internal Examiner(s):

Mr. Luke Raeside

External Examiner(s):

Mr. John Dunnion
Dr. Richard Studdert

Instructions to candidates:

- 1) To ensure that you take the correct examination, please check that the module and programme which you are following is listed in the tables above.
- 2) Answer any FOUR questions.
- 3) All questions carry equal marks (25 marks).

DO NOT TURN OVER THIS PAGE UNTIL YOU ARE TOLD TO DO SO

Ouestion 1

a) Describe the function of an executable JAR file in Java.

[4 marks]

b) Describe clearly the effects of declaring a Java class feature as static.

[5 marks]

c) Add appropriate Javadoc comments to the following method:

```
public double cube(double x) {
    return x * x * x;
}
```

[4 marks]

d) Describe, in brief, TWO advantages of using packages in advanced Java projects.

[6 marks]

- e) Outline the effect of applying <u>EACH</u> of the following access modifiers to a class feature in Java:
 - i private
 - ii protected
 - iii package

[6 Marks]

[Total 25 marks]

Question 2

- a) Describe briefly the function of EACH of the following keywords in Java.
 - i extends
 - ii implements

[6 Marks]

b) Using Java code create an abstract base class called Animal that contains <u>ONE</u> abstract method called feed() which returns a String.

[6 Marks]

c) Write a Java class definition called **Circle** that models a circle with x and y coordinates at its centre and a radius. Provide an appropriate non-blank **constructor** for circle objects. Provide appropriate **accessor** and **mutator** methods for the circle attributes.

[10 Marks]

d) Demonstrate using a Java code statement how to create an object of type Circle as defined in part (c) above.

[3 Marks]

[Total 25 marks]

Question 3

a)	Describe briefly	how to	create a	custom	exception	class in	Java.
----	------------------	--------	----------	--------	-----------	----------	-------

[6 Marks]

- b) Describe with the aid of Java code statements <u>EACH</u> of the following exception handling concepts:
 - i Handle an exception
 - ii Declare an exception

[10 Marks]

- c) Briefly explain ANY TWO the following strategies for handling exceptions in Java:
 - i Log exceptions using a log file
 - ii Retry failed action in a catch block
 - iii Request the user to respond to an exception
 - iv Provide default or alternative values in a catch block

[6 Marks]

d) Write a Java interface structure that defines any <u>TWO</u> operations of a DVD player.

[3 Marks]

[Total 25 marks]

Ouestion 4

a) Outline <u>TWO</u> advantages of using an **IDE** (Integrated Development Environment) in large-scale software development. Name <u>ONE</u> IDE used in industry.

[5 marks]

b) Define class reflection. Outline the function of <u>TWO</u> reflective methods available in the class **Class**.

[6 Marks]

c) Briefly describe THREE advantages of using threads in programming.

[6 Marks]

d) Demonstrate how to apply threads to a Java class using an intuitive example.

[8 Marks]

[Total 25 marks]

Question 5

a) Describe the function of the Locale class in Java.

[4 Marks]

b) Describe the role played by Unicode in Java internationalization.

[4 Marks]

c) Examine the **ProgramResource_fr** and **SimpleGUI** classes below, then answer <u>ALL</u> of the questions that follow:

```
//Program Resources class for French
public class ProgramResource fr extends ListResourceBundle {
 private static final Object[][] contents = { {"stopButton","Arretez"}};
 public Object[][] getContents() {
    return contents;
//SimpleGUI Class
import javax.swing.*;
import java.util.*;
import java.awt.*;
public class SimpleGUI extends JFrame {
 ResourceBundle res;
 public SimpleGUI() {
   Locale loc = new Locale("fr", "FR");
   res = res.getBundle("ProgramResource",loc);
   JButton stopButton = new JButton(res.getString("stopButton"));
   getContentPane (). add (stopButton, BorderLayout. SOUTH);\\
   setSize(200,200);
   setVisible(true);
 public static void main(String[] args) {
   SimpleGUI myGui = new SimpleGUI();
}
```

i Describe briefly the relationship between the **ProgramResource_fr** class and the **SimpleGUI** classes above.

[4 Marks]

Describe clearly the function of the variable **res** in the **SimpleGUI** class above. Address <u>EACH</u> occurrence of the **res** variable.

[9 Marks]

d) Explain the function of the PropertyResourceBundle class in Java.

[4 Marks]

[Total 25 marks]