

```

auth partition prod { }
auth partition uat { }
auth password-policy { }
auth remote-role { }
auth remote-user { }
auth source { }
auth user admin {
    description "Admin User"
    encrypted-password
$6$Z.IjdyMQ$FM.DrZHdiGe1ZNkm91U6bTDBwLHdP2fR7UqhrWZN3n9TtwFA3sc5f1ZlIahywhY2XzwZ7s
Qx/WkAX./kILhHD.
    partition Common
    partition-access {
        all-partitions {
            role admin
        }
    }
    session-limit -1
    shell bash
}
auth user alex.lam-a {
    description alex.lam-a
    encrypted-password
$6$JByLWYwx$Bjz9clyj/2HZhThMHfhHNRjqkJmuT/MfPWAFOflx/RUPe43lGUHJo375EPMZOZBkxIk56W
fyOKlkXbCm2wu770
    partition Common
    partition-access {
        all-partitions {
            role guest
        }
    }
    session-limit -1
    shell none
}
auth user alice.mao-a {
    description alice.mao-a
    encrypted-password
$6$8xg48eaB$gofJ82ql2.WsmPJ2MAVzuOLOuCScsWW6..gYlNGDI/iR9bTVTD72RMX7o./lVdiVANlBPt
jsZielhOKrdhwSE1
    partition Common
    partition-access {
        all-partitions {
            role admin
        }
    }
    session-limit -1
    shell bash
}
auth user bronson.so-a {
    description bronson.so-a
    encrypted-password

```

```

$6$C2htX5w8$hZ1VU442j4n4LNN8uVN7bKHqisz6EqnRW.C/a6ovPzIX4p7U3b7cB1r/MQkQwbzzq7HKrg
JFCptR6uu0/0mjh0
    partition Common
    partition-access {
        all-partitions {
            role guest
        }
    }
    session-limit -1
    shell tmsch
}
auth user eric.tam-a {
    description eric.tam-a
    encrypted-password
$6$PdiNG0M2$FSPVUkDXXLO4akomua.CLETYZXp/6bPiGSJb.ENVgdN1mtZwVe9ni4HfS.7Ci64sxirKiC
h1IokGa3Kf4uJk81
    partition Common
    partition-access {
        all-partitions {
            role admin
        }
    }
    session-limit -1
    shell bash
}
auth user kelvin.yeung-a {
    description kelvin.yeung-a
    encrypted-password
$6$BcphCbSD$zfHhyRvtk9IQ33jsBmF336MgiCa6OwIrOarr0jLEbGdb1F/HhYMOr6qiu03ZRNslXbcP8g
493EQ6Zp.Wkq//r/
    partition Common
    partition-access {
        all-partitions {
            role admin
        }
    }
    session-limit -1
    shell bash
}
auth user raymond.ng-a {
    description raymond.ng-a
    encrypted-password
$6$mvhR8LfI$22mfBwdIueeK4EA15EAVKHR40H9dth01SQX2CJRibHwldVCyQZgu9difk6tN7a/Aicui3V
rpMHsD34MpPSf3I1
    partition Common
    partition-access {
        all-partitions {
            role admin
        }
    }
    session-limit -1

```

```

    shell bash
}
auth user raymond.tai-a {
    description raymond.tai-a
    encrypted-password
$6$NCBd/TX1$wsC.o4c13ZjY5baVAUWSqUiCXyx5J0koPvQmShzBlhbVNR1U/u39uIdzL.aJdVD5K8cPzY
KXZwXcybstXForY0
    partition Common
    partition-access {
        all-partitions {
            role guest
        }
    }
    session-limit -1
    shell tmsh
}
cli global-settings { }
cli preference {
    alias-path { /Common }
    prompt { host user status current-folder config-sync-status }
}
cm cert Common/dtca-bundle.crt {
    certificate-key-size 2048
    checksum SHA1:3410:4c10fa7c6ac50ca021036b1d886f137949526f95
    create-time 2025-09-23:09:40:46
    created-by root
    expiration-date 2072242252
    expiration-string "Sep  1 06:50:52 2035 GMT"
    issuer CN=6b6ffc1e-fcc2-4946-ab9414a9d0c5a792
    key-type rsa-public
    last-update-time 2025-09-23:09:40:46
    mode 33188
    revision 4
    serial-number 727470
    size 3410
    source-path none
    subject CN=6b6ffc1e-fcc2-4946-ab9414a9d0c5a792
    updated-by root
    version 3
}
cm cert Common/dtca.crt {
    certificate-key-size 2048
    checksum SHA1:1310:19b9a743a9174d541406756128b8fe19e739b9f7
    create-time 2025-09-03:14:50:55
    created-by root
    expiration-date 2072242252
    expiration-string "Sep  1 06:50:52 2035 GMT"
    issuer CN=6b6ffc1e-fcc2-4946-ab9414a9d0c5a792
    key-type rsa-public
    last-update-time 2025-09-03:14:50:55
    mode 33188

```

```

    revision 3
    serial-number 727470
    size 1310
    source-path none
    subject CN=6b6ffc1e-fcc2-4946-ab9414a9d0c5a792
    updated-by root
    version 3
}
cm cert Common/dtdi.crt {
    certificate-key-size 2048
    checksum SHA1:1289:39a290a4f46e1998bdd10d0f9d8d970b2bd8329e
    create-time 2025-09-03:14:50:55
    created-by root
    expiration-date 2072242255
    expiration-string "Sep  1 06:50:55 2035 GMT"
    issuer CN=6b6ffc1e-fcc2-4946-ab9414a9d0c5a792
    key-type rsa-public
    last-update-time 2025-09-03:14:50:55
    mode 33188
    revision 3
    serial-number 939744
    size 1289
    source-path none
    subject CN=adc3-bip1.hkedcity.net
    updated-by root
    version 3
}
cm device Common/adc3-bip1.hkedcity.net {
    active-modules { "Local Traffic Manager, r2600|MAWMLEU-JILSEMA|Rate
Shaping|APM, Limited|Anti-Virus Checks|Base Endpoint Security Checks|Firewall
Checks|Network Access|Secure Virtual Keyboard|APM, Web Application|Machine
Certificate Checks|Protected Workspace|Remote Desktop|App Tunnel|Max Compression,
r2600|Max SSL, r2600" }
    base-mac 14:a9:d0:c5:a7:9f
    build 0.192.19
    cert Common/dtdi.crt
    chassis-id f5-cswi-kfnu
    configsync-ip 10.4.0.33
    edition "Engineering Hotfix"
    failover-state active
    hostname adc3-bip1.hkedcity.net
    key Common/dtdi.key
    management-ip 10.0.6.47
    marketing-name "BIG-IP Tenant"
    mirror-ip 10.4.0.33
    optional-modules { "Access Policy Manager, Base, r26XX" "Access Policy
Manager, Max, r26XX" "Advanced Firewall Manager, r2XXX" "Advanced Protocols"
"Advanced Web Application Firewall, r2XXX" "BIG-IP, DNS and GTM Upgrade (1K TO
MAX)" "BIG-IP, Multicast Routing" "BIG-IP, Privileged User Access, 100 Endpoints"
"BIG-IP, Privileged User Access, 1000 Endpoints" "BIG-IP, Privileged User Access,
250 Endpoints" "BIG-IP, Privileged User Access, 50 Endpoints" "BIG-IP, Privileged

```

```

User Access, 500 Endpoints" "Carrier Grade NAT, r2XXX" "DataSafe, r2XXX" "DNS 1K,
rSeries" "DNS Max, rSeries" "DNS Services" "External Interface and Network HSM"
"Intrusion Prevention System, r2XXX" "IP Intelligence, 1Yr" "IP Intelligence, 3Yr"
"IPS, 1Yr" "IPS, 3Yr" "Link Controller" "Performance Upgrade, r2600 to r2800"
"Policy Enforcement Manager, r5XXX" "Routing Bundle" SM2_SM3_SM4 "SSL
Orchestrator, r2XXX" "Threat Campaigns, 1Yr" "Threat Campaigns, 3Yr" "URL
Filtering, 1Yr" "URL Filtering, 3Yr" "VPN Users" }
    platform-id Z101
    product BIG-IP
    self-device true
    time-zone Asia/Hong_Kong
    unicast-address {
        {
            effective-ip 10.4.0.33
            effective-port cap
            ip 10.4.0.33
        }
        {
            effective-ip management-ip
            effective-port cap
            ip management-ip
        }
    }
    version 17.5.1.3
}
cm device Common/ad4-bip1.hkedcity.net {
    active-modules { "Local Traffic Manager, r2600|MDL0MAR-ANMNXPY|Rate
Shaping|APM, Limited|Anti-Virus Checks|Base Endpoint Security Checks|Firewall
Checks|Network Access|Secure Virtual Keyboard|APM, Web Application|Machine
Certificate Checks|Protected Workspace|Remote Desktop|App Tunnel|Max Compression,
r2600|Max SSL, r2600" }
    base-mac 14:a9:d0:c5:84:1f
    build 0.192.19
    chassis-id f5-gygc-btmc
    configsync-ip 10.4.0.34
    edition "Engineering Hotfix"
    failover-state standby
    hostname ad4-bip1.hkedcity.net
    management-ip 10.0.6.48
    marketing-name "BIG-IP Tenant"
    mirror-ip 10.4.0.34
    optional-modules { "Access Policy Manager, Base, r26XX" "Access Policy
Manager, Max, r26XX" "Advanced Firewall Manager, r2XXX" "Advanced Protocols"
"Advanced Web Application Firewall, r2XXX" "BIG-IP, DNS and GTM Upgrade (1K TO
MAX)" "BIG-IP, Multicast Routing" "BIG-IP, Privileged User Access, 100 Endpoints"
"BIG-IP, Privileged User Access, 1000 Endpoints" "BIG-IP, Privileged User Access,
250 Endpoints" "BIG-IP, Privileged User Access, 50 Endpoints" "BIG-IP, Privileged
User Access, 500 Endpoints" "Carrier Grade NAT, r2XXX" "DataSafe, r2XXX" "DNS 1K,
rSeries" "DNS Max, rSeries" "DNS Services" "External Interface and Network HSM"
"Intrusion Prevention System, r2XXX" "IP Intelligence, 1Yr" "IP Intelligence, 3Yr"
"IPS, 1Yr" "IPS, 3Yr" "Link Controller" "Performance Upgrade, r2600 to r2800"

```

```
"Policy Enforcement Manager, r5XXX" "Routing Bundle" SM2_SM3_SM4 "SSL
Orchestrator, r2XXX" "Threat Campaigns, 1Yr" "Threat Campaigns, 3Yr" "URL
Filtering, 1Yr" "URL Filtering, 3Yr" "VPN Users" }
  platform-id Z101
  product BIG-IP
  time-zone Asia/Hong_Kong
  unicast-address {
    {
      effective-ip 10.4.0.34
      effective-port cap
      ip 10.4.0.34
    }
    {
      effective-ip management-ip
      effective-port cap
      ip management-ip
    }
  }
  version 17.5.1.3
}
cm device-group Common/Sync-Failover {
  devices {
    Common/adc3-bip1.hkedcity.net { }
    Common/adc4-bip1.hkedcity.net { }
  }
  type sync-failover
}
cm device-group Common/device_trust_group {
  auto-sync enabled
  devices {
    Common/adc3-bip1.hkedcity.net { }
    Common/adc4-bip1.hkedcity.net { }
  }
  network-failover disabled
}
cm device-group Common/gtm {
  devices {
    Common/adc3-bip1.hkedcity.net { }
  }
  network-failover disabled
}
cm key Common/dtca.key {
  checksum SHA1:1704:5d619911235b0c0680818717677f4a4976f5eb0b
  create-time 2025-09-03:14:50:55
  created-by root
  key-size 2048
  last-update-time 2025-09-03:14:50:55
  mode 33184
  revision 3
  size 1704
  source-path none
}
```

```

    updated-by root
}
cm key Common/dtdi.key {
    checksum SHA1:1704:08781a18f411f28e9e7eb9e123ac9b531600cedd
    create-time 2025-09-03:14:50:55
    created-by root
    key-size 2048
    last-update-time 2025-09-03:14:50:55
    mode 33184
    revision 3
    size 1704
    source-path none
    updated-by root
}
cm traffic-group Common/traffic-group-1 {
    unit-id 1
}
cm traffic-group Common/traffic-group-local-only {
    is-floating false
}
cm trust-domain Common/Root {
    ca-cert Common/dtca.crt
    ca-cert-bundle Common/dtca-bundle.crt
    ca-devices { /Common/ad3-bip1.hkedcity.net /Common/ad4-bip1.hkedcity.net }
    ca-key Common/dtca.key
    status initialized
    trust-group Common/device_trust_group
}
ltm data-group internal Common/bypass_ip {
    records {
        10.0.0.0/22 { }
        10.0.12.0/23 { }
        10.0.18.0/23 { }
        10.5.0.0/26 { }
        10.5.1.0/24 { }
        202.8.88.0/23 { }
        210.5.185.66/32 { }
        220.241.141.1/32 { }
    }
    type ip
}
ltm data-group internal Common/u_internal_IP {
    records {
        10.0.12.0/22 { }
        10.128.5.64/26 { }
        10.128.5.128/26 { }
        10.128.5.192/26 { }
        10.128.17.0/26 { }
        10.128.17.192/26 { }
        10.128.128.0/18 { }
        10.128.192.0/18 { }
    }
}

```

```

        202.8.90.0/25 { }
    }
    type ip
}
ltm data-group internal prod/allowed_ai_endpoint {
    partition prod
    records {
        /detokenize { }
        /tokenize { }
        /v1/chat/completions { }
        /v1/completions { }
        /v1/embeddings { }
        /v1/models { }
    }
    type string
}
ltm data-group internal prod/bypass_ip_epublisher {
    partition prod
    records {
        10.0.0.0/22 { }
        10.0.12.0/23 { }
        10.0.18.0/23 { }
        10.5.0.0/26 { }
        10.5.1.0/24 { }
        20.187.162.128/32 { }
        20.187.187.28/32 { }
        202.8.88.0/23 { }
        210.5.185.66/32 { }
        220.241.141.1/32 { }
    }
    type ip
}
ltm data-group internal prod/bypass_ip_hkec_maint {
    partition prod
    records {
        10.0.0.0/8 { }
        13.70.31.61/32 { }
        20.187.162.128/32 { }
        202.8.88.0/22 { }
        210.5.185.66/32 { }
        220.241.141.1/32 { }
    }
    type ip
}
ltm data-group internal prod/bypass_ip_wmng {
    partition prod
    records {
        10.0.0.0/8 { }
    }
    type ip
}

```



```

ltm data-group internal prod/cms_eqaul_rproxy_names {
  partition prod
  records {
    /dummy { }
  }
  type string
}
ltm data-group internal prod/cms_equal_rproxy_names {
  partition prod
  records {
    /building_safety { }
    /census2011 { }
    /edbosp-ae { }
    /edbosp-chi { }
    /edbosp-eng { }
    /edbosp-gs { }
    /edbosp-math { }
    /edbosp-pe { }
    /edbosp-pshe { }
    /edbosp-sci { }
    /edbosp-te { }
    /edv-award { }
    /emads { }
    /emaths { }
    /ises { }
    /iyc2011 { }
    /life { }
    /pathways { }
    /pe { }
    /sss { }
    /student-explorer { }
  }
  type string
}
ltm data-group internal prod/cms_start_rproxy_names {
  partition prod
  records {
    /building_safety/ { }
    /census2011/ { }
    /cmsfrontend { }
    /cmssystem { }
    /cmsutils { }
    /edbosp-ae/ { }
    /edbosp-chi/ { }
    /edbosp-eng/ { }
    /edbosp-gs/ { }
    /edbosp-math/ { }
    /edbosp-pe/ { }
    /edbosp-pshe/ { }
    /edbosp-sci/ { }
    /edbosp-te/ { }
  }

```

```

        /edv-award/ { }
        /emads/ { }
        /emaths/ { }
        /ises/ { }
        /iyc2011/ { }
        /life/ { }
        /pathways/ { }
        /pe/ { }
        /site_by_ester { }
        /sss/ { }
        /student-explorer/ { }
    }
    type string
}
ltm data-group internal prod/decommission_equal_names {
    partition prod
    records {
        /bdpostcard { }
        /bdradiodrama { }
        /bdtoydesign { }
        /chinevent { }
        /edbreeding { }
        /futurehub { }
        /iknowquiz { }
        /ouhkela { }
    }
    type string
}
ltm data-group internal prod/decommission_start_names {
    partition prod
    records {
        /bdpostcard/ { }
        /bdradiodrama/ { }
        /bdtoydesign/ { }
        /chinevent/ { }
        /edbreeding/ { }
        /futurehub/ { }
        /iknowquiz/ { }
        /ouhkela/ { }
    }
    type string
}
ltm data-group internal prod/drupal_multisite_equal_names {
    partition prod
    records {
        /drupal_multi_testpage { }
        /iknowquiz { }
    }
    type string
}
ltm data-group internal prod/drupal_multisite_start_names {

```

```

    partition prod
    records {
        /drupal_multi_testpage/ { }
        /iknowquiz/ { }
    }
    type string
}
ltm data-group internal prod/edb_decommission {
    partition prod
    records {
        dummy.remove.when.item.add { }
    }
    type string
}
ltm data-group internal prod/ereadscheme_redirect_readingcity {
    partition prod
    records {
        /ereadscheme {
            data https://www.hkreadingcity.net/ereadscheme
        }
        /ereadscheme/2021Packages {
            data https://www.hkreadingcity.net/pkg/hkecl2021
        }
        /ereadscheme/2021SUEPPKGS {
            data https://www.hkreadingcity.net/pkg/suep2021
        }
        /ereadscheme/about_eread_scheme {
            data https://www.hkreadingcity.net/about_eread_scheme
        }
        /ereadscheme/award {
            data /studentscheme/readingcontract
        }
        /ereadscheme/award_detail {
            data /studentscheme/readingcontract
        }
        /ereadscheme/award_results {
            data /studentscheme/readingcontract
        }
        /ereadscheme/books_control {
            data https://www.hkreadingcity.net/books_control
        }
        /ereadscheme/books_report {
            data https://www.hkreadingcity.net/books_report
        }
        /ereadscheme/edb_eread {
            data https://www.hkreadingcity.net/pkg/edb2021
        }
        /ereadscheme/en {
            data https://www.hkreadingcity.net/en/ereadscheme
        }
        /ereadscheme/en/2021Packages {

```

```
    data https://www.hkreadingcity.net/en/pkg/hkecl2021
  }
/ereadscheme/en/2021SUEPPKGS {
  data https://www.hkreadingcity.net/en/pkg/suep2021
}
/ereadscheme/en/about_eread_scheme {
  data https://www.hkreadingcity.net/en/about_eread_scheme
}
/ereadscheme/en/award {
  data /studentscheme/en/readingcontract
}
/ereadscheme/en/award_detail {
  data /studentscheme/en/readingcontract
}
/ereadscheme/en/award_results {
  data /studentscheme/en/readingcontract
}
/ereadscheme/en/books_control {
  data https://www.hkreadingcity.net/en/books_control
}
/ereadscheme/en/books_report {
  data https://www.hkreadingcity.net/en/books_report
}
/ereadscheme/en/edb_eread {
  data https://www.hkreadingcity.net/en/pkg/edb2021
}
/ereadscheme/en/faq {
  data https://www.hkreadingcity.net/en/eread_faq
}
/ereadscheme/en/participating-schools {
  data https://www.hkreadingcity.net/en/eread_participating_schools
}
/ereadscheme/en/pkg {
  data https://www.hkreadingcity.net/en/pkg
}
/ereadscheme/en/pkg/eRead2015A005 {
  data https://www.hkreadingcity.net/en/pkg/eRead2015A005
}
/ereadscheme/en/pkg/eRead2015A006 {
  data https://www.hkreadingcity.net/en/pkg/eRead2015A006
}
/ereadscheme/en/pkg/eRead2016A005 {
  data https://www.hkreadingcity.net/en/pkg/eRead2016A005
}
/ereadscheme/en/pkg/eRead2018A009 {
  data https://www.hkreadingcity.net/en/pkg/eRead2018A009
}
/ereadscheme/en/pkg/eRead2018A010 {
  data https://www.hkreadingcity.net/en/pkg/eRead2018A010
}
/ereadscheme/en/primaryschool_sharing {
```

```
    data https://www.hkreadingcity.net/en/eread_school_sharing
  }
/ereadscheme/en/schoolFreePackages {
  data https://www.hkreadingcity.net/en/pkg/schfree
}
/ereadscheme/en/secondaryschool_sharing {
  data https://www.hkreadingcity.net/en/eread_school_sharing
}
/ereadscheme/en/stuadmin {
  data https://www.hkreadingcity.net/en/stuadmin
}
/ereadscheme/en/student_cert {
  data https://www.hkreadingcity.net/en/student_cert
}
/ereadscheme/en/teaadmin {
  data https://www.hkreadingcity.net/en/teaadmin
}
/ereadscheme/en/user_guide {
  data https://www.hkreadingcity.net/en/eread_user_guide
}
/ereadscheme/faq {
  data https://www.hkreadingcity.net/eread_faq
}
/ereadscheme/participating-schools {
  data https://www.hkreadingcity.net/eread_participating_schools
}
/ereadscheme/pkg {
  data https://www.hkreadingcity.net/pkg
}
/ereadscheme/pkg/eRead2015A005 {
  data https://www.hkreadingcity.net/pkg/eRead2015A005
}
/ereadscheme/pkg/eRead2015A006 {
  data https://www.hkreadingcity.net/pkg/eRead2015A006
}
/ereadscheme/pkg/eRead2016A005 {
  data https://www.hkreadingcity.net/pkg/eRead2016A005
}
/ereadscheme/pkg/eRead2018A009 {
  data https://www.hkreadingcity.net/pkg/eRead2018A009
}
/ereadscheme/pkg/eRead2018A010 {
  data https://www.hkreadingcity.net/pkg/eRead2018A010
}
/ereadscheme/primaryschool_sharing {
  data https://www.hkreadingcity.net/eread_school_sharing
}
/ereadscheme/schoolFreePackages {
  data https://www.hkreadingcity.net/pkg/schfree
}
/ereadscheme/secondaryschool_sharing {
```

```
    data https://www.hkreadingcity.net/eread_school_sharing
  }
/ereadscheme/stuadmin {
  data https://www.hkreadingcity.net/stuadmin
}
/ereadscheme/student_cert {
  data https://www.hkreadingcity.net/student_cert
}
/ereadscheme/teaadmin {
  data https://www.hkreadingcity.net/teaadmin
}
/ereadscheme/user_guide {
  data https://www.hkreadingcity.net/eread_user_guide
}
/ereadscheme/zh-hant {
  data https://www.hkreadingcity.net/zh-hant/ereadscheme
}
/ereadscheme/zh-hant/2021Packages {
  data https://www.hkreadingcity.net/zh-hant/pkg/hkecl2021
}
/ereadscheme/zh-hant/2021SUEPPKGS {
  data https://www.hkreadingcity.net/zh-hant/pkg/suep2021
}
/ereadscheme/zh-hant/about_eread_scheme {
  data https://www.hkreadingcity.net/zh-hant/about_eread_scheme
}
/ereadscheme/zh-hant/award {
  data /studentscheme/zh-hant/readingcontract
}
/ereadscheme/zh-hant/award_detail {
  data /studentscheme/zh-hant/readingcontract
}
/ereadscheme/zh-hant/award_results {
  data /studentscheme/zh-hant/readingcontract
}
/ereadscheme/zh-hant/books_control {
  data https://www.hkreadingcity.net/zh-hant/books_control
}
/ereadscheme/zh-hant/books_report {
  data https://www.hkreadingcity.net/zh-hant/books_report
}
/ereadscheme/zh-hant/edb_eread {
  data https://www.hkreadingcity.net/zh-hant/pkg/edb2021
}
/ereadscheme/zh-hant/faq {
  data https://www.hkreadingcity.net/zh-hant/eread_faq
}
/ereadscheme/zh-hant/participating-schools {
  data https://www.hkreadingcity.net/zh-hant/eread_participating_schools
}
/ereadscheme/zh-hant/pkg {
```

```

        data https://www.hkreadingcity.net/zh-hant/pkg
    }
    /ereadscheme/zh-hant/pkg/eRead2015A005 {
        data https://www.hkreadingcity.net/zh-hant/pkg/eRead2015A005
    }
    /ereadscheme/zh-hant/pkg/eRead2015A006 {
        data https://www.hkreadingcity.net/zh-hant/pkg/eRead2015A006
    }
    /ereadscheme/zh-hant/pkg/eRead2016A005 {
        data https://www.hkreadingcity.net/zh-hant/pkg/eRead2016A005
    }
    /ereadscheme/zh-hant/pkg/eRead2018A009 {
        data https://www.hkreadingcity.net/zh-hant/pkg/eRead2018A009
    }
    /ereadscheme/zh-hant/pkg/eRead2018A010 {
        data https://www.hkreadingcity.net/zh-hant/pkg/eRead2018A010
    }
    /ereadscheme/zh-hant/primaryschool_sharing {
        data https://www.hkreadingcity.net/zh-hant/eread_school_sharing
    }
    /ereadscheme/zh-hant/schoolFreePackages {
        data https://www.hkreadingcity.net/zh-hant/pkg/schfree
    }
    /ereadscheme/zh-hant/secondaryschool_sharing {
        data https://www.hkreadingcity.net/zh-hant/eread_school_sharing
    }
    /ereadscheme/zh-hant/stuadmin {
        data https://www.hkreadingcity.net/zh-hant/stuadmin
    }
    /ereadscheme/zh-hant/student_cert {
        data https://www.hkreadingcity.net/zh-hant/student_cert
    }
    /ereadscheme/zh-hant/teaadmin {
        data https://www.hkreadingcity.net/zh-hant/teaadmin
    }
    /ereadscheme/zh-hant/user_guide {
        data https://www.hkreadingcity.net/zh-hant/eread_user_guide
    }
}
type string
}
ltm data-group internal prod/hkec_domain {
    partition prod
    records {
        edcity.ai {
            data 7
        }
        edcity.asia {
            data 4
        }
        edcity.hk {

```

```

        data 6
    }
    hkcampus.net {
        data 5
    }
    hkedcity.net {
        data 1
    }
    hkreadingcity.net {
        data 3
    }
    smallcampus.net {
        data 2
    }
}
type string
}
ltm data-group internal prod/hkec_group1_equal_names {
    partition prod
    records {
        /admin/partner { }
        /seltas { }
    }
    type string
}
ltm data-group internal prod/hkec_group1_start_names {
    partition prod
    records {
        /admin/partner/ { }
        /seltas/ { }
    }
    type string
}
ltm data-group internal prod/hkec_group3_equal_names {
    partition prod
    records {
        /waas-support { }
    }
    type string
}
ltm data-group internal prod/hkec_group3_start_names {
    partition prod
    records {
        /waas-support/ { }
    }
    type string
}
ltm data-group internal prod/hkec_group4_equal_names {
    partition prod
    records {
        /schoolservices/application_form { }
    }
}

```



```

    }
    type string
}
ltm data-group internal prod/hkec_group4_start_names {
    partition prod
    records {
        /schoolservices/application_form/ { }
    }
    type string
}
ltm data-group internal prod/hkec_group5_equal_names {
    partition prod
    records {
        /ecert { }
    }
    type string
}
ltm data-group internal prod/hkec_group5_start_names {
    partition prod
    records {
        /ecert/ { }
    }
    type string
}
ltm data-group internal prod/hkec_group6_equal_names {
    partition prod
    records {
        /admin/ereadpackages { }
        /elibrary1 { }
        /epublisher1 { }
        /tools/token_resolver { }
    }
    type string
}
ltm data-group internal prod/hkec_group6_start_names {
    partition prod
    records {
        /admin/ereadpackages/ { }
        /elibrary1/ { }
        /epublisher1/ { }
        /tools/token_resolver/ { }
    }
    type string
}
ltm data-group internal prod/hkec_legacy_equal_names {
    partition prod
    records {
        /admin/grs2 { }
        /admin/online_form_new { }
        /citizen { }
        /cms_files/cms-funpost { }
    }
}

```

```

    /cms_files/cms-sen { }
    /cms_files/goelearning { }
    /cms_files/options { }
    /edb/teachingresources { }
    /grs2 { }
    /mainpage_2013 { }
    /online_form { }
    /partner { }
    /reading_awards { }
    /registration { }
    /res_data { }
    /sch_files { }
    /schoolservices/wifi { }
    /tools/adv_search { }
    /tools/banner { }
    /tools/email_template { }
    /tools/file_upload { }
    /tools/generic_search { }
    /tools/securimage { }
    /uploaded_files { }
    /vdoembed { }
    /webmail_decommission { }
}
type string
}
ltm data-group internal prod/hkec_legacy_start_names {
  partition prod
  records {
    /admin/grs2/ { }
    /admin/online_form_new/ { }
    /citizen/ { }
    /cms_files/cms-funpost/ { }
    /cms_files/cms-sen/ { }
    /cms_files/goelearning/ { }
    /cms_files/options/ { }
    /edb/teachingresources/ { }
    /grs2/ { }
    /mainpage_2013/ { }
    /online_form/ { }
    /partner/ { }
    /reading_awards/ { }
    /registration/ { }
    /res_data/ { }
    /sch_files/ { }
    /schoolservices/wifi/ { }
    /tools/adv_search/ { }
    /tools/banner/ { }
    /tools/email_template/ { }
    /tools/file_upload/ { }
    /tools/generic_search/ { }
    /tools/securimage/ { }
  }
}

```

```

        /uploaded_files/ { }
        /vdoembed/ { }
        /webmail_decommission/ { }
    }
    type string
}
ltm data-group internal prod/hkec_rdomain {
    partition prod
    records {
        1 {
            data hkedcity.net
        }
        2 {
            data smallcampus.net
        }
        3 {
            data hkreadingcity.net
        }
        4 {
            data edcity.asia
        }
        5 {
            data hkcampus.net
        }
        6 {
            data edcity.hk
        }
    }
    type string
}
ltm data-group internal prod/http_rl_list {
    partition prod
    records {
        0.0.0.0 { }
    }
    type ip
}
ltm data-group internal prod/mbox_imap {
    partition prod
    records {
        10.0.0.0/22 { }
        10.5.0.0/26 { }
    }
    type ip
}
ltm data-group internal prod/mbox_imap_nosnat {
    partition prod
    records {
        10.0.12.0/23 { }
        202.8.88.0/25 { }
        210.5.185.66/32 { }
    }
}

```

```

        220.241.141.1/32 { }
    }
    type ip
}
ltm data-group internal prod/mbox_smtp_nosnat {
    partition prod
    records {
        10.0.0.116/32 { }
        10.0.0.123/32 { }
    }
    type ip
}
ltm data-group internal prod/redirect_to_edcity_hk_equal_names {
    partition prod
    records {
        /bdpostcard { }
        /bdradiodrama { }
        /bdtoydesign { }
        /coding { }
        /eddata { }
        /edunews { }
        /ereap { }
        /fin-edu { }
        /futurehub { }
        /greenflame { }
        /home { }
        /hq { }
        /mil { }
        /oqb { }
        /ouhkela { }
        /paat { }
        /pspe { }
        /questionbank { }
        /readingholmes { }
        /schoolpage { }
        /smartcc { }
        /vle { }
        /waaschool { }
        /wwgc { }
    }
    type string
}
ltm data-group internal prod/redirect_to_edcity_hk_start_names {
    partition prod
    records {
        /bdpostcard/ { }
        /bdradiodrama/ { }
        /bdtoydesign/ { }
        /coding/ { }
        /eddata/ { }
        /edunews/ { }
    }

```

```

    /ereap/ { }
    /fin-edu/ { }
    /futurehub/ { }
    /greenflame/ { }
    /home/ { }
    /hq/ { }
    /mil/ { }
    /oqb/ { }
    /ouhkelala/ { }
    /paat/ { }
    /pspe/ { }
    /questionbank/ { }
    /readingholmes/ { }
    /schoolpage/ { }
    /smartcc/ { }
    /vle/ { }
    /waaschool/ { }
    /wwgc/ { }
}
type string
}
ltm data-group internal prod/redirect_to_http {
    partition prod
    records {
        eyecare.edb.hkedcity.net { }
    }
    type string
}
ltm data-group internal prod/redirect_to_https {
    partition prod
    records {
        amp.edb.edcity.hk { }
        armap1.edb.edcity.hk { }
        bookworks.edb.edcity.hk { }
        cble.edb.hkedcity.net { }
        cbleportal.edb.edcity.hk { }
        cd1.edb.hkedcity.net { }
        chi.edb.hkedcity.net { }
        chiproverbs.edb.edcity.hk { }
        chiproverbs.edb.hkedcity.net { }
        colourprogression.edb.edcity.hk { }
        e-gallery.edb.edcity.hk { }
        easy-support-hi.edb.hkedcity.net { }
        edbdsites.hkedcity.net { }
        emm.edb.edcity.hk { }
        enavigator.edb.hkedcity.net { }
        historye-learning.edb.hkedcity.net { }
        internationalschools.edb.hkedcity.net { }
        joint-school-30-minute-read.edb.edcity.hk { }
        languedu.edb.hkedcity.net { }
        nets-pd.edb.edcity.hk { }
    }
}

```

```

    nets.edb.edcity.hk { }
    priscplatform.edb.hkedcity.net { }
    psresource.edb.edcity.hk { }
    resources-t.edb.hkedcity.net { }
    s6.edb.edcity.hk { }
    scholarhk-new.edb.edcity.hk { }
    scholarhk-new.edb.hkedcity.net { }
    scholarhk.edb.hkedcity.net { }
    sfcs.edb.hkedcity.net { }
    sop.edb.edcity.hk { }
    sop.edb.hkedcity.net { }
    steamforfuture.edb.edcity.hk { }
    stem.edb.hkedcity.net { }
    tim.edb.edcity.hk { }
    wlts.edb.hkedcity.net { }
    wordland.edb.edcity.hk { }
}
type string
}
ltm data-group internal prod/redirect_to_mainsite {
    partition prod
    records {
        dummy.remove.when.item.add { }
    }
    type string
}
ltm data-group internal prod/rproxy_names {
    partition prod
    records {
        /hkecalbum { }
        /hkecam { }
        /hkecautocomplete { }
        /hkecbanner { }
        /hkeccomment { }
        /hkecemailtofriends { }
        /hkecglobalsearch { }
        /hkecglsa { }
        /hkecinventory { }
        /hkecmodule { }
        /hkecpoll { }
        /hkecpolling { }
        /hkecp rint { }
        /hkecpvcounter { }
        /hkecrate { }
        /hkecrss { }
        /hkecsitesearch { }
        /hkectopbar { }
        /hkecupload { }
    }
    type string
}

```

```

ltm data-group internal prod/www_equal_redirect {
  partition prod
  records {
    /article/edmall_post {
      data www.hkedcity.net/article/edpost/
    }
    /article/parent_post {
      data www.hkedcity.net/article/edpost/
    }
    /article/partner_post {
      data www.hkedcity.net/article/edpost/
    }
    /article/teacher_post {
      data www.hkedcity.net/article/edpost/
    }
    /article/youngwall {
      data www.hkedcity.net/article/edpost/
    }
    /cms {
      data www.hkedcity.net/teacher/
    }
    /teachernet {
      data www.hkedcity.net/teacher/
    }
  }
  type string
}
ltm data-group internal prod/www_start_redirect {
  partition prod
  records {
    /article/edmall_post/ {
      data www.hkedcity.net/article/edpost/
    }
    /article/parent_post/ {
      data www.hkedcity.net/article/edpost/
    }
    /article/partner_post/ {
      data www.hkedcity.net/article/edpost/
    }
    /article/teacher_post/ {
      data www.hkedcity.net/article/edpost/
    }
    /article/youngwall/ {
      data www.hkedcity.net/article/edpost/
    }
    /cms/ {
      data www.hkedcity.net/teacher/
    }
    /teachernet/ {
      data www.hkedcity.net/teacher/
    }
  }
}

```

```

    }
    type string
}
ltm data-group internal uat/u_bypass_ip_hkec_maint {
    partition uat
    records {
        10.0.0.0/22 { }
        10.0.12.0/23 { }
        10.0.18.0/23 { }
        10.5.0.0/26 { }
        10.5.1.32/27 { }
        10.5.1.64/26 { }
        202.8.88.0/22 { }
        210.5.185.66/32 { }
        220.241.141.1/32 { }
    }
    type ip
}
ltm data-group internal uat/u_drupal_multisite_equal_names {
    partition uat
    records {
        /drupal_multi_testpage { }
        /edbreeding { }
    }
    type string
}
ltm data-group internal uat/u_drupal_multisite_start_names {
    partition uat
    records {
        /drupal_multi_testpage/ { }
        /edbreeding/ { }
    }
    type string
}
ltm data-group internal uat/u_ereadscheme_redirect_readingcity {
    partition uat
    records {
        /ereadscheme {
            data https://www-uat.hkreadingcity.net/ereadscheme
        }
        /ereadscheme/2021Packages {
            data https://www-uat.hkreadingcity.net/pkg/hkecl2021
        }
        /ereadscheme/2021SUEPPKGS {
            data https://www-uat.hkreadingcity.net/pkg/suep2021
        }
        /ereadscheme/about_eread_scheme {
            data https://www-uat.hkreadingcity.net/about_eread_scheme
        }
        /ereadscheme/award {
            data /studentscheme/readingcontract
        }
    }
}

```



```
}
/ereadscheme/award_detail {
    data /studentscheme/readingcontract
}
/ereadscheme/award_results {
    data /studentscheme/readingcontract
}
/ereadscheme/books_control {
    data https://www-uat.hkreadingcity.net/books_control
}
/ereadscheme/books_report {
    data https://www-uat.hkreadingcity.net/books_report
}
/ereadscheme/edb_eread {
    data https://www-uat.hkreadingcity.net/pkg/edb2021
}
/ereadscheme/en {
    data https://www-uat.hkreadingcity.net/en/ereadscheme
}
/ereadscheme/en/2021Packages {
    data https://www-uat.hkreadingcity.net/en/pkg/hkecl2021
}
/ereadscheme/en/2021SUEPPKGS {
    data https://www-uat.hkreadingcity.net/en/pkg/suep2021
}
/ereadscheme/en/about_eread_scheme {
    data https://www-uat.hkreadingcity.net/en/about_eread_scheme
}
/ereadscheme/en/award {
    data /studentscheme/en/readingcontract
}
/ereadscheme/en/award_detail {
    data /studentscheme/en/readingcontract
}
/ereadscheme/en/award_results {
    data /studentscheme/en/readingcontract
}
/ereadscheme/en/books_control {
    data https://www-uat.hkreadingcity.net/en/books_control
}
/ereadscheme/en/books_report {
    data https://www-uat.hkreadingcity.net/en/books_report
}
/ereadscheme/en/edb_eread {
    data https://www-uat.hkreadingcity.net/en/pkg/edb2021
}
/ereadscheme/en/faq {
    data https://www-uat.hkreadingcity.net/en/eread_faq
}
/ereadscheme/en/participating-schools {
    data https://www-uat.hkreadingcity.net/en/eread_participating_schools
}
```

```
}
/ereadscheme/en/pkg {
    data https://www-uat.hkreadingcity.net/en/pkg
}
/ereadscheme/en/pkg/eRead2015A005 {
    data https://www-uat.hkreadingcity.net/en/pkg/eRead2015A005
}
/ereadscheme/en/pkg/eRead2015A006 {
    data https://www-uat.hkreadingcity.net/en/pkg/eRead2015A006
}
/ereadscheme/en/pkg/eRead2016A005 {
    data https://www-uat.hkreadingcity.net/en/pkg/eRead2016A005
}
/ereadscheme/en/pkg/eRead2018A009 {
    data https://www-uat.hkreadingcity.net/en/pkg/eRead2018A009
}
/ereadscheme/en/pkg/eRead2018A010 {
    data https://www-uat.hkreadingcity.net/en/pkg/eRead2018A010
}
/ereadscheme/en/primaryschool_sharing {
    data https://www-uat.hkreadingcity.net/en/eread_school_sharing
}
/ereadscheme/en/schoolFreePackages {
    data https://www-uat.hkreadingcity.net/en/pkg/schfree
}
/ereadscheme/en/secondaryschool_sharing {
    data https://www-uat.hkreadingcity.net/en/eread_school_sharing
}
/ereadscheme/en/stuadmin {
    data https://www-uat.hkreadingcity.net/en/stuadmin
}
/ereadscheme/en/student_cert {
    data https://www-uat.hkreadingcity.net/en/student_cert
}
/ereadscheme/en/teaadmin {
    data https://www-uat.hkreadingcity.net/en/teaadmin
}
/ereadscheme/en/user_guide {
    data https://www-uat.hkreadingcity.net/en/eread_user_guide
}
/ereadscheme/faq {
    data https://www-uat.hkreadingcity.net/eread_faq
}
/ereadscheme/participating-schools {
    data https://www-uat.hkreadingcity.net/eread_participating_schools
}
/ereadscheme/pkg {
    data https://www-uat.hkreadingcity.net/pkg
}
/ereadscheme/pkg/eRead2015A005 {
    data https://www-uat.hkreadingcity.net/pkg/eRead2015A005
}
```

```
}
/ereadscheme/pkg/eRead2015A006 {
    data https://www-uat.hkreadingcity.net/pkg/eRead2015A006
}
/ereadscheme/pkg/eRead2016A005 {
    data https://www-uat.hkreadingcity.net/pkg/eRead2016A005
}
/ereadscheme/pkg/eRead2018A009 {
    data https://www-uat.hkreadingcity.net/pkg/eRead2018A009
}
/ereadscheme/pkg/eRead2018A010 {
    data https://www-uat.hkreadingcity.net/pkg/eRead2018A010
}
/ereadscheme/primaryschool_sharing {
    data https://www-uat.hkreadingcity.net/eread_school_sharing
}
/ereadscheme/schoolFreePackages {
    data https://www-uat.hkreadingcity.net/pkg/schfree
}
/ereadscheme/secondaryschool_sharing {
    data https://www-uat.hkreadingcity.net/eread_school_sharing
}
/ereadscheme/stuadmin {
    data https://www-uat.hkreadingcity.net/stuadmin
}
/ereadscheme/student_cert {
    data https://www-uat.hkreadingcity.net/student_cert
}
/ereadscheme/teaadmin {
    data https://www-uat.hkreadingcity.net/teaadmin
}
/ereadscheme/user_guide {
    data https://www-uat.hkreadingcity.net/eread_user_guide
}
/ereadscheme/zh-hant {
    data https://www-uat.hkreadingcity.net/zh-hant/ereadscheme
}
/ereadscheme/zh-hant/2021Packages {
    data https://www-uat.hkreadingcity.net/zh-hant/pkg/hkecl2021
}
/ereadscheme/zh-hant/2021SUEPPKGS {
    data https://www-uat.hkreadingcity.net/zh-hant/pkg/suep2021
}
/ereadscheme/zh-hant/about_eread_scheme {
    data https://www-uat.hkreadingcity.net/zh-hant/about_eread_scheme
}
/ereadscheme/zh-hant/award {
    data /studentscheme/zh-hant/readingcontract
}
/ereadscheme/zh-hant/award_detail {
    data /studentscheme/zh-hant/readingcontract
}
```

```
}
/ereadscheme/zh-hant/award_results {
    data /studentscheme/zh-hant/readingcontract
}
/ereadscheme/zh-hant/books_control {
    data https://www-uat.hkreadingcity.net/zh-hant/books_control
}
/ereadscheme/zh-hant/books_report {
    data https://www-uat.hkreadingcity.net/zh-hant/books_report
}
/ereadscheme/zh-hant/edb_eread {
    data https://www-uat.hkreadingcity.net/zh-hant/pkg/edb2021
}
/ereadscheme/zh-hant/faq {
    data https://www-uat.hkreadingcity.net/zh-hant/eread_faq
}
/ereadscheme/zh-hant/participating-schools {
    data
https://www-uat.hkreadingcity.net/zh-hant/eread_participating_schools
}
/ereadscheme/zh-hant/pkg {
    data https://www-uat.hkreadingcity.net/zh-hant/pkg
}
/ereadscheme/zh-hant/pkg/eRead2015A005 {
    data https://www-uat.hkreadingcity.net/zh-hant/pkg/eRead2015A005
}
/ereadscheme/zh-hant/pkg/eRead2015A006 {
    data https://www-uat.hkreadingcity.net/zh-hant/pkg/eRead2015A006
}
/ereadscheme/zh-hant/pkg/eRead2016A005 {
    data https://www-uat.hkreadingcity.net/zh-hant/pkg/eRead2016A005
}
/ereadscheme/zh-hant/pkg/eRead2018A009 {
    data https://www-uat.hkreadingcity.net/zh-hant/pkg/eRead2018A009
}
/ereadscheme/zh-hant/pkg/eRead2018A010 {
    data https://www-uat.hkreadingcity.net/zh-hant/pkg/eRead2018A010
}
/ereadscheme/zh-hant/primaryschool_sharing {
    data https://www-uat.hkreadingcity.net/zh-hant/eread_school_sharing
}
/ereadscheme/zh-hant/schoolFreePackages {
    data https://www-uat.hkreadingcity.net/zh-hant/pkg/schfree
}
/ereadscheme/zh-hant/secondaryschool_sharing {
    data https://www-uat.hkreadingcity.net/zh-hant/eread_school_sharing
}
/ereadscheme/zh-hant/stuadmin {
    data https://www-uat.hkreadingcity.net/zh-hant/stuadmin
}
/ereadscheme/zh-hant/student_cert {
```

```

        data https://www-uat.hkreadingcity.net/zh-hant/student_cert
    }
    /ereadscheme/zh-hant/teaadmin {
        data https://www-uat.hkreadingcity.net/zh-hant/teaadmin
    }
    /ereadscheme/zh-hant/user_guide {
        data https://www-uat.hkreadingcity.net/zh-hant/eread_user_guide
    }
}
type string
}
ltm data-group internal uat/u_hkec_domain {
    partition uat
    records {
        edcity.asia {
            data 4
        }
        edcity.hk {
            data 6
        }
        hkcampus.net {
            data 5
        }
        hkedcity.net {
            data 1
        }
        hkreadingcity.net {
            data 3
        }
        smallcampus.net {
            data 2
        }
    }
}
type string
}
ltm data-group internal uat/u_hkec_group1_equal_names {
    partition uat
    records {
        /admin/partner { }
        /seltas { }
    }
}
type string
}
ltm data-group internal uat/u_hkec_group1_start_names {
    partition uat
    records {
        /admin/partner/ { }
        /seltas/ { }
    }
}
type string
}

```

```

ltm data-group internal uat/u_hkec_group3_equal_names {
    partition uat
    records {
        /waas-support { }
    }
    type string
}
ltm data-group internal uat/u_hkec_group3_start_names {
    partition uat
    records {
        /waas-support/ { }
    }
    type string
}
ltm data-group internal uat/u_hkec_group4_equal_names {
    partition uat
    records {
        /schoolservices/application_form { }
    }
    type string
}
ltm data-group internal uat/u_hkec_group4_start_names {
    partition uat
    records {
        /schoolservices/application_form/ { }
    }
    type string
}
ltm data-group internal uat/u_hkec_group5_equal_names {
    partition uat
    records {
        /ecert { }
    }
    type string
}
ltm data-group internal uat/u_hkec_group5_start_names {
    partition uat
    records {
        /ecert/ { }
    }
    type string
}
ltm data-group internal uat/u_hkec_group6_equal_names {
    partition uat
    records {
        /admin/ereadpackages { }
        /elibrary1 { }
        /epublisher1 { }
        /tools/token_resolver { }
    }
    type string
}

```

```

}
ltm data-group internal uat/u_hkec_group6_start_names {
  partition uat
  records {
    /admin/ereadpackages/ { }
    /elibrary1/ { }
    /epublisher1/ { }
    /tools/token_resolver/ { }
  }
  type string
}
ltm data-group internal uat/u_hkec_legacy_equal_names {
  partition uat
  records {
    /admin/grs2 { }
    /admin/online_form_new { }
    /citizen { }
    /cms_files/cms-funpost { }
    /cms_files/cms-sen { }
    /cms_files/goelearning { }
    /cms_files/options { }
    /edb/teachingresources { }
    /grs2 { }
    /mainpage_2013 { }
    /online_form { }
    /partner { }
    /reading_awards { }
    /registration { }
    /res_data { }
    /sch_files { }
    /schoolservices/wifi { }
    /tools/adv_search { }
    /tools/banner { }
    /tools/email_template { }
    /tools/file_upload { }
    /tools/generic_search { }
    /tools/securimage { }
    /uploaded_files { }
    /vdoembed { }
    /webmail_decommission { }
  }
  type string
}
ltm data-group internal uat/u_hkec_legacy_start_names {
  partition uat
  records {
    /admin/grs2/ { }
    /admin/online_form_new/ { }
    /citizen/ { }
    /cms_files/cms-funpost/ { }
    /cms_files/cms-sen/ { }
  }

```

```

        /cms_files/goelearning/ { }
        /cms_files/options/ { }
        /edb/teachingresources/ { }
        /grs2/ { }
        /mainpage_2013/ { }
        /online_form/ { }
        /partner/ { }
        /reading_awards/ { }
        /registration/ { }
        /res_data/ { }
        /sch_files/ { }
        /schoolservices/wifi/ { }
        /tools/adv_search/ { }
        /tools/banner/ { }
        /tools/email_template/ { }
        /tools/file_upload/ { }
        /tools/generic_search/ { }
        /tools/securimage/ { }
        /uploaded_files/ { }
        /vdoembed/ { }
        /webmail_decommission/ { }
    }
    type string
}
ltm data-group internal uat/u_hkec_rdomain {
    partition uat
    records {
        1 {
            data hkedcity.net
        }
        2 {
            data smallcampus.net
        }
        3 {
            data hkreadingcity.net
        }
        4 {
            data edcity.asia
        }
        5 {
            data hkcampus.net
        }
        6 {
            data edcity.hk
        }
    }
    type string
}
ltm data-group internal uat/u_http_rl_list {
    partition uat
    records {

```



```

        0.0.0.0 { }
    }
    type ip
}
ltm data-group internal uat/u_redirect_to_http {
    partition uat
    records {
        dummy.remove.when.item.add { }
    }
    type string
}
ltm data-group internal uat/u_redirect_to_https {
    partition uat
    records {
        edbdsites.hkedcity.net { }
    }
    type string
}
ltm data-group internal uat/u_redirect_to_mainsite {
    partition uat
    type string
}
ltm data-group internal uat/u_rproxy_names {
    partition uat
    records {
        /hkecalbum { }
        /hkecam { }
        /hkecapps3/withrproxy { }
        /hkecautocomplete { }
        /hkecbanner { }
        /hkeccomment { }
        /hkeccomment2 { }
        /hkecemailtofriends { }
        /hkecglobalsearch { }
        /hkecglsa { }
        /hkecinventory { }
        /hkecmodule { }
        /hkecpoll { }
        /hkecpolling { }
        /hkecprint { }
        /hkecpvcounter { }
        /hkecrate { }
        /hkecrss { }
        /hkecsitesearch { }
        /hkectopbar { }
        /hkecupload { }
        /kecglobalsearch { }
    }
    type string
}
ltm data-group internal uat/u_www_equal_redirect {

```

```

    partition uat
    records {
        /this_is_dummy_20180425 {
            data www.hkedcity.net/
        }
    }
    type string
}
ltm data-group internal uat/u_www_start_redirect {
    partition uat
    records {
        /this_is_dummy_20180425/ {
            data www.hkedcity.net/
        }
    }
    type string
}
ltm default-node-monitor {
    rule none
}
ltm dns analytics global-settings { }
ltm dns cache global-settings { }
ltm global-settings connection { }
ltm global-settings general { }
ltm global-settings rule { }
ltm global-settings traffic-control { }
ltm monitor dns prod/hkec_dns {
    accept-rcode no-error
    adaptive disabled
    answer-contains query-type
    defaults-from Common/dns
    destination *.*
    interval 20
    partition prod
    qname hkedcity.net
    qtype a
    recv none
    time-until-up 0
    timeout 61
}
ltm monitor dns uat/u_hkec_dns {
    accept-rcode no-error
    adaptive disabled
    answer-contains query-type
    defaults-from Common/dns
    destination *.*
    interval 20
    partition uat
    qname hkedcity.net
    qtype a
    recv none

```

```

    time-until-up 0
    timeout 61
}
ltm monitor http prod/cd1_http {
    adaptive disabled
    defaults-from Common/http
    destination *.http
    interval 5
    ip-dscp 0
    partition prod
    recv "HTTP/1.1 200 OK"
    recv-disable none
    send "GET /cd/scolarnew/chi/index.asp HTTP/1.1\r\nHost:
cd1.edb.hkedcity.net\r\nConnection: close\r\n\r\n"
    time-until-up 0
    timeout 16
}
ltm monitor http prod/edmall_varnish {
    adaptive disabled
    defaults-from Common/http
    destination *.6081
    interval 10
    ip-dscp 0
    partition prod
    recv success
    recv-disable none
    send "GET /health_check.php HTTP/1.0\r\n\r\n"
    time-until-up 0
    timeout 31
}
ltm monitor http prod/hkec_nodejs_61001 {
    adaptive disabled
    defaults-from Common/http
    destination *.61001
    interval 5
    ip-dscp 0
    partition prod
    recv success
    recv-disable none
    send "GET /monitor.html HTTP/1.0\r\n\r\n"
    time-until-up 0
    timeout 16
}
ltm monitor http prod/hkec_nodejs_61004 {
    adaptive disabled
    defaults-from Common/http
    destination *.61004
    interval 5
    ip-dscp 0
    partition prod
    recv success

```

```
    recv-disable none
    send "GET /monitor.html HTTP/1.0\r\n\r\n"
    time-until-up 0
    timeout 16
}
ltm monitor http prod/hkec_nodejs_61006 {
    adaptive disabled
    defaults-from Common/http
    destination *.61006
    interval 5
    ip-dscp 0
    partition prod
    recv success
    recv-disable none
    send "GET /monitor.html HTTP/1.0\r\n\r\n"
    time-until-up 0
    timeout 16
}
ltm monitor http prod/hkec_web {
    adaptive disabled
    defaults-from Common/http
    destination *.http
    interval 10
    ip-dscp 0
    partition prod
    recv success
    recv-disable none
    send "GET /monitor.html HTTP/1.0\r\n\r\n"
    time-until-up 0
    timeout 31
}
ltm monitor http prod/hkec_web_Common {
    adaptive disabled
    defaults-from Common/http
    destination *.http
    interval 10
    ip-dscp 0
    partition prod
    recv success
    recv-disable none
    send "GET /monitor.html HTTP/1.0\r\n\r\n"
    time-until-up 0
    timeout 31
}
ltm monitor http prod/php_fpm {
    adaptive disabled
    defaults-from Common/http
    destination *.http
    interval 10
    ip-dscp 0
    partition prod
```

```

    recv php-pong
    recv-disable none
    send "GET /php-ping HTTP/1.0\r\n\r\n"
    time-until-up 0
    timeout 31
}
ltm monitor http prod/sc {
    adaptive disabled
    defaults-from Common/http
    destination *.http
    interval 10
    ip-dscp 0
    partition prod
    recv success
    recv-disable none
    send "GET /tools/check_server_alive.php HTTP/1.0\r\n\r\n"
    time-until-up 0
    timeout 31
}
ltm monitor http prod/scolar_http {
    adaptive disabled
    defaults-from Common/http
    destination *.http
    interval 10
    ip-dscp 0
    partition prod
    recv "HTTP/1.1 200 OK"
    recv-disable none
    send "GET / HTTP/1.1\r\nHost: scolar.edb.hkedcity.net\r\nConnection:
close\r\n\r\n"
    time-until-up 0
    timeout 31
}
ltm monitor http prod/wlts_http {
    adaptive disabled
    defaults-from Common/http
    destination *.http
    interval 5
    ip-dscp 0
    partition prod
    recv "HTTP/1.1 200 OK"
    recv-disable none
    send "GET / HTTP/1.1\r\nHost: wlts.edb.hkedcity.net\r\nConnection:
close\r\n\r\n"
    time-until-up 0
    timeout 16
}
ltm monitor http prod/zend {
    adaptive disabled
    defaults-from Common/http
    destination *.http

```

```

interval 5
ip-dscp 0
partition prod
recv none
recv-disable none
send "GET / HTTP/1.0\r\n\r\n"
time-until-up 0
timeout 16
}
ltm monitor http uat/u_edmall_varnish {
adaptive disabled
defaults-from Common/http
destination *.6081
interval 10
ip-dscp 0
partition uat
recv success
recv-disable none
send "GET /health_check.php HTTP/1.0\r\n\r\n"
time-until-up 0
timeout 31
}
ltm monitor http uat/u_hkec_nodejs_61001 {
adaptive disabled
defaults-from Common/http
destination *.61001
interval 5
ip-dscp 0
partition uat
recv success
recv-disable none
send "GET /monitor.html HTTP/1.0\r\n\r\n"
time-until-up 0
timeout 16
}
ltm monitor http uat/u_hkec_nodejs_61004 {
adaptive disabled
defaults-from Common/http
destination *.61004
interval 5
ip-dscp 0
partition uat
recv success
recv-disable none
send "GET /monitor.html HTTP/1.0\r\n\r\n"
time-until-up 0
timeout 16
}
ltm monitor http uat/u_hkec_nodejs_61006 {
adaptive disabled
defaults-from Common/http

```

```

    destination *.61006
    interval 5
    ip-dscp 0
    partition uat
    recv success
    recv-disable none
    send "GET /monitor.html HTTP/1.0\r\n\r\n"
    time-until-up 0
    timeout 16
}
ltm monitor http uat/u_hkec_web {
    adaptive disabled
    defaults-from Common/http
    destination *.http
    interval 10
    ip-dscp 0
    partition uat
    recv success
    recv-disable none
    send "GET /monitor.html HTTP/1.0\r\n\r\n"
    time-until-up 0
    timeout 31
}
ltm monitor http uat/u_php_fpm {
    adaptive disabled
    defaults-from Common/http
    destination *.http
    interval 10
    ip-dscp 0
    partition uat
    recv php-pong
    recv-disable none
    send "GET /php-ping HTTP/1.0\r\n\r\n"
    time-until-up 0
    timeout 31
}
ltm monitor http uat/u_sc {
    adaptive disabled
    defaults-from Common/http
    destination *.http
    interval 10
    ip-dscp 0
    partition uat
    recv success
    recv-disable none
    send "GET /tools/check_server_alive.php HTTP/1.0\r\n\r\n"
    time-until-up 0
    timeout 31
}
ltm monitor ldap prod/hkec_ldap {
    chase-referrals yes

```

```

    debug no
    defaults-from Common/ldap
    destination *:*
    interval 10
    mandatory-attributes no
    partition prod
    time-until-up 0
    timeout 31
}
ltm monitor ldap uat/u_hkec_ldap {
    chase-referrals yes
    debug no
    defaults-from Common/ldap
    destination *:*
    interval 10
    mandatory-attributes no
    partition uat
    time-until-up 0
    timeout 31
}
ltm monitor mysql prod/proxysql_6033 {
    count 0
    database information_schema
    debug no
    defaults-from Common/mysql
    destination *:*
    interval 30
    partition prod
    password $M$jW$oRieimjXNx5xo0q7HFgW+w==
    recv none
    send none
    time-until-up 0
    timeout 91
    username monitor
}
ltm monitor mysql uat/u_proxysql_6033 {
    count 0
    database information_schema
    debug no
    defaults-from Common/mysql
    destination *:*
    interval 30
    partition uat
    password $M$On$Wx/DxFt0ggsywunGLI8BUw==
    recv none
    send none
    time-until-up 0
    timeout 91
    username monitor
}
ltm monitor tcp prod/couchbase {

```



```

    adaptive disabled
    defaults-from Common/tcp
    destination *.memcache
    interval 5
    ip-dscp 0
    partition prod
    recv END
    recv-disable none
    send stats\r\n
    time-until-up 0
    timeout 16
}
ltm monitor tcp prod/hkec {
    adaptive disabled
    defaults-from Common/tcp
    destination *.http
    interval 10
    ip-dscp 0
    partition prod
    recv none
    recv-disable none
    send none
    time-until-up 0
    timeout 31
}
ltm monitor tcp prod/hkec_ftp {
    adaptive disabled
    defaults-from Common/tcp
    destination *.ftp
    interval 5
    ip-dscp 0
    partition prod
    recv none
    recv-disable none
    send none
    time-until-up 0
    timeout 16
}
ltm monitor tcp prod/hkec_ftps {
    adaptive disabled
    defaults-from Common/tcp
    destination *.ftp
    interval 5
    ip-dscp 0
    partition prod
    recv none
    recv-disable none
    send none
    time-until-up 0
    timeout 16
}

```

```
ltm monitor tcp prod/logstash {
    adaptive disabled
    defaults-from Common/tcp
    destination *.lxi-evntsvc
    interval 10
    ip-dscp 0
    partition prod
    recv none
    recv-disable none
    send none
    time-until-up 0
    timeout 31
}
ltm monitor tcp prod/osd {
    adaptive disabled
    defaults-from Common/tcp
    destination *.esmagent
    interval 10
    ip-dscp 0
    partition prod
    recv none
    recv-disable none
    send none
    time-until-up 0
    timeout 31
}
ltm monitor tcp prod/osearch {
    adaptive disabled
    defaults-from Common/tcp
    destination *.wap-wsp
    interval 10
    ip-dscp 0
    partition prod
    recv none
    recv-disable none
    send none
    time-until-up 0
    timeout 31
}
ltm monitor tcp prod/syslog-tcp {
    adaptive disabled
    defaults-from Common/tcp
    destination *.514
    interval 5
    ip-dscp 0
    partition prod
    recv none
    recv-disable none
    send none
    time-until-up 0
    timeout 16
}
```

```

}
ltm monitor tcp uat/u_couchbase {
    adaptive disabled
    defaults-from Common/tcp
    destination *.memcache
    interval 5
    ip-dscp 0
    partition uat
    recv END
    recv-disable none
    send stats\r\n
    time-until-up 0
    timeout 16
}
ltm monitor tcp uat/u_hkec {
    adaptive disabled
    defaults-from Common/tcp
    destination *.http
    interval 10
    ip-dscp 0
    partition uat
    recv none
    recv-disable none
    send none
    time-until-up 0
    timeout 31
}
ltm monitor tcp uat/u_hkec_ftps {
    adaptive disabled
    defaults-from Common/tcp
    destination *.ftp
    interval 5
    ip-dscp 0
    partition uat
    recv none
    recv-disable none
    send none
    time-until-up 0
    timeout 16
}
ltm monitor tcp uat/u_osd {
    adaptive disabled
    defaults-from Common/tcp
    destination *.esmagent
    interval 10
    ip-dscp 0
    partition uat
    recv none
    recv-disable none
    send none
    time-until-up 0
}

```

```
        timeout 31
    }
    ltm monitor udp prod/syslog-udp {
        adaptive disabled
        debug no
        defaults-from Common/udp
        destination *.514
        interval 5
        partition prod
        recv none
        recv-disable none
        send none
        time-until-up 0
        timeout 16
    }
    ltm monitor udp prod/tftp {
        adaptive disabled
        debug no
        defaults-from Common/udp
        destination *.tftp
        interval 5
        partition prod
        recv none
        recv-disable none
        send none
        time-until-up 0
        timeout 16
    }
    ltm node prod/10.0.0.32 {
        address 10.0.0.32
        partition prod
    }
    ltm node prod/10.0.0.33 {
        address 10.0.0.33
        partition prod
    }
    ltm node prod/10.0.0.34 {
        address 10.0.0.34
        partition prod
    }
    ltm node prod/10.0.0.37 {
        address 10.0.0.37
        partition prod
    }
    ltm node prod/10.0.0.38 {
        address 10.0.0.38
        partition prod
    }
    ltm node prod/10.0.0.39 {
        address 10.0.0.39
        partition prod
    }
```

```
}
ltm node prod/10.0.0.40 {
    address 10.0.0.40
    partition prod
}
ltm node prod/10.0.0.41 {
    address 10.0.0.41
    partition prod
}
ltm node prod/10.0.0.42 {
    address 10.0.0.42
    partition prod
}
ltm node prod/10.0.0.43 {
    address 10.0.0.43
    partition prod
}
ltm node prod/10.0.0.44 {
    address 10.0.0.44
    partition prod
}
ltm node prod/10.0.0.47 {
    address 10.0.0.47
    partition prod
}
ltm node prod/10.0.0.54 {
    address 10.0.0.54
    partition prod
}
ltm node prod/10.0.0.55 {
    address 10.0.0.55
    partition prod
}
ltm node prod/10.0.0.56 {
    address 10.0.0.56
    partition prod
}
ltm node prod/10.0.0.63 {
    address 10.0.0.63
    partition prod
}
ltm node prod/10.0.0.67 {
    address 10.0.0.67
    partition prod
}
ltm node prod/10.0.0.68 {
    address 10.0.0.68
    partition prod
}
ltm node prod/10.0.0.78 {
    address 10.0.0.78
```

```
    partition prod
}
ltm node prod/10.0.0.79 {
    address 10.0.0.79
    partition prod
}
ltm node prod/10.0.0.85 {
    address 10.0.0.85
    partition prod
}
ltm node prod/10.0.0.86 {
    address 10.0.0.86
    partition prod
}
ltm node prod/10.0.0.89 {
    address 10.0.0.89
    partition prod
}
ltm node prod/10.0.0.90 {
    address 10.0.0.90
    partition prod
}
ltm node prod/10.0.0.93 {
    address 10.0.0.93
    partition prod
}
ltm node prod/10.0.0.94 {
    address 10.0.0.94
    partition prod
}
ltm node prod/10.0.0.95 {
    address 10.0.0.95
    partition prod
}
ltm node prod/10.0.0.97 {
    address 10.0.0.97
    partition prod
}
ltm node prod/10.0.0.98 {
    address 10.0.0.98
    partition prod
}
ltm node prod/10.0.0.99 {
    address 10.0.0.99
    partition prod
}
ltm node prod/10.0.0.100 {
    address 10.0.0.100
    partition prod
}
ltm node prod/10.0.0.103 {
```

```
    address 10.0.0.103
    partition prod
}
ltm node prod/10.0.0.104 {
    address 10.0.0.104
    partition prod
}
ltm node prod/10.0.0.106 {
    address 10.0.0.106
    partition prod
}
ltm node prod/10.0.0.107 {
    address 10.0.0.107
    partition prod
}
ltm node prod/10.0.0.110 {
    address 10.0.0.110
    partition prod
}
ltm node prod/10.0.0.112 {
    address 10.0.0.112
    partition prod
}
ltm node prod/10.0.0.115 {
    address 10.0.0.115
    partition prod
}
ltm node prod/10.0.0.117 {
    address 10.0.0.117
    partition prod
}
ltm node prod/10.0.0.119 {
    address 10.0.0.119
    partition prod
}
ltm node prod/10.0.0.120 {
    address 10.0.0.120
    partition prod
}
ltm node prod/10.0.0.122 {
    address 10.0.0.122
    partition prod
}
ltm node prod/10.0.0.124 {
    address 10.0.0.124
    partition prod
}
ltm node prod/10.0.0.125 {
    address 10.0.0.125
    partition prod
}
```

```
ltm node prod/10.0.0.126 {  
    address 10.0.0.126  
    partition prod  
}  
ltm node prod/10.0.0.134 {  
    address 10.0.0.134  
    partition prod  
}  
ltm node prod/10.0.0.141 {  
    address 10.0.0.141  
    partition prod  
}  
ltm node prod/10.0.0.142 {  
    address 10.0.0.142  
    partition prod  
}  
ltm node prod/10.0.0.143 {  
    address 10.0.0.143  
    partition prod  
}  
ltm node prod/10.0.0.144 {  
    address 10.0.0.144  
    partition prod  
}  
ltm node prod/10.0.0.145 {  
    address 10.0.0.145  
    partition prod  
}  
ltm node prod/10.0.0.146 {  
    address 10.0.0.146  
    partition prod  
}  
ltm node prod/10.0.0.148 {  
    address 10.0.0.148  
    partition prod  
}  
ltm node prod/10.0.0.150 {  
    address 10.0.0.150  
    partition prod  
}  
ltm node prod/10.0.0.151 {  
    address 10.0.0.151  
    partition prod  
}  
ltm node prod/10.0.0.154 {  
    address 10.0.0.154  
    partition prod  
}  
ltm node prod/10.0.0.157 {  
    address 10.0.0.157  
    partition prod  
}
```



```
}
ltm node prod/10.0.0.158 {
    address 10.0.0.158
    partition prod
}
ltm node prod/10.0.0.162 {
    address 10.0.0.162
    partition prod
}
ltm node prod/10.0.0.165 {
    address 10.0.0.165
    partition prod
}
ltm node prod/10.0.0.166 {
    address 10.0.0.166
    partition prod
}
ltm node prod/10.0.0.167 {
    address 10.0.0.167
    partition prod
}
ltm node prod/10.0.0.168 {
    address 10.0.0.168
    partition prod
}
ltm node prod/10.0.0.169 {
    address 10.0.0.169
    partition prod
}
ltm node prod/10.0.0.170 {
    address 10.0.0.170
    partition prod
}
ltm node prod/10.0.0.173 {
    address 10.0.0.173
    partition prod
}
ltm node prod/10.0.0.177 {
    address 10.0.0.177
    partition prod
}
ltm node prod/10.0.0.178 {
    address 10.0.0.178
    partition prod
}
ltm node prod/10.0.0.180 {
    address 10.0.0.180
    partition prod
}
ltm node prod/10.0.0.185 {
    address 10.0.0.185
```

```
    partition prod
}
ltm node prod/10.0.0.186 {
    address 10.0.0.186
    partition prod
}
ltm node prod/10.0.0.187 {
    address 10.0.0.187
    partition prod
}
ltm node prod/10.0.0.190 {
    address 10.0.0.190
    partition prod
}
ltm node prod/10.0.0.208 {
    address 10.0.0.208
    partition prod
}
ltm node prod/10.0.0.210 {
    address 10.0.0.210
    partition prod
}
ltm node prod/10.0.0.211 {
    address 10.0.0.211
    partition prod
}
ltm node prod/10.0.0.218 {
    address 10.0.0.218
    partition prod
}
ltm node prod/10.0.0.220 {
    address 10.0.0.220
    partition prod
}
ltm node prod/10.0.0.221 {
    address 10.0.0.221
    partition prod
}
ltm node prod/10.0.0.226 {
    address 10.0.0.226
    partition prod
}
ltm node prod/10.0.1.66 {
    address 10.0.1.66
    partition prod
}
ltm node prod/10.0.1.72 {
    address 10.0.1.72
    partition prod
}
ltm node prod/10.0.1.79 {
```

```
    address 10.0.1.79
    partition prod
}
ltm node prod/10.0.1.80 {
    address 10.0.1.80
    partition prod
}
ltm node prod/10.0.1.86 {
    address 10.0.1.86
    partition prod
}
ltm node prod/10.0.1.89 {
    address 10.0.1.89
    partition prod
}
ltm node prod/10.0.1.90 {
    address 10.0.1.90
    partition prod
}
ltm node prod/10.0.1.104 {
    address 10.0.1.104
    partition prod
}
ltm node prod/10.0.1.116 {
    address 10.0.1.116
    partition prod
}
ltm node prod/10.0.1.120 {
    address 10.0.1.120
    partition prod
}
ltm node prod/10.0.1.121 {
    address 10.0.1.121
    partition prod
}
ltm node prod/10.0.1.124 {
    address 10.0.1.124
    partition prod
}
ltm node prod/10.0.1.132 {
    address 10.0.1.132
    partition prod
}
ltm node prod/10.0.1.133 {
    address 10.0.1.133
    partition prod
}
ltm node prod/10.0.1.137 {
    address 10.0.1.137
    partition prod
}
```

```
ltm node prod/10.0.1.152 {  
    address 10.0.1.152  
    partition prod  
}  
ltm node prod/10.0.1.155 {  
    address 10.0.1.155  
    partition prod  
}  
ltm node prod/10.0.1.156 {  
    address 10.0.1.156  
    partition prod  
}  
ltm node prod/10.0.1.175 {  
    address 10.0.1.175  
    partition prod  
}  
ltm node prod/10.0.1.176 {  
    address 10.0.1.176  
    partition prod  
}  
ltm node prod/10.0.1.186 {  
    address 10.0.1.186  
    partition prod  
}  
ltm node prod/10.0.1.187 {  
    address 10.0.1.187  
    partition prod  
}  
ltm node prod/10.0.1.196 {  
    address 10.0.1.196  
    partition prod  
}  
ltm node prod/10.0.1.197 {  
    address 10.0.1.197  
    partition prod  
}  
ltm node prod/10.0.1.200 {  
    address 10.0.1.200  
    partition prod  
}  
ltm node prod/10.0.1.201 {  
    address 10.0.1.201  
    partition prod  
}  
ltm node prod/10.0.1.202 {  
    address 10.0.1.202  
    partition prod  
}  
ltm node prod/10.0.1.203 {  
    address 10.0.1.203  
    partition prod
```

```
}
ltm node prod/10.0.2.18 {
    address 10.0.2.18
    partition prod
}
ltm node prod/10.0.2.19 {
    address 10.0.2.19
    partition prod
}
ltm node prod/10.0.2.20 {
    address 10.0.2.20
    partition prod
}
ltm node prod/10.0.2.21 {
    address 10.0.2.21
    partition prod
}
ltm node prod/10.0.2.23 {
    address 10.0.2.23
    partition prod
}
ltm node prod/10.0.2.24 {
    address 10.0.2.24
    partition prod
}
ltm node prod/10.0.2.25 {
    address 10.0.2.25
    partition prod
}
ltm node prod/10.0.2.26 {
    address 10.0.2.26
    partition prod
}
ltm node prod/10.0.2.27 {
    address 10.0.2.27
    partition prod
}
ltm node prod/10.0.2.28 {
    address 10.0.2.28
    partition prod
}
ltm node prod/10.0.2.29 {
    address 10.0.2.29
    partition prod
}
ltm node prod/10.0.2.30 {
    address 10.0.2.30
    partition prod
}
ltm node prod/10.0.2.34 {
    address 10.0.2.34
```

```
    partition prod
}
ltm node prod/10.0.2.41 {
    address 10.0.2.41
    partition prod
}
ltm node prod/10.0.2.42 {
    address 10.0.2.42
    partition prod
}
ltm node prod/10.0.2.43 {
    address 10.0.2.43
    partition prod
}
ltm node prod/10.0.2.44 {
    address 10.0.2.44
    partition prod
}
ltm node prod/10.0.2.45 {
    address 10.0.2.45
    partition prod
}
ltm node prod/10.0.2.46 {
    address 10.0.2.46
    partition prod
}
ltm node prod/10.0.2.47 {
    address 10.0.2.47
    partition prod
}
ltm node prod/10.0.2.48 {
    address 10.0.2.48
    partition prod
}
ltm node prod/10.0.2.49 {
    address 10.0.2.49
    partition prod
}
ltm node prod/10.0.2.51 {
    address 10.0.2.51
    partition prod
}
ltm node prod/10.0.2.52 {
    address 10.0.2.52
    partition prod
}
ltm node prod/10.0.2.53 {
    address 10.0.2.53
    partition prod
}
ltm node prod/10.0.2.57 {
```

```
    address 10.0.2.57
    partition prod
}
ltm node prod/10.0.2.62 {
    address 10.0.2.62
    partition prod
}
ltm node prod/10.0.2.63 {
    address 10.0.2.63
    partition prod
}
ltm node prod/10.0.2.65 {
    address 10.0.2.65
    partition prod
}
ltm node prod/10.0.2.66 {
    address 10.0.2.66
    partition prod
}
ltm node prod/10.0.2.73 {
    address 10.0.2.73
    partition prod
}
ltm node prod/10.0.2.74 {
    address 10.0.2.74
    partition prod
}
ltm node prod/10.0.2.78 {
    address 10.0.2.78
    partition prod
}
ltm node prod/10.0.2.79 {
    address 10.0.2.79
    partition prod
}
ltm node prod/10.0.2.80 {
    address 10.0.2.80
    partition prod
}
ltm node prod/10.0.2.81 {
    address 10.0.2.81
    partition prod
}
ltm node prod/10.0.2.84 {
    address 10.0.2.84
    partition prod
}
ltm node prod/10.0.2.88 {
    address 10.0.2.88
    partition prod
}
```

```
ltm node prod/10.0.2.92 {  
    address 10.0.2.92  
    partition prod  
}  
ltm node prod/10.0.2.93 {  
    address 10.0.2.93  
    partition prod  
}  
ltm node prod/10.0.2.96 {  
    address 10.0.2.96  
    partition prod  
}  
ltm node prod/10.0.2.97 {  
    address 10.0.2.97  
    partition prod  
}  
ltm node prod/10.0.2.100 {  
    address 10.0.2.100  
    partition prod  
}  
ltm node prod/10.0.2.101 {  
    address 10.0.2.101  
    partition prod  
}  
ltm node prod/10.0.2.102 {  
    address 10.0.2.102  
    partition prod  
}  
ltm node prod/10.0.2.103 {  
    address 10.0.2.103  
    partition prod  
}  
ltm node prod/10.0.2.104 {  
    address 10.0.2.104  
    partition prod  
}  
ltm node prod/10.0.2.105 {  
    address 10.0.2.105  
    partition prod  
}  
ltm node prod/10.0.2.106 {  
    address 10.0.2.106  
    partition prod  
}  
ltm node prod/10.0.2.107 {  
    address 10.0.2.107  
    partition prod  
}  
ltm node prod/10.0.2.108 {  
    address 10.0.2.108  
    partition prod  
}
```



```
}
ltm node prod/10.0.2.110 {
    address 10.0.2.110
    partition prod
}
ltm node prod/10.0.2.111 {
    address 10.0.2.111
    partition prod
}
ltm node prod/10.0.2.112 {
    address 10.0.2.112
    partition prod
}
ltm node prod/10.0.2.113 {
    address 10.0.2.113
    partition prod
}
ltm node prod/10.0.2.114 {
    address 10.0.2.114
    partition prod
}
ltm node prod/10.0.2.115 {
    address 10.0.2.115
    partition prod
}
ltm node prod/10.0.2.116 {
    address 10.0.2.116
    partition prod
}
ltm node prod/10.0.2.120 {
    address 10.0.2.120
    partition prod
}
ltm node prod/10.0.2.121 {
    address 10.0.2.121
    partition prod
}
ltm node prod/10.0.2.123 {
    address 10.0.2.123
    partition prod
}
ltm node prod/10.0.2.124 {
    address 10.0.2.124
    partition prod
}
ltm node prod/10.0.2.125 {
    address 10.0.2.125
    partition prod
}
ltm node prod/10.0.2.129 {
    address 10.0.2.129
```

```
    partition prod
}
ltm node prod/10.0.2.131 {
    address 10.0.2.131
    partition prod
}
ltm node prod/10.0.2.132 {
    address 10.0.2.132
    partition prod
}
ltm node prod/10.0.2.133 {
    address 10.0.2.133
    partition prod
}
ltm node prod/10.0.2.134 {
    address 10.0.2.134
    partition prod
}
ltm node prod/10.0.2.135 {
    address 10.0.2.135
    partition prod
}
ltm node prod/10.0.2.136 {
    address 10.0.2.136
    partition prod
}
ltm node prod/10.0.2.139 {
    address 10.0.2.139
    partition prod
}
ltm node prod/10.0.2.140 {
    address 10.0.2.140
    partition prod
}
ltm node prod/10.0.2.141 {
    address 10.0.2.141
    partition prod
}
ltm node prod/10.0.2.142 {
    address 10.0.2.142
    partition prod
}
ltm node prod/10.0.2.143 {
    address 10.0.2.143
    partition prod
}
ltm node prod/10.0.2.144 {
    address 10.0.2.144
    partition prod
}
ltm node prod/10.0.2.145 {
```

```
    address 10.0.2.145
    partition prod
}
ltm node prod/10.0.2.146 {
    address 10.0.2.146
    partition prod
}
ltm node prod/10.0.2.147 {
    address 10.0.2.147
    partition prod
}
ltm node prod/10.0.2.150 {
    address 10.0.2.150
    partition prod
}
ltm node prod/10.0.2.151 {
    address 10.0.2.151
    partition prod
}
ltm node prod/10.0.2.158 {
    address 10.0.2.158
    partition prod
}
ltm node prod/10.0.2.159 {
    address 10.0.2.159
    partition prod
}
ltm node prod/10.0.2.160 {
    address 10.0.2.160
    partition prod
}
ltm node prod/10.0.2.161 {
    address 10.0.2.161
    partition prod
}
ltm node prod/10.0.2.167 {
    address 10.0.2.167
    partition prod
}
ltm node prod/10.0.2.173 {
    address 10.0.2.173
    partition prod
}
ltm node prod/10.0.2.174 {
    address 10.0.2.174
    partition prod
}
ltm node prod/10.0.2.177 {
    address 10.0.2.177
    partition prod
}
```

```
ltm node prod/10.0.2.178 {  
    address 10.0.2.178  
    partition prod  
}  
ltm node prod/10.0.2.180 {  
    address 10.0.2.180  
    partition prod  
}  
ltm node prod/10.0.2.181 {  
    address 10.0.2.181  
    partition prod  
}  
ltm node prod/10.0.2.182 {  
    address 10.0.2.182  
    partition prod  
}  
ltm node prod/10.0.2.189 {  
    address 10.0.2.189  
    partition prod  
}  
ltm node prod/10.0.3.18 {  
    address 10.0.3.18  
    partition prod  
}  
ltm node prod/10.0.3.19 {  
    address 10.0.3.19  
    partition prod  
}  
ltm node prod/10.0.3.30 {  
    address 10.0.3.30  
    partition prod  
}  
ltm node prod/10.0.3.33 {  
    address 10.0.3.33  
    partition prod  
}  
ltm node prod/10.0.3.34 {  
    address 10.0.3.34  
    partition prod  
}  
ltm node prod/10.0.3.35 {  
    address 10.0.3.35  
    partition prod  
}  
ltm node prod/10.0.3.36 {  
    address 10.0.3.36  
    partition prod  
}  
ltm node prod/10.0.3.37 {  
    address 10.0.3.37  
    partition prod  
}
```

```
}
ltm node prod/10.0.3.38 {
    address 10.0.3.38
    partition prod
}
ltm node prod/10.0.3.39 {
    address 10.0.3.39
    partition prod
}
ltm node prod/10.0.3.40 {
    address 10.0.3.40
    partition prod
}
ltm node prod/10.0.3.41 {
    address 10.0.3.41
    partition prod
}
ltm node prod/10.0.3.42 {
    address 10.0.3.42
    partition prod
}
ltm node prod/10.0.3.43 {
    address 10.0.3.43
    partition prod
}
ltm node prod/10.0.3.44 {
    address 10.0.3.44
    partition prod
}
ltm node prod/10.0.3.45 {
    address 10.0.3.45
    partition prod
}
ltm node prod/10.0.3.46 {
    address 10.0.3.46
    partition prod
}
ltm node prod/10.0.3.49 {
    address 10.0.3.49
    partition prod
}
ltm node prod/10.0.3.50 {
    address 10.0.3.50
    partition prod
}
ltm node prod/20.187.166.57 {
    address 20.187.166.57
    partition prod
}
ltm node uat/10.0.12.1 {
    address 10.0.12.1
```

```
    partition uat
}
ltm node uat/10.0.12.2 {
    address 10.0.12.2
    partition uat
}
ltm node uat/10.0.12.3 {
    address 10.0.12.3
    partition uat
}
ltm node uat/10.0.12.4 {
    address 10.0.12.4
    partition uat
}
ltm node uat/10.0.12.5 {
    address 10.0.12.5
    partition uat
}
ltm node uat/10.0.12.9 {
    address 10.0.12.9
    partition uat
}
ltm node uat/10.0.12.10 {
    address 10.0.12.10
    partition uat
}
ltm node uat/10.0.12.11 {
    address 10.0.12.11
    partition uat
}
ltm node uat/10.0.12.12 {
    address 10.0.12.12
    partition uat
}
ltm node uat/10.0.12.14 {
    address 10.0.12.14
    partition uat
}
ltm node uat/10.0.12.15 {
    address 10.0.12.15
    partition uat
}
ltm node uat/10.0.12.16 {
    address 10.0.12.16
    partition uat
}
ltm node uat/10.0.12.17 {
    address 10.0.12.17
    partition uat
}
ltm node uat/10.0.12.19 {
```

```
    address 10.0.12.19
    partition uat
}
ltm node uat/10.0.12.20 {
    address 10.0.12.20
    partition uat
}
ltm node uat/10.0.12.21 {
    address 10.0.12.21
    partition uat
}
ltm node uat/10.0.12.24 {
    address 10.0.12.24
    partition uat
}
ltm node uat/10.0.12.25 {
    address 10.0.12.25
    partition uat
}
ltm node uat/10.0.12.26 {
    address 10.0.12.26
    partition uat
}
ltm node uat/10.0.12.27 {
    address 10.0.12.27
    partition uat
}
ltm node uat/10.0.12.28 {
    address 10.0.12.28
    partition uat
}
ltm node uat/10.0.12.29 {
    address 10.0.12.29
    partition uat
}
ltm node uat/10.0.12.30 {
    address 10.0.12.30
    partition uat
}
ltm node uat/10.0.12.31 {
    address 10.0.12.31
    partition uat
}
ltm node uat/10.0.12.32 {
    address 10.0.12.32
    partition uat
}
ltm node uat/10.0.12.34 {
    address 10.0.12.34
    partition uat
}
```

```
ltm node uat/10.0.12.36 {  
    address 10.0.12.36  
    partition uat  
}  
ltm node uat/10.0.12.39 {  
    address 10.0.12.39  
    partition uat  
}  
ltm node uat/10.0.12.41 {  
    address 10.0.12.41  
    partition uat  
}  
ltm node uat/10.0.12.46 {  
    address 10.0.12.46  
    partition uat  
}  
ltm node uat/10.0.12.49 {  
    address 10.0.12.49  
    partition uat  
}  
ltm node uat/10.0.12.50 {  
    address 10.0.12.50  
    partition uat  
}  
ltm node uat/10.0.12.51 {  
    address 10.0.12.51  
    partition uat  
}  
ltm node uat/10.0.12.53 {  
    address 10.0.12.53  
    partition uat  
}  
ltm node uat/10.0.12.55 {  
    address 10.0.12.55  
    partition uat  
}  
ltm node uat/10.0.12.58 {  
    address 10.0.12.58  
    partition uat  
}  
ltm node uat/10.0.12.59 {  
    address 10.0.12.59  
    partition uat  
}  
ltm node uat/10.0.12.60 {  
    address 10.0.12.60  
    partition uat  
}  
ltm node uat/10.0.12.61 {  
    address 10.0.12.61  
    partition uat
```



```
}
ltm node uat/10.0.12.63 {
    address 10.0.12.63
    partition uat
}
ltm node uat/10.0.12.64 {
    address 10.0.12.64
    partition uat
}
ltm node uat/10.0.12.65 {
    address 10.0.12.65
    partition uat
}
ltm node uat/10.0.12.67 {
    address 10.0.12.67
    partition uat
}
ltm node uat/10.0.12.69 {
    address 10.0.12.69
    partition uat
}
ltm node uat/10.0.12.74 {
    address 10.0.12.74
    partition uat
}
ltm node uat/10.0.12.75 {
    address 10.0.12.75
    partition uat
}
ltm node uat/10.0.12.82 {
    address 10.0.12.82
    partition uat
}
ltm node uat/10.0.12.83 {
    address 10.0.12.83
    partition uat
}
ltm node uat/10.0.12.84 {
    address 10.0.12.84
    partition uat
}
ltm node uat/10.0.12.86 {
    address 10.0.12.86
    partition uat
}
ltm node uat/10.0.12.87 {
    address 10.0.12.87
    partition uat
}
ltm node uat/10.0.12.89 {
    address 10.0.12.89
```

```
    partition uat
}
ltm node uat/10.0.12.93 {
    address 10.0.12.93
    partition uat
}
ltm node uat/10.0.12.94 {
    address 10.0.12.94
    partition uat
}
ltm node uat/10.0.12.97 {
    address 10.0.12.97
    partition uat
}
ltm node uat/10.0.12.98 {
    address 10.0.12.98
    partition uat
}
ltm node uat/10.0.12.99 {
    address 10.0.12.99
    partition uat
}
ltm node uat/10.0.12.100 {
    address 10.0.12.100
    partition uat
}
ltm node uat/10.0.12.101 {
    address 10.0.12.101
    partition uat
}
ltm node uat/10.0.12.102 {
    address 10.0.12.102
    partition uat
}
ltm node uat/10.0.12.105 {
    address 10.0.12.105
    partition uat
}
ltm node uat/10.0.12.106 {
    address 10.0.12.106
    partition uat
}
ltm node uat/10.0.12.110 {
    address 10.0.12.110
    partition uat
}
ltm node uat/10.0.12.111 {
    address 10.0.12.111
    partition uat
}
ltm node uat/10.0.12.112 {
```

```
    address 10.0.12.112
    partition uat
}
ltm node uat/10.0.12.113 {
    address 10.0.12.113
    partition uat
}
ltm node uat/10.0.12.114 {
    address 10.0.12.114
    partition uat
}
ltm node uat/10.0.12.117 {
    address 10.0.12.117
    partition uat
}
ltm node uat/10.0.12.118 {
    address 10.0.12.118
    partition uat
}
ltm node uat/10.0.12.123 {
    address 10.0.12.123
    partition uat
}
ltm node uat/10.0.12.124 {
    address 10.0.12.124
    partition uat
}
ltm node uat/10.0.12.128 {
    address 10.0.12.128
    partition uat
}
ltm node uat/10.0.12.129 {
    address 10.0.12.129
    partition uat
}
ltm node uat/10.0.12.130 {
    address 10.0.12.130
    partition uat
}
ltm node uat/10.0.12.131 {
    address 10.0.12.131
    partition uat
}
ltm node uat/10.0.12.132 {
    address 10.0.12.132
    partition uat
}
ltm node uat/10.0.12.133 {
    address 10.0.12.133
    partition uat
}
```

```
ltm node uat/10.0.12.134 {  
    address 10.0.12.134  
    partition uat  
}  
ltm node uat/10.0.12.135 {  
    address 10.0.12.135  
    partition uat  
}  
ltm node uat/10.0.12.136 {  
    address 10.0.12.136  
    partition uat  
}  
ltm node uat/10.0.12.138 {  
    address 10.0.12.138  
    partition uat  
}  
ltm node uat/10.0.12.139 {  
    address 10.0.12.139  
    partition uat  
}  
ltm node uat/10.0.12.140 {  
    address 10.0.12.140  
    partition uat  
}  
ltm node uat/10.0.12.141 {  
    address 10.0.12.141  
    partition uat  
}  
ltm node uat/10.0.12.142 {  
    address 10.0.12.142  
    partition uat  
}  
ltm node uat/10.0.12.143 {  
    address 10.0.12.143  
    partition uat  
}  
ltm node uat/10.0.12.144 {  
    address 10.0.12.144  
    partition uat  
}  
ltm node uat/10.0.12.145 {  
    address 10.0.12.145  
    partition uat  
}  
ltm node uat/10.0.12.147 {  
    address 10.0.12.147  
    partition uat  
}  
ltm node uat/10.0.12.148 {  
    address 10.0.12.148  
    partition uat
```

```
}  
ltm node uat/10.0.12.149 {  
    address 10.0.12.149  
    partition uat  
}  
ltm node uat/10.0.12.150 {  
    address 10.0.12.150  
    partition uat  
}  
ltm node uat/10.0.12.153 {  
    address 10.0.12.153  
    partition uat  
}  
ltm node uat/10.0.12.165 {  
    address 10.0.12.165  
    partition uat  
}  
ltm node uat/10.0.12.166 {  
    address 10.0.12.166  
    partition uat  
}  
ltm node uat/10.0.12.171 {  
    address 10.0.12.171  
    partition uat  
}  
ltm node uat/10.0.12.172 {  
    address 10.0.12.172  
    partition uat  
}  
ltm node uat/10.0.12.185 {  
    address 10.0.12.185  
    partition uat  
}  
ltm node uat/10.0.12.190 {  
    address 10.0.12.190  
    partition uat  
}  
ltm node uat/10.0.12.194 {  
    address 10.0.12.194  
    partition uat  
}  
ltm node uat/10.0.12.195 {  
    address 10.0.12.195  
    partition uat  
}  
ltm node uat/10.0.12.196 {  
    address 10.0.12.196  
    partition uat  
}  
ltm node uat/10.0.12.197 {  
    address 10.0.12.197
```

```
    partition uat
    state user-down
}
ltm node uat/10.0.13.22 {
    address 10.0.13.22
    partition uat
}
ltm node uat/10.0.13.23 {
    address 10.0.13.23
    partition uat
}
ltm node uat/10.0.13.24 {
    address 10.0.13.24
    partition uat
}
ltm node uat/10.0.13.30 {
    address 10.0.13.30
    partition uat
}
ltm node uat/10.0.13.31 {
    address 10.0.13.31
    partition uat
}
ltm node uat/10.0.13.34 {
    address 10.0.13.34
    partition uat
}
ltm node uat/10.0.13.35 {
    address 10.0.13.35
    partition uat
}
ltm node uat/10.0.13.36 {
    address 10.0.13.36
    partition uat
}
ltm node uat/10.0.13.37 {
    address 10.0.13.37
    partition uat
}
ltm node uat/10.0.13.39 {
    address 10.0.13.39
    partition uat
}
ltm node uat/10.0.13.40 {
    address 10.0.13.40
    partition uat
}
ltm node uat/10.0.13.41 {
    address 10.0.13.41
    partition uat
}
```

```
ltm node uat/10.0.13.42 {  
    address 10.0.13.42  
    partition uat  
}  
ltm node uat/10.0.13.43 {  
    address 10.0.13.43  
    partition uat  
}  
ltm node uat/10.0.13.47 {  
    address 10.0.13.47  
    partition uat  
}  
ltm node uat/10.0.13.48 {  
    address 10.0.13.48  
    partition uat  
}  
ltm node uat/10.0.13.49 {  
    address 10.0.13.49  
    partition uat  
}  
ltm node uat/10.0.13.50 {  
    address 10.0.13.50  
    partition uat  
}  
ltm node uat/10.0.13.51 {  
    address 10.0.13.51  
    partition uat  
}  
ltm node uat/10.0.13.52 {  
    address 10.0.13.52  
    partition uat  
}  
ltm node uat/10.0.13.53 {  
    address 10.0.13.53  
    partition uat  
}  
ltm node uat/10.0.13.54 {  
    address 10.0.13.54  
    partition uat  
}  
ltm node uat/10.0.13.55 {  
    address 10.0.13.55  
    partition uat  
}  
ltm node uat/10.0.13.56 {  
    address 10.0.13.56  
    partition uat  
}  
ltm node uat/10.0.13.57 {  
    address 10.0.13.57  
    partition uat
```

```
}
ltm node uat/10.0.13.58 {
    address 10.0.13.58
    partition uat
}
ltm node uat/10.0.13.59 {
    address 10.0.13.59
    partition uat
}
ltm node uat/10.0.13.63 {
    address 10.0.13.63
    partition uat
}
ltm node uat/10.0.13.66 {
    address 10.0.13.66
    partition uat
}
ltm node uat/10.0.13.67 {
    address 10.0.13.67
    partition uat
}
ltm node uat/10.0.13.68 {
    address 10.0.13.68
    partition uat
}
ltm node uat/10.0.13.69 {
    address 10.0.13.69
    partition uat
}
ltm node uat/10.0.13.73 {
    address 10.0.13.73
    partition uat
}
ltm node uat/10.0.13.74 {
    address 10.0.13.74
    partition uat
}
ltm node uat/10.0.13.75 {
    address 10.0.13.75
    partition uat
}
ltm node uat/10.0.13.76 {
    address 10.0.13.76
    partition uat
}
ltm node uat/10.0.13.77 {
    address 10.0.13.77
    partition uat
}
ltm node uat/10.0.13.78 {
    address 10.0.13.78
```



```
    partition uat
}
ltm node uat/10.0.13.82 {
    address 10.0.13.82
    partition uat
}
ltm node uat/10.0.13.83 {
    address 10.0.13.83
    partition uat
}
ltm node uat/10.0.13.84 {
    address 10.0.13.84
    partition uat
}
ltm node uat/10.0.13.87 {
    address 10.0.13.87
    partition uat
}
ltm node uat/10.0.13.88 {
    address 10.0.13.88
    partition uat
}
ltm node uat/10.0.13.89 {
    address 10.0.13.89
    partition uat
}
ltm node uat/10.0.13.90 {
    address 10.0.13.90
    partition uat
}
ltm node uat/10.0.13.91 {
    address 10.0.13.91
    partition uat
}
ltm node uat/10.0.13.95 {
    address 10.0.13.95
    partition uat
}
ltm node uat/10.0.13.97 {
    address 10.0.13.97
    partition uat
}
ltm node uat/10.0.13.98 {
    address 10.0.13.98
    partition uat
}
ltm node uat/10.0.13.99 {
    address 10.0.13.99
    partition uat
}
ltm node uat/10.0.13.100 {
```

```
    address 10.0.13.100
    partition uat
}
ltm node uat/10.0.13.101 {
    address 10.0.13.101
    partition uat
}
ltm node uat/10.0.13.102 {
    address 10.0.13.102
    partition uat
}
ltm node uat/10.0.13.103 {
    address 10.0.13.103
    partition uat
}
ltm node uat/10.0.13.104 {
    address 10.0.13.104
    partition uat
}
ltm node uat/10.0.13.105 {
    address 10.0.13.105
    partition uat
}
ltm node uat/10.0.13.106 {
    address 10.0.13.106
    partition uat
}
ltm node uat/10.0.13.111 {
    address 10.0.13.111
    partition uat
}
ltm node uat/10.0.13.112 {
    address 10.0.13.112
    partition uat
}
ltm node uat/10.0.13.113 {
    address 10.0.13.113
    partition uat
}
ltm node uat/10.0.13.114 {
    address 10.0.13.114
    partition uat
}
ltm node uat/10.0.13.115 {
    address 10.0.13.115
    partition uat
}
ltm node uat/10.0.13.116 {
    address 10.0.13.116
    partition uat
}
```

```
ltm node uat/10.0.13.117 {  
    address 10.0.13.117  
    partition uat  
}  
ltm node uat/10.0.13.118 {  
    address 10.0.13.118  
    partition uat  
}  
ltm node uat/10.0.13.119 {  
    address 10.0.13.119  
    partition uat  
}  
ltm node uat/10.0.13.120 {  
    address 10.0.13.120  
    partition uat  
}  
ltm node uat/10.0.13.121 {  
    address 10.0.13.121  
    partition uat  
}  
ltm node uat/10.0.13.122 {  
    address 10.0.13.122  
    partition uat  
}  
ltm node uat/10.0.13.123 {  
    address 10.0.13.123  
    partition uat  
}  
ltm node uat/10.0.13.124 {  
    address 10.0.13.124  
    partition uat  
}  
ltm node uat/10.0.13.133 {  
    address 10.0.13.133  
    partition uat  
}  
ltm node uat/10.0.13.134 {  
    address 10.0.13.134  
    partition uat  
}  
ltm node uat/10.0.13.135 {  
    address 10.0.13.135  
    partition uat  
}  
ltm node uat/10.0.13.136 {  
    address 10.0.13.136  
    partition uat  
}  
ltm node uat/10.0.13.137 {  
    address 10.0.13.137  
    partition uat  
}
```

```
}
ltm node uat/10.0.13.138 {
    address 10.0.13.138
    partition uat
}
ltm node uat/10.0.13.139 {
    address 10.0.13.139
    partition uat
}
ltm node uat/10.0.13.140 {
    address 10.0.13.140
    partition uat
}
ltm node uat/10.0.13.141 {
    address 10.0.13.141
    partition uat
}
ltm node uat/10.0.13.142 {
    address 10.0.13.142
    partition uat
}
ltm node uat/20.6.178.229 {
    address 20.6.178.229
    partition uat
}
ltm persistence cookie prod/hkec_cookie {
    always-send enabled
    app-service none
    defaults-from Common/cookie
    expiration 6:0:0
}
ltm persistence cookie prod/wmng_cookie {
    always-send enabled
    app-service none
    defaults-from Common/cookie
    expiration 6:0:0
}
ltm persistence cookie uat/u_hkec_cookie {
    always-send enabled
    app-service none
    defaults-from Common/cookie
    expiration 6:0:0
}
ltm persistence global-settings { }
ltm persistence source-addr prod/ftps_srcaddr {
    app-service none
    defaults-from Common/source_addr
    timeout 900
}
ltm persistence source-addr prod/hkec_srcaddr {
    app-service none
```

```

        defaults-from Common/source_addr
        timeout 30
    }
    ltm persistence source-addr uat/u_ftp_srcaddr {
        app-service none
        defaults-from Common/source_addr
        timeout 900
    }
    ltm pool prod/acladmin_http {
        members {
            prod/10.0.0.119:http {
                address 10.0.0.119
                session monitor-enabled
                state up
            }
            prod/10.0.0.120:http {
                address 10.0.0.120
                session monitor-enabled
                state up
            }
            prod/10.0.0.148:http {
                address 10.0.0.148
                session monitor-enabled
                state up
            }
            prod/10.0.2.53:http {
                address 10.0.2.53
                session monitor-enabled
                state up
            }
        }
        monitor Common/tcp
        partition prod
        service-down-action reselect
    }
    ltm pool prod/acladmin_http_mongo_upgrade {
        members {
            prod/10.0.0.119:http {
                address 10.0.0.119
                session monitor-enabled
                state up
            }
        }
        monitor Common/tcp
        partition prod
        service-down-action reselect
    }
    ltm pool prod/ag-prod-ip_80 {
        members {
            prod/20.187.166.57:http {
                address 20.187.166.57
            }
        }
    }

```

```

        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/ag-prod-ip_443 {
    members {
        prod/20.187.166.57:https {
            address 20.187.166.57
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
    service-down-action reselect
}
ltm pool prod/aillm-ollamapoc_http {
    members {
        prod/10.0.0.115:http {
            address 10.0.0.115
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/aipoc_49349 {
    members {
        prod/10.0.2.92:49349 {
            address 10.0.2.92
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/api_http {
    members {
        prod/10.0.1.132:http {
            address 10.0.1.132
            session monitor-enabled
            state up
        }
        prod/10.0.1.133:http {
            address 10.0.1.133
            session monitor-enabled

```

```

        state up
    }
}
monitor prod/hkec_web
partition prod
}
ltm pool prod/apps2_PREVIEW {
    members {
        prod/10.0.2.73:http {
            address 10.0.2.73
            session monitor-enabled
            state up
        }
        prod/10.0.2.74:http {
            address 10.0.2.74
            session monitor-enabled
            state up
        }
        prod/10.0.2.88:http {
            address 10.0.2.88
            session monitor-enabled
            state up
        }
    }
}
monitor prod/hkec_web_Common
partition prod
}
ltm pool prod/apps2_http {
    members {
        prod/10.0.2.73:http {
            address 10.0.2.73
            session monitor-enabled
            state up
        }
        prod/10.0.2.74:http {
            address 10.0.2.74
            session monitor-enabled
            state up
        }
        prod/10.0.2.88:http {
            address 10.0.2.88
            session monitor-enabled
            state up
        }
    }
}
monitor prod/hkec_web
partition prod
service-down-action reselect
}
ltm pool prod/apps2_http_mongo_upgrade {
    members {

```

```

        prod/10.0.2.73:http {
            address 10.0.2.73
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/apps2_mqlog_http {
    members {
        prod/10.0.2.160:http {
            address 10.0.2.160
            session monitor-enabled
            state up
        }
        prod/10.0.2.161:http {
            address 10.0.2.161
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/apps2_mqlog_http_mongo_upgrade {
    members {
        prod/10.0.2.160:http {
            address 10.0.2.160
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/arccgis-school-db_49204 {
    members {
        prod/10.0.2.92:49204 {
            address 10.0.2.92
            priority-group 20
            session monitor-enabled
            state up
        }
        prod/10.0.2.93:49204 {
            address 10.0.2.93
            priority-group 10
            session monitor-enabled
            state up
        }
    }
}

```



```

    min-active-members 1
    monitor Common/tcp
    partition prod
}
ltm pool prod/arcgis-school_49203 {
    members {
        prod/10.0.2.92:49203 {
            address 10.0.2.92
            priority-group 20
            session monitor-enabled
            state up
        }
        prod/10.0.2.93:49203 {
            address 10.0.2.93
            priority-group 10
            session monitor-enabled
            state up
        }
    }
    min-active-members 1
    monitor Common/tcp
    partition prod
}
ltm pool prod/ase_http {
    members {
        prod/10.0.1.132:http {
            address 10.0.1.132
            session monitor-enabled
            state up
        }
        prod/10.0.1.133:http {
            address 10.0.1.133
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/cd1_http {
    members {
        prod/10.0.0.210:http {
            address 10.0.0.210
            session monitor-enabled
            state up
        }
        prod/10.0.0.211:http {
            address 10.0.0.211
            session monitor-enabled
            state up
        }
    }
}

```

```

    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/centosds_ldap {
    allow-nat no
    allow-snat no
    members {
        prod/10.0.0.34:ldap {
            address 10.0.0.34
            priority-group 20
            session monitor-enabled
            state up
        }
        prod/10.0.0.37:ldap {
            address 10.0.0.37
            priority-group 10
            session monitor-enabled
            state up
        }
    }
    min-active-members 1
    monitor Common/tcp
    partition prod
    service-down-action reselect
}
ltm pool prod/cpd_http {
    members {
        prod/10.0.2.46:http {
            address 10.0.2.46
            session monitor-enabled
            state up
        }
        prod/10.0.2.47:http {
            address 10.0.2.47
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/deliveryhub_http {
    members {
        prod/10.0.0.106:http {
            address 10.0.0.106
            session monitor-enabled
            state up
        }
        prod/10.0.0.107:http {
            address 10.0.0.107

```

```

        session monitor-enabled
        state up
    }
}
monitor prod/hkec_web
partition prod
}
ltm pool prod/dns {
    members {
        prod/10.0.0.177:domain {
            address 10.0.0.177
            session monitor-enabled
            state up
        }
        prod/10.0.0.178:domain {
            address 10.0.0.178
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_dns
    partition prod
}
ltm pool prod/dns_tcp {
    members {
        prod/10.0.0.177:domain {
            address 10.0.0.177
            session monitor-enabled
            state up
        }
        prod/10.0.0.178:domain {
            address 10.0.0.178
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_dns
    partition prod
}
ltm pool prod/download-mq-n1_49190 {
    members {
        prod/10.0.2.92:49190 {
            address 10.0.2.92
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/download-mq-n1_49196 {

```

```
members {
    prod/10.0.2.92:49196 {
        address 10.0.2.92
        session monitor-enabled
        state down
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/download-mq-n1_49197 {
    members {
        prod/10.0.2.92:49197 {
            address 10.0.2.92
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/download-mq-n1_49198 {
    members {
        prod/10.0.2.92:49198 {
            address 10.0.2.92
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/download-mq-n2_49192 {
    members {
        prod/10.0.2.93:49192 {
            address 10.0.2.93
            session monitor-enabled
            state down
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/download-mq-n2_49199 {
    members {
        prod/10.0.2.93:49199 {
            address 10.0.2.93
            session monitor-enabled
            state down
        }
    }
}
```

```

        monitor Common/tcp
        partition prod
    }
    ltm pool prod/download-mq-n2_49200 {
        members {
            prod/10.0.2.93:49200 {
                address 10.0.2.93
                session monitor-enabled
                state down
            }
        }
        monitor Common/tcp
        partition prod
    }
    ltm pool prod/download-mq-n2_49201 {
        members {
            prod/10.0.2.93:49201 {
                address 10.0.2.93
                session monitor-enabled
                state down
            }
        }
        monitor Common/tcp
        partition prod
    }
    ltm pool prod/download-mqc-n1_49191 {
        members {
            prod/10.0.2.92:49191 {
                address 10.0.2.92
                session monitor-enabled
                state up
            }
        }
        monitor Common/tcp
        partition prod
    }
    ltm pool prod/download-mqc-n2_49193 {
        members {
            prod/10.0.2.93:49193 {
                address 10.0.2.93
                session monitor-enabled
                state down
            }
        }
        monitor Common/tcp
        partition prod
    }
    ltm pool prod/download_49188 {
        members {
            prod/10.0.2.92:49188 {
                address 10.0.2.92

```

```

        session monitor-enabled
        state up
    }
    prod/10.0.2.93:49188 {
        address 10.0.2.93
        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/drupal_campaign_http {
    members {
        prod/10.0.2.18:http {
            address 10.0.2.18
            session monitor-enabled
            state up
        }
        prod/10.0.2.19:http {
            address 10.0.2.19
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/drupal_drupal_demo_http {
    members {
        prod/10.0.2.141:http {
            address 10.0.2.141
            session monitor-enabled
            state up
        }
        prod/10.0.2.142:http {
            address 10.0.2.142
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/drupal_drupal_testpage_http {
    members {
        prod/10.0.2.27:http {
            address 10.0.2.27
            session monitor-enabled
            state up
        }
    }
}

```

```

    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/drupal_ereadscheme_http {
    members {
        prod/10.0.2.48:http {
            address 10.0.2.48
            session monitor-enabled
            state up
        }
        prod/10.0.2.49:http {
            address 10.0.2.49
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/drupal_etv_http {
    members {
        prod/10.0.2.135:http {
            address 10.0.2.135
            session monitor-enabled
            state up
        }
        prod/10.0.2.136:http {
            address 10.0.2.136
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/drupal_eworks2015_http {
    members {
        prod/10.0.1.202:http {
            address 10.0.1.202
            session monitor-enabled
            state up
        }
        prod/10.0.1.203:http {
            address 10.0.1.203
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}

```

```

}
ltm pool prod/drupal_goelearning_http {
    members {
        prod/10.0.2.102:http {
            address 10.0.2.102
            session monitor-enabled
            state up
        }
        prod/10.0.2.103:http {
            address 10.0.2.103
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/drupal_hkreadingcity2_http {
    members {
        prod/10.0.2.167:http {
            address 10.0.2.167
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/drupal_hkreadingcity_http {
    members {
        prod/10.0.1.124:http {
            address 10.0.1.124
            session monitor-enabled
            state down
        }
        prod/10.0.2.140:http {
            address 10.0.2.140
            session monitor-enabled
            state down
        }
        prod/10.0.2.150:http {
            address 10.0.2.150
            session monitor-enabled
            state up
        }
        prod/10.0.2.151:http {
            address 10.0.2.151
            session monitor-enabled
            state down
        }
    }
}

```



```
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/drupal_http {
    members {
        prod/10.0.2.43:http {
            address 10.0.2.43
            session monitor-enabled
            state up
        }
        prod/10.0.2.44:http {
            address 10.0.2.44
            session monitor-enabled
            state up
        }
    }
}
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/drupal_multisite_http {
    members {
        prod/10.0.0.186:http {
            address 10.0.0.186
            session monitor-enabled
            state up
        }
        prod/10.0.0.187:http {
            address 10.0.0.187
            session monitor-enabled
            state up
        }
        prod/10.0.2.129:http {
            address 10.0.2.129
            session monitor-enabled
            state up
        }
        prod/10.0.2.143:http {
            address 10.0.2.143
            session monitor-enabled
            state up
        }
        prod/10.0.2.144:http {
            address 10.0.2.144
            session monitor-enabled
            state up
        }
        prod/10.0.2.145:http {
            address 10.0.2.145
            session monitor-enabled
            state up
        }
    }
}
```

```

    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/drupal_partner_channel_http {
    members {
        prod/10.0.0.79:http {
            address 10.0.0.79
            session monitor-enabled
            state up
        }
        prod/10.0.1.104:http {
            address 10.0.1.104
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/drupal_sc_http {
    members {
        prod/10.0.2.29:http {
            address 10.0.2.29
            session monitor-enabled
            state up
        }
        prod/10.0.2.30:http {
            address 10.0.2.30
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/drupal_studentscheme_http {
    members {
        prod/10.0.2.41:http {
            address 10.0.2.41
            session monitor-enabled
            state up
        }
        prod/10.0.2.42:http {
            address 10.0.2.42
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}

```

```

}
ltm pool prod/drupal_teencampus2015_http {
    members {
        prod/10.0.2.107:http {
            address 10.0.2.107
            session monitor-enabled
            state up
        }
        prod/10.0.2.108:http {
            address 10.0.2.108
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/drupal_videos_http {
    members {
        prod/10.0.0.103:http {
            address 10.0.0.103
            session monitor-enabled
            state up
        }
        prod/10.0.0.63:http {
            address 10.0.0.63
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/edb.edcity.hk_ftps {
    members {
        prod/10.0.0.157:any {
            address 10.0.0.157
            session monitor-enabled
            state up
        }
        prod/10.0.0.158:any {
            address 10.0.0.158
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_ftps
    partition prod
}
ltm pool prod/edb_ftps {
    members {

```

```

        prod/10.0.2.133:any {
            address 10.0.2.133
            session monitor-enabled
            state up
        }
        prod/10.0.2.134:any {
            address 10.0.2.134
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_ftps
    partition prod
}
ltm pool prod/edbblog_http {
    members {
        prod/10.0.2.158:http {
            address 10.0.2.158
            session monitor-enabled
            state up
        }
        prod/10.0.2.159:http {
            address 10.0.2.159
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
    service-down-action reselect
}
ltm pool prod/edmall_http {
    members {
        prod/10.0.1.89:http {
            address 10.0.1.89
            session monitor-enabled
            state up
        }
        prod/10.0.1.90:http {
            address 10.0.1.90
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/edmall_varnish {
    members {
        prod/10.0.2.114:6081 {
            address 10.0.2.114

```

```

        session monitor-enabled
        state up
    }
    prod/10.0.2.115:6081 {
        address 10.0.2.115
        session monitor-enabled
        state up
    }
}
monitor prod/edmall_varnish
partition prod
}
ltm pool prod/edmalln_http {
    members {
        prod/10.0.1.89:http {
            address 10.0.1.89
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/edmalln_http2 {
    members {
        prod/10.0.1.89:http {
            address 10.0.1.89
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/emocounter-mq_49232 {
    members {
        prod/10.0.2.92:49232 {
            address 10.0.2.92
            session monitor-enabled
            state up
        }
        prod/10.0.2.93:49232 {
            address 10.0.2.93
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/emocounter-mqc_49233 {

```

```

members {
    prod/10.0.2.92:49233 {
        address 10.0.2.92
        session monitor-enabled
        state up
    }
    prod/10.0.2.93:49233 {
        address 10.0.2.93
        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/emocounter_49230 {
    members {
        prod/10.0.2.92:49230 {
            address 10.0.2.92
            session monitor-enabled
            state up
        }
        prod/10.0.2.93:49230 {
            address 10.0.2.93
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/epublisher2_http {
    members {
        prod/10.0.3.49:http {
            address 10.0.3.49
            session monitor-enabled
            state up
        }
        prod/10.0.3.50:http {
            address 10.0.3.50
            session monitor-enabled
            state up
        }
    }
}
monitor prod/php_fpm
partition prod
}
ltm pool prod/epublisher_http {
    members {
        prod/10.0.1.152:http {
            address 10.0.1.152

```

```

        session monitor-enabled
        state down
    }
    prod/10.0.1.86:http {
        address 10.0.1.86
        session monitor-enabled
        state down
    }
}
monitor prod/hkec_web
partition prod
}
ltm pool prod/ereadaccounting2_http {
    members {
        prod/10.0.3.49:http {
            address 10.0.3.49
            session monitor-enabled
            state up
        }
        prod/10.0.3.50:http {
            address 10.0.3.50
            session monitor-enabled
            state up
        }
    }
}
monitor prod/php_fpm
partition prod
}
ltm pool prod/ereadaccounting_http {
    members {
        prod/10.0.2.80:http {
            address 10.0.2.80
            session monitor-enabled
            state down
        }
        prod/10.0.2.81:http {
            address 10.0.2.81
            session monitor-enabled
            state down
        }
    }
}
monitor prod/hkec_web
partition prod
}
ltm pool prod/eventcalendar_http {
    members {
        prod/10.0.0.145:http {
            address 10.0.0.145
            session monitor-enabled
            state up
        }
    }
}

```

```

        prod/10.0.0.146:http {
            address 10.0.0.146
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/ffmpeg_http {
    members {
        prod/10.0.2.177:http {
            address 10.0.2.177
            session monitor-enabled
            state up
        }
        prod/10.0.2.178:http {
            address 10.0.2.178
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
    service-down-action reselect
}
ltm pool prod/fjt_http {
    members {
        prod/10.0.0.94:http {
            address 10.0.0.94
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
    service-down-action reselect
}
ltm pool prod/fjt_https {
    members {
        prod/10.0.0.94:https {
            address 10.0.0.94
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
    service-down-action reselect
}
ltm pool prod/fluentd_12001 {

```



```

members {
    prod/10.0.2.92:entextnetwk {
        address 10.0.2.92
        session monitor-enabled
        state up
    }
    prod/10.0.2.93:entextnetwk {
        address 10.0.2.93
        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/forum2_http {
    members {
        prod/10.0.2.28:http {
            address 10.0.2.28
            session monitor-enabled
            state up
        }
        prod/10.0.2.34:http {
            address 10.0.2.34
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/forum-mq_49345 {
    members {
        prod/10.0.2.92:49345 {
            address 10.0.2.92
            session monitor-enabled
            state up
        }
        prod/10.0.2.93:49345 {
            address 10.0.2.93
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/forum-mqc_49285 {
    members {
        prod/10.0.2.92:49285 {
            address 10.0.2.92

```

```

        session monitor-enabled
        state up
    }
    prod/10.0.2.93:49285 {
        address 10.0.2.93
        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/game_engine_61001 {
    members {
        prod/10.0.2.24:61001 {
            address 10.0.2.24
            session monitor-enabled
            state up
        }
        prod/10.0.2.25:61001 {
            address 10.0.2.25
            session monitor-enabled
            state up
        }
    }
}
monitor prod/hkec_nodejs_61001
partition prod
}
ltm pool prod/game_http {
    members {
        prod/10.0.2.112:http {
            address 10.0.2.112
            session monitor-enabled
            state up
        }
        prod/10.0.2.113:http {
            address 10.0.2.113
            session monitor-enabled
            state up
        }
    }
}
monitor prod/hkec_web
partition prod
}
ltm pool prod/getset_61004 {
    members {
        prod/10.0.2.65:61004 {
            address 10.0.2.65
            session monitor-enabled
            state up
        }
    }
}

```

```

        prod/10.0.2.66:61004 {
            address 10.0.2.66
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_nodejs_61004
    partition prod
}
ltm pool prod/grouping-v1-1-mq_49323 {
    members {
        prod/10.0.2.92:49323 {
            address 10.0.2.92
            session monitor-enabled
            state down
        }
        prod/10.0.2.93:49323 {
            address 10.0.2.93
            session monitor-enabled
            state down
        }
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/grouping-v1-1-mqc_49324 {
    members {
        prod/10.0.2.92:49324 {
            address 10.0.2.92
            session monitor-enabled
            state down
        }
        prod/10.0.2.93:49324 {
            address 10.0.2.93
            session monitor-enabled
            state down
        }
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/grouping_49321 {
    members {
        prod/10.0.2.92:49321 {
            address 10.0.2.92
            session monitor-enabled
            state down
        }
        prod/10.0.2.93:49321 {
            address 10.0.2.93
            session monitor-enabled

```

```

        state down
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/gsql_3307 {
    members {
        prod/10.0.0.180:opsession-prxy {
            address 10.0.0.180
            priority-group 20
            session monitor-enabled
            state up
        }
        prod/10.0.0.85:opsession-prxy {
            address 10.0.0.85
            priority-group 10
            session monitor-enabled
            state up
        }
    }
    min-active-members 1
    monitor Common/tcp
    partition prod
}
ltm pool prod/gsql_3308 {
    members {
        prod/10.0.0.180:tns-server {
            address 10.0.0.180
            priority-group 20
            session monitor-enabled
            state up
        }
        prod/10.0.0.85:tns-server {
            address 10.0.0.85
            priority-group 10
            session monitor-enabled
            state up
        }
    }
    min-active-members 1
    monitor Common/tcp
    partition prod
}
ltm pool prod/gsql_3309 {
    members {
        prod/10.0.0.180:tns-adv {
            address 10.0.0.180
            priority-group 20
            session monitor-enabled
            state up
        }
    }
}

```

```

    }
    prod/10.0.0.85:tns-adv {
        address 10.0.0.85
        priority-group 10
        session monitor-enabled
        state up
    }
}
min-active-members 1
monitor Common/tcp
partition prod
}
ltm pool prod/h_proj_elements_http {
    members {
        prod/10.0.2.20:http {
            address 10.0.2.20
            session monitor-enabled
            state up
        }
        prod/10.0.2.21:http {
            address 10.0.2.21
            session monitor-enabled
            state up
        }
    }
}
monitor prod/hkec_web
partition prod
}
ltm pool prod/h_proj_minisite1_http {
    members {
        prod/10.0.1.186:http {
            address 10.0.1.186
            session monitor-enabled
            state up
        }
        prod/10.0.1.187:http {
            address 10.0.1.187
            session monitor-enabled
            state up
        }
    }
}
monitor prod/hkec_web
partition prod
}
ltm pool prod/h_proj_minisite_http {
    members {
        prod/10.0.1.186:http {
            address 10.0.1.186
            session monitor-enabled
            state up
        }
    }
}

```

```
        prod/10.0.1.187:http {
            address 10.0.1.187
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/hkec1 {
    members {
        prod/10.0.0.141:http {
            address 10.0.0.141
            session monitor-enabled
            state up
        }
        prod/10.0.0.47:http {
            address 10.0.0.47
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec
    partition prod
}
ltm pool prod/hkec1_mongo_upgrade {
    members {
        prod/10.0.0.47:http {
            address 10.0.0.47
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec
    partition prod
}
ltm pool prod/hkec_ftps {
    members {
        prod/10.0.0.122:any {
            address 10.0.0.122
            session monitor-enabled
            state up
        }
        prod/10.0.0.67:any {
            address 10.0.0.67
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_ftps
    partition prod
}
```

```

}
ltm pool prod/hkec_group1_http {
    members {
        prod/10.0.3.33:http {
            address 10.0.3.33
            session monitor-enabled
            state up
        }
        prod/10.0.3.34:http {
            address 10.0.3.34
            session monitor-enabled
            state up
        }
    }
    monitor prod/php_fpm
    partition prod
}
ltm pool prod/hkec_group3_http {
    members {
        prod/10.0.3.39:http {
            address 10.0.3.39
            session monitor-enabled
            state up
        }
        prod/10.0.3.40:http {
            address 10.0.3.40
            session monitor-enabled
            state up
        }
    }
    monitor prod/php_fpm
    partition prod
}
ltm pool prod/hkec_group4_http {
    members {
        prod/10.0.3.41:http {
            address 10.0.3.41
            session monitor-enabled
            state up
        }
        prod/10.0.3.42:http {
            address 10.0.3.42
            session monitor-enabled
            state up
        }
    }
    monitor prod/php_fpm
    partition prod
}
ltm pool prod/hkec_group5_http {
    members {

```

```

        prod/10.0.2.78:http {
            address 10.0.2.78
            session monitor-enabled
            state up
        }
        prod/10.0.2.79:http {
            address 10.0.2.79
            session monitor-enabled
            state up
        }
    }
    monitor prod/php_fpm
    partition prod
}
ltm pool prod/hkec_group6_http {
    members {
        prod/10.0.2.180:http {
            address 10.0.2.180
            session monitor-enabled
            state up
        }
        prod/10.0.2.181:http {
            address 10.0.2.181
            session monitor-enabled
            state up
        }
    }
    monitor prod/php_fpm
    partition prod
}
ltm pool prod/hkec_group7_http {
    members {
        prod/10.0.2.182:http {
            address 10.0.2.182
            session monitor-enabled
            state up
        }
        prod/10.0.2.189:http {
            address 10.0.2.189
            session monitor-enabled
            state up
        }
    }
    monitor prod/php_fpm
    partition prod
}
ltm pool prod/hkec_http {
    members {
        prod/10.0.0.141:http {
            address 10.0.0.141
            session monitor-enabled

```



```

        state up
    }
    prod/10.0.0.47:http {
        address 10.0.0.47
        session monitor-enabled
        state up
    }
}
monitor prod/hkec
partition prod
}
ltm pool prod/hkec_http_mongo_upgrade {
    members {
        prod/10.0.0.47:http {
            address 10.0.0.47
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec
    partition prod
}
ltm pool prod/hkec_member_http {
    members {
        prod/10.0.3.43:http {
            address 10.0.3.43
            session monitor-enabled
            state up
        }
        prod/10.0.3.44:http {
            address 10.0.3.44
            session monitor-enabled
            state up
        }
    }
    monitor prod/php_fpm
    partition prod
}
ltm pool prod/hkec_out_proj_http {
    members {
        prod/10.0.0.55:http {
            address 10.0.0.55
            session monitor-enabled
            state up
        }
        prod/10.0.0.56:http {
            address 10.0.0.56
            session monitor-enabled
            state up
        }
    }
}

```

```

        monitor prod/hkec_web
        partition prod
    }
    ltm pool prod/hkec_proj_http {
        members {
            prod/10.0.2.104:http {
                address 10.0.2.104
                session monitor-enabled
                state up
            }
            prod/10.0.2.105:http {
                address 10.0.2.105
                session monitor-enabled
                state up
            }
        }
        monitor Common/tcp
        partition prod
    }
    ltm pool prod/hkec_proj_http_wmng {
        members {
            prod/10.0.2.104:http {
                address 10.0.2.104
                session monitor-enabled
                state up
            }
        }
        monitor Common/tcp
        partition prod
    }
    ltm pool prod/hkec_sc_mbox_imap {
        members {
            prod/10.0.0.167:imap {
                address 10.0.0.167
                session monitor-enabled
                state up
            }
            prod/10.0.0.168:imap {
                address 10.0.0.168
                session monitor-enabled
                state up
            }
        }
        monitor Common/tcp
        partition prod
    }
    ltm pool prod/hkec_sc_mbox_imap_nosnat {
        allow-snat no
        members {
            prod/10.0.0.167:imap {
                address 10.0.0.167

```

```

        session monitor-enabled
        state up
    }
    prod/10.0.0.168:imap {
        address 10.0.0.168
        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/hkec_sc_mbox_smtp_nosnat {
    allow-snat no
    members {
        prod/10.0.0.167:smtp {
            address 10.0.0.167
            session monitor-enabled
            state up
        }
        prod/10.0.0.168:smtp {
            address 10.0.0.168
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/hkreadingcity2_http {
    members {
        prod/10.0.3.30:http {
            address 10.0.3.30
            session monitor-enabled
            state up
        }
        prod/10.0.3.35:http {
            address 10.0.3.35
            session monitor-enabled
            state up
        }
        prod/10.0.3.36:http {
            address 10.0.3.36
            session monitor-enabled
            state up
        }
        prod/10.0.3.38:http {
            address 10.0.3.38
            session monitor-enabled
            state up
        }
    }
}

```

```

    }
    monitor prod/php_fpm
    partition prod
}
ltm pool prod/is_9443 {
    members {
        prod/10.0.0.124:tungsten-https {
            address 10.0.0.124
            session monitor-enabled
            state down
        }
        prod/10.0.0.134:tungsten-https {
            address 10.0.0.134
            session monitor-enabled
            state down
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/isrs_http {
    members {
        prod/10.0.0.150:http {
            address 10.0.0.150
            session monitor-enabled
            state up
        }
        prod/10.0.0.151:http {
            address 10.0.0.151
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/itembank_http {
    members {
        prod/10.0.1.155:http {
            address 10.0.1.155
            session monitor-enabled
            state up
        }
        prod/10.0.1.156:http {
            address 10.0.1.156
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}

```

```

}
ltm pool prod/jwt-db_49262 {
  members {
    prod/10.0.2.92:49262 {
      address 10.0.2.92
      priority-group 20
      session monitor-enabled
      state up
    }
    prod/10.0.2.93:49262 {
      address 10.0.2.93
      priority-group 10
      session monitor-enabled
      state up
    }
  }
  min-active-members 1
  monitor Common/tcp
  partition prod
}
ltm pool prod/jwt-testing-db_49346 {
  monitor Common/tcp
  partition prod
}
ltm pool prod/jwt_49261 {
  members {
    prod/10.0.2.92:49261 {
      address 10.0.2.92
      session monitor-enabled
      state up
    }
    prod/10.0.2.93:49261 {
      address 10.0.2.93
      session monitor-enabled
      state up
    }
  }
  monitor Common/tcp
  partition prod
}
ltm pool prod/logstash {
  members {
    prod/10.0.0.41:lx-evntsvc {
      address 10.0.0.41
      session monitor-enabled
      state up
    }
    prod/10.0.0.42:lx-evntsvc {
      address 10.0.0.42
      session monitor-enabled
      state up
    }
  }
}

```

```

    }
}
monitor prod/logstash
partition prod
}
ltm pool prod/mcache_11211 {
members {
    prod/10.0.0.32:memcache {
        address 10.0.0.32
        priority-group 20
        session monitor-enabled
        state up
    }
    prod/10.0.0.33:memcache {
        address 10.0.0.33
        priority-group 10
        session monitor-enabled
        state up
    }
}
min-active-members 1
monitor Common/tcp
partition prod
}
ltm pool prod/member-mediator_http {
members {
    prod/10.0.0.54:http {
        address 10.0.0.54
        session monitor-enabled
        state up
    }
    prod/10.0.0.78:http {
        address 10.0.0.78
        session monitor-enabled
        state up
    }
}
monitor prod/hkec_web
partition prod
}
ltm pool prod/misc_http {
members {
    prod/10.0.0.110:http {
        address 10.0.0.110
        session monitor-enabled
        state up
    }
    prod/10.0.0.112:http {
        address 10.0.0.112
        session monitor-enabled
        state up
    }
}

```

```

    }
}
monitor Common/tcp
partition prod
service-down-action reselect
}
ltm pool prod/mq_5672 {
members {
    prod/10.0.2.96:amqp {
        address 10.0.2.96
        session monitor-enabled
        state up
    }
    prod/10.0.2.97:amqp {
        address 10.0.2.97
        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/mq_upgrade_5672 {
members {
    prod/10.0.2.110:amqp {
        address 10.0.2.110
        session monitor-enabled
        state up
    }
    prod/10.0.2.111:amqp {
        address 10.0.2.111
        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/mqapi-p_http {
members {
    prod/10.0.1.200:http {
        address 10.0.1.200
        session monitor-enabled
        state up
    }
    prod/10.0.1.201:http {
        address 10.0.1.201
        session monitor-enabled
        state up
    }
}
}

```

```
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/ms_http {
    members {
        prod/10.0.0.141:http {
            address 10.0.0.141
            session monitor-enabled
            state up
        }
        prod/10.0.0.47:http {
            address 10.0.0.47
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec
    partition prod
}
ltm pool prod/ms_http_mongo_upgrade {
    members {
        prod/10.0.0.47:http {
            address 10.0.0.47
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec
    partition prod
}
ltm pool prod/mysql_3306 {
    members {
        prod/10.0.2.92:mysql {
            address 10.0.2.92
            session monitor-enabled
            state down
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/nagios_http {
    members {
        prod/10.0.0.93:http {
            address 10.0.0.93
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
```



```
        service-down-action reselect
    }
    ltm pool prod/new_member-api_http {
        members {
            prod/10.0.3.45:http {
                address 10.0.3.45
                session monitor-enabled
                state up
            }
            prod/10.0.3.46:http {
                address 10.0.3.46
                session monitor-enabled
                state up
            }
        }
        monitor prod/php_fpm
        partition prod
    }
    ltm pool prod/ntp1_ntp {
        members {
            prod/10.0.0.177:ntp {
                address 10.0.0.177
                session monitor-enabled
                state up
            }
        }
        monitor Common/udp
        partition prod
    }
    ltm pool prod/ntp2_ntp {
        members {
            prod/10.0.0.178:ntp {
                address 10.0.0.178
                session monitor-enabled
                state up
            }
        }
        monitor Common/udp
        partition prod
    }
    ltm pool prod/oqb-api_http {
        members {
            prod/10.0.2.51:http {
                address 10.0.2.51
                session monitor-enabled
                state up
            }
            prod/10.0.2.52:http {
                address 10.0.2.52
                session monitor-enabled
                state up
            }
        }
    }
```

```

    }
}
monitor prod/hkec_web
partition prod
}
ltm pool prod/oqb_http {
members {
    prod/10.0.0.43:http {
        address 10.0.0.43
        session monitor-enabled
        state down
    }
    prod/10.0.0.44:http {
        address 10.0.0.44
        session monitor-enabled
        state down
    }
    prod/10.0.2.125:http {
        address 10.0.2.125
        session monitor-enabled
        state up
    }
}
}
monitor prod/hkec_web
partition prod
}
ltm pool prod/osd {
members {
    prod/10.0.0.41:esmagent {
        address 10.0.0.41
        session monitor-enabled
        state up
    }
    prod/10.0.0.42:esmagent {
        address 10.0.0.42
        session monitor-enabled
        state up
    }
}
}
monitor prod/osd
partition prod
}
ltm pool prod/osd1_5601 {
members {
    prod/10.0.2.100:esmagent {
        address 10.0.2.100
        session monitor-enabled
        state up
    }
    prod/10.0.2.45:esmagent {
        address 10.0.2.45
    }
}
}

```

```

        session monitor-enabled
        state up
    }
}
monitor prod/osd
partition prod
}
ltm pool prod/osearch {
    members {
        prod/10.0.0.170:wap-wsp {
            address 10.0.0.170
            session monitor-enabled
            state up
        }
        prod/10.0.0.41:wap-wsp {
            address 10.0.0.41
            session monitor-enabled
            state up
        }
        prod/10.0.0.42:wap-wsp {
            address 10.0.0.42
            session monitor-enabled
            state up
        }
    }
}
monitor prod/osearch
partition prod
}
ltm pool prod/proj1_http {
    members {
        prod/10.0.0.144:http {
            address 10.0.0.144
            session monitor-enabled
            state up
        }
        prod/10.0.0.90:http {
            address 10.0.0.90
            session monitor-enabled
            state up
        }
        prod/10.0.1.137:http {
            address 10.0.1.137
            session monitor-enabled
            state up
        }
        prod/10.0.1.66:http {
            address 10.0.1.66
            session monitor-enabled
            state up
        }
    }
}

```

```
    monitor prod/php_fpm
    partition prod
}
ltm pool prod/proj2_http {
    members {
        prod/10.0.0.125:http {
            address 10.0.0.125
            session monitor-enabled
            state up
        }
        prod/10.0.0.126:http {
            address 10.0.0.126
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/proj3_http {
    members {
        prod/10.0.1.79:http {
            address 10.0.1.79
            session monitor-enabled
            state up
        }
        prod/10.0.1.80:http {
            address 10.0.1.80
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web_Common
    partition prod
}
ltm pool prod/proj4_http {
    members {
        prod/10.0.0.190:http {
            address 10.0.0.190
            session monitor-enabled
            state up
        }
        prod/10.0.0.38:http {
            address 10.0.0.38
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
```

```
ltm pool prod/proj5_http {
  members {
    prod/10.0.2.120:http {
      address 10.0.2.120
      session monitor-enabled
      state up
    }
    prod/10.0.2.121:http {
      address 10.0.2.121
      session monitor-enabled
      state up
    }
  }
  monitor prod/php_fpm
  partition prod
}
ltm pool prod/proj6_http {
  members {
    prod/10.0.0.39:http {
      address 10.0.0.39
      session monitor-enabled
      state up
    }
    prod/10.0.3.37:http {
      address 10.0.3.37
      session monitor-enabled
      state up
    }
  }
  monitor prod/php_fpm
  partition prod
}
ltm pool prod/proj7_http {
  members {
    prod/10.0.1.196:http {
      address 10.0.1.196
      session monitor-enabled
      state up
    }
    prod/10.0.1.197:http {
      address 10.0.1.197
      session monitor-enabled
      state up
    }
  }
  monitor prod/php_fpm
  partition prod
}
ltm pool prod/proj.edcity.hk_ftps {
  members {
    prod/10.0.0.142:any {
```

```

        address 10.0.0.142
        session monitor-enabled
        state up
    }
    prod/10.0.0.143:any {
        address 10.0.0.143
        session monitor-enabled
        state up
    }
}
monitor prod/hkec_ftps
partition prod
}
ltm pool prod/proj_ftps {
    members {
        prod/10.0.2.131:any {
            address 10.0.2.131
            session monitor-enabled
            state up
        }
        prod/10.0.2.132:any {
            address 10.0.2.132
            session monitor-enabled
            state up
        }
    }
}
monitor prod/hkec_ftps
partition prod
}
ltm pool prod/proj_star_http {
    members {
        prod/10.0.2.57:http {
            address 10.0.2.57
            session monitor-enabled
            state up
        }
        prod/10.0.2.84:http {
            address 10.0.2.84
            session monitor-enabled
            state up
        }
    }
}
monitor prod/hkec_web
partition prod
}
ltm pool prod/proxysql {
    members {
        prod/10.0.0.100:6033 {
            address 10.0.0.100
            session monitor-enabled
            state up
        }
    }
}

```

```

    }
    prod/10.0.0.99:6033 {
        address 10.0.0.99
        session monitor-enabled
        state up
    }
}
monitor prod/proxysql_6033
partition prod
}
ltm pool prod/proxysql_admin {
    members {
        prod/10.0.0.100:6032 {
            address 10.0.0.100
            session monitor-enabled
            state up
        }
        prod/10.0.0.99:6032 {
            address 10.0.0.99
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/rdsys_http {
    members {
        prod/10.0.0.185:http {
            address 10.0.0.185
            session monitor-enabled
            state up
        }
        prod/10.0.0.40:http {
            address 10.0.0.40
            session monitor-enabled
            state up
        }
    }
}
monitor prod/hkec_web
partition prod
}
ltm pool prod/reader_http {
    members {
        prod/10.0.1.116:http {
            address 10.0.1.116
            session monitor-enabled
            state up
        }
        prod/10.0.1.72:http {
            address 10.0.1.72

```

```

        session monitor-enabled
        state up
    }
}
monitor prod/hkec_web
partition prod
}
ltm pool prod/redirect_http {
    members {
        prod/10.0.0.95:http {
            address 10.0.0.95
            session monitor-enabled
            state up
        }
        prod/10.0.0.98:http {
            address 10.0.0.98
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
    service-down-action reselect
}
ltm pool prod/resources_http {
    members {
        prod/10.0.0.154:http {
            address 10.0.0.154
            session monitor-enabled
            state up
        }
        prod/10.0.0.68:http {
            address 10.0.0.68
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/resources_http_mongo_upgrade {
    members {
        prod/10.0.0.154:http {
            address 10.0.0.154
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}

```



```
ltm pool prod/rproxy_http {
  members {
    prod/10.0.0.104:http {
      address 10.0.0.104
      session monitor-enabled
      state up
    }
    prod/10.0.0.97:http {
      address 10.0.0.97
      session monitor-enabled
      state up
    }
    prod/10.0.2.123:http {
      address 10.0.2.123
      session monitor-enabled
      state up
    }
  }
  monitor prod/hkec_web_Common
  partition prod
}
ltm pool prod/rproxy_http_mongo_upgrade {
  members {
    prod/10.0.0.97:http {
      address 10.0.0.97
      session monitor-enabled
      state up
    }
  }
  monitor prod/hkec_web
  partition prod
}
ltm pool prod/sals_http {
  members {
    prod/10.0.3.18:http {
      address 10.0.3.18
      session monitor-enabled
      state up
    }
    prod/10.0.3.19:http {
      address 10.0.3.19
      session monitor-enabled
      state up
    }
  }
  monitor prod/hkec_web
  partition prod
}
ltm pool prod/saml-sp_49177 {
  members {
    prod/10.0.2.92:49177 {
```

```

        address 10.0.2.92
        priority-group 20
        session monitor-enabled
        state up
    }
    prod/10.0.2.93:49177 {
        address 10.0.2.93
        priority-group 10
        session monitor-enabled
        state up
    }
}
min-active-members 1
monitor Common/tcp
partition prod
}
ltm pool prod/saml-test-sp_49202 {
    members {
        prod/10.0.2.92:49202 {
            address 10.0.2.92
            priority-group 20
            session monitor-enabled
            state up
        }
        prod/10.0.2.93:49202 {
            address 10.0.2.93
            priority-group 10
            session monitor-enabled
            state up
        }
    }
    min-active-members 1
    monitor Common/tcp
    partition prod
}
ltm pool prod/scolar_http {
    members {
        prod/10.0.0.208:http {
            address 10.0.0.208
            session monitor-enabled
            state up
        }
        prod/10.0.0.218:http {
            address 10.0.0.218
            session monitor-enabled
            state up
        }
    }
    monitor prod/wlts_http
    partition prod
}

```

```
ltm pool prod/search2_http {
  members {
    prod/10.0.2.173:http {
      address 10.0.2.173
      session monitor-enabled
      state up
    }
    prod/10.0.2.174:http {
      address 10.0.2.174
      session monitor-enabled
      state up
    }
  }
  monitor prod/hkec_web
  partition prod
}
ltm pool prod/search_http {
  members {
    prod/10.0.0.165:http {
      address 10.0.0.165
      session monitor-enabled
      state up
    }
    prod/10.0.0.166:http {
      address 10.0.0.166
      session monitor-enabled
      state up
    }
  }
  monitor prod/hkec_web
  partition prod
}
ltm pool prod/sso_http {
  members {
    prod/10.0.0.173:http {
      address 10.0.0.173
      session monitor-enabled
      state up
    }
    prod/10.0.2.139:http {
      address 10.0.2.139
      session monitor-enabled
      state up
    }
  }
  monitor prod/hkec_web
  partition prod
}
ltm pool prod/static1_http {
  members {
    prod/10.0.2.106:http {
```

```

        address 10.0.2.106
        session monitor-enabled
        state up
    }
    prod/10.0.2.116:http {
        address 10.0.2.116
        session monitor-enabled
        state up
    }
    prod/10.0.2.124:http {
        address 10.0.2.124
        session monitor-enabled
        state up
    }
}
monitor prod/hkec_web
partition prod
service-down-action reselect
}
ltm pool prod/syslog {
    members {
        prod/10.0.0.93:514 {
            address 10.0.0.93
            session monitor-enabled
            state up
        }
    }
    monitor prod/syslog-udp
    partition prod
}
ltm pool prod/tcrm_http {
    members {
        prod/10.0.2.146:http {
            address 10.0.2.146
            session monitor-enabled
            state up
        }
        prod/10.0.2.147:http {
            address 10.0.2.147
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/tftp {
    members {
        prod/10.0.0.93:tftp {
            address 10.0.0.93
            session monitor-enabled

```

```

        state up
    }
}
monitor Common/udp
partition prod
}
ltm pool prod/topbarlogs_61006 {
    members {
        prod/10.0.2.23:61006 {
            address 10.0.2.23
            session monitor-enabled
            state down
        }
        prod/10.0.2.26:61006 {
            address 10.0.2.26
            session monitor-enabled
            state down
        }
    }
}
monitor prod/hkec_nodejs_61006
partition prod
}
ltm pool prod/ttv_http {
    members {
        prod/10.0.1.175:http {
            address 10.0.1.175
            session monitor-enabled
            state up
        }
        prod/10.0.1.176:http {
            address 10.0.1.176
            session monitor-enabled
            state up
        }
    }
}
monitor prod/hkec_web
partition prod
}
ltm pool prod/upload_http {
    members {
        prod/10.0.0.162:http {
            address 10.0.0.162
            session monitor-enabled
            state up
        }
        prod/10.0.0.169:http {
            address 10.0.0.169
            session monitor-enabled
            state up
        }
    }
}
}

```

```
    monitor Common/tcp
    partition prod
    service-down-action reselect
}
ltm pool prod/util-excel_49211 {
    members {
        prod/10.0.2.92:49211 {
            address 10.0.2.92
            session monitor-enabled
            state up
        }
        prod/10.0.2.93:49211 {
            address 10.0.2.93
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/videoplayer_49221 {
    members {
        prod/10.0.2.92:49221 {
            address 10.0.2.92
            session monitor-enabled
            state up
        }
        prod/10.0.2.93:49221 {
            address 10.0.2.93
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/videos_49212 {
    members {
        prod/10.0.2.92:49212 {
            address 10.0.2.92
            session monitor-enabled
            state up
        }
        prod/10.0.2.93:49212 {
            address 10.0.2.93
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
```

```

}
ltm pool prod/videostat-mq_49169 {
  members {
    prod/10.0.2.92:49169 {
      address 10.0.2.92
      session monitor-enabled
      state up
    }
    prod/10.0.2.93:49169 {
      address 10.0.2.93
      session monitor-enabled
      state up
    }
  }
  monitor Common/tcp
  partition prod
}
ltm pool prod/videostat-mqc_49170 {
  members {
    prod/10.0.2.92:49170 {
      address 10.0.2.92
      session monitor-enabled
      state up
    }
    prod/10.0.2.93:49170 {
      address 10.0.2.93
      session monitor-enabled
      state up
    }
  }
  monitor Common/tcp
  partition prod
}
ltm pool prod/viewcounter-mq_49161 {
  members {
    prod/10.0.2.92:49161 {
      address 10.0.2.92
      session monitor-enabled
      state up
    }
    prod/10.0.2.93:49161 {
      address 10.0.2.93
      session monitor-enabled
      state up
    }
  }
  monitor Common/tcp
  partition prod
}
ltm pool prod/viewcounter-mqc_49162 {
  members {

```

```

        prod/10.0.2.92:49162 {
            address 10.0.2.92
            session monitor-enabled
            state up
        }
        prod/10.0.2.93:49162 {
            address 10.0.2.93
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/viewcounter_49159 {
    members {
        prod/10.0.2.92:49159 {
            address 10.0.2.92
            session monitor-enabled
            state up
        }
        prod/10.0.2.93:49159 {
            address 10.0.2.93
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/vllm1-poc-kns {
    members {
        prod/10.0.0.86:ndmps {
            address 10.0.0.86
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/waas-booking-db_49209 {
    members {
        prod/10.0.2.92:49209 {
            address 10.0.2.92
            priority-group 20
            session monitor-enabled
            state down
        }
        prod/10.0.2.93:49209 {
            address 10.0.2.93

```



```

        priority-group 10
        session monitor-enabled
        state up
    }
}
min-active-members 1
monitor Common/tcp
partition prod
}
ltm pool prod/waas-log-p_http {
    members {
        prod/10.0.0.117:http {
            address 10.0.0.117
            session monitor-enabled
            state up
        }
        prod/10.0.0.89:http {
            address 10.0.0.89
            session monitor-enabled
            state up
        }
    }
}
monitor prod/hkec_web
partition prod
}
ltm pool prod/waas-log-ui_49319 {
    members {
        prod/10.0.2.93:49319 {
            address 10.0.2.93
            session monitor-enabled
            state down
        }
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/waas-school-ui-db_49226 {
    members {
        prod/10.0.2.92:49226 {
            address 10.0.2.92
            session monitor-enabled
            state up
        }
        prod/10.0.2.93:49226 {
            address 10.0.2.93
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition prod

```

```

}
ltm pool prod/waas-school-ui_49225 {
  members {
    prod/10.0.2.92:49225 {
      address 10.0.2.92
      session monitor-enabled
      state up
    }
    prod/10.0.2.93:49225 {
      address 10.0.2.93
      session monitor-enabled
      state up
    }
  }
  monitor Common/tcp
  partition prod
}
ltm pool prod/websams_http {
  members {
    prod/10.0.2.62:http {
      address 10.0.2.62
      session monitor-enabled
      state down
    }
    prod/10.0.2.63:http {
      address 10.0.2.63
      session monitor-enabled
      state down
    }
  }
  monitor prod/hkec_web
  partition prod
}
ltm pool prod/wifitest-int-maria_49187 {
  members {
    prod/10.0.2.92:49187 {
      address 10.0.2.92
      session monitor-enabled
      state down
    }
  }
  monitor Common/tcp
  partition prod
}
ltm pool prod/wifitest-int_49185 {
  members {
    prod/10.0.2.92:49185 {
      address 10.0.2.92
      session monitor-enabled
      state up
    }
  }
}

```

```
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/wlts_http {
    members {
        prod/10.0.0.208:http {
            address 10.0.0.208
            session monitor-enabled
            state up
        }
        prod/10.0.0.218:http {
            address 10.0.0.218
            session monitor-enabled
            state up
        }
    }
    monitor prod/wlts_http
    partition prod
}
ltm pool prod/wmedia1_5005 {
    members {
        prod/10.0.0.220:avt-profile-2 {
            address 10.0.0.220
            session monitor-enabled
            state up
        }
        prod/10.0.0.221:avt-profile-2 {
            address 10.0.0.221
            session monitor-enabled
            state up
        }
        prod/10.0.0.226:avt-profile-2 {
            address 10.0.0.226
            session monitor-enabled
            state up
        }
    }
    monitor Common/udp
    partition prod
}
ltm pool prod/wmedia1_rtsp {
    members {
        prod/10.0.0.220:rtsp {
            address 10.0.0.220
            session monitor-enabled
            state up
        }
        prod/10.0.0.221:rtsp {
            address 10.0.0.221
            session monitor-enabled
```

```

        state up
    }
    prod/10.0.0.226:rtsp {
        address 10.0.0.226
        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/wmedia_5005 {
    members {
        prod/10.0.0.220:avt-profile-2 {
            address 10.0.0.220
            session monitor-enabled
            state up
        }
        prod/10.0.0.221:avt-profile-2 {
            address 10.0.0.221
            session monitor-enabled
            state up
        }
        prod/10.0.0.226:avt-profile-2 {
            address 10.0.0.226
            session monitor-enabled
            state up
        }
    }
}
monitor Common/udp
partition prod
}
ltm pool prod/wmedia_8081 {
    members {
        prod/10.0.0.220:tproxy {
            address 10.0.0.220
            session monitor-enabled
            state up
        }
        prod/10.0.0.221:tproxy {
            address 10.0.0.221
            session monitor-enabled
            state up
        }
        prod/10.0.0.226:tproxy {
            address 10.0.0.226
            session monitor-enabled
            state up
        }
    }
}
monitor Common/udp

```

```
    partition prod
}
ltm pool prod/wmedia_http {
    members {
        prod/10.0.0.220:http {
            address 10.0.0.220
            session monitor-enabled
            state up
        }
        prod/10.0.0.221:http {
            address 10.0.0.221
            session monitor-enabled
            state up
        }
        prod/10.0.0.226:http {
            address 10.0.0.226
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
    service-down-action reselect
}
ltm pool prod/wmedia_rtsp {
    members {
        prod/10.0.0.220:rtsp {
            address 10.0.0.220
            session monitor-enabled
            state up
        }
        prod/10.0.0.221:rtsp {
            address 10.0.0.221
            session monitor-enabled
            state up
        }
        prod/10.0.0.226:rtsp {
            address 10.0.0.226
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/ws_http {
    members {
        prod/10.0.1.120:http {
            address 10.0.1.120
            session monitor-enabled
            state up
        }
    }
}
```

```

    }
    prod/10.0.1.121:http {
        address 10.0.1.121
        session monitor-enabled
        state up
    }
    prod/10.0.2.101:http {
        address 10.0.2.101
        session monitor-enabled
        state up
    }
}
monitor prod/hkec_web
partition prod
}
ltm pool prod/ws_http_mongo_upgrade {
    members {
        prod/10.0.1.120:http {
            address 10.0.1.120
            session monitor-enabled
            state up
        }
    }
    monitor prod/hkec_web
    partition prod
}
ltm pool prod/z-event-log-db-n1_49219 {
    members {
        prod/10.0.2.92:49219 {
            address 10.0.2.92
            session monitor-enabled
            state down
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/z-event-log-db-n2_49220 {
    members {
        prod/10.0.2.93:49220 {
            address 10.0.2.93
            session monitor-enabled
            state down
        }
    }
    monitor Common/tcp
    partition prod
}
ltm pool prod/z-event-log-db_49216 {
    members {
        prod/10.0.2.92:49216 {

```

```

        address 10.0.2.92
        session monitor-enabled
        state down
    }
    prod/10.0.2.93:49216 {
        address 10.0.2.93
        session monitor-enabled
        state down
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/z-event-log-mq_49217 {
    members {
        prod/10.0.2.92:49217 {
            address 10.0.2.92
            session monitor-enabled
            state up
        }
        prod/10.0.2.93:49217 {
            address 10.0.2.93
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/z-event-log-mqc_49218 {
    members {
        prod/10.0.2.92:49218 {
            address 10.0.2.92
            session monitor-enabled
            state up
        }
        prod/10.0.2.93:49218 {
            address 10.0.2.93
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition prod
}
ltm pool prod/z-event-log_49215 {
    members {
        prod/10.0.2.92:49215 {
            address 10.0.2.92
            session monitor-enabled
            state up
        }
    }
}

```

```

    }
    prod/10.0.2.93:49215 {
        address 10.0.2.93
        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition prod
}
ltm pool uat/ag2-uat-ip_80 {
    members {
        uat/20.6.178.229:http {
            address 20.6.178.229
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/ag2-uat-ip_443 {
    members {
        uat/20.6.178.229:https {
            address 20.6.178.229
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition uat
    service-down-action reselect
}
ltm pool uat/u_acladmin_http {
    members {
        uat/10.0.12.112:http {
            address 10.0.12.112
            session monitor-enabled
            state up
        }
        uat/10.0.12.34:http {
            address 10.0.12.34
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec_web
    partition uat
    service-down-action reselect
}
ltm pool uat/u_aipoc_49349 {

```



```

members {
    uat/10.0.12.196:49349 {
        address 10.0.12.196
        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_apps2_http {
members {
    uat/10.0.12.28:http {
        address 10.0.12.28
        session monitor-enabled
        state up
    }
    uat/10.0.12.51:http {
        address 10.0.12.51
        session monitor-enabled
        state up
    }
}
monitor uat/u_hkec_web
partition uat
service-down-action reselect
}
ltm pool uat/u_arccgis-school-db_49204 {
members {
    uat/10.0.12.196:49204 {
        address 10.0.12.196
        priority-group 20
        session monitor-enabled
        state up
    }
    uat/10.0.12.197:49204 {
        address 10.0.12.197
        priority-group 10
        session monitor-enabled
        state up
    }
}
min-active-members 1
monitor Common/tcp
partition uat
}
ltm pool uat/u_arccgis-school_49203 {
members {
    uat/10.0.12.196:49203 {
        address 10.0.12.196
        priority-group 20

```

```

        session monitor-enabled
        state up
    }
    uat/10.0.12.197:49203 {
        address 10.0.12.197
        priority-group 10
        session monitor-enabled
        state up
    }
}
min-active-members 1
monitor Common/tcp
partition uat
}
ltm pool uat/u_ase_http {
    members {
        uat/10.0.13.121:http {
            address 10.0.13.121
            session monitor-enabled
            state up
        }
        uat/10.0.13.122:http {
            address 10.0.13.122
            session monitor-enabled
            state up
        }
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_centosds_ldap {
    allow-nat no
    allow-snat no
    members {
        uat/10.0.12.83:ldap {
            address 10.0.12.83
            priority-group 20
            session monitor-enabled
            state up
        }
        uat/10.0.12.84:ldap {
            address 10.0.12.84
            priority-group 10
            session monitor-enabled
            state up
        }
    }
}
min-active-members 1
monitor Common/tcp
partition uat
service-down-action reselect

```

```

}
ltm pool uat/u_cpd_http {
  members {
    uat/10.0.13.53:http {
      address 10.0.13.53
      session monitor-enabled
      state up
    }
    uat/10.0.13.54:http {
      address 10.0.13.54
      session monitor-enabled
      state up
    }
  }
  monitor uat/u_hkec_web
  partition uat
}
ltm pool uat/u_deliveryhub_http {
  members {
    uat/10.0.12.11:http {
      address 10.0.12.11
      session monitor-enabled
      state up
    }
    uat/10.0.12.12:http {
      address 10.0.12.12
      session monitor-enabled
      state up
    }
  }
  monitor uat/u_hkec_web
  partition uat
}
ltm pool uat/u_dns {
  members {
    uat/10.0.12.1:domain {
      address 10.0.12.1
      session monitor-enabled
      state up
    }
    uat/10.0.12.2:domain {
      address 10.0.12.2
      session monitor-enabled
      state up
    }
  }
  monitor uat/u_hkec_dns
  partition uat
}
ltm pool uat/u_dns_tcp {
  members {

```

```

        uat/10.0.12.1:domain {
            address 10.0.12.1
            session monitor-enabled
            state up
        }
        uat/10.0.12.2:domain {
            address 10.0.12.2
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec_dns
    partition uat
}
ltm pool uat/u_download-mq-n1_49190 {
    members {
        uat/10.0.12.196:49190 {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_download-mq-n1_49196 {
    members {
        uat/10.0.12.196:49196 {
            address 10.0.12.196
            session monitor-enabled
            state down
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_download-mq-n1_49197 {
    members {
        uat/10.0.12.196:49197 {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_download-mq-n1_49198 {
    members {
        uat/10.0.12.196:49198 {
            address 10.0.12.196

```

```

        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_download-mq-n2_49192 {
    members {
        uat/10.0.12.197:49192 {
            address 10.0.12.197
            session monitor-enabled
            state down
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_download-mq-n2_49199 {
    members {
        uat/10.0.12.197:49199 {
            address 10.0.12.197
            session monitor-enabled
            state down
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_download-mq-n2_49200 {
    members {
        uat/10.0.12.197:49200 {
            address 10.0.12.197
            session monitor-enabled
            state down
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_download-mq-n2_49201 {
    members {
        uat/10.0.12.197:49201 {
            address 10.0.12.197
            session monitor-enabled
            state down
        }
    }
    monitor Common/tcp
    partition uat
}

```

```
ltm pool uat/u_download-mqc-n1_49191 {
  members {
    uat/10.0.12.196:49191 {
      address 10.0.12.196
      session monitor-enabled
      state up
    }
  }
  monitor Common/tcp
  partition uat
}
ltm pool uat/u_download-mqc-n2_49193 {
  members {
    uat/10.0.12.197:49193 {
      address 10.0.12.197
      session monitor-enabled
      state down
    }
  }
  monitor Common/tcp
  partition uat
}
ltm pool uat/u_download_49188 {
  members {
    uat/10.0.12.196:49188 {
      address 10.0.12.196
      session monitor-enabled
      state up
    }
    uat/10.0.12.197:49188 {
      address 10.0.12.197
      session monitor-enabled
      state up
    }
  }
  monitor Common/tcp
  partition uat
}
ltm pool uat/u_drupal_campaign_http {
  members {
    uat/10.0.13.34:http {
      address 10.0.13.34
      session monitor-enabled
      state up
    }
    uat/10.0.13.35:http {
      address 10.0.13.35
      session monitor-enabled
      state up
    }
  }
}
```

```

        monitor uat/u_hkec_web
        partition uat
    }
    ltm pool uat/u_drupal_drupal_testpage_http {
        members {
            uat/10.0.13.41:http {
                address 10.0.13.41
                session monitor-enabled
                state up
            }
        }
        monitor uat/u_hkec_web
        partition uat
    }
    ltm pool uat/u_drupal_ereadscheme_http {
        members {
            uat/10.0.13.58:http {
                address 10.0.13.58
                session monitor-enabled
                state up
            }
            uat/10.0.13.59:http {
                address 10.0.13.59
                session monitor-enabled
                state up
            }
        }
        monitor uat/u_hkec_web
        partition uat
    }
    ltm pool uat/u_drupal_etv_http {
        members {
            uat/10.0.13.105:http {
                address 10.0.13.105
                session monitor-enabled
                state up
            }
            uat/10.0.13.106:http {
                address 10.0.13.106
                session monitor-enabled
                state up
            }
        }
        monitor uat/u_hkec_web
        partition uat
    }
    ltm pool uat/u_drupal_eworks2015_http {
        members {
            uat/10.0.12.3:http {
                address 10.0.12.3
                session monitor-enabled

```

```

        state up
    }
    uat/10.0.12.4:http {
        address 10.0.12.4
        session monitor-enabled
        state up
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_drupal_goelearning_http {
    members {
        uat/10.0.13.82:http {
            address 10.0.13.82
            session monitor-enabled
            state up
        }
        uat/10.0.13.83:http {
            address 10.0.13.83
            session monitor-enabled
            state up
        }
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_drupal_hkreadingcity_http {
    members {
        uat/10.0.13.111:http {
            address 10.0.13.111
            session monitor-enabled
            state up
        }
        uat/10.0.13.112:http {
            address 10.0.13.112
            session monitor-enabled
            state up
        }
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_drupal_http {
    members {
        uat/10.0.13.49:http {
            address 10.0.13.49
            session monitor-enabled
            state up
        }
        uat/10.0.13.52:http {

```



```

        address 10.0.13.52
        session monitor-enabled
        state up
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_drupal_multisite_http {
    members {
        uat/10.0.12.105:http {
            address 10.0.12.105
            session monitor-enabled
            state up
        }
        uat/10.0.12.106:http {
            address 10.0.12.106
            session monitor-enabled
            state up
        }
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_drupal_partner_channel_http {
    members {
        uat/10.0.12.10:http {
            address 10.0.12.10
            session monitor-enabled
            state up
        }
        uat/10.0.12.9:http {
            address 10.0.12.9
            session monitor-enabled
            state up
        }
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_drupal_sc_http {
    members {
        uat/10.0.13.42:http {
            address 10.0.13.42
            session monitor-enabled
            state up
        }
        uat/10.0.13.43:http {
            address 10.0.13.43
            session monitor-enabled
            state up
        }
    }
}

```

```

    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_drupal_studentscheme_http {
members {
    uat/10.0.13.119:http {
        address 10.0.13.119
        session monitor-enabled
        state up
    }
    uat/10.0.13.120:http {
        address 10.0.13.120
        session monitor-enabled
        state up
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_drupal_teencampus2015_http {
members {
    uat/10.0.13.84:http {
        address 10.0.13.84
        session monitor-enabled
        state up
    }
    uat/10.0.13.87:http {
        address 10.0.13.87
        session monitor-enabled
        state up
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_drupal_videos_http {
members {
    uat/10.0.12.118:http {
        address 10.0.12.118
        session monitor-enabled
        state up
    }
    uat/10.0.12.58:http {
        address 10.0.12.58
        session monitor-enabled
        state up
    }
}
monitor uat/u_hkec_web

```

```

    partition uat
}
ltm pool uat/u_drupal_waas-school_http {
    members {
        uat/10.0.13.115:http {
            address 10.0.13.115
            session monitor-enabled
            state down
        }
        uat/10.0.13.116:http {
            address 10.0.13.116
            session monitor-enabled
            state down
        }
    }
    monitor uat/u_hkec_web
    partition uat
}
ltm pool uat/u_edb_ftps {
    members {
        uat/10.0.13.103:any {
            address 10.0.13.103
            session monitor-enabled
            state up
        }
        uat/10.0.13.104:any {
            address 10.0.13.104
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec_ftps
    partition uat
}
ltm pool uat/u_edblog_http {
    members {
        uat/10.0.12.165:http {
            address 10.0.12.165
            session monitor-enabled
            state up
        }
        uat/10.0.12.185:http {
            address 10.0.12.185
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition uat
    service-down-action reselect
}

```

```
ltm pool uat/u_edmall-admin_http {
  members {
    uat/10.0.12.97:http {
      address 10.0.12.97
      session monitor-enabled
      state up
    }
    uat/10.0.12.98:http {
      address 10.0.12.98
      session monitor-enabled
      state up
    }
  }
  monitor uat/u_hkec_web
  partition uat
}
ltm pool uat/u_edmall_http {
  members {
    uat/10.0.12.171:http {
      address 10.0.12.171
      session monitor-enabled
      state up
    }
    uat/10.0.12.172:http {
      address 10.0.12.172
      session monitor-enabled
      state up
    }
  }
  monitor Common/tcp
  partition uat
}
ltm pool uat/u_edmall_varnish {
  members {
    uat/10.0.12.14:6081 {
      address 10.0.12.14
      session monitor-enabled
      state up
    }
    uat/10.0.12.49:6081 {
      address 10.0.12.49
      session monitor-enabled
      state up
    }
  }
  monitor uat/u_edmall_varnish
  partition uat
}
ltm pool uat/u_emocounter-mq_49232 {
  members {
    uat/10.0.12.196:49232 {
```

```

        address 10.0.12.196
        session monitor-enabled
        state up
    }
    uat/10.0.12.197:49232 {
        address 10.0.12.197
        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_emocounter-mqc_49233 {
    members {
        uat/10.0.12.196:49233 {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
        uat/10.0.12.197:49233 {
            address 10.0.12.197
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_emocounter_49230 {
    members {
        uat/10.0.12.196:49230 {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
        uat/10.0.12.197:49230 {
            address 10.0.12.197
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_epublisher1_http {
    members {
        uat/10.0.12.131:http {
            address 10.0.12.131
            session monitor-enabled
            state up
        }
    }
}

```

```

    }
    uat/10.0.12.134:http {
        address 10.0.12.134
        session monitor-enabled
        state up
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_epublisher_http {
    members {
        uat/10.0.13.97:http {
            address 10.0.13.97
            session monitor-enabled
            state up
        }
        uat/10.0.13.98:http {
            address 10.0.13.98
            session monitor-enabled
            state up
        }
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_ereadaccounting_http {
    members {
        uat/10.0.13.88:http {
            address 10.0.13.88
            session monitor-enabled
            state up
        }
        uat/10.0.13.89:http {
            address 10.0.13.89
            session monitor-enabled
            state up
        }
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_eventcalendar_http {
    members {
        uat/10.0.12.93:http {
            address 10.0.12.93
            session monitor-enabled
            state up
        }
        uat/10.0.12.94:http {
            address 10.0.12.94

```

```

        session monitor-enabled
        state up
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_ffmpeg_http {
    members {
        uat/10.0.13.117:http {
            address 10.0.13.117
            session monitor-enabled
            state up
        }
        uat/10.0.13.118:http {
            address 10.0.13.118
            session monitor-enabled
            state up
        }
    }
}
monitor uat/u_hkec_web
partition uat
service-down-action reselect
}
ltm pool uat/u_fjt_http {
    members {
        uat/10.0.12.50:http {
            address 10.0.12.50
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition uat
service-down-action reselect
}
ltm pool uat/u_fluentd_12001 {
    members {
        uat/10.0.12.196:entextnetwk {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
        uat/10.0.12.197:entextnetwk {
            address 10.0.12.197
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition uat

```

```

}
ltm pool uat/u_forum2_http {
    members {
        uat/10.0.13.22:http {
            address 10.0.13.22
            session monitor-enabled
            state up
        }
        uat/10.0.13.47:http {
            address 10.0.13.47
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec_web
    partition uat
}
ltm pool uat/u_forum-mq_49345 {
    members {
        uat/10.0.12.196:49345 {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
        uat/10.0.12.197:49345 {
            address 10.0.12.197
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_forum-mqc_49285 {
    members {
        uat/10.0.12.196:49285 {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
        uat/10.0.12.197:49285 {
            address 10.0.12.197
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_game_engine_61001 {
    members {

```



```

        uat/10.0.13.39:61001 {
            address 10.0.13.39
            session monitor-enabled
            state up
        }
        uat/10.0.13.40:61001 {
            address 10.0.13.40
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec_nodejs_61001
    partition uat
}
ltm pool uat/u_game_http {
    members {
        uat/10.0.13.55:http {
            address 10.0.13.55
            session monitor-enabled
            state up
        }
        uat/10.0.13.63:http {
            address 10.0.13.63
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec_web
    partition uat
}
ltm pool uat/u_getset_61004 {
    members {
        uat/10.0.13.73:61004 {
            address 10.0.13.73
            session monitor-enabled
            state up
        }
        uat/10.0.13.74:61004 {
            address 10.0.13.74
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec_nodejs_61004
    partition uat
}
ltm pool uat/u_grouping-v1-1-mq_49323 {
    members {
        uat/10.0.12.196:49323 {
            address 10.0.12.196
            session monitor-enabled

```

```

        state down
    }
    uat/10.0.12.197:49323 {
        address 10.0.12.197
        session monitor-enabled
        state down
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_grouping-v1-1-mqc_49324 {
    members {
        uat/10.0.12.196:49324 {
            address 10.0.12.196
            session monitor-enabled
            state down
        }
        uat/10.0.12.197:49324 {
            address 10.0.12.197
            session monitor-enabled
            state down
        }
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_grouping_49321 {
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_gsql_3307 {
    members {
        uat/10.0.12.140:opsession-prxy {
            address 10.0.12.140
            priority-group 10
            session monitor-enabled
            state up
        }
        uat/10.0.12.53:opsession-prxy {
            address 10.0.12.53
            priority-group 20
            session monitor-enabled
            state up
        }
    }
}
min-active-members 1
monitor Common/tcp
partition uat
}
ltm pool uat/u_gsql_3308 {

```

```

members {
    uat/10.0.12.140:tns-server {
        address 10.0.12.140
        priority-group 10
        session monitor-enabled
        state up
    }
    uat/10.0.12.53:tns-server {
        address 10.0.12.53
        priority-group 20
        session monitor-enabled
        state up
    }
}
min-active-members 1
monitor Common/tcp
partition uat
}
ltm pool uat/u_gsql_3309 {
    members {
        uat/10.0.12.140:tns-adv {
            address 10.0.12.140
            priority-group 10
            session monitor-enabled
            state up
        }
        uat/10.0.12.53:tns-adv {
            address 10.0.12.53
            priority-group 20
            session monitor-enabled
            state up
        }
    }
    min-active-members 1
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_h_proj_elements_http {
    members {
        uat/10.0.13.36:http {
            address 10.0.13.36
            session monitor-enabled
            state up
        }
        uat/10.0.13.37:http {
            address 10.0.13.37
            session monitor-enabled
            state up
        }
    }
}
monitor uat/u_hkec_web

```

```

    partition uat
}
ltm pool uat/u_h_proj_minisite1_http {
    members {
        uat/10.0.12.117:http {
            address 10.0.12.117
            session monitor-enabled
            state up
        }
        uat/10.0.12.55:http {
            address 10.0.12.55
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec_web
    partition uat
}
ltm pool uat/u_h_proj_minisite_http {
    members {
        uat/10.0.12.117:http {
            address 10.0.12.117
            session monitor-enabled
            state up
        }
        uat/10.0.12.55:http {
            address 10.0.12.55
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec_web
    partition uat
}
ltm pool uat/u_h_proj_tgedu_http {
    members {
        uat/10.0.12.117:http {
            address 10.0.12.117
            session monitor-enabled
            state up
        }
        uat/10.0.12.55:http {
            address 10.0.12.55
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec_web
    partition uat
}
ltm pool uat/u_hkec1 {

```

```

members {
    uat/10.0.12.123:http {
        address 10.0.12.123
        session monitor-enabled
        state up
    }
    uat/10.0.12.99:http {
        address 10.0.12.99
        session monitor-enabled
        state up
    }
}
monitor uat/u_hkec
partition uat
}
ltm pool uat/u_hkec_ftps {
    members {
        uat/10.0.13.100:any {
            address 10.0.13.100
            session monitor-enabled
            state up
        }
        uat/10.0.13.99:any {
            address 10.0.13.99
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec_ftps
    partition uat
}
ltm pool uat/u_hkec_group1_http {
    members {
        uat/10.0.13.113:http {
            address 10.0.13.113
            session monitor-enabled
            state up
        }
        uat/10.0.13.114:http {
            address 10.0.13.114
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_php_fpm
    partition uat
}
ltm pool uat/u_hkec_group3_http {
    members {
        uat/10.0.13.133:http {
            address 10.0.13.133

```

```

        session monitor-enabled
        state up
    }
    uat/10.0.13.134:http {
        address 10.0.13.134
        session monitor-enabled
        state up
    }
}
monitor uat/u_php_fpm
partition uat
}
ltm pool uat/u_hkec_group4_http {
    members {
        uat/10.0.13.135:http {
            address 10.0.13.135
            session monitor-enabled
            state up
        }
        uat/10.0.13.136:http {
            address 10.0.13.136
            session monitor-enabled
            state up
        }
    }
}
monitor uat/u_php_fpm
partition uat
}
ltm pool uat/u_hkec_group5_http {
    members {
        uat/10.0.12.26:http {
            address 10.0.12.26
            session monitor-enabled
            state up
        }
        uat/10.0.12.27:http {
            address 10.0.12.27
            session monitor-enabled
            state up
        }
    }
}
monitor uat/u_php_fpm
partition uat
}
ltm pool uat/u_hkec_group6_http {
    members {
        uat/10.0.12.60:http {
            address 10.0.12.60
            session monitor-enabled
            state up
        }
    }
}

```

```

        uat/10.0.12.61:http {
            address 10.0.12.61
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_php_fpm
    partition uat
}
ltm pool uat/u_hkec_group7_http {
    members {
        uat/10.0.12.69:http {
            address 10.0.12.69
            session monitor-enabled
            state up
        }
        uat/10.0.12.74:http {
            address 10.0.12.74
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_php_fpm
    partition uat
}
ltm pool uat/u_hkec_http {
    members {
        uat/10.0.12.123:http {
            address 10.0.12.123
            session monitor-enabled
            state up
        }
        uat/10.0.12.99:http {
            address 10.0.12.99
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec
    partition uat
}
ltm pool uat/u_hkec_member_http {
    members {
        uat/10.0.13.50:http {
            address 10.0.13.50
            session monitor-enabled
            state up
        }
        uat/10.0.13.51:http {
            address 10.0.13.51
            session monitor-enabled

```

```

        state up
    }
}
monitor uat/u_php_fpm
partition uat
}
ltm pool uat/u_hkec_out_proj_http {
members {
    uat/10.0.12.117:http {
        address 10.0.12.117
        session monitor-enabled
        state up
    }
    uat/10.0.12.55:http {
        address 10.0.12.55
        session monitor-enabled
        state up
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_hkec_proj_http {
members {
    uat/10.0.12.133:http {
        address 10.0.12.133
        session monitor-enabled
        state up
    }
    uat/10.0.12.153:http {
        address 10.0.12.153
        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_is_9443 {
members {
    uat/10.0.12.24:tungsten-https {
        address 10.0.12.24
        session monitor-enabled
        state down
    }
    uat/10.0.12.25:tungsten-https {
        address 10.0.12.25
        session monitor-enabled
        state down
    }
}
}

```



```

    monitor Common/tcp
    partition uat
}
ltm pool uat/u_isrs_http {
    members {
        uat/10.0.12.166:http {
            address 10.0.12.166
            session monitor-enabled
            state up
        }
        uat/10.0.12.190:http {
            address 10.0.12.190
            session monitor-enabled
            state up
        }
    }
}
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_itembank_http {
    members {
        uat/10.0.12.111:http {
            address 10.0.12.111
            session monitor-enabled
            state up
        }
        uat/10.0.12.32:http {
            address 10.0.12.32
            session monitor-enabled
            state up
        }
    }
}
    monitor uat/u_hkec_web
    partition uat
}
ltm pool uat/u_jwt-db_49262 {
    members {
        uat/10.0.12.196:49262 {
            address 10.0.12.196
            priority-group 20
            session monitor-enabled
            state up
        }
        uat/10.0.12.197:49262 {
            address 10.0.12.197
            priority-group 10
            session monitor-enabled
            state up
        }
    }
}
min-active-members 1

```

```

    monitor Common/tcp
    partition uat
}
ltm pool uat/u_jwt_49261 {
    members {
        uat/10.0.12.196:49261 {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
        uat/10.0.12.197:49261 {
            address 10.0.12.197
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_lmstudio_1234 {
    members {
        uat/10.0.13.48:search-agent {
            address 10.0.13.48
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_mcache_11211 {
    members {
        uat/10.0.12.135:memcache {
            address 10.0.12.135
            priority-group 10
            session monitor-enabled
            state up
        }
        uat/10.0.12.36:memcache {
            address 10.0.12.36
            priority-group 20
            session monitor-enabled
            state up
        }
    }
    min-active-members 1
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_member-mediator_http {
    members {

```

```

        uat/10.0.12.15:http {
            address 10.0.12.15
            session monitor-enabled
            state up
        }
        uat/10.0.12.16:http {
            address 10.0.12.16
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec_web
    partition uat
}
ltm pool uat/u_mq_5672 {
    members {
        uat/10.0.12.102:amqp {
            address 10.0.12.102
            session monitor-enabled
            state up
        }
        uat/10.0.12.124:amqp {
            address 10.0.12.124
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_mq_upgrade_5672 {
    members {
        uat/10.0.13.30:amqp {
            address 10.0.13.30
            session monitor-enabled
            state up
        }
        uat/10.0.13.31:amqp {
            address 10.0.13.31
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_mqapi-p_http {
    members {
        uat/10.0.12.110:http {
            address 10.0.12.110
            session monitor-enabled

```

```

        state up
    }
    uat/10.0.12.114:http {
        address 10.0.12.114
        session monitor-enabled
        state up
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_ms_http {
    members {
        uat/10.0.12.123:http {
            address 10.0.12.123
            session monitor-enabled
            state up
        }
        uat/10.0.12.99:http {
            address 10.0.12.99
            session monitor-enabled
            state up
        }
    }
}
monitor uat/u_hkec
partition uat
}
ltm pool uat/u_mysql_3306 {
    members {
        uat/10.0.12.196:mysql {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_nessus_gt {
    description "GT nessus scanning"
    members {
        uat/10.0.12.20:8834 {
            address 10.0.12.20
            session monitor-enabled
            state up
        }
    }
}
monitor Common/https
partition uat
}
ltm pool uat/u_new_epublisher_http {

```

```

members {
    uat/10.0.13.139:http {
        address 10.0.13.139
        session monitor-enabled
        state up
    }
    uat/10.0.13.140:http {
        address 10.0.13.140
        session monitor-enabled
        state up
    }
}
monitor uat/u_php_fpm
partition uat
}
ltm pool uat/u_new_ereadaccounting_http {
    members {
        uat/10.0.13.139:http {
            address 10.0.13.139
            session monitor-enabled
            state up
        }
        uat/10.0.13.140:http {
            address 10.0.13.140
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_php_fpm
    partition uat
}
ltm pool uat/u_new_hkreadingcity_http {
    members {
        uat/10.0.13.141:http {
            address 10.0.13.141
            session monitor-enabled
            state up
        }
        uat/10.0.13.142:http {
            address 10.0.13.142
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_php_fpm
    partition uat
}
ltm pool uat/u_new_member-api_http {
    members {
        uat/10.0.13.137:http {
            address 10.0.13.137

```

```

        session monitor-enabled
        state up
    }
    uat/10.0.13.138:http {
        address 10.0.13.138
        session monitor-enabled
        state up
    }
}
monitor uat/u_php_fpm
partition uat
}
ltm pool uat/u_oqb-api_http {
    members {
        uat/10.0.12.149:http {
            address 10.0.12.149
            session monitor-enabled
            state up
        }
        uat/10.0.12.150:http {
            address 10.0.12.150
            session monitor-enabled
            state up
        }
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_oqb_http {
    members {
        uat/10.0.12.19:http {
            address 10.0.12.19
            session monitor-enabled
            state up
        }
        uat/10.0.12.5:http {
            address 10.0.12.5
            session monitor-enabled
            state up
        }
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_osd1_5601 {
    members {
        uat/10.0.13.23:esmagent {
            address 10.0.13.23
            session monitor-enabled
            state up
        }
    }
}

```

```

        uat/10.0.13.24:esmagent {
            address 10.0.13.24
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_osd
    partition uat
}
ltm pool uat/u_osmysql2_3306 {
    members {
        uat/10.0.12.147:mysql {
            address 10.0.12.147
            priority-group 10
            session monitor-enabled
            state up
        }
        uat/10.0.12.87:mysql {
            address 10.0.12.87
            priority-group 20
            session monitor-enabled
            state up
        }
    }
    min-active-members 1
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_osmysql3_proj_3306 {
    members {
        uat/10.0.12.141:mysql {
            address 10.0.12.141
            priority-group 10
            session monitor-enabled
            state up
        }
        uat/10.0.12.63:mysql {
            address 10.0.12.63
            priority-group 20
            session monitor-enabled
            state up
        }
    }
    min-active-members 1
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_pam_4000 {
    members {
        uat/10.0.12.129:terabase {
            address 10.0.12.129

```

```

        session monitor-enabled
        state down
    }
    uat/10.0.12.130:terabase {
        address 10.0.12.130
        session monitor-enabled
        state down
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_pam_4001 {
    members {
        uat/10.0.12.129:newoak {
            address 10.0.12.129
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_pam_http {
    members {
        uat/10.0.12.129:http {
            address 10.0.12.129
            session monitor-enabled
            state up
        }
        uat/10.0.12.130:http {
            address 10.0.12.130
            session monitor-enabled
            state down
        }
    }
    monitor Common/gateway_icmp
    partition uat
}
ltm pool uat/u_proj3_http {
    members {
        uat/10.0.12.100:http {
            address 10.0.12.100
            session monitor-enabled
            state up
        }
        uat/10.0.12.101:http {
            address 10.0.12.101
            session monitor-enabled
            state up
        }
    }
}

```



```

    }
    monitor uat/u_hkec_web
    partition uat
}
ltm pool uat/u_proj_ftps {
    members {
        uat/10.0.13.101:any {
            address 10.0.13.101
            session monitor-enabled
            state up
        }
        uat/10.0.13.102:any {
            address 10.0.13.102
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec_ftps
    partition uat
}
ltm pool uat/u_proxysql {
    members {
        uat/10.0.12.21:6033 {
            address 10.0.12.21
            session monitor-enabled
            state up
        }
        uat/10.0.12.41:6033 {
            address 10.0.12.41
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_proxysql_6033
    partition uat
}
ltm pool uat/u_proxysql_admin {
    members {
        uat/10.0.12.21:6032 {
            address 10.0.12.21
            session monitor-enabled
            state up
        }
        uat/10.0.12.41:6032 {
            address 10.0.12.41
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition uat
}

```

```

}
ltm pool uat/u_rdsys2_http {
    members {
        uat/10.0.12.46:http {
            address 10.0.12.46
            session monitor-enabled
            state up
        }
        uat/10.0.12.59:http {
            address 10.0.12.59
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_php_fpm
    partition uat
}
ltm pool uat/u_rdsys_http {
    members {
        uat/10.0.12.67:http {
            address 10.0.12.67
            session monitor-enabled
            state up
        }
        uat/10.0.12.82:http {
            address 10.0.12.82
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec_web
    partition uat
}
ltm pool uat/u_reader_http {
    members {
        uat/10.0.12.136:http {
            address 10.0.12.136
            session monitor-enabled
            state up
        }
        uat/10.0.13.95:http {
            address 10.0.13.95
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec_web
    partition uat
}
ltm pool uat/u_redirect_http {
    members {

```

```

        uat/10.0.12.194:http {
            address 10.0.12.194
            session monitor-enabled
            state up
        }
        uat/10.0.12.195:http {
            address 10.0.12.195
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec_web
    partition uat
    service-down-action reselect
}
ltm pool uat/u_resources_http {
    members {
        uat/10.0.13.68:http {
            address 10.0.13.68
            session monitor-enabled
            state up
        }
        uat/10.0.13.69:http {
            address 10.0.13.69
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_rproxy_http {
    members {
        uat/10.0.12.145:http {
            address 10.0.12.145
            session monitor-enabled
            state up
        }
        uat/10.0.12.86:http {
            address 10.0.12.86
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec_web
    partition uat
}
ltm pool uat/u_sals_http {
    members {
        uat/10.0.13.123:http {
            address 10.0.13.123

```

```

        session monitor-enabled
        state up
    }
    uat/10.0.13.124:http {
        address 10.0.13.124
        session monitor-enabled
        state up
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_saml-sp_49177 {
    members {
        uat/10.0.12.196:49177 {
            address 10.0.12.196
            priority-group 20
            session monitor-enabled
            state up
        }
        uat/10.0.12.197:49177 {
            address 10.0.12.197
            priority-group 10
            session monitor-enabled
            state up
        }
    }
}
min-active-members 1
monitor Common/tcp
partition uat
service-down-action reselect
}
ltm pool uat/u_saml-test-sp_49202 {
    members {
        uat/10.0.12.196:49202 {
            address 10.0.12.196
            priority-group 20
            session monitor-enabled
            state up
        }
        uat/10.0.12.197:49202 {
            address 10.0.12.197
            priority-group 10
            session monitor-enabled
            state up
        }
    }
}
min-active-members 1
monitor Common/tcp
partition uat
}

```

```

ltm pool uat/u_search2_http {
  members {
    uat/10.0.13.77:http {
      address 10.0.13.77
      session monitor-enabled
      state up
    }
    uat/10.0.13.78:http {
      address 10.0.13.78
      session monitor-enabled
      state up
    }
  }
  monitor uat/u_hkec_web
  partition uat
}
ltm pool uat/u_search_http {
  members {
    uat/10.0.12.138:http {
      address 10.0.12.138
      session monitor-enabled
      state up
    }
    uat/10.0.12.139:http {
      address 10.0.12.139
      session monitor-enabled
      state up
    }
  }
  monitor uat/u_hkec
  partition uat
}
ltm pool uat/u_smysql2_3306 {
  members {
    uat/10.0.12.148:mysql {
      address 10.0.12.148
      priority-group 10
      session monitor-enabled
      state up
    }
    uat/10.0.12.65:mysql {
      address 10.0.12.65
      priority-group 20
      session monitor-enabled
      state up
    }
  }
  min-active-members 1
  monitor Common/tcp
  partition uat
}

```

```

ltm pool uat/u_smysql_3306 {
  members {
    uat/10.0.12.142:mysql {
      address 10.0.12.142
      priority-group 10
      session monitor-enabled
      state up
    }
    uat/10.0.12.64:mysql {
      address 10.0.12.64
      priority-group 20
      session monitor-enabled
      state up
    }
  }
  min-active-members 1
  monitor Common/tcp
  partition uat
}
ltm pool uat/u_sso_http {
  members {
    uat/10.0.12.128:http {
      address 10.0.12.128
      session monitor-enabled
      state up
    }
    uat/10.0.12.132:http {
      address 10.0.12.132
      session monitor-enabled
      state up
    }
  }
  monitor uat/u_hkec_web
  partition uat
}
ltm pool uat/u_static1_http {
  members {
    uat/10.0.13.56:http {
      address 10.0.13.56
      session monitor-enabled
      state up
    }
    uat/10.0.13.57:http {
      address 10.0.13.57
      session monitor-enabled
      state up
    }
  }
  monitor uat/u_hkec_web
  partition uat
  service-down-action reselect
}

```

```

}
ltm pool uat/u_topbarlogs_61006 {
  members {
    uat/10.0.13.75:61006 {
      address 10.0.13.75
      session monitor-enabled
      state down
    }
    uat/10.0.13.76:61006 {
      address 10.0.13.76
      session monitor-enabled
      state down
    }
  }
  monitor uat/u_hkec_nodejs_61006
  partition uat
}
ltm pool uat/u_ttv_http {
  members {
    uat/10.0.12.75:http {
      address 10.0.12.75
      session monitor-enabled
      state up
    }
    uat/10.0.12.89:http {
      address 10.0.12.89
      session monitor-enabled
      state up
    }
  }
  monitor uat/u_hkec_web
  partition uat
}
ltm pool uat/u_upload_http {
  members {
    uat/10.0.12.113:http {
      address 10.0.12.113
      session monitor-enabled
      state up
    }
    uat/10.0.12.39:http {
      address 10.0.12.39
      session monitor-enabled
      state up
    }
  }
  monitor Common/tcp
  partition uat
  service-down-action reselect
}
ltm pool uat/u_util-excel_49211 {

```

```

members {
    uat/10.0.12.196:49211 {
        address 10.0.12.196
        session monitor-enabled
        state up
    }
    uat/10.0.12.197:49211 {
        address 10.0.12.197
        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_videoplayer_49221 {
    members {
        uat/10.0.12.196:49221 {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
        uat/10.0.12.197:49221 {
            address 10.0.12.197
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_videos_49212 {
    members {
        uat/10.0.12.196:49212 {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
        uat/10.0.12.197:49212 {
            address 10.0.12.197
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_videostat-mq_49169 {
    members {
        uat/10.0.12.196:49169 {
            address 10.0.12.196

```



```

        session monitor-enabled
        state up
    }
    uat/10.0.12.197:49169 {
        address 10.0.12.197
        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_videostat-mqc_49170 {
    members {
        uat/10.0.12.196:49170 {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
        uat/10.0.12.197:49170 {
            address 10.0.12.197
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_viewcounter-mq_49161 {
    members {
        uat/10.0.12.196:49161 {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
        uat/10.0.12.197:49161 {
            address 10.0.12.197
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_viewcounter-mqc_49162 {
    members {
        uat/10.0.12.196:49162 {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
    }
}

```

```

        uat/10.0.12.197:49162 {
            address 10.0.12.197
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_viewcounter_49159 {
    members {
        uat/10.0.12.196:49159 {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
        uat/10.0.12.197:49159 {
            address 10.0.12.197
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_waas-booking-db_49209 {
    members {
        uat/10.0.12.196:49209 {
            address 10.0.12.196
            priority-group 20
            session monitor-enabled
            state down
        }
        uat/10.0.12.197:49209 {
            address 10.0.12.197
            priority-group 10
            session monitor-enabled
            state down
        }
    }
    min-active-members 1
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_waas-cloud-db_49195 {
    members {
        uat/10.0.12.196:49195 {
            address 10.0.12.196
            session monitor-enabled
            state down
        }
    }
}

```

```

    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_waas-cloud-ws_49194 {
    members {
        uat/10.0.12.196:49194 {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_waas-log-p_http {
    members {
        uat/10.0.12.30:http {
            address 10.0.12.30
            session monitor-enabled
            state up
        }
        uat/10.0.12.31:http {
            address 10.0.12.31
            session monitor-enabled
            state up
        }
    }
    monitor uat/u_hkec_web
    partition uat
}
ltm pool uat/u_waas-school-ui-db_49226 {
    members {
        uat/10.0.12.196:49226 {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
        uat/10.0.12.197:49226 {
            address 10.0.12.197
            session monitor-enabled
            state up
        }
    }
    monitor Common/tcp
    partition uat
}
ltm pool uat/u_waas-school-ui_49225 {
    members {
        uat/10.0.12.196:49225 {
            address 10.0.12.196

```

```

        session monitor-enabled
        state up
    }
    uat/10.0.12.197:49225 {
        address 10.0.12.197
        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_websams_http {
    members {
        uat/10.0.13.66:http {
            address 10.0.13.66
            session monitor-enabled
            state down
        }
        uat/10.0.13.67:http {
            address 10.0.13.67
            session monitor-enabled
            state down
        }
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_wifitest-int-maria_49187 {
    members {
        uat/10.0.12.196:49187 {
            address 10.0.12.196
            session monitor-enabled
            state down
        }
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_wifitest-int_49185 {
    members {
        uat/10.0.12.196:49185 {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_wmedia_5005 {

```

```

members {
    uat/10.0.13.90:avt-profile-2 {
        address 10.0.13.90
        session monitor-enabled
        state up
    }
    uat/10.0.13.91:avt-profile-2 {
        address 10.0.13.91
        session monitor-enabled
        state up
    }
}
monitor Common/udp
partition uat
}
ltm pool uat/u_wmedia_8081 {
    members {
        uat/10.0.13.90:tproxy {
            address 10.0.13.90
            session monitor-enabled
            state up
        }
        uat/10.0.13.91:tproxy {
            address 10.0.13.91
            session monitor-enabled
            state up
        }
    }
}
monitor Common/udp
partition uat
}
ltm pool uat/u_wmedia_http {
    members {
        uat/10.0.13.90:http {
            address 10.0.13.90
            session monitor-enabled
            state up
        }
        uat/10.0.13.91:http {
            address 10.0.13.91
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_wmedia_rtsp {
    members {
        uat/10.0.13.90:rtsp {
            address 10.0.13.90

```

```

        session monitor-enabled
        state up
    }
    uat/10.0.13.91:rtsp {
        address 10.0.13.91
        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_ws_http {
    members {
        uat/10.0.12.143:http {
            address 10.0.12.143
            session monitor-enabled
            state up
        }
        uat/10.0.12.144:http {
            address 10.0.12.144
            session monitor-enabled
            state up
        }
    }
}
monitor uat/u_hkec_web
partition uat
}
ltm pool uat/u_z-event-log-db-n1_49219 {
    members {
        uat/10.0.12.196:49219 {
            address 10.0.12.196
            session monitor-enabled
            state down
        }
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_z-event-log-db-n2_49220 {
    members {
        uat/10.0.12.197:49220 {
            address 10.0.12.197
            session monitor-enabled
            state down
        }
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_z-event-log-db_49216 {

```

```

members {
    uat/10.0.12.196:49216 {
        address 10.0.12.196
        session monitor-enabled
        state down
    }
    uat/10.0.12.197:49216 {
        address 10.0.12.197
        session monitor-enabled
        state down
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_z-event-log-mq_49217 {
    members {
        uat/10.0.12.196:49217 {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
        uat/10.0.12.197:49217 {
            address 10.0.12.197
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_z-event-log-mqc_49218 {
    members {
        uat/10.0.12.196:49218 {
            address 10.0.12.196
            session monitor-enabled
            state up
        }
        uat/10.0.12.197:49218 {
            address 10.0.12.197
            session monitor-enabled
            state up
        }
    }
}
monitor Common/tcp
partition uat
}
ltm pool uat/u_z-event-log_49215 {
    members {
        uat/10.0.12.196:49215 {
            address 10.0.12.196

```

```

        session monitor-enabled
        state up
    }
    uat/10.0.12.197:49215 {
        address 10.0.12.197
        session monitor-enabled
        state up
    }
}
monitor Common/tcp
partition uat
}
ltm profile client-ssl prod/ai_edcity_all_crt {
    app-service none
    cert-key-chain {
        ai_edcity_all_crt_hkec.chain_0 {
            cert prod/ai_edcity_all_crt
            chain prod/hkec.chain.crt
            key prod/ai_edcity_all_crt
        }
    }
    defaults-from prod/hkec_high
    inherit-ca-certkeychain true
    inherit-certkeychain false
}
ltm profile client-ssl prod/edcity_all_crt {
    app-service none
    cert-key-chain {
        edcity_all_crt_hkec.chain_0 {
            cert prod/edcity_all_crt
            chain prod/hkec.chain.crt
            key prod/edcity_all_crt
        }
    }
    defaults-from prod/hkec_default
    inherit-ca-certkeychain true
    inherit-certkeychain false
}
ltm profile client-ssl prod/edcity_edb_all_crt {
    app-service none
    cert-key-chain {
        edcity_edb_all_crt_hkec.chain_0 {
            cert prod/edcity_edb_all_crt
            chain prod/hkec.chain.crt
            key prod/edcity_edb_all_crt
        }
    }
    defaults-from prod/hkec_TLSv12-nokRSA
    inherit-ca-certkeychain true
    inherit-certkeychain false
}

```



```

ltm profile client-ssl prod/edcity_edb_all_crt_high {
  app-service none
  cert-key-chain {
    edcity_edb_all_crt_hkec.chain_0 {
      cert prod/edcity_edb_all_crt
      chain prod/hkec.chain.crt
      key prod/edcity_edb_all_crt
    }
  }
  defaults-from prod/hkec_high
  inherit-ca-certkeychain true
  inherit-certkeychain false
}
ltm profile client-ssl prod/edcity_proj_all_crt {
  app-service none
  cert-key-chain {
    edcity_proj_all_crt_hkec.chain_0 {
      cert prod/edcity_proj_all_crt
      chain prod/hkec.chain.crt
      key prod/edcity_proj_all_crt
    }
  }
  defaults-from prod/hkec_TLSv12-nokRSA
  inherit-ca-certkeychain true
  inherit-certkeychain false
}
ltm profile client-ssl prod/hkec_TLSv12-nokRSA {
  app-service none
  cert-key-chain {
    default {
      cert Common/default.crt
      key Common/default.key
    }
  }
  cipher-group none
  ciphers
ECDHE-ECDSA-AES128-GCM-SHA256,ECDHE-ECDSA-AES256-GCM-SHA384,ECDHE-ECDSA-AES128-SHA
256,ECDHE-RSA-AES128-GCM-SHA256,ECDHE-RSA-AES256-GCM-SHA384,ECDHE-RSA-AES128-SHA25
6,DHE-RSA-AES128-GCM-SHA256,DHE-RSA-AES256-GCM-SHA384,DHE-RSA-AES128-SHA256,DHE-RS
A-AES256-SHA256
  defaults-from Common/clientssl
  inherit-ca-certkeychain true
  inherit-certkeychain true
  options { dont-insert-empty-fragments no-tls1.3 no-dtls1.2 no-ssl3 }
}
ltm profile client-ssl prod/hkec_TLSv12-nokRSA-noCBC {
  app-service none
  cert-key-chain {
    default {
      cert Common/default.crt
      key Common/default.key
    }
  }

```

```

    }
}
cipher-group none
ciphers
ECDHE-ECDSA-AES128-GCM-SHA256,ECDHE-ECDSA-AES256-GCM-SHA384,ECDHE-RSA-AES128-GCM-S
HA256,ECDHE-RSA-AES256-GCM-SHA384,DHE-RSA-AES128-GCM-SHA256,DHE-RSA-AES256-GCM-SHA
384
defaults-from Common/clientssl
inherit-ca-certkeychain true
inherit-certkeychain true
options { dont-insert-empty-fragments no-tls1.3 no-dtls1.2 no-ssl3 }
}
ltm profile client-ssl prod/hkec_all_crt {
app-service none
cert-key-chain {
    hkec_all_crt_hkec.chain_0 {
        cert prod/hkec_all_crt
        chain prod/hkec.chain.crt
        key prod/hkec_all_crt
    }
}
defaults-from prod/hkec_default
inherit-ca-certkeychain true
inherit-certkeychain false
}
ltm profile client-ssl prod/hkec_all_crt_TLSv12-nokRSA {
app-service none
cert-key-chain {
    hkec_all_crt_hkec.chain_0 {
        cert prod/hkec_all_crt
        chain prod/hkec.chain.crt
        key prod/hkec_all_crt
    }
}
defaults-from prod/hkec_TLSv12-nokRSA
inherit-ca-certkeychain true
inherit-certkeychain false
}
ltm profile client-ssl prod/hkec_all_crt_high {
app-service none
cert-key-chain {
    hkec_all_crt_hkec.chain_0 {
        cert prod/hkec_all_crt
        chain prod/hkec.chain.crt
        key prod/hkec_all_crt
    }
}
defaults-from prod/hkec_high
inherit-ca-certkeychain true
inherit-certkeychain false
}

```

```

ltm profile client-ssl prod/hkec_all_crt_sadm {
  app-service none
  cert-key-chain {
    hkec_all_crt_hkec.chain_0 {
      cert prod/hkec_all_crt
      chain prod/hkec.chain.crt
      key prod/hkec_all_crt
    }
  }
  defaults-from prod/hkec_TLSv12-nokRSA-noCBC
  inherit-ca-certkeychain true
  inherit-certkeychain false
}
ltm profile client-ssl prod/hkec_all_crt_wmng {
  app-service none
  cert-key-chain {
    hkec_all_crt_hkec.chain_0 {
      cert prod/hkec_all_crt
      chain prod/hkec.chain.crt
      key prod/hkec_all_crt
    }
  }
  defaults-from prod/hkec_default
  inherit-ca-certkeychain true
  inherit-certkeychain false
}
ltm profile client-ssl prod/hkec_default {
  app-service none
  cert-key-chain {
    default {
      cert Common/default.crt
      key Common/default.key
    }
  }
  cipher-group none
  ciphers
ECDHE-ECDSA-AES128-GCM-SHA256,ECDHE-ECDSA-AES256-GCM-SHA384,ECDHE-ECDSA-AES128-SHA
256,ECDHE-RSA-AES128-GCM-SHA256,ECDHE-RSA-AES256-GCM-SHA384,ECDHE-RSA-AES128-SHA25
6,DHE-RSA-AES128-GCM-SHA256,DHE-RSA-AES256-GCM-SHA384,DHE-RSA-AES128-SHA256,DHE-RS
A-AES256-SHA256,DHE-RSA-AES128-SHA,DHE-RSA-AES256-SHA,AES128-GCM-SHA256,AES256-GCM
-SHA384,AES128-SHA256,AES256-SHA256,AES128-SHA,AES256-SHA
  defaults-from Common/clientssl
  inherit-ca-certkeychain true
  inherit-certkeychain true
  options { dont-insert-empty-fragments no-tls1.3 no-dtls1.2 no-ssl3 }
}
ltm profile client-ssl prod/hkec_edb_all_crt_high {
  app-service none
  cert-key-chain {
    hkec_edb_all_crt_hkec.chain_0 {
      cert prod/hkec_edb_all_crt

```

```

        chain prod/hkec.chain.crt
        key prod/hkec_edb_all.crt
    }
}
defaults-from prod/hkec_high
inherit-ca-certkeychain true
inherit-certkeychain false
}
ltm profile client-ssl prod/hkec_high {
    app-service none
    cert-key-chain {
        default {
            cert Common/default.crt
            key Common/default.key
        }
    }
    cipher-group none
    ciphers
ECDHE-ECDSA-AES128-GCM-SHA256,ECDHE-ECDSA-AES256-GCM-SHA384,ECDHE-RSA-AES128-GCM-S
HA256,ECDHE-RSA-AES256-GCM-SHA384,DHE-RSA-AES128-GCM-SHA256,DHE-RSA-AES256-GCM-SHA
384
    defaults-from Common/clientssl
    inherit-ca-certkeychain true
    inherit-certkeychain true
    options { dont-insert-empty-fragments no-tlsv1.3 no-dtlsv1.2 no-sslv3 }
}
ltm profile client-ssl prod/hkec_proj_all.crt {
    app-service none
    cert-key-chain {
        hkec_proj_all.crt_hkec.chain_0 {
            cert prod/hkec_proj_all.crt
            chain prod/hkec.chain.crt
            key prod/hkec_proj_all.crt
        }
    }
    defaults-from prod/hkec_default
    inherit-ca-certkeychain true
    inherit-certkeychain false
}
ltm profile client-ssl prod/hkec_star_all.crt {
    app-service none
    cert-key-chain {
        hkec_star_all.crt_hkec.chain_0 {
            cert prod/hkec_star_all.crt
            chain prod/hkec.chain.crt
            key prod/hkec_star_all.crt
        }
    }
    defaults-from prod/hkec_default
    inherit-ca-certkeychain true
    inherit-certkeychain false
}

```

```

}
ltm profile client-ssl prod/hkrc_all_crt {
  app-service none
  cert-key-chain {
    hkrc_all_crt_hkec.chain_0 {
      cert prod/hkrc_all_crt
      chain prod/hkec.chain.crt
      key prod/hkrc_all_crt
    }
  }
  defaults-from prod/hkec_default
  inherit-ca-certkeychain true
  inherit-certkeychain false
}
ltm profile client-ssl uat/u_ai_edcity_all_crt {
  app-service none
  cert-key-chain {
    u_ai_edcity_all_crt_u_hkec.chain_0 {
      cert uat/u_ai_edcity_all_crt
      chain uat/u_hkec.chain.crt
      key uat/u_ai_edcity_all_crt
    }
  }
  defaults-from uat/u_hkec_high
  inherit-ca-certkeychain true
  inherit-certkeychain false
}
ltm profile client-ssl uat/u_edcity_all_crt {
  app-service none
  cert-key-chain {
    u_edcity_all_crt_u_hkec.chain_0 {
      cert uat/u_edcity_all_crt
      chain uat/u_hkec.chain.crt
      key uat/u_edcity_all_crt
    }
  }
  defaults-from uat/u_hkec_default
  inherit-ca-certkeychain true
  inherit-certkeychain false
}
ltm profile client-ssl uat/u_hkec_TLSv12-nokRSA {
  app-service none
  cert-key-chain {
    default {
      cert Common/default.crt
      key Common/default.key
    }
  }
  cipher-group none
  ciphers

```

ECDSA-AES128-GCM-SHA256, ECDHE-ECDSA-AES256-GCM-SHA384, ECDHE-ECDSA-AES128-SHA

256,ECDHE-RSA-AES128-GCM-SHA256,ECDHE-RSA-AES256-GCM-SHA384,ECDHE-RSA-AES128-SHA256,DHE-RSA-AES128-GCM-SHA256,DHE-RSA-AES256-GCM-SHA384,DHE-RSA-AES128-SHA256,DHE-RSA-AES256-SHA256

```
defaults-from Common/clientssl
inherit-ca-certkeychain true
inherit-certkeychain true
options { dont-insert-empty-fragments no-tls1.3 no-dtls1.2 no-ssl3 }
}
ltm profile client-ssl uat/u_hkec_all_crt {
  app-service none
  cert-key-chain {
    u_hkec_all_crt_u_hkec.chain_0 {
      cert uat/u_hkec_all_crt
      chain uat/u_hkec.chain.crt
      key uat/u_hkec_all_crt
    }
  }
  defaults-from uat/u_hkec_default
  inherit-ca-certkeychain true
  inherit-certkeychain false
}
ltm profile client-ssl uat/u_hkec_all_crt_TLSv12-nokRSA {
  app-service none
  cert-key-chain {
    u_hkec_all_crt_u_hkec.chain_0 {
      cert uat/u_hkec_all_crt
      chain uat/u_hkec.chain.crt
      key uat/u_hkec_all_crt
    }
  }
  defaults-from uat/u_hkec_TLSv12-nokRSA
  inherit-ca-certkeychain true
  inherit-certkeychain false
}
ltm profile client-ssl uat/u_hkec_all_crt_high {
  app-service none
  cert-key-chain {
    u_hkec_all_crt_u_hkec.chain_0 {
      cert uat/u_hkec_all_crt
      chain uat/u_hkec.chain.crt
      key uat/u_hkec_all_crt
    }
  }
  defaults-from uat/u_hkec_high
  inherit-ca-certkeychain true
  inherit-certkeychain false
}
ltm profile client-ssl uat/u_hkec_default {
  app-service none
  cert-key-chain {
    default {
```

```

        cert Common/default.crt
        key Common/default.key
    }
}
cipher-group none
ciphers
ECDHE-ECDSA-AES128-GCM-SHA256,ECDHE-ECDSA-AES256-GCM-SHA384,ECDHE-ECDSA-AES128-SHA
256,ECDHE-RSA-AES128-GCM-SHA256,ECDHE-RSA-AES256-GCM-SHA384,ECDHE-RSA-AES128-SHA25
6,DHE-RSA-AES128-GCM-SHA256,DHE-RSA-AES256-GCM-SHA384,DHE-RSA-AES128-SHA256,DHE-RS
A-AES256-SHA256,DHE-RSA-AES128-SHA,DHE-RSA-AES256-SHA,AES128-GCM-SHA256,AES256-GCM
-SHA384,AES128-SHA256,AES256-SHA256,AES128-SHA,AES256-SHA
    defaults-from Common/clientssl
    inherit-ca-certkeychain true
    inherit-certkeychain true
    options { dont-insert-empty-fragments no-tls1.3 no-dtls1.2 no-ssl3 }
}
ltm profile client-ssl uat/u_hkec_edb_all.crt_high {
    app-service none
    cert-key-chain {
        u_hkec_edb_all.crt_u_hkec.chain_0 {
            cert uat/u_hkec_edb_all.crt
            chain uat/u_hkec.chain.crt
            key uat/u_hkec_edb_all.crt
        }
    }
    defaults-from uat/u_hkec_high
    inherit-ca-certkeychain true
    inherit-certkeychain false
}
ltm profile client-ssl uat/u_hkec_high {
    app-service none
    cert-key-chain {
        default {
            cert Common/default.crt
            key Common/default.key
        }
    }
    cipher-group none
    ciphers
ECDHE-ECDSA-AES128-GCM-SHA256,ECDHE-ECDSA-AES256-GCM-SHA384,ECDHE-RSA-AES128-GCM-S
HA256,ECDHE-RSA-AES256-GCM-SHA384,DHE-RSA-AES128-GCM-SHA256,DHE-RSA-AES256-GCM-SHA
384
    defaults-from Common/clientssl
    inherit-ca-certkeychain true
    inherit-certkeychain true
    options { dont-insert-empty-fragments no-tls1.3 no-dtls1.2 no-ssl3 }
}
ltm profile client-ssl uat/u_hkec_proj_all.crt {
    app-service none
    cert-key-chain {
        u_hkec_proj_all.crt_u_hkec.chain_0 {

```

```

        cert uat/u_hkec_proj_all.crt
        chain uat/u_hkec.chain.crt
        key uat/u_hkec_proj_all.crt
    }
}
defaults-from uat/u_hkec_default
inherit-ca-certkeychain true
inherit-certkeychain false
}
ltm profile client-ssl uat/u_hkec_star_all.crt {
    app-service none
    cert-key-chain {
        u_hkec_star_all.crt_u_hkec.chain_0 {
            cert uat/u_hkec_star_all.crt
            chain uat/u_hkec.chain.crt
            key uat/u_hkec_star_all.crt
        }
    }
    defaults-from uat/u_hkec_default
    inherit-ca-certkeychain true
    inherit-certkeychain false
}
ltm profile client-ssl uat/u_hkec_uat_all.crt {
    app-service none
    cert-key-chain {
        u_hkec_uat_all.crt_u_hkec.chain_0 {
            cert uat/u_hkec_uat_all.crt
            chain uat/u_hkec.chain.crt
            key uat/u_hkec_uat_all.crt
        }
    }
    defaults-from uat/u_hkec_default
    inherit-ca-certkeychain true
    inherit-certkeychain false
}
ltm profile client-ssl uat/u_hkec_uat_all.crt_TLSv12-nokRSA {
    app-service none
    cert-key-chain {
        u_hkec_uat_all.crt_u_hkec.chain_0 {
            cert uat/u_hkec_uat_all.crt
            chain uat/u_hkec.chain.crt
            key uat/u_hkec_uat_all.crt
        }
    }
    defaults-from uat/u_hkec_TLSv12-nokRSA
    inherit-ca-certkeychain true
    inherit-certkeychain false
}
ltm profile client-ssl uat/u_hkrc_all.crt {
    app-service none
    cert-key-chain {

```



```

        u_hkrc_all_crt_u_hkec.chain_0 {
            cert uat/u_hkrc_all_crt
            chain uat/u_hkec.chain.crt
            key uat/u_hkrc_all_crt
        }
    }
    defaults-from uat/u_hkec_default
    inherit-ca-certkeychain true
    inherit-certkeychain false
}
ltm profile fastl4 prod/fastL4_centosds {
    app-service none
    defaults-from Common/fastL4
    idle-timeout 1800
    loose-close enabled
    loose-initialization enabled
}
ltm profile fastl4 prod/fastL4_ftps {
    app-service none
    defaults-from Common/fastL4
    idle-timeout 900
}
ltm profile fastl4 uat/u_fastL4_centosds {
    app-service none
    defaults-from Common/fastL4
    idle-timeout 1800
    loose-close enabled
    loose-initialization enabled
    syn-cookie-enable disabled
    syn-cookie-whitelist disabled
}
ltm profile fastl4 uat/u_fastL4_ftps {
    app-service none
    defaults-from Common/fastL4
    idle-timeout 900
}
ltm profile ftp prod/ftps {
    app-service none
    defaults-from Common/ftp
    ftps-mode allow
    inherit-parent-profile enabled
}
ltm profile ftp uat/ftps {
    app-service none
    defaults-from Common/ftp
    enforce-tls-session-reuse disabled
    ftps-mode allow
    inherit-parent-profile enabled
}
ltm profile georedundancy Common/georedundancy {
    app-service none

```

```

}
ltm profile http prod/hkec_maint {
    app-service none
    defaults-from Common/http
    fallback-host http://maint.hkedcity.net
    insert-xforwarded-for enabled
    proxy-type reverse
}
ltm profile http uat/u_hkec_maint {
    app-service none
    defaults-from Common/http
    fallback-host http://maint.hkedcity.net
    insert-xforwarded-for enabled
    proxy-type reverse
}
ltm profile http-compression prod/hkec_maint-compression {
    app-service none
    defaults-from Common/httpcompression
}
ltm profile http-compression uat/u_hkec_maint-compression {
    app-service none
    defaults-from Common/httpcompression
}
ltm profile server-ssl Common/do-not-remove-without-replacement {
    app-service none
}
ltm profile tcp prod/RxBuffer_wmng {
    app-service none
    auto-proxy-buffer-size enabled
    auto-receive-window-size disabled
    auto-send-buffer-size disabled
    defaults-from Common/tcp
}
ltm profile tcp prod/hkec_nagios {
    app-service none
    defaults-from Common/tcp
    idle-timeout 1800
}
ltm profile tcp prod/hkec_tcp {
    app-service none
    defaults-from Common/tcp
    idle-timeout 20
}
ltm profile tcp prod/hkec_tcp_proxy {
    app-service none
    defaults-from Common/tcp
    idle-timeout 541
    keep-alive-interval 180
}
ltm profile tcp prod/tcp_ftps {
    app-service none

```

```

        defaults-from Common/tcp
        idle-timeout 900
    }
    ltm profile tcp uat/u_hkec_tcp {
        app-service none
        defaults-from Common/tcp
        idle-timeout 20
    }
    ltm profile tcp uat/u_hkec_tcp_proxy {
        app-service none
        defaults-from Common/tcp
        idle-timeout 541
        keep-alive-interval 180
    }
    ltm profile tcp uat/u_storage-tcp-wan-optimized {
        app-service none
        defaults-from Common/tcp-wan-optimized
        delayed-acks disabled
        idle-timeout 900
        init-cwnd 10
        pkt-loss-ignore-burst 8
        pkt-loss-ignore-rate 10000
        proxy-buffer-high 196608
        proxy-buffer-low 131072
        proxy-mss disabled
        selective-nack enabled
        send-buffer-size 458752
        zero-window-timeout 300000
    }
    ltm profile tcp uat/u_tcp_ftps {
        app-service none
        defaults-from Common/tcp
        idle-timeout 900
    }
    ltm profile udp prod/udp_hkec_dns {
        app-service none
        defaults-from Common/udp
        idle-timeout 20
    }
    ltm profile udp uat/u_udp_hkec_dns {
        app-service none
        defaults-from Common/udp
        idle-timeout 20
    }
    ltm profile web-acceleration prod/http-cache {
        app-service none
        cache-object-max-size 50000
        cache-object-min-size 500
        cache-size 75mb
        defaults-from Common/webacceleration
    }
}

```

```

ltm rule Common/u_pbr_202.8.90.0 {
when CLIENT_ACCEPTED {
    if { [class match [IP::client_addr] equals u_internal_IP] } {
        snat 202.8.90.31
        nexthop vlan301 202.8.90.126
    }
}
}
ltm rule prod/apps2 {
    partition prod
when HTTP_REQUEST {
    if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
        }
    }
    if { [TCP::local_port] == 443 } {
        HTTP::header replace "hkec_ssl" "on"
    }
    if { [HTTP::uri] starts_with "/tools/topbar2rp/access_mqlog.php" } {
        pool apps2_mqlog_http
    } elseif { [HTTP::host] == "apps2.hkedcity.net" and [HTTP::cookie exists
"HKEC_PREVIEW"] } {
        pool apps2_PREVIEW
    } else {
        pool apps2_http
    }
}
}
ltm rule prod/apps_http {
    partition prod
when HTTP_REQUEST {
    if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
        }
    }
    if { [TCP::local_port] == 443 } {
        HTTP::header replace "hkec_ssl" "on"
    }
    if { [HTTP::host] == "apps.hkedcity.net" } {
        if { [HTTP::uri] starts_with "/blogportal/" or [HTTP::uri] ==
"/blogportal" } {
            set IGNORE_404 1
        }
    }
}
}

```

```

if { [class match [HTTP::uri] starts_with rproxy_names] } {
    pool rproxy_http
} elseif { [HTTP::host] eq "eventcalendar.hkedcity.net" } {
    if { [TCP::local_port] == 443 } {
        HTTP::redirect "https://apps.hkedcity.net/mcal[HTTP::uri]"
        return
    } else {
        HTTP::redirect "http://apps.hkedcity.net/mcal[HTTP::uri]"
        return
    }
} elseif { [HTTP::host] eq "ws.hkedcity.net" } {
    if { [HTTP::uri] starts_with "/webservice/userInfoService/" or
[HTTP::uri] == "/webservice/userInfoService"} {
        pool search_http
#         log local0. "test for
https://ws.hkedcity.net/webservice/userInfoService/service.php"
    } elseif { [HTTP::uri] starts_with "/webservice/role/" or [HTTP::uri] ==
"/webservice/role"} {
        pool search_http
    } else {
        pool ws_http
    }
} elseif { [HTTP::uri] starts_with "/testpage_https" or [string tolower
[HTTP::uri]] starts_with "/mcal/sch_activity/" } {
    if { [TCP::local_port] == 80 } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } else {
        pool acladmin_http
    }
} else {
    if { [HTTP::uri] starts_with "/media" } {
        #rateclass video
    }
    pool acladmin_http
}
}
}
ltm rule prod/apps_http_mongo_upgrade {
    partition prod
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
            }
        }

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "hkec_ssl" "on"
        }
    }
}

```

```

if { [class match [HTTP::uri] starts_with rproxy_names] } {
    pool rproxy_http_mongo_upgrade
} elseif { [HTTP::host] eq "eventcalendar.hkedcity.net" } {
    if { [TCP::local_port] == 443 } {
        HTTP::redirect "https://apps.hkedcity.net/mcal[HTTP::uri]"
        return
    } else {
        HTTP::redirect "http://apps.hkedcity.net/mcal[HTTP::uri]"
        return
    }
} elseif { [HTTP::host] eq "ws.hkedcity.net" } {
    pool ws_http_mongo_upgrade
} elseif { [HTTP::host] eq "ase.hkedcity.net" } {
    pool ase_http
} elseif { [HTTP::uri] starts_with "/testpage_https" or [string tolower
[HTTP::uri]] starts_with "/mcal/sch_activity/" } {
    if { [TCP::local_port] == 80 } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } else {
        pool acladmin_http
    }
} else {
    if { [HTTP::uri] starts_with "/media" } {
        #rateclass video
    }
    pool acladmin_http
}
}
}

ltm rule prod/centosds {
    partition prod
# vm200,vm201 (tcrm)
# vm188,vm189 (www.hkec new)
# dell66 (scripting host)
# dell20 (scripting host)
# ct156,ct157 (www.hkec)
# ct317,ct318 (sso)
# ct115,ct116,ct232 (ws)
# ct23,ct24,ct71,ct230 (apps)
# ct6,ct7 (ftps)
# ct119,ct129,vm159,vm160 (radius for HKEdCity VPN)
# ct125,ct126 (REST API)
# ct38,ct58 (member-mediator)
# ct132,ct133 (is)
# ct62,ct63 (mbox, qmail)
# ct92,ct123 (incoming mail server)
# adc1-v20,adc2-v20 (A10 monitor)
# dell71 (nagios monitor)
# ct25 (nessus monitor)

```

```
# ct176,ct177 (389ds)
# dell26,dell27 (docker)
# vm270,vm271 (member-api.hkedcity.net)
# vm122,vm124 (mainsite revamp catch all server)
# adc3-v20, adc4-v20
when CLIENT_ACCEPTED {
    if {
        [ IP::addr [IP::client_addr] equals 10.0.2.146 ]
        or [ IP::addr [IP::client_addr] equals 10.0.2.147 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.165 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.166 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.152 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.135 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.47 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.141 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.173 ]
        or [ IP::addr [IP::client_addr] equals 10.0.2.139 ]
        or [ IP::addr [IP::client_addr] equals 10.0.1.120 ]
        or [ IP::addr [IP::client_addr] equals 10.0.1.121 ]
        or [ IP::addr [IP::client_addr] equals 10.0.2.101 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.119 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.120 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.148 ]
        or [ IP::addr [IP::client_addr] equals 10.0.2.53 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.67 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.122 ]
        or [ IP::addr [IP::client_addr] equals 10.0.1.194 ]
        or [ IP::addr [IP::client_addr] equals 10.0.1.195 ]
        or [ IP::addr [IP::client_addr] equals 10.0.2.175 ]
        or [ IP::addr [IP::client_addr] equals 10.0.2.179 ]
        or [ IP::addr [IP::client_addr] equals 10.0.1.132 ]
        or [ IP::addr [IP::client_addr] equals 10.0.1.133 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.54 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.78 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.124 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.134 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.167 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.168 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.116 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.123 ]
        or [ IP::addr [IP::client_addr] equals 10.0.1.32 ]
        or [ IP::addr [IP::client_addr] equals 10.0.1.33 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.93 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.132 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.34 ]
        or [ IP::addr [IP::client_addr] equals 10.0.0.37 ]
        or [ IP::addr [IP::client_addr] equals 10.0.2.92 ]
        or [ IP::addr [IP::client_addr] equals 10.0.2.93 ]
        or [ IP::addr [IP::client_addr] equals 10.0.3.45 ]
        or [ IP::addr [IP::client_addr] equals 10.0.3.46 ]
        or [ IP::addr [IP::client_addr] equals 10.0.2.182 ]
    }
```


[illegible]

[illegible]

```

        </html>
    }
}

when HTTP_REQUEST {
    if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain ]
        }
    }
    HTTP::header replace "hkec_ssl" "on"
    if { [class match [HTTP::uri] starts_with rproxy_names] } {
        pool rproxy_http
    } elseif { [string tolower [HTTP::uri]] starts_with "/store/" or [string
tolower [HTTP::uri]] == "/store" or [HTTP::uri] == "/" } {
        pool edmall_http
    } elseif { [HTTP::uri] starts_with "/EdStore/" and [HTTP::uri] ends_with
".html" } {
        set uri1 [HTTP::uri]
        HTTP::redirect
"https://edmall.hkedcity.net/store/edstore_redirect.php?url=[string range $uri1 9
end]"
        return
    } elseif { [string tolower [HTTP::uri]] starts_with "/webapp/wcs/stores/" } {
        HTTP::redirect "https://edmall.hkedcity.net"
        return
    } else {
        HTTP::respond 404 content [subst $::static_error_message]
    }
}
}

ltm rule prod/edmall_payment {
    partition prod
when HTTP_REQUEST {
    if { [TCP::local_port] == 443 } {
        HTTP::header replace "hkec_ssl" "on"
    }
    if { [HTTP::uri] starts_with
"/store/index.php?dispatch=hkec_payment_api.data_feed" } {
        pool u_edmall_http
    } else {
        reject
    }
}
}

ltm rule prod/edmall_payment_http {
    partition prod
when HTTP_REQUEST {
    if { [HTTP::uri] starts_with
"/store/index.php?dispatch=hkec_payment_api.data_feed" } {

```

[illegible]

[illegible][illegible][illegible]


```

when HTTP_RESPONSE {
    if { [info exists HKEC_BROWSER_set] } {
        set HKEC_BROWSER_value "HKEC_BROWSER=[clock seconds][format %09d [expr
{int(rand() * 1e9)}]]"; HttpOnly; Path="/"
        set HKEC_BROWSER_expires [clock format [ expr { [clock seconds] +
630720000 } ] -format { %a, %d-%b-%Y %H:%M:%S GMT} -gmt 1]
        append HKEC_BROWSER_value "; Domain=[class match -value $HKEC_BROWSER_set
equals hkec_rdomain]; Expires=$HKEC_BROWSER_expires"
        HTTP::header insert Set-Cookie "$HKEC_BROWSER_value"
        unset HKEC_BROWSER_set
        unset HKEC_BROWSER_value
        unset HKEC_BROWSER_expires
    }
    if { 0 and not [class match [IP::client_addr] equals bypass_ip_hkec_maint] } {
        HTTP::redirect "http://maint.hkedcity.net/index.html"
        return
    } elseif { [HTTP::status] == 404 or [HTTP::status] eq "500" } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } elseif { [info exists isErrPageIgnore] } {
            #ignore all custom error page
        } elseif { [HTTP::status] == 404 and [info exists IGNORE_404] } {
            #ignore 404
        } elseif { [info exists is_from_mhkcity] } {
            HTTP::respond 404 content [subst $::static_error_message_mhkcity]
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    } elseif { [HTTP::status] == 403 } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 403 content [subst $::static_error_message_403]
        }
    }
}
}
}
ltm rule prod/error_page_exclude_maint {
    partition prod
    when RULE_INIT {
        set ::static_error_message {
            <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Frameset//EN"
"http://www.w3.org/TR/html4/frameset.dtd">
            <html><head>
            <meta http-equiv="content-type" content="text/html; charset=utf-8" />
            <meta name="robots" content="noindex" />
            <title>Page not found</title>
            </head>
            <FRAMESET rows="100%,*">
            <FRAME src="//www.hkedcity.net/404/" noresize>

```


</FRAMESET>

[illegible]

</html>

}

```
set ::static_error_message_mhkcity {
```

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Frameset//EN"
```

"http://www.w3.org/TR/html4/frameset.dtd">

```
<html><head>
```

<title>404 Not Found</title>

```
<meta http-equiv="Content-Type" content="application/xhtml+xml; charset=utf-8"
```

/ >

```
<meta name="robots" content="noindex" />
```

```
<meta http-equiv="expires" content="Tue, 11 Jun 2010 14:25:27 GMT" />
```

```
<meta name="description" content="Mobile, HKEdCity" />
```

```
<meta name="keywords" content="Mobile, HKEdCity" />
```

```
<meta name="viewport" content="width=device-width" />
```

```
<meta name="MobileOptimized" content="320" />
```

</head>

```
<FRAMESET rows="100%,*">
```

```
<FRAME src="//maint.hkedcity.net/merrorpage/" noresize>
```

[illegible]

</FRAMESET>

</html>

}

```
set ::static_error_message_403 {
```

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Frameset//EN"
```

"http://www.w3.org/TR/html4/frameset.dtd">

```
<html><head>
```

```
<meta http-equiv="content-type" content="text/html; charset=utf-8" />
```

```
<meta name="robots" content="noindex" />
```

<title>403 Forbidden</title>

</head>

```
<FRAMESET rows="100%,*">
```

<FRAME src="//www.hkedcity.net/403/" noresize>

</FRAMESET>


```

        if { [class match [HTTP::host] ends_with hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
        }
    }
    if { [TCP::local_port] == 443 } {
        HTTP::header replace "hkec_ssl" "on"
    }

    if { [class match [HTTP::uri] starts_with rproxy_names] } {
        pool rproxy_http
    } else {
        if { [HTTP::host] eq "b5togb.hkedcity.net" } {
            if { [HTTP::uri] == "/gate/gb/www.hkedcity.net" } {
                HTTP::redirect "http://www.hkedcity.net/"
                return
            } elseif { [HTTP::uri] == "/gate/gb/www.hkedcity.net/" } {
                HTTP::redirect "http://www.hkedcity.net/"
                return
            } elseif { [HTTP::uri] starts_with
"/gate/gb/www.hkedcity.net/index.php" } {
                HTTP::redirect "http://www.hkedcity.net/"
                return
            } elseif { [HTTP::uri] starts_with
"/gate/gb/www.hkedcity.net/index_teacher.php" } {
                HTTP::redirect
"http://www.hkedcity.net/index_teacher.php"
                return
            } elseif { [HTTP::uri] starts_with
"/gate/gb/www.hkedcity.net/index_student.php" } {
                HTTP::redirect
"http://www.hkedcity.net/index_student.php"
                return
            } elseif { [HTTP::uri] starts_with
"/gate/gb/www.hkedcity.net/index_parent.php" } {
                HTTP::redirect
"http://www.hkedcity.net/index_parent.php"
                return
            } elseif { [HTTP::uri] starts_with
"/gate/gb/www.hkedcity.net/index_partner.php" } {
                HTTP::redirect
"http://www.hkedcity.net/index_partner.php"
                return
            } elseif { [string tolower [HTTP::uri]] starts_with
"/gate/gb/napps1.hkedcity.net/schooladmin2010/" } {
                set school_admin_str
"/gate/gb/napps1.hkedcity.net/schooladmin2010/"
                set uri_start_len [string length
$school_admin_str]
                set uri_stripped [substr [HTTP::uri]
$uri_start_len]
                if { [TCP::local_port] == 443 } {

```

```

                                HTTP::redirect
"https://napps1.hkedcity.net/schooladmin2010/$uri_stripped"
                                return
                                } else {
                                HTTP::redirect
"https://napps1.hkedcity.net/schooladmin2010/$uri_stripped"
                                return
                                }
                                } elseif { [HTTP::uri] == "/gate/gb/cd1.edb.hkedcity.net"
or [HTTP::uri] starts_with "/gate/gb/cd1.edb.hkedcity.net/" } {
                                pool fjt_http
                                } elseif { [HTTP::uri] == "/gate/gb/cd1.emb.hkedcity.net"
or [HTTP::uri] starts_with "/gate/gb/cd1.emb.hkedcity.net/" } {
                                pool fjt_http
                                } else {
                                HTTP::respond 404 content [subst
$::static_error_message]
                                }
                                } else {
                                if { [HTTP::uri] == "/gate/gb/cd1.edb.hkedcity.net" or
[HTTP::uri] starts_with "/gate/gb/cd1.edb.hkedcity.net/" } {
                                pool fjt_http
                                } elseif { [HTTP::uri] == "/gate/gb/cd1.emb.hkedcity.net"
or [HTTP::uri] starts_with "/gate/gb/cd1.emb.hkedcity.net/" } {
                                pool fjt_http
                                } else {
                                HTTP::respond 404 content [subst
$::static_error_message]
                                }
                                }
                                }
}
}
ltm rule prod/fjt_https {
    partition prod
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
            }
        }
        if { [TCP::local_port] == 443 } {
            HTTP::header replace "hkec_ssl" "on"
        }
        if { [class match [HTTP::uri] starts_with rproxy_names] } {
            pool rproxy_http
        } else {
            if { [HTTP::host] eq "b5togb.hkedcity.net" } {
                if { [HTTP::uri] == "/gate/gb/www.hkedcity.net" } {
                    HTTP::redirect "http://www.hkedcity.net/"
                }
            }
        }
    }
}

```

```

        return
    } elseif { [HTTP::uri] == "/gate/gb/www.hkedcity.net/" } {
        HTTP::redirect "http://www.hkedcity.net/"
        return
    } elseif { [HTTP::uri] starts_with
"/gate/gb/www.hkedcity.net/index.php" } {
        HTTP::redirect "http://www.hkedcity.net/"
        return
    } elseif { [HTTP::uri] starts_with
"/gate/gb/www.hkedcity.net/index_teacher.php" } {
        HTTP::redirect
"http://www.hkedcity.net/index_teacher.php"
        return
    } elseif { [HTTP::uri] starts_with
"/gate/gb/www.hkedcity.net/index_student.php" } {
        HTTP::redirect
"http://www.hkedcity.net/index_student.php"
        return
    } elseif { [HTTP::uri] starts_with
"/gate/gb/www.hkedcity.net/index_parent.php" } {
        HTTP::redirect
"http://www.hkedcity.net/index_parent.php"
        return
    } elseif { [HTTP::uri] starts_with
"/gate/gb/www.hkedcity.net/index_partner.php" } {
        HTTP::redirect
"http://www.hkedcity.net/index_partner.php"
        return
    } elseif { [string tolower [HTTP::uri]] starts_with
"/gate/gb/napps1.hkedcity.net/schooladmin2010/" } {
        set school_admin_str
"/gate/gb/napps1.hkedcity.net/schooladmin2010/"
        set uri_start_len [string length
$school_admin_str]
        set uri_stripped [substr [HTTP::uri]
$uri_start_len]
        if { [TCP::local_port] == 443 } {
            HTTP::redirect
"https://napps1.hkedcity.net/schooladmin2010/$uri_stripped"
            return
        } else {
            HTTP::redirect
"http://napps1.hkedcity.net/schooladmin2010/$uri_stripped"
            return
        }
    } elseif { [HTTP::uri] == "/gate/gb/cd1.edb.hkedcity.net"
or [HTTP::uri] starts_with "/gate/gb/cd1.edb.hkedcity.net/" } {
        pool fjt_https
    } elseif { [HTTP::uri] == "/gate/gb/cd1.emb.hkedcity.net"
or [HTTP::uri] starts_with "/gate/gb/cd1.emb.hkedcity.net/" } {
        pool fjt_https

```

```

    } else {
        HTTP::respond 404 content [subst
$::static_error_message]
    }
} else {
    if { [HTTP::uri] == "/gate/gb/cd1.edb.hkedcity.net" or
[HTTP::uri] starts_with "/gate/gb/cd1.edb.hkedcity.net/" } {
        pool fjt_https
    } elseif { [HTTP::uri] == "/gate/gb/cd1.emb.hkedcity.net"
or [HTTP::uri] starts_with "/gate/gb/cd1.emb.hkedcity.net/" } {
        pool fjt_https
    } else {
        HTTP::respond 404 content [subst
$::static_error_message]
    }
}

}

}

}

itm rule prod/hkec {
    partition prod
when HTTP_REQUEST {
    if { [HTTP::host] == "www.hkedcity.net" and ( [class match [HTTP::uri] equals
redirect_to_edcity_hk_equal_names] or [class match [HTTP::uri] starts_with
redirect_to_edcity_hk_start_names] ) } {
        if { [TCP::local_port] == 443 } {
            HTTP::respond 301 Location "https://www.edcity.hk[HTTP::uri]"
        } else {
            HTTP::respond 301 Location "http://www.edcity.hk[HTTP::uri]"
        }
    }

    if { [HTTP::host] == "www.hkedcity.net" and ( [class match [HTTP::uri] equals
decommission_equal_names] or [class match [HTTP::uri] starts_with
decommission_start_names] ) } {
        HTTP::respond 404 content [subst $::static_error_decommission_message]
    }

    if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
        }
    }

    if { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/ereadscheme/" or [HTTP::uri] == "/ereadscheme") } {
        set URI [HTTP::uri]
        set redirect_url [class match -value $URI equals
ereadscheme redirect readingcity]

```

```

log local0. "eReadscheme need redirected: $URI"
if { $redirect_url != "" } {
    HTTP::redirect $redirect_url
    log local0. "eReadscheme redirected: $URI -> $redirect_url"
    return
} else {
    if { [HTTP::uri] starts_with "/ereadscheme/en/pkg/" or [HTTP::uri] ==
"/ereadscheme/en/pkg" } {
        HTTP::redirect "https://www.hkreadingcity.net/en/pkg"
        return
    } elseif { [HTTP::uri] starts_with "/ereadscheme/en/" or [HTTP::uri]
== "/ereadscheme/en" } {
        HTTP::redirect "https://www.hkreadingcity.net/en/ereadscheme"
        return
    } elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/pkg/" or
[HTTP::uri] == "/ereadscheme/zh-hant/pkg" } {
        HTTP::redirect "https://www.hkreadingcity.net/zh-hant/pkg"
        return
    } elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/" or
[HTTP::uri] == "/ereadscheme/zh-hant" } {
        HTTP::redirect "https://www.hkreadingcity.net/zh-hant/ereadscheme"
        return
    } elseif { [HTTP::uri] starts_with "/ereadscheme/pkg/" or [HTTP::uri]
== "/ereadscheme/pkg" } {
        HTTP::redirect "https://www.hkreadingcity.net/pkg"
        return
    } elseif { [HTTP::uri] starts_with
"/ereadscheme/sites/default/api/handler.php" or [HTTP::uri] ==
"/ereadscheme/sites/default/api/handler.php" } {
        pool drupal_ereadscheme_http
    } else {
        HTTP::redirect "https://www.hkreadingcity.net/ereadscheme"
        return
    }
}
}

if { 1 and [HTTP::host] == "www.hkedcity.net" } {
    if { [HTTP::uri] starts_with "/ihouse_tools/" or [HTTP::uri] ==
"/ihouse_tools" } {
        set IGNORE_404 1
    } elseif { [HTTP::uri] starts_with "/edv/" or [HTTP::uri] == "/edv" } {
        set IGNORE_404 1
    }
}

if { [class match [HTTP::uri] starts_with rproxy_names] } {
    pool rproxy_http
} elseif { [class match [HTTP::uri] starts_with redirect_to_mainsite] } {
    HTTP::redirect "https://www.hkedcity.net/"
    return
}

```

```

} elseif { [HTTP::host] == "www.hkreadingcity.net" } {

    set now [clock seconds]
    set start [clock scan "2022-03-19 16:00:00"]

    if { 0 and ($now >= $start and not [class match [IP::client_addr] equals
bypass_ip_hkec_maint]) } {
        HTTP::redirect "https://maint.hkedcity.net/maint.html"
        return
    } else {
        pool drupal_hkreadingcity_http
    }
} elseif { [HTTP::host] == "www-new.hkreadingcity.net" } {
    HTTP::redirect "https://[HTTP::host][HTTP::uri]"
    return
} elseif { [HTTP::host] == "hkreadingcity.net" } {
    pool redirect_http
} elseif { [HTTP::host] == "apps2.hkedcity.net" and [HTTP::cookie exists
"HKEC_PREVIEW"] } {
    pool apps2_PREVIEW
} elseif { [HTTP::host] == "apps2.hkreadingcity.net" and [HTTP::cookie exists
"HKEC_PREVIEW"] } {
    pool apps2_PREVIEW
} elseif { [HTTP::host] == "apps2.hkreadingcity.net" } {
    pool apps2_http
} elseif { [HTTP::host] == "m.hkedcity.net" } {
    HTTP::redirect "http://www.hkedcity.net"
    return
} elseif { [HTTP::host] == "ms.hkedcity.net" } {
    pool ms_http
} elseif { [HTTP::host] == "membership.hkedcity.net" } {
    HTTP::redirect "https://www.hkedcity.net/membership[HTTP::uri]"
    return
} elseif { [HTTP::host] == "ww.hkedcity.net" } {
    HTTP::redirect http://www.hkedcity.net[HTTP::uri]
    return
} elseif { [HTTP::uri] starts_with "/publisher" or [HTTP::uri] starts_with
"/myadmin" or [HTTP::uri] starts_with "/admin" or [HTTP::uri] starts_with
"/article/teacher_form/shatsui" or [HTTP::uri] starts_with "/membership" } {
    HTTP::redirect "https://[HTTP::host][HTTP::uri]"
    return
} elseif { [HTTP::uri] starts_with "/article/main_info/contactus" } {
    HTTP::redirect "http://[HTTP::host]/hq/contactus"
    return
} elseif { [HTTP::uri] starts_with "/article/main_info/faq" } {
    HTTP::redirect "http://[HTTP::host]/hq/faq"
    return
} elseif { [HTTP::uri] starts_with "/urlscan" and not ([HTTP::uri] starts_with
"/urlscan/list.php") } {
    set uri1 [HTTP::uri]
    HTTP::redirect "http://[HTTP::host]/urlscan/list.php?curr_path=[string

```



```

range $uri1 9 end]"
    return
} elseif { [HTTP::uri] == "/resources" } {
    HTTP::respond 301 Location "http://resources.hkedcity.net"
} elseif { [HTTP::uri] starts_with "/resources/" } {
    HTTP::respond 301 Location "http://resources.hkedcity.net"
} elseif { [HTTP::uri] starts_with "/registration_v2/" } {
    HTTP::redirect "https://[HTTP::host][HTTP::uri]"
    return
} elseif { [HTTP::uri] starts_with "/registration/" } {
    HTTP::redirect "https://[HTTP::host][HTTP::uri]"
    return
} elseif { [HTTP::uri] starts_with "/ftp_management/" } {
    HTTP::redirect "https://[HTTP::host][HTTP::uri]"
    return
} elseif { [string tolower [HTTP::uri]] starts_with "/form_engine/" } {
    HTTP::redirect "https://[HTTP::host][HTTP::uri]"
    return
} elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/studentscheme/" or [HTTP::uri] == "/studentscheme") } {
    pool drupal_studentscheme_http
} elseif { [HTTP::host] == "www.hkedcity.net" and ( [class match [HTTP::uri]
equals drupal_multisite_equal_names] or [class match [HTTP::uri] starts_with
drupal_multisite_start_names] ) } {
    pool drupal_multisite_http
} elseif { [HTTP::host] == "tvnews.hkedcity.net" } {
    HTTP::redirect "https://www.hkedcity.net/tvnews/"
    return
} elseif { [class match [HTTP::uri] equals cms_equal_rproxy_names] } {
    # For www.hkec => CMS
    HTTP::redirect "http://[HTTP::host][HTTP::uri]/"
    return
} elseif { [class match [HTTP::uri] starts_with cms_start_rproxy_names] } {
    # For www.hkec => CMS
    pool rproxy_http
} elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/digitalbridge/" or [HTTP::uri] == "/digitalbridge") and not ([HTTP::uri] ==
"/digitalbridge/index_decomission.phtml" or [HTTP::uri] starts_with
"/digitalbridge/images/") } {
    HTTP::redirect
"http://www.hkedcity.net/digitalbridge/index_decomission.phtml"
    return
} elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/etv/sites/default/php/etv_app/handler.php") } {
    pool drupal_etv_http
} elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/etv/en/" or [HTTP::uri] == "/etv/en") } {
    HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
    return
} elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/etv/zh-hant/" or [HTTP::uri] == "/etv/zh-hant") } {

```

```

        HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/etv/about_etv/" or [HTTP::uri] == "/etv/about_etv") } {
        HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/etv/listing/" or [HTTP::uri] == "/etv/listing") } {
        HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/etv/static/" or [HTTP::uri] == "/etv/static") } {
        HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/etv/resource/" or [HTTP::uri] == "/etv/resource") } {
        pool drupal_etv_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/etv/" or [HTTP::uri] == "/etv") } {
        HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
        return
    } elseif { [HTTP::host] == "emm.hkedcity.net" } {
        HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/edmall-ebs/" or [HTTP::uri] == "/edmall-ebs") } {
        HTTP::redirect "https://www.hkreadingcity.net"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/qbank/" or [HTTP::uri] == "/qbank") } {
        HTTP::redirect "https://oqb.hkedcity.net/qbank/"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/edconnect/" or [HTTP::uri] == "/edconnect") } {
        HTTP::redirect "https://www.hkedcity.net[HTTP::uri]"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/edv/cht/" or [HTTP::uri] == "/edv/cht" or [HTTP::uri] starts_with "/edv/eng/" or
[HTTP::uri] == "/edv/eng") } {
        set uri1 [HTTP::uri]
        HTTP::redirect "http://www.hkedcity.net/edv-award/[string range $uri1 5
end]"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] == "/edv/" or
[HTTP::uri] == "/edv") } {
        HTTP::redirect "http://www.hkedcity.net/edv-award/"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/ttv/" or [HTTP::uri] == "/ttv") and not ([HTTP::uri] starts_with
"/ttv/adminpage/" or [HTTP::uri] == "/ttv/adminpage") } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"

```

```

        return
    } elseif { ( [IP::addr [IP::client_addr] equals 210.5.185.66] or [IP::addr
[IP::client_addr] equals 220.241.141.1] ) and ([HTTP::uri] starts_with
"/teachernet/" or [HTTP::uri] == "/teachernet" or [HTTP::uri] starts_with "/cms/"
or [HTTP::uri] == "/cms") ) } {
        pool hkec_http
    } elseif { [class match [HTTP::uri] starts_with www_start_redirect] } {
        HTTP::redirect "http://[class match -value [HTTP::uri] starts_with
www_start_redirect]"
        return
    } elseif { [class match [HTTP::uri] equals www_equal_redirect] } {
        HTTP::redirect "http://[class match -value [HTTP::uri] equals
www_equal_redirect]"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/edmall/" or [HTTP::uri] == "/edmall") } {
        HTTP::redirect "http://edmall.edcity.hk"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/partner/channel/" or [HTTP::uri] == "/partner/channel") } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/partner/frontpage/" or [HTTP::uri] == "/partner/frontpage") } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/eworks/" or [HTTP::uri] == "/eworks") } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/campaign/" or [HTTP::uri] == "/campaign") } {
        pool drupal_campaign_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/drupal_testpage/" or [HTTP::uri] == "/drupal_testpage") } {
        if { [class match [IP::client_addr] equals bypass_ip] } {
            pool drupal_drupal_testpage_http
        } else {
            HTTP::respond 403 content [subst $::static_error_message_403]
        }
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/ereadscheme/" or [HTTP::uri] == "/ereadscheme") } {
        if { [string tolower [HTTP::uri]] starts_with
"/ereadscheme/zh-hant/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/en/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/testing" } {
            if { [class match [IP::client_addr] equals bypass_ip] } {
                pool drupal_ereadscheme_http
            } else {
                HTTP::respond 403 content [subst $::static_error_message_403]
            }
        }
    }

```

```

    } else {
        pool drupal_ereadscheme_http
    }
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/goelearning/" or [HTTP::uri] == "/goelearning") } {
        pool drupal_goelearning_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/teencampus/" or [HTTP::uri] == "/teencampus") } {
        pool hkec_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/drupal_demo/" or [HTTP::uri] == "/drupal_demo") } {
        pool drupal_drupal_demo_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/eventcalendar/" or [HTTP::uri] == "/eventcalendar") } {
        pool eventcalendar_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/videos/" or [HTTP::uri] == "/videos") } {
        set now [clock seconds]
        set start [clock scan "2023-08-31 16:00:00"]
        if { 1 and ($now >= $start) } {
            HTTP::redirect "https://videos.hkedcity.net/notice/news/"
            return
        } else {
            pool drupal_videos_http
        }
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/home/" or [HTTP::uri] == "/home") } {
        pool drupal_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/member/" or [HTTP::uri] == "/member") } {
        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
        } else {
            HTTP::header replace "X-Forwarded-Proto" "http"
        }
        pool hkec_member_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/iworld/" or [HTTP::uri] == "/iworld") } {
        HTTP::respond 404 content [subst $::static_error_iworld_message]
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/article/iworld" ) } {
        HTTP::respond 404 content [subst $::static_error_iworld_message]
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/iclub_files/" or [HTTP::uri] == "/iclub_files" ) } {
        HTTP::respond 404 content [subst $::static_error_iworld_message]
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/learning/iworld/" or [HTTP::uri] == "/learning/iworld" ) } {
        HTTP::respond 404 content [subst $::static_error_iworld_message]
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/iworld_eng/" or [HTTP::uri] == "/iworld_eng" ) } {
        HTTP::respond 404 content [subst $::static_error_iworld_message]
    }

```

```

    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/edvscheme/" or [HTTP::uri] == "/edvscheme" ) } {
        HTTP::respond 404 content [subst $::static_error_edv_message]
    } elseif { [HTTP::host] == "lmsso.hkedcity.net" or [HTTP::host] ==
"gsso.hkedcity.net" } {
        pool sso_http
    } elseif { [HTTP::host] == "canvas.hkedcity.net" } {
        HTTP::redirect "https://hkedcity.instructure.com[HTTP::uri]"
        return
    } elseif { [HTTP::host] == "reader.hkedcity.net" } {
        pool reader_http
    } elseif { [HTTP::host] == "eddata.hkedcity.net" } {
        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
        } else {
            HTTP::header replace "X-Forwarded-Proto" "http"
        }
        HTTP::redirect "https://maint.hkedcity.net/maint.html"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and [string tolower [HTTP::uri]]
starts_with "/online_form/testing-eread-" } {
        if { [class match [IP::client_addr] equals bypass_ip] } {
            pool hkec_http
        } else {
            HTTP::respond 403 content [subst $::static_error_message_403]
        }
    } elseif { [HTTP::host] == "game.hkedcity.net" } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { [HTTP::host] == "deliveryhub.hkedcity.net" } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } else {
        pool hkec_http
    }
}
}
ltm rule prod/hkec_https {
    partition prod
    when HTTP_REQUEST {
        if { [HTTP::host] == "www.hkedcity.net" and ( [class match [HTTP::uri] equals
redirect_to_edcity_hk_equal_names] or [class match [HTTP::uri] starts_with
redirect_to_edcity_hk_start_names] ) } {
            if { [TCP::local_port] == 443 } {
                HTTP::respond 301 Location "https://www.edcity.hk[HTTP::uri]"
            } else {
                HTTP::respond 301 Location "http://www.edcity.hk[HTTP::uri]"
            }
        }
    }
}

if { [HTTP::host] == "www.hkedcity.net" and ( [class match [HTTP::uri] equals

```

```

decommission_equal_names] or [class match [HTTP::uri] starts_with
decommission_start_names] ) } {
    HTTP::respond 404 content [subst $::static_error_decommission_message]
}

if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
    if { [class match [HTTP::host] ends_with hkec_domain] } {
        set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
    }
}

HTTP::header replace "hkec_ssl" "on"

if { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/ereadscheme/" or [HTTP::uri] == "/ereadscheme") } {
    set URI [HTTP::uri]
    set redirect_url [class match -value $URI equals
ereadscheme_redirect_readingcity]
    log local0. "eReadscheme need redirected: $URI"
    if { $redirect_url != "" } {
        HTTP::redirect $redirect_url
        log local0. "eReadscheme redirected: $URI -> $redirect_url"
        return
    } else {
        if { [HTTP::uri] starts_with "/ereadscheme/en/pkg/" or [HTTP::uri] ==
"/ereadscheme/en/pkg" } {
            HTTP::redirect "https://www.hkreadingcity.net/en/pkg"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/en/" or [HTTP::uri]
== "/ereadscheme/en" } {
            HTTP::redirect "https://www.hkreadingcity.net/en/ereadscheme"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/pkg/" or
[HTTP::uri] == "/ereadscheme/zh-hant/pkg" } {
            HTTP::redirect "https://www.hkreadingcity.net/zh-hant/pkg"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/" or
[HTTP::uri] == "/ereadscheme/zh-hant" } {
            HTTP::redirect "https://www.hkreadingcity.net/zh-hant/ereadscheme"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/pkg/" or [HTTP::uri]
== "/ereadscheme/pkg" } {
            HTTP::redirect "https://www.hkreadingcity.net/pkg"
            return
        } elseif { [HTTP::uri] starts_with
"/ereadscheme/sites/default/api/handler.php" or [HTTP::uri] ==
"/ereadscheme/sites/default/api/handler.php" } {
            pool drupal_ereadscheme_http
        } else {
            HTTP::redirect "https://www.hkreadingcity.net/ereadscheme"

```

```

        return
    }
}

if { 1 and [HTTP::host] == "www.hkedcity.net" } {
    if { [HTTP::uri] starts_with "/ihouse_tools/" or [HTTP::uri] ==
"/ihouse_tools" } {
        set IGNORE_404 1
    } elseif { [HTTP::uri] starts_with "/edv/" or [HTTP::uri] == "/edv" } {
        set IGNORE_404 1
    }
}

if { [class match [HTTP::uri] starts_with rproxy_names] } {
    pool rproxy_http
} elseif { [class match [HTTP::uri] starts_with redirect_to_mainsite] } {
    HTTP::redirect "https://www.hkedcity.net/"
    return
} elseif { [HTTP::host] == "www.hkreadingcity.net" } {
    pool drupal_hkreadingcity_http
} elseif { [HTTP::host] == "www-new.hkreadingcity.net" and [class match
[IP::client_addr] equals bypass_ip] } {
    pool hkreadingcity2_http
} elseif { [HTTP::host] == "hkreadingcity.net" } {
    pool redirect_http
} elseif { [HTTP::host] == "apps2.hkedcity.net" and [HTTP::cookie exists
"HKEC_PREVIEW"] } {
    pool apps2_PREVIEW
} elseif { [HTTP::host] == "apps2.hkreadingcity.net" and [HTTP::cookie exists
"HKEC_PREVIEW"] } {
    pool apps2_PREVIEW
} elseif { [HTTP::host] == "apps2.hkreadingcity.net" } {
    pool apps2_http
} elseif { [HTTP::host] == "m.hkedcity.net" } {
    HTTP::redirect "https://www.hkedcity.net"
    return
} elseif { [HTTP::host] == "ms.hkedcity.net" } {
    pool ms_http
} elseif { [HTTP::host] == "membership.hkedcity.net" } {
    HTTP::redirect "https://www.hkedcity.net/membership[HTTP::uri]"
    return
} elseif { [HTTP::host] == "ww.hkedcity.net" } {
    HTTP::redirect https://www.hkedcity.net[HTTP::uri]
    return
} elseif { [HTTP::uri] == "/resources" } {
    HTTP::respond 301 Location "https://resources.hkedcity.net"
} elseif { [HTTP::uri] starts_with "/resources/" } {
    HTTP::respond 301 Location "https://resources.hkedcity.net"
} elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/studentscheme/" or [HTTP::uri] == "/studentscheme") } {

```

```

        pool drupal_studentscheme_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/o365_form/" or [HTTP::uri] == "/o365_form") } {
        pool resources_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [class match [HTTP::uri]
equals drupal_multisite_equal_names] or [class match [HTTP::uri] starts_with
drupal_multisite_start_names] ) } {
        pool drupal_multisite_http
    } elseif { [HTTP::host] == "tvnews.hkedcity.net" } {
        HTTP::redirect "https://www.hkedcity.net/tvnews/"
        return
    } elseif { [class match [HTTP::uri] equals cms_equal_rproxy_names] } {
        # For www.hkec => CMS
        HTTP::redirect "https://[HTTP::host][HTTP::uri]/"
        return
    } elseif { [class match [HTTP::uri] starts_with cms_start_rproxy_names] } {
        # For www.hkec => CMS
        pool rproxy_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/etv/sites/default/php/etv_app/handler.php") } {
        pool drupal_etv_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/etv/en/" or [HTTP::uri] == "/etv/en") } {
        HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/etv/zh-hant/" or [HTTP::uri] == "/etv/zh-hant") } {
        HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/etv/about_etv/" or [HTTP::uri] == "/etv/about_etv") } {
        HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/etv/listing/" or [HTTP::uri] == "/etv/listing") } {
        HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/etv/static/" or [HTTP::uri] == "/etv/static") } {
        HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/etv/resource/" or [HTTP::uri] == "/etv/resource") } {
        pool drupal_etv_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/etv/" or [HTTP::uri] == "/etv") } {
        HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/edmall-ebs/" or [HTTP::uri] == "/edmall-ebs") } {
        HTTP::redirect "https://www.hkreadingcity.net"

```



```

        return
    } elseif { [HTTP::host] == "emm.hkedcity.net" } {
        HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/qbank/" or [HTTP::uri] == "/qbank") } {
        HTTP::redirect "https://oqb.hkedcity.net/qbank/"
        return
    } elseif { ( [IP::addr [IP::client_addr] equals 210.5.185.66] or [IP::addr
[IP::client_addr] equals 220.241.141.1] ) and ([HTTP::uri] starts_with
"/teachernet/" or [HTTP::uri] == "/teachernet" or [HTTP::uri] starts_with "/cms/"
or [HTTP::uri] == "/cms") } {
        pool hkec_http
    } elseif { [class match [HTTP::uri] starts_with www_start_redirect] } {
        HTTP::redirect "https://[class match -value [HTTP::uri] starts_with
www_start_redirect]"
        return
    } elseif { [class match [HTTP::uri] equals www_equal_redirect] } {
        HTTP::redirect "https://[class match -value [HTTP::uri] equals
www_equal_redirect]"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/edmall/" or [HTTP::uri] == "/edmall") } {
        HTTP::redirect "https://edmall.edcity.hk"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/partner/channel/" or [HTTP::uri] == "/partner/channel") } {
        if { [class match [IP::client_addr] equals bypass_ip] } {
            pool drupal_partner_channel_http
        } else {
            HTTP::redirect "https://www.edcity.hk/home/"
            return
        }
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/partner/frontpage/" or [HTTP::uri] == "/partner/frontpage") } {
        pool hkec_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/eworks/" or [HTTP::uri] == "/eworks") } {
        pool drupal_eworks2015_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/campaign/" or [HTTP::uri] == "/campaign") } {
        pool drupal_campaign_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/drupal_testpage/" or [HTTP::uri] == "/drupal_testpage") } {
        if { [class match [IP::client_addr] equals bypass_ip] } {
            pool drupal_drupal_testpage_http
        } else {
            HTTP::respond 403 content [subst $::static_error_message_403]
        }
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/ereadscheme/" or [HTTP::uri] == "/ereadscheme") } {

```

```

        if { [string tolower [HTTP::uri]] starts_with
"/ereadscheme/zh-hant/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/en/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/testing" } {
            if { [class match [IP::client_addr] equals bypass_ip] } {
                pool drupal_ereadscheme_http
            } else {
                HTTP::respond 403 content [subst $::static_error_message_403]
            }
        } else {
            pool drupal_ereadscheme_http
        }
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/goelearning/" or [HTTP::uri] == "/goelearning") } {
        pool drupal_goelearning_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/teencampus/" or [HTTP::uri] == "/teencampus") } {
        pool hkec_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/drupal_demo/" or [HTTP::uri] == "/drupal_demo") } {
        pool drupal_drupal_demo_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/eventcalendar/" or [HTTP::uri] == "/eventcalendar") } {
        pool eventcalendar_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/videos/" or [HTTP::uri] == "/videos") } {
        HTTP::redirect "https://videos.hkedcity.net/notice/news/"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/home/" or [HTTP::uri] == "/home") } {
        pool drupal_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/member/" or [HTTP::uri] == "/member") } {
        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
        } else {
            HTTP::header replace "X-Forwarded-Proto" "http"
        }
        pool hkec_member_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/ttv/" or [HTTP::uri] == "/ttv") and not ([HTTP::uri] starts_with
"/ttv/adminpage/" or [HTTP::uri] == "/ttv/adminpage") } {
        pool ttv_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/iworld/" or [HTTP::uri] == "/iworld") } {
        HTTP::respond 404 content [subst $::static_error_iworld_message]
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/article/iworld" ) } {
        HTTP::respond 404 content [subst $::static_error_iworld_message]
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/iclub_files/" or [HTTP::uri] == "/iclub_files" ) } {

```

```

        HTTP::respond 404 content [subst $::static_error_iworld_message]
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/learning/iworld/" or [HTTP::uri] == "/learning/iworld" ) } {
        HTTP::respond 404 content [subst $::static_error_iworld_message]
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/iworld_eng/" or [HTTP::uri] == "/iworld_eng" ) } {
        HTTP::respond 404 content [subst $::static_error_iworld_message]
    } elseif { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/edvscheme/" or [HTTP::uri] == "/edvscheme" ) } {
        HTTP::respond 404 content [subst $::static_error_edv_message]
    } elseif { [HTTP::host] == "lmsso.hkedcity.net" or [HTTP::host] ==
"gsso.hkedcity.net" } {
        pool sso_http
    } elseif { [HTTP::host] == "canvas.hkedcity.net" } {
        HTTP::redirect "https://hkedcity.instructure.com[HTTP::uri]"
        return
    } elseif { [HTTP::host] == "reader.hkedcity.net" } {
        pool reader_http
    } elseif { [HTTP::host] == "eddata.hkedcity.net" } {
        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
        } else {
            HTTP::header replace "X-Forwarded-Proto" "http"
        }
        HTTP::redirect "https://maint.hkedcity.net/maint.html"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and [string tolower [HTTP::uri]]
starts_with "/online_form/testing-eread-" } {
        if { [class match [IP::client_addr] equals bypass_ip] } {
            pool hkec_http
        } else {
            HTTP::respond 403 content [subst $::static_error_message_403]
        }
    } elseif { [HTTP::host] == "game.hkedcity.net" } {
        pool game_http
    } elseif { [HTTP::host] == "deliveryhub.hkedcity.net" } {
        pool deliveryhub_http
    } else {
        pool hkec_http
    }
}
}
ltm rule prod/hkec_sc_mbox_imap {
    partition prod
    when CLIENT_ACCEPTED {
        if { [class match [IP::client_addr] equals mbox_imap_nosnat] } {
            pool hkec_sc_mbox_imap_nosnat
        } elseif { [class match [IP::client_addr] equals mbox_imap] } {
            pool hkec_sc_mbox_imap
            snat 202.8.88.31
        } else {

```

```

        log local0. "[IP::client_addr]: Blocked"
        reject
    }
}
}
ltm rule prod/hkec_sc_mbox_smtp {
    partition prod
    when CLIENT_ACCEPTED {
        if { [class match [IP::client_addr] equals mbox_smtp_nosnat] } {
            pool hkec_sc_mbox_smtp_nosnat
        } else {
            log local0. "[IP::client_addr]: Blocked"
            reject
        }
    }
}
}
ltm rule prod/hkec_tls1_internal {
    partition prod
    when CLIENT_ACCEPTED {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            SSL::profile hkec_all_crt
        }
    }
}
}
ltm rule prod/i10_0_1_235_443 {
    partition prod
    when HTTP_REQUEST {
        set usessl 0

        if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
            }
        }

        HTTP::header replace "hkec_ssl" "on"

        if { [class match [HTTP::uri] starts_with rproxy_names] } {
            pool rproxy_http
        } elseif { [HTTP::host] eq "is.hkedcity.net" and not ([HTTP::uri] starts_with
"/carbon") } {
            pool is_9443
            set usessl 1
        } elseif { [HTTP::host] eq "isrs.hkedcity.net" } {
            pool isrs_http
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    }
}
}

```

```

when SERVER_CONNECTED {
    if { $usessl == 1 } {
        SSL::enable serverside
        SSL::profile serverssl
    }
}
}
}
ltm rule prod/i10_0_1_238 {
    partition prod
when HTTP_REQUEST {
    if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
        }
    }

    if { [TCP::local_port] == 443 } {
        HTTP::header replace "hkec_ssl" "on"
    }

    if { [class match [HTTP::uri] starts_with rproxy_names] } {
        pool rproxy_http
    } elseif { [HTTP::host] == "topbarlogs.hkedcity.net" } {
        pool topbarlogs_61006
    } elseif { [HTTP::host] == "waas-log-p.hkedcity.net" } {
        pool waas-log-p_http
    } elseif { [HTTP::host] == "mqapi-p.hkedcity.net" } {
        pool mqapi-p_http
    } elseif { [HTTP::host] == "member-mediator.hkedcity.net" } {
        pool member-mediator_http
    } elseif { [HTTP::host] == "cpd.hkedcity.net" } {
        pool cpd_http
    } elseif { [HTTP::host] == "osd1.hkedcity.net" } {
        pool osd1_5601
    }
}
}
}
ltm rule prod/i10_0_2_192 {
    partition prod
when HTTP_REQUEST {
    if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
        }
    }

    if { [TCP::local_port] == 443 } {
        HTTP::header replace "hkec_ssl" "on"
    }
}
}

```

```

    if { [class match [HTTP::uri] starts_with rproxy_names] } {
        pool rproxy_http
    } elseif { [HTTP::host] == "util-excel.hkedcity.net" } {
        pool util-excel_49211
    } elseif { [HTTP::host] == "waas-log-ui.hkedcity.net" } {
        pool waas-log-ui_49319
    } else {
        HTTP::respond 404 content [subst $::static_error_message]
    }
}
}
ltm rule prod/i202_8_88_28 {
    partition prod
when HTTP_REQUEST {
    if { [TCP::local_port] == 443 } {
        HTTP::header replace "X-Forwarded-Proto" "https"
    } else {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    }
    if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
        }
    }
    if { [HTTP::host] eq "www.hkedcity.net" } {
        if { [class match [HTTP::uri] starts_with rproxy_names] } {
            pool rproxy_http
        } elseif { [HTTP::uri] starts_with "/ereadscheme/" or [HTTP::uri] ==
"/ereadscheme" } {
            HTTP::header replace "hkec_ssl" "on"
            set URI [HTTP::uri]
            set redirect_url [class match -value $URI equals
ereadscheme_redirect_readingcity]
            log local0. "eReadscheme need redirected: $URI"
            if { $redirect_url != "" } {
                log local0. "eReadscheme redirected: $URI -> $redirect_url"
                HTTP::redirect $redirect_url
                return
            }
        } else {
            if { [HTTP::uri] starts_with "/ereadscheme/en/pkg/" or [HTTP::uri]
== "/ereadscheme/en/pkg" } {
                HTTP::redirect "https://www.hkreadingcity.net/en/pkg"
                return
            } elseif { [HTTP::uri] starts_with "/ereadscheme/en/" or
[HTTP::uri] == "/ereadscheme/en" } {
                HTTP::redirect "https://www.hkreadingcity.net/en/ereadscheme"
                return
            } elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/pkg/" or

```

```

[HTTP::uri] == "/ereadscheme/zh-hant/pkg" } {
    HTTP::redirect "https://www.hkreadingcity.net/zh-hant/pkg"
    return
} elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/" or
[HTTP::uri] == "/ereadscheme/zh-hant" } {
    HTTP::redirect
"https://www.hkreadingcity.net/zh-hant/ereadscheme"
    return
} elseif { [HTTP::uri] starts_with "/ereadscheme/pkg/" or
[HTTP::uri] == "/ereadscheme/pkg" } {
    HTTP::redirect "https://www.hkreadingcity.net/pkg"
    return
} elseif { [HTTP::uri] starts_with
"/ereadscheme/sites/default/api/handler.php" or [HTTP::uri] ==
"/ereadscheme/sites/default/api/handler.php" } {
    pool drupal_ereadscheme_http
} elseif { [string tolower [HTTP::uri]] starts_with
"/ereadscheme/zh-hant/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/en/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/testing" } {
    if { [class match [IP::client_addr] equals bypass_ip] } {
        pool drupal_ereadscheme_http
    } else {
        HTTP::respond 403 content [subst
$::static_error_message_403]
    }
} else {
    HTTP::redirect "https://www.hkreadingcity.net/ereadscheme"
    return
}
}
} elseif { [class match [HTTP::uri] equals drupal_multisite_equal_names]
or [class match [HTTP::uri] starts_with drupal_multisite_start_names] } {
    HTTP::header replace "hkec_ssl" "on"
    pool drupal_multisite_http
} elseif { [HTTP::uri] starts_with "/studentscheme/" or [HTTP::uri] ==
"/studentscheme" } {
    HTTP::header replace "hkec_ssl" "on"
    pool drupal_studentscheme_http
} elseif { [HTTP::uri] starts_with "/campaign/" or [HTTP::uri] ==
"/campaign" } {
    HTTP::header replace "hkec_ssl" "on"
    pool drupal_campaign_http
} elseif { [HTTP::uri] starts_with "/drupal_testpage/" or [HTTP::uri] ==
"/drupal_testpage" } {
    HTTP::header replace "hkec_ssl" "on"
    pool drupal_drupal_testpage_http
} elseif { [HTTP::uri] starts_with "/eventcalendar/" or [HTTP::uri] ==
"/eventcalendar" } {
    HTTP::header replace "hkec_ssl" "on"
    pool eventcalendar_http
}
}

```

```

        } elseif { [HTTP::uri] starts_with "/goelearning/" or [HTTP::uri] ==
"/goelearning" } {
            HTTP::header replace "hkec_ssl" "on"
            pool drupal_goelearning_http
        } elseif { [HTTP::uri] starts_with "/eworks/" or [HTTP::uri] == "/eworks"
} {
            HTTP::header replace "hkec_ssl" "on"
            pool drupal_eworks2015_http
        } elseif { [HTTP::uri] starts_with "/etv/resource/" or [HTTP::uri] ==
"/etv/resource" or [HTTP::uri] == "/etv/sites/default/php/etv_app/handler.php" } {
            HTTP::header replace "hkec_ssl" "on"
            pool drupal_etv_http
        } elseif { [HTTP::uri] starts_with "/citizen/favorite/" or [HTTP::uri] ==
"/citizen/favorite" } {
            pool hkec_group7_http
        } elseif { [class match [HTTP::uri] equals hkec_legacy_equal_names] or
[class match [HTTP::uri] starts_with hkec_legacy_start_names] } {
            HTTP::header replace "hkec_ssl" "on"
            pool hkec_http
        } elseif { [class match [HTTP::uri] equals hkec_group1_equal_names] or
[class match [HTTP::uri] starts_with hkec_group1_start_names] } {
            HTTP::header replace "hkec_ssl" "on"
            pool hkec_http
        } elseif { [class match [HTTP::uri] equals hkec_group3_equal_names] or
[class match [HTTP::uri] starts_with hkec_group3_start_names] } {
            HTTP::header replace "hkec_ssl" "on"
            pool hkec_http
        } elseif { [class match [HTTP::uri] equals hkec_group4_equal_names] or
[class match [HTTP::uri] starts_with hkec_group4_start_names] } {
            pool hkec_group4_http
        } elseif { [class match [HTTP::uri] equals hkec_group5_equal_names] or
[class match [HTTP::uri] starts_with hkec_group5_start_names] } {
            HTTP::header replace "hkec_ssl" "on"
            pool hkec_http
        } elseif { [class match [HTTP::uri] equals hkec_group6_equal_names] or
[class match [HTTP::uri] starts_with hkec_group6_start_names] } {
            pool hkec_group6_http
        } elseif { [HTTP::uri] == "/member" or [HTTP::uri] starts_with "/member/"
} {
            pool hkec_member_http
        } else {
            pool hkec_group7_http
        }
    } elseif { [HTTP::host] eq "www-new.hkedcity.net" } {
        if { [class match [HTTP::uri] starts_with rproxy_names] } {
            pool rproxy_http
        } elseif { [HTTP::uri] starts_with "/ereadscheme/" or [HTTP::uri] ==
"/ereadscheme" } {
            HTTP::header replace "hkec_ssl" "on"
            set URI [HTTP::uri]
            set redirect_url [class match -value $URI equals

```



```

ereadscheme_redirect_readingcity]
    log local0. "eReadscheme need redirected: $URI"
    if { $redirect_url != "" } {
        log local0. "eReadscheme redirected: $URI -> $redirect_url"
        HTTP::redirect $redirect_url
        return
    } else {
        if { [HTTP::uri] starts_with "/ereadscheme/en/pkg/" or [HTTP::uri]
== "/ereadscheme/en/pkg" } {
            HTTP::redirect "https://www.hkreadingcity.net/en/pkg"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/en/" or
[HTTP::uri] == "/ereadscheme/en" } {
            HTTP::redirect "https://www.hkreadingcity.net/en/ereadscheme"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/pkg/" or
[HTTP::uri] == "/ereadscheme/zh-hant/pkg" } {
            HTTP::redirect "https://www.hkreadingcity.net/zh-hant/pkg"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/" or
[HTTP::uri] == "/ereadscheme/zh-hant" } {
            HTTP::redirect
"https://www.hkreadingcity.net/zh-hant/ereadscheme"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/pkg/" or
[HTTP::uri] == "/ereadscheme/pkg" } {
            HTTP::redirect "https://www.hkreadingcity.net/pkg"
            return
        } elseif { [HTTP::uri] starts_with
"/ereadscheme/sites/default/api/handler.php" or [HTTP::uri] ==
"/ereadscheme/sites/default/api/handler.php" } {
            pool drupal_ereadscheme_http
        } elseif { [string tolower [HTTP::uri]] starts_with
"/ereadscheme/zh-hant/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/en/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/testing" } {
            if { [class match [IP::client_addr] equals bypass_ip] } {
                pool drupal_ereadscheme_http
            } else {
                HTTP::respond 403 content [subst
$::static_error_message_403]
            }
        } else {
            HTTP::redirect "https://www.hkreadingcity.net/ereadscheme"
            return
        }
    }
}
} elseif { [class match [HTTP::uri] equals drupal_multisite_equal_names]
or [class match [HTTP::uri] starts_with drupal_multisite_start_names] } {
    HTTP::header replace "hkec_ssl" "on"
    pool drupal_multisite_http
}

```

```

        } elseif { [HTTP::uri] starts_with "/studentscheme/" or [HTTP::uri] ==
"/studentscheme" } {
            HTTP::header replace "hkec_ssl" "on"
            pool drupal_studentscheme_http
        } elseif { [HTTP::uri] starts_with "/campaign/" or [HTTP::uri] ==
"/campaign" } {
            HTTP::header replace "hkec_ssl" "on"
            pool drupal_campaign_http
        } elseif { [HTTP::uri] starts_with "/drupal_testpage/" or [HTTP::uri] ==
"/drupal_testpage" } {
            HTTP::header replace "hkec_ssl" "on"
            pool drupal_drupal_testpage_http
        } elseif { [HTTP::uri] starts_with "/eventcalendar/" or [HTTP::uri] ==
"/eventcalendar" } {
            HTTP::header replace "hkec_ssl" "on"
            pool eventcalendar_http
        } elseif { [HTTP::uri] starts_with "/goelearning/" or [HTTP::uri] ==
"/goelearning" } {
            HTTP::header replace "hkec_ssl" "on"
            pool drupal_goelearning_http
        } elseif { [HTTP::uri] starts_with "/eworks/" or [HTTP::uri] == "/eworks"
} {
            HTTP::header replace "hkec_ssl" "on"
            pool drupal_eworks2015_http
        } elseif { [HTTP::uri] starts_with "/etv/resource/" or [HTTP::uri] ==
"/etv/resource" or [HTTP::uri] == "/etv/sites/default/php/etv_app/handler.php" } {
            HTTP::header replace "hkec_ssl" "on"
            pool drupal_etv_http
        } elseif { [HTTP::uri] starts_with "/citizen/favorite/" or [HTTP::uri] ==
"/citizen/favorite" } {
            pool hkec_group7_http
        } elseif { [class match [HTTP::uri] equals hkec_legacy_equal_names] or
[class match [HTTP::uri] starts_with hkec_legacy_start_names] } {
            HTTP::header replace "hkec_ssl" "on"
            pool hkec_http
        } elseif { [class match [HTTP::uri] equals hkec_group1_equal_names] or
[class match [HTTP::uri] starts_with hkec_group1_start_names] } {
            pool hkec_group1_http
        } elseif { [class match [HTTP::uri] equals hkec_group3_equal_names] or
[class match [HTTP::uri] starts_with hkec_group3_start_names] } {
            pool hkec_group3_http
        } elseif { [class match [HTTP::uri] equals hkec_group4_equal_names] or
[class match [HTTP::uri] starts_with hkec_group4_start_names] } {
            pool hkec_group4_http
        } elseif { [class match [HTTP::uri] equals hkec_group5_equal_names] or
[class match [HTTP::uri] starts_with hkec_group5_start_names] } {
            pool hkec_group5_http
        } elseif { [class match [HTTP::uri] equals hkec_group6_equal_names] or
[class match [HTTP::uri] starts_with hkec_group6_start_names] } {
            pool hkec_group6_http
        } elseif { [HTTP::uri] == "/member" or [HTTP::uri] starts_with "/member/"

```

```

} {
    pool hkec_member_http
} else {
    pool hkec_group7_http
}
} elseif { [HTTP::host] == "itembank.hkedcity.net" } {
    pool itembank_http
} elseif { [HTTP::host] == "ereadaccounting.hkedcity.net" } {
    pool ereadaccounting2_http
} elseif { [HTTP::host] == "epublisher-new.hkedcity.net" and [class match
[IP::client_addr] equals bypass_ip_epublisher] } {
    pool epublisher2_http
} elseif { [HTTP::host] == "member-api.hkedcity.net" } {
    pool new_member-api_http
} elseif { [HTTP::host] == "member-api-new.hkedcity.net" } {
    pool new_member-api_http
} elseif { [HTTP::host] == "member-mediator.hkedcity.net" } {
    pool member-mediator_http
} elseif { [HTTP::host] == "osd.hkedcity.net" and [class match
[IP::client_addr] equals bypass_ip] } {
    pool osd
} elseif { [HTTP::host] == "aillm-ollamapoc.hkedcity.net" } {
    pool aillm-ollamapoc_http
} elseif { [HTTP::host] == "vllm1.hkedcity.net" and [class match [HTTP::uri]
starts_with allowed_ai_endpoint] } {
    pool vllm1-poc-kns
} elseif { [HTTP::host] == "vllm1.hkedcity.net" and [class match
[IP::client_addr] equals bypass_ip] } {
    pool vllm1-poc-kns
} else {
    HTTP::respond 404 content [subst $::static_error_message]
}
}
}
ltm rule prod/i202_8_88_30 {
    partition prod
when HTTP_REQUEST {
    if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
        }
    }

    if { [TCP::local_port] == 443 } {
        HTTP::header replace "hkec_ssl" "on"
    } else {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    }
}

```

```

    if { [HTTP::host] eq "tms.hkedcity.net" } {
        pool isrs_http
    } elseif { [HTTP::host] eq "ws.hkedcity.net" or [HTTP::host] eq
"search.hkedcity.net" or [HTTP::host] eq "apps.hkedcity.net" or [HTTP::host] eq
"www.hkedcity.net" } {
        pool search_http
    } elseif { [HTTP::uri] starts_with "/js/" } {
        pool static1_http
    } else {
        reject
    }
}
}
ltm rule prod/i202_8_88_35 {
    partition prod
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
            }
        }

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "hkec_ssl" "on"
        } else {
            HTTP::redirect "https://[HTTP::host][HTTP::uri]"
            return
        }

        if { [class match [HTTP::uri] starts_with rproxy_names] } {
            pool rproxy_http
        } elseif { [HTTP::host] == "oqb.hkedcity.net" } {
            set now [clock seconds]
            set start [clock scan "2025-05-16 23:59:30"]

            if { 1 and ($now >= $start and not [class match [IP::client_addr] equals
bypass_ip_hkec_maint]) } {
                HTTP::redirect "https://www.edcity.hk/notice/maint/maint-oqb.html"
                return
            } else {
                pool oqb_http
            }
        } elseif { [HTTP::host] == "oqb-api.hkedcity.net" } {
            pool oqb-api_http
        } elseif { [HTTP::host] == "sals.hkedcity.net" } {
            pool sals_http
        } elseif { [HTTP::host] == "sals-obs.hkedcity.net" } {
            pool sals_http
        } else {
            #reset to VS default pool

```

```

        if { 0 and not [class match [IP::client_addr] equals bypass_ip] } {
            HTTP::redirect "https://maint.hkedcity.net/notice.html"
            return
        } else {
            pool $vs_default_pool
        }
    }
}

```

```
#when CLIENT_ACCEPTED {
#    set vs_default_pool [LB::server pool]
#}
}
```

```
ltm rule prod/i202_8_88_36 {
    partition prod
```

```
when RULE_INIT {
```

```
set ::static_error_message {
```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Frameset//EN"

"http://www.w3.org/TR/html4/frameset.dtd">

```
<html><head>
```

```
<meta http-equiv="content-type" content="text/html; charset=utf-8" />
```

```
<meta name="robots" content="noindex" />
```

<title>Page not found</title>

</head>

```
<FRAMESET rows="100%,*">
```

```
<FRAME src="//www.hkedcity.net/404/" noresize>
```

</FRAMESET>

[illegible]

</html>

}

```
set ::static error_message 403 {
```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Frameset//EN"

"http://www.w3.org/TR/html4/frameset.dtd">

```
<html><head>
```

```
<meta http-equiv="content-type" content="text/html; charset=utf-8" />
```

```
<meta name="robots" content="noindex" />
```

<title>403 Forbidden</title>

</head>

```
<FRAMESET rows="100%,*">
```

<FRAME src="//www.hkedcity.net/403/" noresize>

</FRAMESET>

[illegible]


```

} elseif { [HTTP::host] == "lteonline.edcity.hk" } {
    HTTP::redirect "https://www.hkedcity.net/goelearning/series/LTEOnline"
    return
} elseif { [HTTP::host] == "rdsys.edcity.hk" } {
    if { [TCP::local_port] == 443 } {
        pool rdsys_http
    } else {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    }
} elseif { not ([TCP::local_port] == 443) } {
    HTTP::redirect "https://[HTTP::host][HTTP::uri]"
    return
} elseif { [HTTP::host] == "search.edcity.hk" } {
    pool search2_http
} elseif { [HTTP::host] == "ase.edcity.hk" } {
    pool ase_http
}
}

when HTTP_RESPONSE {
    if { [info exists HKEC_BROWSER_set] } {
        set HKEC_BROWSER_value "HKEC_BROWSER=[clock seconds][format %09d [expr
{int(rand() * 1e9)}]]"; HttpOnly; Path="/"
        set HKEC_BROWSER_expires [clock format [ expr { [clock seconds] +
630720000 }] -format {%a, %d-%b-%Y %H:%M:%S GMT} -gmt 1]
        append HKEC_BROWSER_value "; Domain=[class match -value $HKEC_BROWSER_set
equals hkec_rdomain]; Expires=$HKEC_BROWSER_expires"
        HTTP::header insert Set-Cookie "$HKEC_BROWSER_value"
        unset HKEC_BROWSER_set
        unset HKEC_BROWSER_value
        unset HKEC_BROWSER_expires
    }
    if { 0 and not [class match [IP::client_addr] equals bypass_ip_hkec_maint] } {
        HTTP::redirect "http://maint.hkedcity.net/index.html"
        return
    } elseif { [HTTP::status] == 404 or [HTTP::status] eq "500" } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    } elseif { [HTTP::status] == 403 } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 403 content [subst $::static_error_message_403]
        }
    } elseif { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header Location]] } {
        HTTP::header replace Location [string map {http:// https://} [HTTP::header

```

[illegible]


```

when HTTP_REQUEST {
    if { [TCP::local_port] == 443 } {
        HTTP::header replace "hkec_ssl" "on"
        HTTP::header replace "X-Forwarded-Proto" "https"
    } else {
        HTTP::header replace "X-Forwarded-Proto" "http"
    }
    if { [class match [HTTP::host] equals redirect_to_https] } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } else {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    }
}

when HTTP_RESPONSE {
    if { 0 and not [class match [IP::client_addr] equals bypass_ip_hkec_maint] } {
        HTTP::redirect "http://maint.hkedcity.net/index.html"
        return
    } elseif { [HTTP::status] == 404 or [HTTP::status] eq "500" } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    } elseif { [HTTP::status] == 403 } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 403 content [subst $::static_error_message_403]
        }
    } elseif { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header Location]] } {
        HTTP::header replace Location [string map {http:// https://} [HTTP::header
value Location]]
    }
}

ltm rule prod/i202_8_88_39_443 {
    partition prod
    when RULE_INIT {
        set ::static_error_message {
            <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Frameset//EN"
"http://www.w3.org/TR/html4/frameset.dtd">
            <html><head>
            <meta http-equiv="content-type" content="text/html; charset=utf-8" />
            <meta name="robots" content="noindex" />

```



```

    pool proj7_http
} elseif { [HTTP::host] == "e-gallery.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj6_http
} elseif { [HTTP::host] == "chiproverbs.edb.edcity.hk" } {
    pool proj5_http
} elseif { [HTTP::host] == "bookworks.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj6_http
} elseif { [HTTP::host] == "emm.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj6_http
} elseif { [HTTP::host] == "joint-school-30-minute-read.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj6_http
} elseif { [HTTP::host] == "armap1.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj6_http
} elseif { [HTTP::host] == "priscplatform.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj7_http
} elseif { [HTTP::host] == "steamforfuture.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj7_http
} elseif { [HTTP::host] == "tim.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj7_http
} elseif { [HTTP::host] == "amp.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj7_http
} elseif { [HTTP::host] == "s6.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj7_http
} elseif { [HTTP::host] == "colourprogression.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj7_http
} elseif { [HTTP::host] == "psresource.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj7_http
} elseif { [HTTP::host] == "sop.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj7_http
} elseif { [HTTP::host] == "wordland.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj7_http
} elseif { [HTTP::host] == "nets.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj7_http
} elseif { [HTTP::host] == "nets-e-ccq.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj7_http

```

```

} elseif { [HTTP::host] == "basiclawwebcourse.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj7_http
} elseif { [HTTP::host] == "basiclawwebcoursestuc.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj7_http
} elseif { [HTTP::host] == "basiclawwebcoursestue.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj7_http
} elseif { [HTTP::host] == "advbasiclawwebcourse.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj7_http
} elseif { [HTTP::host] == "e-gallery-new.edb.edcity.hk" } {
    set isErrPageIgnore 1
    pool proj7_http
} else {
    if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
        #from internal servers, do nothing
    } else {
        HTTP::respond 404 content [subst $::static_error_message]
    }
}
}

when HTTP_RESPONSE {
    if { 0 and not [class match [IP::client_addr] equals bypass_ip_hkec_maint] } {
        HTTP::redirect "http://maint.hkedcity.net/index.html"
        return
    } elseif { [HTTP::status] == 404 or [HTTP::status] eq "500" } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] or [info exists
isErrPageIgnore] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    } elseif { [HTTP::status] == 403 } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] or [info exists
isErrPageIgnore] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 403 content [subst $::static_error_message_403]
        }
    } elseif { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header Location]] } {
        HTTP::header replace Location [string map {http:// https://} [HTTP::header
value Location]]
    }
}
}
}

ltm rule prod/i202_8_88_42 {
    partition prod

```

```

when HTTP_REQUEST {
    if { [TCP::local_port] == 443 } {
        HTTP::header replace "X-Forwarded-Proto" "https"
    } else {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    }

    if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
        }
    }
    set isErrPageIgnore 1
    if { [HTTP::host] == "sals-res.proj.edcity.hk" } {
        pool proj6_http
    } elseif { [HTTP::host] == "treasureisland.proj.edcity.hk" } {
        HTTP::redirect "https://www.edcity.hk/notice/treasureisland"
        return
    } elseif { [HTTP::host] == "qagame.proj.edcity.hk" } {
        pool proj7_http
    } else {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    }
}
}
}
ltm rule prod/i202_8_88_43 {
    partition prod
    when HTTP_REQUEST {
        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
        } else {
            HTTP::redirect "https://[HTTP::host][HTTP::uri]"
            return
        }
        if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
            }
        }
        if { [HTTP::host] == "epublisher.hkedcity.net" } {
            pool epublisher2_http
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    }
}

```

[illegible]

```

if { [TCP::local_port] == 443 } {
    HTTP::header replace "hkec_ssl" "on"
    HTTP::header replace "X-Forwarded-Proto" "https"
} else {
    HTTP::header replace "X-Forwarded-Proto" "http"
}
if { [class match [HTTP::host] equals redirect_to_https] } {
    HTTP::redirect "https://[HTTP::host][HTTP::uri]"
    return
} elseif { [HTTP::host] == "resources.edb.gov.hk" } {
    pool proj2_http
} elseif { [HTTP::host] == "resources.edb.hkedcity.net" } {
    if { [HTTP::uri] == "/inputway" or [HTTP::uri] starts_with "/inputway/" }
    {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { [HTTP::uri] == "/~inputway" or [HTTP::uri] starts_with
"/~inputway/" } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { [HTTP::uri] == "/pascalii" or [HTTP::uri] starts_with
"/pascalii/" } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { [HTTP::uri] == "/~s4pascal" or [HTTP::uri] starts_with
"/~s4pascal/" } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } else {
        pool proj2_http
    }
} elseif { [HTTP::host] == "scolar.edb.hkedcity.net" } {
    HTTP::redirect "https://scolarhk.edb.hkedcity.net"
    return
} elseif { [HTTP::host] == "cd1.emb.hkedcity.net" or [HTTP::host] ==
"www.language-education.com" } {
    if { [HTTP::host] == "www.language-education.com" } {
        set scolar_prefix /cd/scolarnew
        if { [HTTP::uri] starts_with $scolar_prefix } {
            HTTP::redirect http://[HTTP::host][substr [HTTP::uri] [string
length $scolar_prefix]]
            return
        } else {
            HTTP::uri $scolar_prefix[HTTP::uri]
        }
        pool cd1_http
    } else {
        pool cd1_http
    }
} elseif { [class match [HTTP::host] equals edb_decommission] } {
    HTTP::redirect "https://[HTTP::host][HTTP::uri]"
}

```

[illegible]


```

        return
    } else {
        HTTP::uri $scolar_prefix[HTTP::uri]
    }
    pool cd1_http
} elseif { [HTTP::host] == "cd1.edb.hkedcity.net" and ([HTTP::uri] ==
"/cd/eap_web/bcalt" or [HTTP::uri] starts_with "/cd/eap_web/bcalt/") } {
    HTTP::redirect https://wlts.edb.hkedcity.net
    return
} else {
    pool cd1_http
}
} elseif { [HTTP::host] == "internationalschools.edb.hkedcity.net" } {
    pool redirect_http
} elseif { [HTTP::host] == "resources.edb.hkedcity.net" } {
    if { [HTTP::uri] == "/inputway" or [HTTP::uri] starts_with "/inputway/" }
{
        pool proj4_http
    } elseif { [HTTP::uri] == "/~inputway" or [HTTP::uri] starts_with
"/~inputway/" } {
        pool proj4_http
    } elseif { [HTTP::uri] == "/pascalii" or [HTTP::uri] starts_with
"/pascalii/" } {
        pool proj4_http
    } elseif { [HTTP::uri] == "/~s4pascal" or [HTTP::uri] starts_with
"/~s4pascal/" } {
        pool proj4_http
    } else {
        pool proj2_http
    }
} elseif { [HTTP::host] == "resources-t.edb.hkedcity.net" } {
    pool proj4_http
} elseif { [HTTP::host] == "wlts.edb.hkedcity.net" } {
    set isErrPageIgnore 1
    pool wlts_http
} elseif { [HTTP::host] == "historye-learning.edb.hkedcity.net" } {
    pool proj4_http
} elseif { [HTTP::host] == "stem.edb.hkedcity.net" } {
    pool proj5_http
} elseif { [HTTP::host] == "cble.edb.hkedcity.net" } {
    set isErrPageIgnore 1
    pool proj1_http
} elseif { [class match [HTTP::host] equals edb_decommission] } {
    pool redirect_http
} else {
    if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
        #from internal servers, do nothing
    } else {
        HTTP::respond 404 content [subst $::static_error_message]
    }
}
}

```

```

}

when HTTP_RESPONSE {
    if { 0 and not [class match [IP::client_addr] equals bypass_ip_hkec_maint] } {
        HTTP::redirect "http://maint.hkedcity.net/index.html"
        return
    } elseif { [HTTP::status] == 404 or [HTTP::status] eq "500" } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] or [info exists
isErrPageIgnore] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    } elseif { [HTTP::status] == 403 } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] or [info exists
isErrPageIgnore] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 403 content [subst $::static_error_message_403]
        }
    } elseif { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header Location]] } {
        HTTP::header replace Location [string map {http:// https://} [HTTP::header
value Location]]
    }
}
}

ltm rule prod/i202_8_88_49 {
    partition prod
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
            }
        }

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "hkec_ssl" "on"
        }

        if { [class match [HTTP::uri] starts_with rproxy_names] } {
            pool rproxy_http
        } elseif { [HTTP::host] == "ze0.edcity.ai" } {
            pool aipoc_49349
        } elseif { [HTTP::host] == "hke.edcity.ai" } {
            pool aipoc_49349
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    }
}

```

```

}
ltm rule prod/i202_8_88_57 {
    partition prod
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
            }
        }

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "hkec_ssl" "on"
        }

        if { [class match [HTTP::uri] starts_with rproxy_names] } {
            pool rproxy_http
            #persist none
        } elseif { [HTTP::host] == "game-engine.hkedcity.net" } {
            pool game_engine_61001
            #persist none
        } elseif { [HTTP::host] == "getset.hkedcity.net" } {
            pool getset_61004
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    }
}
ltm rule prod/i202_8_88_60_80 {
    partition prod
    when HTTP_REQUEST {

        if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
            }
        }

        if { [class match [HTTP::uri] starts_with rproxy_names] } {
            pool rproxy_http
        } elseif { [class match [HTTP::uri] starts_with redirect_to_mainsite] } {
            HTTP::redirect "https://www.hkedcity.net/"
            return
        } elseif { [HTTP::host] == "www-old.hkreadingcity.net" and [class match
[IP::client_addr] equals bypass_ip] } {
            pool drupal_hkreadingcity_http
        } elseif { [HTTP::host] == "www.hkreadingcity.net" } {
            HTTP::redirect "https://[HTTP::host][HTTP::uri]"
            return
        } elseif { [HTTP::host] == "hkreadingcity.net" } {

```

```

        pool redirect_http
    } elseif { [HTTP::host] == "apps2.hkreadingcity.net" and [HTTP::cookie exists
"HKEC_PREVIEW"] } {
        pool apps2_PREVIEW
    } elseif { [HTTP::host] == "apps2.hkreadingcity.net" } {
        pool apps2_http
    } else {
        HTTP::respond 404 content [subst $::static_error_message]
    }
}
}
ltm rule prod/i202_8_88_60_443 {
    partition prod
    when HTTP_REQUEST {

        if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
            }
        }

        if { [class match [HTTP::uri] starts_with rproxy_names] } {
            HTTP::header replace "hkec_ssl" "on"
            pool rproxy_http
        } elseif { [class match [HTTP::uri] starts_with redirect_to_mainsite] } {
            HTTP::redirect "https://www.hkedcity.net/"
            return
        } elseif { [HTTP::host] == "www-old.hkreadingcity.net" and [class match
[IP::client_addr] equals bypass_ip] } {
            HTTP::header replace "hkec_ssl" "on"
            pool drupal_hkreadingcity_http
        } elseif { [HTTP::host] == "www.hkreadingcity.net" } {
            HTTP::header replace "X-Forwarded-Proto" "https"
            pool hkreadingcity2_http
        } elseif { [HTTP::host] == "hkreadingcity.net" } {
            pool redirect_http
        } elseif { [HTTP::host] == "apps2.hkreadingcity.net" and [HTTP::cookie exists
"HKEC_PREVIEW"] } {
            HTTP::header replace "hkec_ssl" "on"
            pool apps2_PREVIEW
        } elseif { [HTTP::host] == "apps2.hkreadingcity.net" } {
            HTTP::header replace "hkec_ssl" "on"
            pool apps2_http
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    }
}
}
ltm rule prod/i202_8_88_77_80 {
    partition prod

```

[illegible]

```

hkec_domain]
    }
}
if { [HTTP::host] == "literacy.proj.hkedcity.net" } {
    pool hkec_out_proj_http
} elseif { [HTTP::host] == "icacoqc.proj.hkedcity.net" } {
    pool hkec_out_proj_http
} elseif { [HTTP::host] == "smartchoicesv2.proj.hkedcity.net" } {
    set isErrPageIgnore 1
    if { [string tolower [HTTP::uri]] starts_with "/adminer.php" } {
        HTTP::respond 403 content [subst $::static_error_message_403]
    } else {
        pool proj4_http
    }
} elseif { [HTTP::host] == "tgedu2.proj.hkedcity.net" } {
    pool proj3_http
} elseif { [HTTP::host] == "ase2.proj.hkedcity.net" } {
    if { [HTTP::uri] starts_with "/ssl/" or [HTTP::uri] == "/ssl" } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } else {
        pool proj3_http
    }
} elseif { [class match [HTTP::uri] starts_with rproxy_names] } {
    pool rproxy_http
} elseif { [HTTP::host] == "minisite.proj.hkedcity.net" } {
    # 20171219:gordon:404 redirection cannot remove. Ref
    ticket:2013102210000021
    if { [HTTP::uri] == "/sec-chi" or [HTTP::uri] == "/sec-eng" or [HTTP::uri]
    == "/sec-math" or [HTTP::uri] == "/sec-sci" or [HTTP::uri] == "/sec-te" or
    [HTTP::uri] == "/sec-pshe" } {
        HTTP::respond 404 content [subst $::static_error_message]
    } elseif { [HTTP::uri] starts_with "/sec-chi/" or [HTTP::uri] starts_with
    "/sec-eng/" or [HTTP::uri] starts_with "/sec-math/" or [HTTP::uri] starts_with
    "/sec-sci/" or [HTTP::uri] starts_with "/sec-
    te/" or [HTTP::uri] starts_with "/sec-pshe/"} {
        HTTP::respond 404 content [subst $::static_error_message]
    } else {
        pool h_proj_minisite_http
    }
} elseif { [HTTP::host] == "minisite1.proj.hkedcity.net" } {
    pool h_proj_minisite1_http
} elseif { [HTTP::host] == "elements.proj.hkedcity.net" } {
    pool h_proj_elements_http
} elseif { [HTTP::host] == "scilearn.proj.hkedcity.net" } {
    pool hkec_out_proj_http
} elseif { [HTTP::host] == "ibook.proj.hkedcity.net" or [HTTP::host] ==
"cp.plktpkmps.edu.hk" } {
    pool proj3_http
} else {
    if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {

```

```

        #from internal servers, do nothing
    } else {
        HTTP::respond 404 content [subst $::static_error_message]
    }
}

when HTTP_RESPONSE {
    if { [info exists HKEC_BROWSER_set] } {
        set HKEC_BROWSER_value "HKEC_BROWSER=[clock seconds][format %09d [expr
{int(rand() * 1e9)}]]]; HttpOnly; Path=/"
        set HKEC_BROWSER_expires [clock format [ expr { [clock seconds] +
630720000 }] -format {%a, %d-%b-%Y %H:%M:%S GMT} -gmt 1]
        append HKEC_BROWSER_value "; Domain=[class match -value $HKEC_BROWSER_set
equals hkec_rdomain]; Expires=$HKEC_BROWSER_expires"
        HTTP::header insert Set-Cookie "$HKEC_BROWSER_value"
        unset HKEC_BROWSER_set
        unset HKEC_BROWSER_value
        unset HKEC_BROWSER_expires
    }

    if { 0 and not [class match [IP::client_addr] equals bypass_ip_hkec_maint] } {
        HTTP::redirect "http://maint.hkedcity.net/index.html"
        return
    } elseif { [HTTP::status] == 404 or [HTTP::status] eq "500" } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] or [info exists
isErrPageIgnore] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    } elseif { [HTTP::status] == 403 } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] or [info exists
isErrPageIgnore] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 403 content [subst $::static_error_message_403]
        }
    } elseif { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header Location]] } {
        HTTP::header replace Location [string map {http:// https://} [HTTP::header
value Location]]
    }
}

}

ltm rule prod/i202_8_88_77_443 {
    partition prod
    when RULE_INIT {
        set ::static_error_message {
            <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Frameset//EN"
"http://www.w3.org/TR/html4/frameset.dtd">

```



```

        set isErrPageIgnore 1
        if { [string tolower [HTTP::uri]] starts_with "/adminer.php" } {
            HTTP::respond 403 content [subst $::static_error_message_403]
        } else {
            pool proj4_http
        }
    } elseif { [HTTP::host] == "ase2.proj.hkedcity.net" } {
        pool proj3_http
    } elseif { [HTTP::host] == "tgedu2.proj.hkedcity.net" } {
        pool proj3_http
    } elseif { [class match [HTTP::uri] starts_with rproxy_names] } {
        pool rproxy_http
    } elseif { [HTTP::host] == "minisite.proj.hkedcity.net" } {
        # 20171219:gordon:404 redirection cannot remove. Ref
ticket:2013102210000021
        if { [HTTP::uri] == "/sec-chi" or [HTTP::uri] == "/sec-eng" or [HTTP::uri]
== "/sec-math" or [HTTP::uri] == "/sec-sci" or [HTTP::uri] == "/sec-te" or
[HTTP::uri] == "/sec-pshe" } {
            HTTP::respond 404 content [subst $::static_error_message]
        } elseif { [HTTP::uri] starts_with "/sec-chi/" or [HTTP::uri] starts_with
"/sec-eng/" or [HTTP::uri] starts_with "/sec-math/" or [HTTP::uri] starts_with
"/sec-sci/" or [HTTP::uri] starts_with "/sec-
te/" or [HTTP::uri] starts_with "/sec-pshe/"} {
            HTTP::respond 404 content [subst $::static_error_message]
        } else {
            pool h_proj_minisite_http
        }
    } elseif { [HTTP::host] == "minisite1.proj.hkedcity.net" } {
        pool h_proj_minisite1_http
    } elseif { [HTTP::host] == "ibook.proj.hkedcity.net" or [HTTP::host] ==
"cp.plktpmps.edu.hk" } {
        pool proj3_http
    } else {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    }
}

when HTTP_RESPONSE {
    if { [info exists HKEC_BROWSER_set] } {
        set HKEC_BROWSER_value "HKEC_BROWSER=[clock seconds][format %09d [expr
{int(rand() * 1e9)}]]"; HttpOnly; Path="/"
        set HKEC_BROWSER_expires [clock format [ expr { [clock seconds] +
630720000 } ] -format { %a, %d-%b-%Y %H:%M:%S GMT} -gmt 1]
        append HKEC_BROWSER_value "; Domain=[class match -value $HKEC_BROWSER_set
equals hkec_rdomain]; Expires=$HKEC_BROWSER_expires"
        HTTP::header insert Set-Cookie "$HKEC_BROWSER_value"
        unset HKEC_BROWSER_set
    }
}

```

```

        unset HKEC_BROWSER_value
        unset HKEC_BROWSER_expires
    }
    if { 0 and not [class match [IP::client_addr] equals bypass_ip_hkec_maint] } {
        HTTP::redirect "http://maint.hkedcity.net/index.html"
        return
    } elseif { [HTTP::status] == 404 or [HTTP::status] eq "500" } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] or [info exists
isErrPageIgnore] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    } elseif { [HTTP::status] == 403 } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] or [info exists
isErrPageIgnore] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 403 content [subst $::static_error_message_403]
        }
    } elseif { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header Location]] } {
        HTTP::header replace Location [string map {http:// https://} [HTTP::header
value Location]]
    }
}
}
}
ltm rule prod/i202_8_88_80_80 {
    partition prod
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
            }
        }
    }

    if { [HTTP::host] eq "wmedia.hkedcity.net" and [string tolower [HTTP::uri]]
starts_with "/archive/etv/"] {
        set uri_start_len [string length "/archive/etv/"]
        set uri_stripped [substr [HTTP::uri] $uri_start_len]
        if { [TCP::local_port] == 443 } {
            HTTP::redirect
"https://resources.hkedcity.net/etv/redirect.php?/archive/etv/$uri_stripped"
            return
        } else {
            HTTP::redirect
"http://resources.hkedcity.net/etv/redirect.php?/archive/etv/$uri_stripped"
            return
        }
    }
}
}

```

```

}
}
ltm rule prod/i202_8_88_83 {
    partition prod
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
            }
        }

        HTTP::header replace "X-Forwarded-Port" "[TCP::local_port]"

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
            HTTP::header replace "hkec_ssl" "on"
        } else {
            HTTP::header replace "X-Forwarded-Proto" "http"
        }

        if { [class match [HTTP::uri] starts_with rproxy_names] } {
            pool rproxy_http
        } elseif { [HTTP::host] == "e.star.hkedcity.net" } {
            HTTP::respond 301 Location https://estar.edcity.hk[HTTP::uri]

        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    }
}

ltm rule prod/i202_8_88_88_443 {
    partition prod
    when HTTP_REQUEST {
        set usessl 0
        if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
            }
        }
        HTTP::header replace "hkec_ssl" "on"
        if { [class match [HTTP::uri] starts_with rproxy_names] } {
            pool rproxy_http
        } elseif { [HTTP::host] eq "is.hkedcity.net" and not ([HTTP::uri] starts_with
"/carbon") } {
            pool is_9443
            set usessl 1
        } elseif { [HTTP::host] eq "isrs.hkedcity.net" } {
            pool isrs_http
        } else {

```

```

        HTTP::respond 404 content [subst $::static_error_message]
    }
}

when SERVER_CONNECTED {
    if { $usessl == 1 } {
        SSL::enable serverside
        SSL::profile serverssl
    }
}
}

ltm rule prod/i202_8_88_94 {
    partition prod
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
            }
        }
        if { [TCP::local_port] == 443 } {
            HTTP::header replace "hkec_ssl" "on"
        }
        if { [class match [HTTP::uri] starts_with rproxy_names] } {
            pool rproxy_http
        } elseif { [HTTP::host] == "viewcounter.hkedcity.net" } {
            pool viewcounter_49159
        } elseif { [HTTP::host] == "wifitest-int.hkedcity.net" } {
            pool wifitest-int_49185
        } elseif { [HTTP::host] == "download.hkedcity.net" } {
            pool download_49188
        } elseif { [HTTP::host] == "arcgis-school.hkedcity.net" } {
            pool arcgis-school_49203
        } elseif { [HTTP::host] == "videos.hkedcity.net" } {
            pool videos_49212
        } elseif { [HTTP::host] == "z-event-log.hkedcity.net" } {
            pool z-event-log_49215
        } elseif { [HTTP::host] == "videoplayer.hkedcity.net" } {
            pool videoplayer_49221
        } elseif { [HTTP::host] == "waas-school-ui.hkedcity.net" } {
            pool waas-school-ui_49225
        } elseif { [HTTP::host] == "emocounter.hkedcity.net" } {
            pool emocounter_49230
        } elseif { [HTTP::host] == "jwt.hkedcity.net" } {
            pool jwt_49261
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    }
}
}

ltm rule prod/i202_8_88_96_80 {

```



```

hkec_domain]
    }
}
if { [HTTP::host] == "etv.hkedcity.net" } {
    HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
    return
} else {
    if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
        #from internal servers, do nothing
    } else {
        HTTP::respond 404 content [subst $::static_error_message]
    }
}
}

when HTTP_RESPONSE {
    if { [info exists HKEC_BROWSER_set] } {
        set HKEC_BROWSER_value "HKEC_BROWSER=[clock seconds][format %09d [expr
{int(rand() * 1e9)}]]"; HttpOnly; Path="/"
        set HKEC_BROWSER_expires [clock format [ expr { [clock seconds] +
630720000 } ] -format { %a, %d-%b-%Y %H:%M:%S GMT} -gmt 1]
        append HKEC_BROWSER_value "; Domain=[class match -value $HKEC_BROWSER_set
equals hkec_rdomain]; Expires=$HKEC_BROWSER_expires"
        HTTP::header insert Set-Cookie "$HKEC_BROWSER_value"
        unset HKEC_BROWSER_set
        unset HKEC_BROWSER_value
        unset HKEC_BROWSER_expires
    }
    if { 0 and not [class match [IP::client_addr] equals bypass_ip_hkec_maint] } {
        HTTP::redirect "http://maint.hkedcity.net/index.html"
        return
    } elseif { [HTTP::status] == 404 or [HTTP::status] eq "500" } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    } elseif { [HTTP::status] == 403 } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 403 content [subst $::static_error_message_403]
        }
    } elseif { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header Location]] } {
        HTTP::header replace Location [string map {http:// https://} [HTTP::header
value Location]]
    }
}
}
}
ltm rule prod/i202_8_88_96_443 {

```



```

hkec_domain]
    }
}
HTTP::header replace "hkec_ssl" "on"
if { [HTTP::host] == "etv.hkedcity.net" } {
    HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
    return
} else {
    if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
        #from internal servers, do nothing
    } else {
        HTTP::respond 404 content [subst $::static_error_message]
    }
}
}

when HTTP_RESPONSE {
    if { [info exists HKEC_BROWSER_set] } {
        set HKEC_BROWSER_value "HKEC_BROWSER=[clock seconds][format %09d [expr
{int(rand() * 1e9)}]]"; HttpOnly; Path="/"
        set HKEC_BROWSER_expires [clock format [ expr { [clock seconds] +
630720000 } ] -format { %a, %d-%b-%Y %H:%M:%S GMT} -gmt 1]
        append HKEC_BROWSER_value "; Domain=[class match -value $HKEC_BROWSER_set
equals hkec_rdomain]; Expires=$HKEC_BROWSER_expires"
        HTTP::header insert Set-Cookie "$HKEC_BROWSER_value"
        unset HKEC_BROWSER_set
        unset HKEC_BROWSER_value
        unset HKEC_BROWSER_expires
    }
    if { 0 and not [class match [IP::client_addr] equals bypass_ip_hkec_maint] } {
        HTTP::redirect "http://maint.hkedcity.net/index.html"
        return
    } elseif { [HTTP::status] == 404 or [HTTP::status] eq "500" } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    } elseif { [HTTP::status] == 403 } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 403 content [subst $::static_error_message_403]
        }
    } elseif { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header Location]] } {
        HTTP::header replace Location [string map {http:// https://} [HTTP::header
value Location]]
    }
}
}
}

```

```

ltm rule prod/i202_8_88_101_80 {
    partition prod
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
            }
        }

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "hkec_ssl" "on"
            HTTP::header replace "X-Forwarded-Proto" "https"
        } else {
            HTTP::header replace "X-Forwarded-Proto" "http"
        }

        if { 1 and [HTTP::host] == "iroom.hkedcity.net" } {
            set IGNORE_404 1
        }

        if { [HTTP::host] == "stress.hkedcity.net" } {
            pool proj2_http
        } elseif { [HTTP::host] == "respack.hkedcity.net" } {
            pool proj2_http
        } elseif { [HTTP::host] == "cpolicy.hkedcity.net" } {
            pool proj2_http
        } elseif { [HTTP::host] == "idrive.hkedcity.net" } {
            HTTP::respond 404 content [subst $::static_error_iroom_message]
        } elseif { [HTTP::host] == "ifile.hkedcity.net" } {
            HTTP::respond 404 content [subst $::static_error_iclassroom_message]
        } elseif { [HTTP::host] == "etv.hkedcity.net" } {
            HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
            return
        } elseif { [class match [HTTP::uri] starts_with rproxy_names] } {
            pool rproxy_http
        } elseif { [HTTP::host] == "edb.hkedcity.net" } {
            if { [HTTP::uri] starts_with "/bookworks/" or [HTTP::uri] == "/bookworks"
} {
                HTTP::redirect "http://bookworks.edb.edcity.hk/"
                return
            } else {
                pool proj3_http
            }
        } elseif { [HTTP::host] == "wiki.hkedcity.net" } {
            pool hkec_proj_http
        } elseif { [HTTP::host] == "forum.hkedcity.net" } {
            HTTP::redirect "https://www.hkedcity.net/forum/notice/notice.html"
            return
        } else {
            if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {

```

```

        #from internal servers, do nothing
    } else {
        HTTP::respond 404 content [subst $::static_error_message]
    }
}

when HTTP_RESPONSE {
    if { [info exists HKEC_BROWSER_set] } {
        set HKEC_BROWSER_value "HKEC_BROWSER=[clock seconds][format %09d [expr
{int(rand() * 1e9)}]]]; HttpOnly; Path=/"
        set HKEC_BROWSER_expires [clock format [ expr { [clock seconds] +
630720000 }]] -format {%a, %d-%b-%Y %H:%M:%S GMT} -gmt 1]
        append HKEC_BROWSER_value "; Domain=[class match -value $HKEC_BROWSER_set
equals hkec_rdomain]; Expires=$HKEC_BROWSER_expires"
        HTTP::header insert Set-Cookie "$HKEC_BROWSER_value"
        unset HKEC_BROWSER_set
        unset HKEC_BROWSER_value
        unset HKEC_BROWSER_expires
    }
    if { 0 and not [class match [IP::client_addr] equals bypass_ip_hkec_maint] } {
        HTTP::redirect "http://maint.hkedcity.net/index.html"
        return
    } elseif { [HTTP::status] == 404 or [HTTP::status] eq "500" } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } elseif { [HTTP::status] == 404 and [info exists IGNORE_404] } {
            #ignore 404
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    } elseif { [HTTP::status] == 403 } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 403 content [subst $::static_error_message_403]
        }
    } elseif { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header Location]] } {
        HTTP::header replace Location [string map {http:// https://} [HTTP::header
value Location]]
    }
}

}

}

ltm rule prod/i202_8_88_101_80_mongo_upgrade {
    partition prod
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
            }
        }
    }
}

```

```

    }
}

if { [TCP::local_port] == 443 } {
    HTTP::header replace "hkec_ssl" "on"
    HTTP::header replace "X-Forwarded-Proto" "https"
} else {
    HTTP::header replace "X-Forwarded-Proto" "http"
}

if { [HTTP::host] == "stress.hkedcity.net" } {
    pool proj2_http
} elseif { [HTTP::host] == "respack.hkedcity.net" } {
    pool proj2_http
} elseif { [HTTP::host] == "cpolicy.hkedcity.net" } {
    pool proj2_http
} elseif { [HTTP::host] == "etv.hkedcity.net" } {
    HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
    return
} elseif { [class match [HTTP::uri] starts_with rproxy_names] } {
    pool rproxy_http_mongo_upgrade
} elseif { [HTTP::host] == "edb.hkedcity.net" } {
    pool proj3_http
} elseif { [HTTP::host] == "wiki.hkedcity.net" } {
    pool hkec_proj_http
} elseif { [HTTP::host] == "forum.hkedcity.net" } {
    pool forum2_http
} else {
    if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
        #from internal servers, do nothing
    } else {
        HTTP::respond 404 content [subst $::static_error_message]
    }
}
}

when HTTP_RESPONSE {
    if { [info exists HKEC_BROWSER_set] } {
        set HKEC_BROWSER_value "HKEC_BROWSER=[clock seconds][format %09d [expr
{int(rand() * 1e9)}]]]; HttpOnly; Path=/"
        set HKEC_BROWSER_expires [clock format [ expr { [clock seconds] +
630720000 } ] -format { %a, %d-%b-%Y %H:%M:%S GMT} -gmt 1]
        append HKEC_BROWSER_value "; Domain=[class match -value $HKEC_BROWSER_set
equals hkec_rdomain]; Expires=$HKEC_BROWSER_expires"
        HTTP::header insert Set-Cookie "$HKEC_BROWSER_value"
        unset HKEC_BROWSER_set
        unset HKEC_BROWSER_value
        unset HKEC_BROWSER_expires
    }
    if { 0 and not [class match [IP::client_addr] equals bypass_ip_hkec_maint] } {
        HTTP::redirect "http://maint.hkedcity.net/index.html"
    }
}

```

```

        return
    } elseif { [HTTP::status] == 404 or [HTTP::status] eq "500" } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    } elseif { [HTTP::status] == 403 } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 403 content [subst $::static_error_message_403]
        }
    } elseif { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header Location]] } {
        HTTP::header replace Location [string map {http:// https://} [HTTP::header
value Location]]
    }
}
}
}
ltm rule prod/i202_8_88_101_443 {
    partition prod
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
            }
        }

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "hkec_ssl" "on"
            HTTP::header replace "X-Forwarded-Proto" "https"
        } else {
            HTTP::header replace "X-Forwarded-Proto" "http"
        }

        if { [HTTP::host] == "etv.hkedcity.net" } {
            HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
            return
        } elseif { [class match [HTTP::uri] starts_with rproxy_names] } {
            pool rproxy_http
        } elseif { [HTTP::host] == "edb.hkedcity.net" } {
            if { [HTTP::uri] starts_with "/bookworks/" or [HTTP::uri] == "/bookworks"
} {
                HTTP::redirect "https://bookworks.edb.edcity.hk/"
                return
            } else {
                pool proj3_http
            }
        } elseif { [HTTP::host] == "wiki.hkedcity.net" } {

```

```

    pool hkec_proj_http
} elseif { [HTTP::host] == "forum.hkedcity.net" } {
    HTTP::redirect "https://www.hkedcity.net/forum/notice/notice.html"
    return
} elseif { [HTTP::host] == "idrive.hkedcity.net" } {
    HTTP::respond 404 content [subst $::static_error_iroom_message]
} elseif { [HTTP::host] == "ifile.hkedcity.net" } {
    HTTP::respond 404 content [subst $::static_error_iclassroom_message]
} else {
    if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
        #from internal servers, do nothing
    } else {
        HTTP::respond 404 content [subst $::static_error_message]
    }
}
}

when HTTP_RESPONSE {
    if { [info exists HKEC_BROWSER_set] } {
        set HKEC_BROWSER_value "HKEC_BROWSER=[clock seconds][format %09d [expr
{int(rand() * 1e9)}]]"; HttpOnly; Path="/"
        set HKEC_BROWSER_expires [clock format [ expr { [clock seconds] +
630720000 } ] -format { %a, %d-%b-%Y %H:%M:%S GMT} -gmt 1]
        append HKEC_BROWSER_value "; Domain=[class match -value $HKEC_BROWSER_set
equals hkec_rdomain]; Expires=$HKEC_BROWSER_expires"
        HTTP::header insert Set-Cookie "$HKEC_BROWSER_value"
        unset HKEC_BROWSER_set
        unset HKEC_BROWSER_value
        unset HKEC_BROWSER_expires
    }
    if { 0 and not [class match [IP::client_addr] equals bypass_ip_hkec_maint] } {
        HTTP::redirect "http://maint.hkedcity.net/index.html"
        return
    } elseif { [HTTP::status] == 404 or [HTTP::status] eq "500" } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 404 content [subst $::static_error_message]
        }
    } elseif { [HTTP::status] == 403 } {
        if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 403 content [subst $::static_error_message_403]
        }
    } elseif { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header Location]] } {
        HTTP::header replace Location [string map {http:// https://} [HTTP::header
value Location]]
    }
}
}

```

```

}
ltm rule prod/limit_rate_request {
    partition prod
    # This iRule limits the number of HTTP Requests from a specified client IP address
    # to 12000 HTTP Requests for 6000 seconds
    # A Data Group http_rl_list will contain the IP addresses that require throttling

    when HTTP_REQUEST {

        # Check if the IP address is within the defined list of addresses to throttle
        if { [class match [IP::client_addr] equals http_rl_list ] } {
            # Check if there is an entry for the client_addr in the table
            if { [ table lookup -notouch [IP::client_addr] ] != "" } {
                # If the value is less than 200 increment it by one
                # log local0. "Client Throttle: Value present for [IP::client_addr]"
                if { [ table lookup -notouch [IP::client_addr] ] < 12000 }
            {
                # log local0. "Client Throttle: Number of requests from
client = [ table lookup -notouch [IP::client_addr] ]"
                table incr -notouch [IP::client_addr] 1
            } else {
                log local0. "Client Throttle: Client [IP::client_addr]
has exceeded the number of allowed requests of [ table lookup -notouch
[IP::client_addr] ]"
                # This else statement is invoked when the table key
value for the client IP address is more than 12000. That is, the client has
reached the 12000 request limit
                # HTTP::respond 200 content {
                #     <html>
                #     <head>
                #     <title>Information Page</title>
                #     </head>
                #     <body>
                #         We are sorry, but the site has received
too many requests. Please try again later.
                #     </body>
                #     </html>
                #     }
            }
        } else {
            # If there is no entry for the client_addr create a new table
to track number of HTTP_REQUEST. Lifetime is set to 6000 seconds
            log local0. "Client Throttle: Table created for
[IP::client_addr]"
            table set [IP::client_addr] 1 6000
        }

    } else {
        return
    }
}

```

```

}
ltm rule prod/request {
    partition prod
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
            }
        }
        if { [TCP::local_port] == 443 } {
            HTTP::header replace "hkec_ssl" "on"
            HTTP::header replace "X-Forwarded-Proto" "https"
            if { [class match [HTTP::host] equals redirect_to_http] } {
                HTTP::redirect "http://[HTTP::host][HTTP::uri]"
                return
            }
        } else {
            HTTP::header replace "X-Forwarded-Proto" "http"
            if { [class match [HTTP::host] equals redirect_to_https] } {
                HTTP::redirect "https://[HTTP::host][HTTP::uri]"
                return
            }
        }
    }
}
}
ltm rule prod/resources {
    partition prod
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
            }
        }
        if { [TCP::local_port] == 443 } {
            HTTP::header replace "hkec_ssl" "on"
        }
        if { [class match [HTTP::uri] starts_with rproxy_names] } {
            pool rproxy_http
        } elseif { ( [HTTP::uri] starts_with "/APIs/" or [HTTP::uri] == "/APIs" ) } {
            if { [TCP::local_port] == 80 } {
                HTTP::redirect "https://[HTTP::host][HTTP::uri]"
                return
            } else {
                pool resources_http
            }
        } else {
            pool resources_http
        }
    }
}
}

```


[illegible]

[illegible]

```

when HTTP_REQUEST {
#    WAF::disable
    if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
        }
    }
    if { [TCP::local_port] == 443 } {
        HTTP::header replace "hkec_ssl" "on"
    }
    if { [TCP::local_port] == 80 } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { ([HTTP::uri] starts_with "/cacti") } {
        if { ( [class match [IP::client_addr] equals bypass_ip]) } {
            pool nagios_http
        } else {
            HTTP::respond 403 content [subst $::static_error_message_403]
        }
    } else {
        pool nagios_http
    }
}
}
}
ltm rule prod/schannel {
    partition prod
    when HTTP_RESPONSE {
        if { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header Location]] } {

```

```

        HTTP::header replace Location [string map {http:// https://} [HTTP::header
value Location]]
    }
}
}
ltm rule prod/wapps1_http_mongo_upgrade {
    partition prod
when HTTP_REQUEST {
    if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
        }
    }
    if { [HTTP::uri] == "/google8c242d778cb0d7c3.html" } {
        # For Google OAUTH domain verification
        log local0. "[IP::client_addr]:[TCP::client_port]:[HTTP::header
User-Agent]:[HTTP::uri]: Google OAUTH"
        pool hkec_http_mongo_upgrade
    } elseif { [HTTP::uri] == "/FFrma25sWB_mhf1tr9eWDQ--.html" } {
        # For Yahoo OAUTH domain verification
        log local0. "[IP::client_addr]:[TCP::client_port]:[HTTP::header
User-Agent]:[HTTP::uri]: Yahoo OAUTH"
        pool hkec_http_mongo_upgrade
    } else {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    }
}
}
}
ltm rule prod/wapps1_https_mongo_upgrade {
    partition prod
when HTTP_REQUEST {
    if { not [HTTP::cookie exists "HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
hkec_domain]
        }
    }
    HTTP::header replace "hkec_ssl" "on"

    if { [HTTP::host] eq "tms.hkedcity.net" } {
        pool isrs_http
    } elseif { [HTTP::uri] contains "cascascas" } {
        reject
    } elseif { [HTTP::uri] starts_with "/js/" } {
        pool static1_http
    } elseif { [HTTP::uri] == "/google8c242d778cb0d7c3.html" } {
        # For Google OAUTH domain verification
        log local0. "[IP::client_addr]:[TCP::client_port]:[HTTP::header
User-Agent]:[HTTP::uri]: Google OAUTH"

```

```

        pool hkec_http_mongo_upgrade
    } elseif { [HTTP::uri] == "/FFrma25sWB_mhf1tr9eWDQ--.html" } {
        # For Yahoo OAUTH domain verification
        log local0. "[IP::client_addr]:[TCP::client_port]:[HTTP::header
User-Agent]:[HTTP::uri]: Yahoo OAUTH"
        pool hkec_http_mongo_upgrade
    } else {
        reject
    }
}
}
ltm rule uat/game_test_rule {
    partition uat
when HTTP_REQUEST {
    if { [HTTP::host] == "game.hkedcity.net" } {
        pool u_game_http
        return
    }
}
}
ltm rule uat/testing {
    partition uat
when HTTP_REQUEST {
    if { [TCP::local_port] == 443 } {
        HTTP::header replace "X-Forwarded-Proto" "https"
    } else {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    }

    if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with u_hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
        }
    }

    HTTP::header replace "hkec_platform" "uat"

    if { [HTTP::host] eq "www-uat.hkedcity.net" or [HTTP::host] eq
"www.hkedcity.net" } {
        if { [HTTP::uri] starts_with "/elibrary1/api/" or [HTTP::uri] ==
"/elibrary1/api" } {
            pool u_hkec_group6_http
        }
    }
}
}
ltm rule uat/u_apps_http {
    partition uat
when HTTP_REQUEST {

```

```

if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
    if { [class match [HTTP::host] ends_with u_hkec_domain] } {
        set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
    }
}

HTTP::header replace "hkec_platform" "uat"

if { [HTTP::host] == "apps.hkedcity.net" } {
    if { [HTTP::uri] starts_with "/blogportal/" or [HTTP::uri] ==
"/blogportal" } {
        set u_IGNORE_404 1
    }
}

if { [TCP::local_port] == 443 } {
    HTTP::header replace "X-Forwarded-Proto" "https"
    HTTP::header replace "hkec_ssl" "on"
} else {
    HTTP::header replace "X-Forwarded-Proto" "http"
}

if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
    pool u_rproxy_http
} elseif { [HTTP::host] eq "schoolmap.hkedcity.net" } {
    HTTP::redirect "http://apps.hkedcity.net/schoolmap[HTTP::uri]"
    return
} elseif { [HTTP::host] eq "eventcalendar.hkedcity.net" } {
    if { [TCP::local_port] == 443 } {
        HTTP::redirect "https://apps.hkedcity.net/mcal[HTTP::uri]"
        return
    } else {
        HTTP::redirect "http://apps.hkedcity.net/mcal[HTTP::uri]"
        return
    }
} elseif { [HTTP::host] eq "ws.hkedcity.net" } {
    if { [HTTP::uri] starts_with "/webservice/userInfoService/" or [HTTP::uri]
== "/webservice/userInfoService" } {
        pool u_search_http
    } elseif { [HTTP::uri] starts_with "/webservice/role/" or [HTTP::uri] ==
"/webservice/role" } {
        pool u_search_http
    } else {
        pool u_ws_http
    }
} elseif { [HTTP::uri] starts_with "/testpage_https" or [string tolower
[HTTP::uri]] starts_with "/mcal/sch_activity/" } {
    if { [TCP::local_port] == 80 } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    }
}

```

```

    } else {
        pool u_acladmin_http
    }
} else {
    if { [HTTP::uri] starts_with "/media" } {
        # rateclass u_video
    }
    pool u_acladmin_http
}
}
}
ltm rule uat/u_centosds {
    partition uat
# vmu138,vmu139 (www.hkec new)
# ctu16 (scripting host)
# ctu8 (scripting host)
# ctu57,ctu83 (www.hkec)
# ctu88,ctu234 (sso)
# ctu100,ctu101 (ws)
# ctu3,ctu72 (apps)
# ctu104,ctu105 (apps2)
# ctu111,ctu112 (edconnect playground)
# vmu109 (simulate Azure dev)
# ctu244,ctu245 (ftps)
# ctu90,ctu92 (member-mediator)
# ctu202,ctu203 (REST API)
# adc1-v30,adc2-v30 (A10 monitor)
# dell71 (nagios monitor)
# ct25 (nessus monitor)
# ctu47,ctu48 (centosds)
# ctu144,ctu145 (is)
# dell17,dell18 (docker)
# vmu283 (simulate Azure dev Drupal 9)
# vmu246,vmu247 (member-api-uat.hkedcity.net)
# vmu208,vmu209 (mainsite revamp catch all server)
# adc3-v30, adc4-v30
when CLIENT_ACCEPTED {
    if {
        [IP::addr [IP::client_addr] equals 10.0.12.138] or
        [IP::addr [IP::client_addr] equals 10.0.12.139] or
        [IP::addr [IP::client_addr] equals 10.0.12.45] or
        [IP::addr [IP::client_addr] equals 10.0.12.38] or
        [IP::addr [IP::client_addr] equals 10.0.12.99] or
        [IP::addr [IP::client_addr] equals 10.0.12.123] or
        [IP::addr [IP::client_addr] equals 10.0.12.128] or
        [IP::addr [IP::client_addr] equals 10.0.12.132] or
        [IP::addr [IP::client_addr] equals 10.0.12.143] or
        [IP::addr [IP::client_addr] equals 10.0.12.144] or
        [IP::addr [IP::client_addr] equals 10.0.12.34] or
        [IP::addr [IP::client_addr] equals 10.0.12.112] or
        [IP::addr [IP::client_addr] equals 10.0.12.28] or

```

```

[IP::addr [IP::client_addr] equals 10.0.12.51] or
[IP::addr [IP::client_addr] equals 10.0.12.167] or
[IP::addr [IP::client_addr] equals 10.0.12.168] or
[IP::addr [IP::client_addr] equals 10.0.12.23] or
[IP::addr [IP::client_addr] equals 10.0.13.99] or
[IP::addr [IP::client_addr] equals 10.0.13.100] or
[IP::addr [IP::client_addr] equals 10.0.12.15] or
[IP::addr [IP::client_addr] equals 10.0.12.16] or
[IP::addr [IP::client_addr] equals 10.0.13.121] or
[IP::addr [IP::client_addr] equals 10.0.13.122] or
[IP::addr [IP::client_addr] equals 10.0.12.6] or
[IP::addr [IP::client_addr] equals 10.0.12.7] or
[IP::addr [IP::client_addr] equals 10.0.0.93] or
[IP::addr [IP::client_addr] equals 10.0.0.132] or
[IP::addr [IP::client_addr] equals 10.0.12.83] or
[IP::addr [IP::client_addr] equals 10.0.12.84] or
[IP::addr [IP::client_addr] equals 10.0.12.24] or
[IP::addr [IP::client_addr] equals 10.0.12.25] or
[IP::addr [IP::client_addr] equals 10.0.12.196] or
[IP::addr [IP::client_addr] equals 10.0.12.197] or
[IP::addr [IP::client_addr] equals 10.0.12.103] or
[IP::addr [IP::client_addr] equals 10.0.13.137] or
[IP::addr [IP::client_addr] equals 10.0.13.138] or
[IP::addr [IP::client_addr] equals 10.0.12.69] or
[IP::addr [IP::client_addr] equals 10.0.12.74] or
[IP::addr [IP::client_addr] equals 10.0.12.119] or
[IP::addr [IP::client_addr] equals 10.0.12.120]

} {
    pool u_centosds_ldap
} else {
    reject
}
}
}
ltm rule uat/u_edblog {
    partition uat
when HTTP_REQUEST {
    if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with u_hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
        }
    }
    HTTP::header replace "hkec_platform" "uat"

    set u_IGNORE_404 1

    if { [TCP::local_port] == 443 } {
        HTTP::header replace "hkec_ssl" "on"
        HTTP::header replace "X-Forwarded-Proto" "https"
    }
}

```

```

    } else {
        HTTP::header replace "X-Forwarded-Proto" "http"
    }

    if { [HTTP::host] == "edblog.hkedcity.net" } {
        if { [HTTP::uri] starts_with "/edb/" } {
            pool u_rproxy_http
        } elseif { [class match [HTTP::uri] starts_with u_rproxy_names] } {
            pool u_rproxy_http
        } else {
            pool u_edblog_http
        }
    } elseif { [HTTP::host] == "www.edblog.hkedcity.net" } {
        HTTP::redirect "http://edblog.hkedcity.net[HTTP::uri]"
        return
    } else {
        pool u_edblog_http
    }
}
}

ltm rule uat/u_edmall_http {
    partition uat
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
            }
        }

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
            HTTP::header replace "hkec_ssl" "on"
        } else {
            HTTP::header replace "X-Forwarded-Proto" "http"
        }

        if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
            pool u_rproxy_http
        } elseif { [string tolower [HTTP::uri]] starts_with "/store/" or [string
tolower [HTTP::uri]] == "/store" or [HTTP::uri] == "/" } {
            HTTP::redirect "https://[HTTP::host][HTTP::uri]"
            return
        } elseif { [HTTP::uri] starts_with "/EdStore/" and [HTTP::uri] ends_with
".html" } {
            set uri1 [HTTP::uri]
            HTTP::redirect
"https://edmall.hkedcity.net/store/edstore_redirect.php?url=[string range $uri1 9
end]"
            return
        } elseif { [string tolower [HTTP::uri]] starts_with "/emms/" or [string

```



```

tolower [HTTP::uri]] == "/emms" } {
    HTTP::redirect "https://[HTTP::host][HTTP::uri]"
    return
} elseif { [string tolower [HTTP::uri]] starts_with "/webapp/wcs/stores/" } {
    HTTP::redirect "https://edmall.hkedcity.net"
    return
} else {
    HTTP::respond 404 content [subst $::static_error_message]
}
}
}
ltm rule uat/u_edmall_https {
    partition uat
when HTTP_REQUEST {
    if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with u_hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
        }
    }

    if { [TCP::local_port] == 443 } {
        HTTP::header replace "X-Forwarded-Proto" "https"
        HTTP::header replace "hkec_ssl" "on"
    } else {
        HTTP::header replace "X-Forwarded-Proto" "http"
    }

    if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
        pool u_rproxy_http
    } elseif { [string tolower [HTTP::uri]] starts_with "/store/" or [string
tolower [HTTP::uri]] == "/store" or [HTTP::uri] == "/" } {
        pool u_edmall_http
    } elseif { [HTTP::uri] starts_with "/EdStore/" and [HTTP::uri] ends_with
".html" } {
        set uri1 [HTTP::uri]
        HTTP::redirect
"https://edmall.hkedcity.net/store/edstore_redirect.php?url=[string range $uri1 9
end]"
        return
    } elseif { [string tolower [HTTP::uri]] starts_with "/webapp/wcs/stores/" } {
        HTTP::redirect "https://edmall.hkedcity.net"
        return
    } else {
        HTTP::respond 404 content [subst $::static_error_message]
    }
}
}
ltm rule uat/u_edmall_payment {
    partition uat
when HTTP_REQUEST {

```

[illegible]

[illegible][illegible]

```
when HTTP_RESPONSE {

    if { [info exists HKEC_BROWSER_set] } {
        set HKEC_BROWSER_value "u_HKEC_BROWSER=[clock seconds][format %09d [expr
{int(rand() * 1e9)}]]"; HttpOnly; Path="/"
        set HKEC_BROWSER_expires [clock format [ expr { [clock seconds] +
630720000 } ] -format {%a, %d-%b-%Y %H:%M:%S GMT} -gmt 1]
        append HKEC_BROWSER_value "; Domain=[class match -value $HKEC_BROWSER_set
equals u_hkec_rdomain]; Expires=$HKEC_BROWSER_expires"
        HTTP::header insert Set-Cookie "$HKEC_BROWSER_value"
        unset HKEC_BROWSER_set
        unset HKEC_BROWSER_value
        unset HKEC_BROWSER_expires
    }

    if { 0 and [IP::addr [IP::client_addr] equals 10.5.0.0/16] } {
```

[illegible]


```

        HTTP::header insert p3p $http_header_p3p
    }
}
}
ltm rule uat/u_fjt_http {
    partition uat
when HTTP_REQUEST {
    if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with u_hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
        }
    }

    HTTP::header replace "hkec_platform" "uat"

    if { [TCP::local_port] == 443 } {
        HTTP::header replace "X-Forwarded-Proto" "https"
        HTTP::header replace "hkec_ssl" "on"
    } else {
        HTTP::header replace "X-Forwarded-Proto" "http"
    }

    if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
        pool u_rproxy_http
    } else {
        if { [HTTP::host] eq "b5togb.hkedcity.net" } {

            if { [HTTP::uri] == "/gate/gb/www.hkedcity.net" } {
                HTTP::redirect "http://www-uat.hkedcity.net/"
                return
            } elseif { [HTTP::uri] == "/gate/gb/www.hkedcity.net/" } {
                HTTP::redirect "http://www-uat.hkedcity.net/"
                return
            } elseif { [HTTP::uri] starts_with
"/gate/gb/www.hkedcity.net/index.php" } {
                HTTP::redirect "http://www-uat.hkedcity.net/"
                return
            } else {
                pool u_fjt_http
            }

        } else {
            pool u_fjt_http
        }
    }
}
}
ltm rule uat/u_hkec {
    partition uat

```

```

when HTTP_REQUEST {
    if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with u_hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
        }
    }

    if { [TCP::local_port] == 443 } {
        HTTP::header replace "X-Forwarded-Proto" "https"
        HTTP::header replace "hkec_ssl" "on"
    } else {
        HTTP::header replace "X-Forwarded-Proto" "http"
    }

    HTTP::header replace "hkec_platform" "uat"

    if { [HTTP::host] == "www.hkedcity.net" and ([HTTP::uri] starts_with
"/ereadscheme/" or [HTTP::uri] == "/ereadscheme") } {
        if { [HTTP::uri] starts_with "/ereadscheme/en/pkg/" or [HTTP::uri] ==
"/ereadscheme/en/pkg" } {
            HTTP::redirect "https://www.hkreadingcity.net/en/pkg"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/en/" or [HTTP::uri] ==
"/ereadscheme/en" } {
            HTTP::redirect "https://www.hkreadingcity.net/en/ereadscheme"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/pkg/" or
[HTTP::uri] == "/ereadscheme/zh-hant/pkg" } {
            HTTP::redirect "https://www.hkreadingcity.net/zh-hant/pkg"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/" or [HTTP::uri]
== "/ereadscheme/zh-hant" } {
            HTTP::redirect "https://www.hkreadingcity.net/zh-hant/ereadscheme"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/pkg/" or [HTTP::uri] ==
"/ereadscheme/pkg" } {
            HTTP::redirect "https://www.hkreadingcity.net/pkg"
            return
        } elseif { [HTTP::uri] starts_with
"/ereadscheme/sites/default/api/handler.php" or [HTTP::uri] ==
"/ereadscheme/sites/default/api/handler.php" } {
            pool u_drupal_ereadscheme_http
        } else {
            HTTP::redirect "https://www.hkreadingcity.net/ereadscheme"
            return
        }
    }

    if { [HTTP::host] == "www.hkedcity.net" } {
        if { [HTTP::uri] starts_with "/edv/" or [HTTP::uri] == "/edv" } {

```

```

        set u_IGNORE_404 1
    } elseif { [HTTP::uri] starts_with "/ihouse_tools/" or [HTTP::uri] ==
"/ihouse_tools" } {
        set u_IGNORE_404 1
    }
}

if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
    pool u_rproxy_http
} elseif { [class match [HTTP::uri] starts_with u_redirect_to_mainsite] } {
    HTTP::redirect "https://www.hkedcity.net/"
    return
} elseif { [HTTP::host] == "www.hkreadingcity.net" } {
    pool u_drupal_hkreadingcity_http
} elseif { [HTTP::host] == "hkreadingcity.net" } {
    pool u_redirect_http
} elseif { [HTTP::host] == "apps2.hkreadingcity.net" } {
    pool u_apps2_http
} elseif { [HTTP::host] == "m.hkedcity.net" } {
    HTTP::redirect "http://www.hkedcity.net"
    return
} elseif { [HTTP::host] == "ms.hkedcity.net" } {
    pool u_ms_http
} elseif { [HTTP::host] == "membership.hkedcity.net" } {
    HTTP::redirect "https://www.hkedcity.net/membership[HTTP::uri]"
    return
} elseif { [HTTP::host] == "ww.hkedcity.net" } {
    HTTP::redirect "http://www.hkedcity.net[HTTP::uri]"
    return
} elseif { [HTTP::uri] starts_with "/publisher" or [HTTP::uri] starts_with
"/myadmin" or [HTTP::uri] starts_with "/admin" or [HTTP::uri] starts_with
"/article/teacher_form/shatsui" or [HTTP::uri] starts_with "/membership" } {
    HTTP::redirect "https://[HTTP::host][HTTP::uri]"
    return
} elseif { [HTTP::uri] starts_with "/article/main_info/contactus" } {
    HTTP::redirect "http://[HTTP::host]/hq/contactus"
    return
} elseif { [HTTP::uri] starts_with "/article/main_info/faq" } {
    HTTP::redirect "http://[HTTP::host]/hq/faq"
    return
} elseif { [HTTP::uri] starts_with "/urlscan" and not ([HTTP::uri] starts_with
"/urlscan/list.php") } {
    set uri1 [HTTP::uri]
    HTTP::redirect "http://[HTTP::host]/urlscan/list.php?curr_path=[string
range $uri1 9 end]"
    return
} elseif { [HTTP::uri] == "/resources" } {
    HTTP::respond 301 Location "http://resources.hkedcity.net"
} elseif { [HTTP::uri] starts_with "/resources/" } {
    HTTP::respond 301 Location "http://resources.hkedcity.net"
} elseif { [HTTP::uri] starts_with "/registration_v2/" } {

```

```

        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { [HTTP::uri] starts_with "/registration/" } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { [HTTP::uri] starts_with "/ftp_management/" } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { [string tolower [HTTP::uri]] starts_with "/form_engine/" } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [class match [HTTP::uri]
equals u_drupal_multisite_equal_names] or [class match [HTTP::uri] starts_with
u_drupal_multisite_start_names] ) } {
        pool u_drupal_multisite_http
    } elseif { [HTTP::host] == "tvnews.hkedcity.net" } {
        HTTP::redirect "https://www.hkedcity.net/tvnews/"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/esterng_site01/" or [HTTP::uri] starts_with "/sec-sci/" ) } {
        HTTP::redirect "http://[HTTP::host]/edb[HTTP::uri]"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/digitalbridge/" or [HTTP::uri] == "/digitalbridge" ) and not ( [HTTP::uri] ==
"/digitalbridge/index_decomission.phtml" or [HTTP::uri] starts_with
"/digitalbridge/images/" ) } {
        HTTP::redirect
"http://www.hkedcity.net/digitalbridge/index_decomission.phtml"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/edb/esterng_site01/" or [HTTP::uri] == "/edb/esterng_site01" or [HTTP::uri]
starts_with "/esterng_site02/" or [HTTP::uri] == "/esterng_site02" or [HTTP::uri]
starts_with "/edb/test_rrproxy/" or [HTTP::uri] == "/edb/test_rrproxy" or
[HTTP::uri] starts_with "/edb/sec-sci/" or [HTTP::uri] == "/edb/sec-sci" or
[HTTP::uri] starts_with "/edb/sec-eng/" or [HTTP::uri] == "/edb/sec-eng" ) } {
        pool u_rproxy_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/qbank/" or [HTTP::uri] == "/qbank" ) } {
        HTTP::redirect "https://oqb.hkedcity.net/qbank/"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/edv/cht/" or [HTTP::uri] == "/edv/cht" or [HTTP::uri] starts_with "/edv/eng/" or
[HTTP::uri] == "/edv/eng" ) } {
        set uri1 [HTTP::uri]
        HTTP::redirect "http://www.hkedcity.net/edv-award/[string range $uri1 5
end]"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] == "/edv/" or
[HTTP::uri] == "/edv" ) } {
        HTTP::redirect "http://www.hkedcity.net/edv-award/"
        return
    }

```

```

    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/ttv/" or [HTTP::uri] == "/ttv" ) and not ( [HTTP::uri] starts_with
"/ttv/adminpage/" or [HTTP::uri] == "/ttv/adminpage" ) } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { [class match [HTTP::uri] starts_with u_www_start_redirect] } {
        HTTP::redirect "http://[class match -value [HTTP::uri] starts_with
u_www_start_redirect]"
        return
    } elseif { [class match [HTTP::uri] equals u_www_equal_redirect] } {
        HTTP::redirect "http://[class match -value [HTTP::uri] equals
u_www_equal_redirect]"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/edmall/" or [HTTP::uri] == "/edmall" ) } {
        HTTP::redirect "http://edmall.edcity.hk"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/partner/channel/" or [HTTP::uri] == "/partner/channel" ) } {
        HTTP::redirect "https://www-uat.edcity.hk/home/"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/partner/frontpage/" or [HTTP::uri] == "/partner/frontpage" ) } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/campaign/" or [HTTP::uri] == "/campaign" ) } {
        pool u_drupal_campaign_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/eworks/" or [HTTP::uri] == "/eworks" ) } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/drupal_testpage/" or [HTTP::uri] == "/drupal_testpage" ) } {
        pool u_drupal_drupal_testpage_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/ereadscheme/" or [HTTP::uri] == "/ereadscheme" ) } {
        if { [string tolower [HTTP::uri]] starts_with
"/ereadscheme/zh-hant/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/en/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/testing" } {
            if { [class match [IP::client_addr] equals bypass_ip] } {
                pool u_drupal_ereadscheme_http
            } else {
                HTTP::respond 403 content [subst $::static_error_message_403]
            }
        } else {
            pool u_drupal_ereadscheme_http
        }
    }
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/teencampus/" or [HTTP::uri] == "/teencampus" ) } {

```

```

        pool u_hkec_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/etv/sites/default/php/etv_app/handler.php" ) } {
        pool u_drupal_etv_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/etv/resource/" or [HTTP::uri] == "/etv/resource" ) } {
        pool u_drupal_etv_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/etv/" or [HTTP::uri] == "/etv" ) } {
        HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
        return
    } elseif { [HTTP::host] == "emm.hkedcity.net" } {
        HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/eventcalendar/" or [HTTP::uri] == "/eventcalendar" ) } {
        pool u_eventcalendar_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/websams/" or [HTTP::uri] == "/websams" ) } {
        pool u_websams_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/goelearning/" or [HTTP::uri] == "/goelearning" ) } {
        pool u_drupal_goelearning_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/waas-school/" or [HTTP::uri] == "/waas-school" ) } {
        pool u_drupal_waas-school_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/videos/" or [HTTP::uri] == "/videos" ) } {
        set now [clock seconds]
        set start [clock scan "2023-09-01 1:00:00"]
        if { 1 and ($now >= $start) } {
            HTTP::redirect "https://videos.hkedcity.net/notice/news/"
            return
        } else {
            pool u_drupal_videos_http
        }
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/home/" or [HTTP::uri] == "/home" ) } {
        pool u_drupal_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/shoppingcart/" or [HTTP::uri] == "/shoppingcart" ) } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/member/" or [HTTP::uri] == "/member" ) } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/iworld/" or [HTTP::uri] == "/iworld" ) } {
        HTTP::respond 404 content [subst $::u_static_error_iworld_message]
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with

```

```

"/article/iworld" ) } {
    HTTP::respond 404 content [subst $::u_static_error_iworld_message]
} elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/iclub_files/" or [HTTP::uri] == "/iclub_files" ) } {
    HTTP::respond 404 content [subst $::u_static_error_iworld_message]
} elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/learning/iworld/" or [HTTP::uri] == "/learning/iworld" ) } {
    HTTP::respond 404 content [subst $::u_static_error_iworld_message]
} elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/iworld_eng/" or [HTTP::uri] == "/iworld_eng" ) } {
    HTTP::respond 404 content [subst $::u_static_error_iworld_message]
} elseif { [HTTP::host] == "lmsso.hkedcity.net" or [HTTP::host] ==
"gsso.hkedcity.net" } {
    pool u_sso_http
} elseif { [HTTP::host] == "reader.hkedcity.net" } {
    pool u_reader_http
} elseif { [HTTP::host] == "game.hkedcity.net" } {
    HTTP::redirect "https://[HTTP::host][HTTP::uri]"
    return
} elseif { [HTTP::host] == "deliveryhub.hkedcity.net" } {
    HTTP::redirect "https://[HTTP::host][HTTP::uri]"
    return
} elseif { [HTTP::host] == "deliveryhub-uat.hkedcity.net" } {
    HTTP::redirect "https://[HTTP::host][HTTP::uri]"
    return
} else {
    pool u_hkec_http
}
}
}
ltm rule uat/u_hkec_https {
    partition uat
when HTTP_REQUEST {
    if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with u_hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
        }
    }
}

HTTP::header replace "hkec_platform" "uat"

if { [TCP::local_port] == 443 } {
    HTTP::header replace "X-Forwarded-Proto" "https"
    HTTP::header replace "hkec_ssl" "on"
} else {
    HTTP::header replace "X-Forwarded-Proto" "http"
}

if { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/ereadscheme/" or [HTTP::uri] == "/ereadscheme" ) } {

```

```

        if { [HTTP::uri] starts_with "/ereadscheme/en/pkg/" or [HTTP::uri] ==
"/ereadscheme/en/pkg" } {
            HTTP::redirect "https://www.hkreadingcity.net/en/pkg"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/en/" or [HTTP::uri] ==
"/ereadscheme/en" } {
            HTTP::redirect "https://www.hkreadingcity.net/en/ereadscheme"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/pkg/" or
[HTTP::uri] == "/ereadscheme/zh-hant/pkg" } {
            HTTP::redirect "https://www.hkreadingcity.net/zh-hant/pkg"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/" or [HTTP::uri]
== "/ereadscheme/zh-hant" } {
            HTTP::redirect "https://www.hkreadingcity.net/zh-hant/ereadscheme"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/pkg/" or [HTTP::uri] ==
"/ereadscheme/pkg" } {
            HTTP::redirect "https://www.hkreadingcity.net/pkg"
            return
        } elseif { [HTTP::uri] starts_with
"/ereadscheme/sites/default/api/handler.php" or [HTTP::uri] ==
"/ereadscheme/sites/default/api/handler.php" } {
            pool u_drupal_ereadscheme_http
        } else {
            HTTP::redirect "https://www.hkreadingcity.net/ereadscheme"
            return
        }
    }

    if { [HTTP::host] == "www.hkedcity.net" } {
        if { [HTTP::uri] starts_with "/edv/" or [HTTP::uri] == "/edv" } {
            set u_IGNORE_404 1
        } elseif { [HTTP::uri] starts_with "/ihouse_tools/" or [HTTP::uri] ==
"/ihouse_tools" } {
            set u_IGNORE_404 1
        }
    }

    if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
        pool u_rproxy_http
    } elseif { [class match [HTTP::uri] starts_with u_redirect_to_mainsite] } {
        HTTP::redirect "https://www.hkedcity.net/"
        return
    } elseif { [HTTP::host] == "www.hkreadingcity.net" } {
        pool u_drupal_hkreadingcity_http
    } elseif { [HTTP::host] == "hkreadingcity.net" } {
        pool u_redirect_http
    } elseif { [HTTP::host] == "apps2.hkreadingcity.net" } {
        pool u_apps2_http
    } elseif { [HTTP::host] == "m.hkedcity.net" } {

```



```

        HTTP::redirect "https://www.hkedcity.net"
        return
    } elseif { [HTTP::host] == "ms.hkedcity.net" } {
        pool u_ms_http
    } elseif { [HTTP::host] == "membership.hkedcity.net" } {
        HTTP::redirect "https://www.hkedcity.net/membership[HTTP::uri]"
        return
    } elseif { [HTTP::host] == "ww.hkedcity.net" } {
        HTTP::redirect "https://www.hkedcity.net[HTTP::uri]"
        return
    } elseif { [HTTP::uri] == "/resources" } {
        HTTP::respond 301 Location "https://resources.hkedcity.net"
    } elseif { [HTTP::uri] starts_with "/resources/" } {
        HTTP::respond 301 Location "https://resources.hkedcity.net"
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [class match [HTTP::uri]
equals u_drupal_multisite_equal_names] or [class match [HTTP::uri] starts_with
u_drupal_multisite_start_names] ) } {
        pool u_drupal_multisite_http
    } elseif { [HTTP::host] == "tvnews.hkedcity.net" } {
        HTTP::redirect "https://www.hkedcity.net/tvnews/"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/qbank/" or [HTTP::uri] == "/qbank" ) } {
        HTTP::redirect "https://oqb.hkedcity.net/qbank/"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/ttv/" or [HTTP::uri] == "/ttv" ) and not ( [HTTP::uri] starts_with
"/ttv/adminpage/" or [HTTP::uri] == "/ttv/adminpage" ) } {
        pool u_ttv_http
    } elseif { [class match [HTTP::uri] starts_with u_www_start_redirect] } {
        HTTP::redirect "https://[class match -value [HTTP::uri] starts_with
u_www_start_redirect]"
        return
    } elseif { [class match [HTTP::uri] equals u_www_equal_redirect] } {
        HTTP::redirect "https://[class match -value [HTTP::uri] equals
u_www_equal_redirect]"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/edmall/" or [HTTP::uri] == "/edmall" ) } {
        HTTP::redirect "https://edmall.edcity.hk"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/partner/channel/" or [HTTP::uri] == "/partner/channel" ) } {
        HTTP::redirect "https://www-uat.edcity.hk/home/"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/campaign/" or [HTTP::uri] == "/campaign" ) } {
        pool u_drupal_campaign_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/eworks/" or [HTTP::uri] == "/eworks" ) } {
        pool u_drupal_eworks2015_http
    }

```

```

    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/drupal_testpage/" or [HTTP::uri] == "/drupal_testpage" ) } {
        pool u_drupal_drupal_testpage_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/ereadscheme/" or [HTTP::uri] == "/ereadscheme" ) } {
        if { [string tolower [HTTP::uri]] starts_with
"/ereadscheme/zh-hant/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/en/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/testing" } {
            if { [class match [IP::client_addr] equals bypass_ip] } {
                pool u_drupal_ereadscheme_http
            } else {
                HTTP::respond 403 content [subst $::static_error_message_403]
            }
        } else {
            pool u_drupal_ereadscheme_http
        }
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/teencampus/" or [HTTP::uri] == "/teencampus" ) } {
        pool u_hkec_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/etv/sites/default/php/etv_app/handler.php" ) } {
        pool u_drupal_etv_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/etv/resource/" or [HTTP::uri] == "/etv/resource" ) } {
        pool u_drupal_etv_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/etv/" or [HTTP::uri] == "/etv" ) } {
        HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
        return
    } elseif { [HTTP::host] == "emm.hkedcity.net" } {
        HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/eventcalendar/" or [HTTP::uri] == "/eventcalendar" ) } {
        pool u_eventcalendar_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/websams/" or [HTTP::uri] == "/websams" ) } {
        pool u_websams_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/goelearning/" or [HTTP::uri] == "/goelearning" ) } {
        pool u_drupal_goelearning_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/waas-school/" or [HTTP::uri] == "/waas-school" ) } {
        pool u_drupal_waas-school_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/o365_form/" or [HTTP::uri] == "/o365_form" ) } {
        pool u_resources_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/videos/" or [HTTP::uri] == "/videos" ) } {
        HTTP::redirect "https://videos.hkedcity.net/notice/news/"
    }

```

```

        return
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/home/" or [HTTP::uri] == "/home" ) } {
        pool u_drupal_http
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/iworld/" or [HTTP::uri] == "/iworld" ) } {
        HTTP::respond 404 content [subst $::u_static_error_iworld_message]
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/article/iworld" ) } {
        HTTP::respond 404 content [subst $::u_static_error_iworld_message]
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/iclub_files/" or [HTTP::uri] == "/iclub_files" ) } {
        HTTP::respond 404 content [subst $::u_static_error_iworld_message]
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/learning/iworld/" or [HTTP::uri] == "/learning/iworld" ) } {
        HTTP::respond 404 content [subst $::u_static_error_iworld_message]
    } elseif { [HTTP::host] == "www.hkedcity.net" and ( [HTTP::uri] starts_with
"/iworld_eng/" or [HTTP::uri] == "/iworld_eng" ) } {
        HTTP::respond 404 content [subst $::u_static_error_iworld_message]
    } elseif { [HTTP::host] == "lmsso.hkedcity.net" or [HTTP::host] ==
"gsso.hkedcity.net" } {
        pool u_sso_http
    } elseif { [HTTP::host] == "reader.hkedcity.net" } {
        pool u_reader_http
    } elseif { [HTTP::host] == "game.hkedcity.net" } {
        pool u_game_http
    } elseif { [HTTP::host] == "deliveryhub.hkedcity.net" or [HTTP::host] ==
"deliveryhub-uat.hkedcity.net" } {
        pool u_deliveryhub_http
    } else {
        pool u_hkec_http
    }
}
}
ltm rule uat/u_hkec_tls1_internal {
    partition uat
when CLIENT_ACCEPTED {
    if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] } {
        SSL::profile u_hkec_all_crt
    }
}
}
ltm rule uat/u_i10_0_12_235_443 {
    partition uat
when HTTP_REQUEST {
    set u_usessl 0

    if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with u_hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]

```

```

    }
}

HTTP::header replace "hkec_platform" "uat"

if { [TCP::local_port] == 443 } {
    HTTP::header replace "X-Forwarded-Proto" "https"
    HTTP::header replace "hkec_ssl" "on"
} else {
    HTTP::header replace "X-Forwarded-Proto" "http"
}

if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
    pool u_rproxy_http
} elseif { ([HTTP::host] eq "is.hkedcity.net" or [HTTP::host] eq
"is-uat.hkedcity.net") and not ([HTTP::uri] starts_with "/carbon") } {
    pool u_is_9443
    set u_usessl 1
} elseif { [HTTP::host] eq "isrs.hkedcity.net" or [HTTP::host] eq
"isrs-uat.hkedcity.net" } {
    pool u_isrs_http
} else {
    HTTP::respond 404 content [subst $::u_static_error_message]
}
}

when SERVER_CONNECTED {
    if { $u_usessl == 1 } {
        SSL::enable serverside
        SSL::profile serverssl
    }
}
}

ltm rule uat/u_i10_0_12_238 {
    partition uat
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
            }
        }

        HTTP::header replace "hkec_platform" "uat"

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
            HTTP::header replace "hkec_ssl" "on"
        } else {
            HTTP::header replace "X-Forwarded-Proto" "http"
        }
    }
}

```

```

    if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
        pool u_rproxy_http
    } elseif { [HTTP::host] == "topbarlogs.hkedcity.net" } {
        pool u_topbarlogs_61006
    } elseif { [HTTP::host] == "waas-log-p.hkedcity.net" } {
        pool u_waas-log-p_http
    } elseif { [HTTP::host] == "mqapi-p.hkedcity.net" } {
        pool u_mqapi-p_http
    } elseif { [HTTP::host] == "member-mediator.hkedcity.net" } {
        pool u_member-mediator_http
    } elseif { [HTTP::host] == "cpd.hkedcity.net" or [HTTP::host] ==
"cpd-uat.hkedcity.net" } {
        pool u_cpd_http
    }
}
}
ltm rule uat/u_i10_0_13_192 {
    partition uat
when HTTP_REQUEST {
    if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with u_hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
        }
    }

    if { [TCP::local_port] == 443 } {
        HTTP::header replace "X-Forwarded-Proto" "https"
        HTTP::header replace "hkec_ssl" "on"
    } else {
        HTTP::header replace "X-Forwarded-Proto" "http"
    }

    HTTP::header replace "hkec_platform" "uat"

    if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
        pool u_rproxy_http
    } elseif { [HTTP::host] == "util-excel.hkedcity.net" } {
        pool u_util-excel_49211
    } else {
        HTTP::respond 404 content [subst ::u_static_error_message]
    }
}
}
ltm rule uat/u_i10_0_18_25 {
    partition uat
when HTTP_REQUEST {
    if { [TCP::local_port] == 443 } {
        HTTP::header replace "X-Forwarded-Proto" "https"
    } else {

```

```

        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    }

    if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with u_hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
        }
    }

    HTTP::header replace "hkec_platform" "uat"

    if { [HTTP::host] eq "www-uat.hkreadingcity.net" } {
        pool u_new_hkreadingcity_http
    } else {
        HTTP::respond 404 content [subst $::u_static_error_message]
    }
}
}
ltm rule uat/u_i10_0_18_26 {
    partition uat
    when HTTP_REQUEST {
        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
        } else {
            HTTP::redirect "https://[HTTP::host][HTTP::uri]"
            return
        }

        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
            }
        }

        HTTP::header replace "hkec_platform" "uat"

        if { [HTTP::host] eq "ereadaccounting-uat.hkedcity.net" } {
            pool u_new_ereadaccounting_http
        } else {
            HTTP::respond 404 content [subst $::u_static_error_message]
        }
    }
}
ltm rule uat/u_i10_0_18_28 {
    partition uat
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {

```

```

        set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
    }
}

HTTP::header replace "hkec_platform" "uat"

if { [TCP::local_port] == 443 } {
    HTTP::header replace "hkec_ssl" "on"
    HTTP::header replace "X-Forwarded-Proto" "https"
} else {
    HTTP::header replace "X-Forwarded-Proto" "http"
    HTTP::redirect "https://[HTTP::host][HTTP::uri]"
    return
}

if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
    pool u_rproxy_http
} elseif { [HTTP::host] eq "itembank.hkedcity.net" } {
    pool u_itembank_http
} elseif { [HTTP::host] eq "ereadaccounting.hkedcity.net" } {
    pool u_ereadaccounting_http
} elseif { [HTTP::host] eq "member-mediator.hkedcity.net" } {
    pool u_member-mediator_http
} elseif { [HTTP::host] eq "member-mediator-uat.hkedcity.net" } {
    pool u_member-mediator_http
} elseif { [HTTP::host] eq "pam.hkedcity.net" } {
    if { [HTTP::uri] starts_with "/api/" or [HTTP::uri] eq "/api" } {
        pool u_pam_4001
    } else {
        pool u_pam_http
    }
}
}
}

ltm rule uat/u_i10_0_18_30 {
    partition uat
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
            }
        }
    }

    HTTP::header replace "hkec_platform" "uat"

    if { [TCP::local_port] == 443 } {
        HTTP::header replace "X-Forwarded-Proto" "https"
        HTTP::header replace "hkec_ssl" "on"
    } else {

```

```

        HTTP::header replace "X-Forwarded-Proto" "http"
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    }

    if { [HTTP::host] eq "tms.hkedcity.net" or [HTTP::host] eq
"tms-uat.hkedcity.net" } {
        pool u_isrs_http
    } elseif { [HTTP::host] eq "ws-uat-new.hkedcity.net" or [HTTP::host] eq
"ws.hkedcity.net" or [HTTP::host] eq "search.hkedcity.net" or [HTTP::host] eq
"apps.hkedcity.net" or [HTTP::host] eq "www.hkedcity.net" } {
        pool u_search_http
    } elseif { [HTTP::uri] starts_with "/js/" } {
        pool u_static1_http
    } else {
        reject
    }
}
}
ltm rule uat/u_i10_0_18_34 {
    partition uat
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host]
ends_with u_hkec_domain]
            }
        }

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
            HTTP::header replace "hkec_ssl" "on"
        } else {
            HTTP::header replace "X-Forwarded-Proto" "http"
        }

        HTTP::header replace "hkec_platform" "uat"

        if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
            pool u_rproxy_http
        } elseif { [HTTP::host] == "rdsys-uat.edcity.hk" } {
            pool u_rdsys2_http
        } else {
            HTTP::respond 404 content [subst $::u_static_error_message]
        }
    }
}
ltm rule uat/u_i10_0_18_35 {
    partition uat
    when CLIENT_ACCEPTED {
        set vs_default_pool [LB::server pool]
    }
}

```


[illegible]


```

        return
    }
} elseif { [HTTP::host] eq "edmall-admin.edcity.hk" } {
    pool u_edmall-admin_http
} elseif { [class match [HTTP::uri] starts_with u_rproxy_names] } {
    pool u_rproxy_http
} elseif { [HTTP::host] eq "apps2.edcity.hk" } {
    pool u_apps2_http
} elseif { [HTTP::host] eq "lteonline.edcity.hk" } {
    HTTP::redirect "https://www.hkedcity.net/goelearning/series/LTEOnline"
    return
} elseif { not ([TCP::local_port] == 443) } {
    HTTP::redirect "https://[HTTP::host][HTTP::uri]"
    return
} elseif { [HTTP::host] eq "rdsys.edcity.hk" } {
    pool u_rdsys_http
} elseif { [HTTP::host] eq "search-uat.edcity.hk" } {
    pool u_search2_http
}
}

when HTTP_RESPONSE {
    if { [info exists HKEC_BROWSER_set] } {
        set HKEC_BROWSER_value "u_HKEC_BROWSER=[clock seconds][format %09d [expr
{int(rand() * 1e9)}]]"; HttpOnly; Path="/"

        set HKEC_BROWSER_expires [clock format [expr {[clock seconds] +
630720000}] -format {%a, %d-%b-%Y %H:%M:%S GMT} -gmt true]

        set cookie_domain [class match -value $HKEC_BROWSER_set equals
u_hkec_rdomain]
        append HKEC_BROWSER_value "; Domain=$cookie_domain;
Expires=$HKEC_BROWSER_expires"

        HTTP::header insert Set-Cookie $HKEC_BROWSER_value

        unset HKEC_BROWSER_set
        unset HKEC_BROWSER_value
        unset HKEC_BROWSER_expires
    }

    if { 0 and [IP::addr [IP::client_addr] equals 10.5.0.0/16] } {
        HTTP::redirect "http://maint.hkedcity.net/index.html"
        return
    }
    elseif { [HTTP::status] == "404" || [HTTP::status] == "500" } {
        if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] } {
        } else {
            HTTP::respond 404 content [subst $::u_static_error_message]
        }
    }
}

```

```

elseif { [HTTP::status] == "403" } {
    if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] } {
    } else {
        HTTP::respond 403 content [subst $::u_static_error_message_403]
    }
}
elseif { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header Location]] } {
    HTTP::header replace Location [string map {http:// https://} [HTTP::header
value Location]]
}
}
}
ltm rule uat/u_i10_0_18_39 {
    partition uat
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host]
ends_with u_hkec_domain]
            }
        }

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
            HTTP::header replace "hkec_ssl" "on"
        } else {
            HTTP::header replace "X-Forwarded-Proto" "http"
        }

        HTTP::header replace "hkec_platform" "uat"

        if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
            pool u_rproxy_http
        } elseif { [HTTP::host] == "hke-uat.edcity.ai" } {
            pool u_aipoc_49349
        } elseif { [HTTP::host] == "ze0-uat.edcity.ai" } {
            pool u_aipoc_49349
        } else {
            HTTP::respond 404 content [subst ::u_static_error_message]
        }
    }
}
ltm rule uat/u_i10_0_18_43 {
    partition uat
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
            }
        }
    }
}

```

[illegible]

[illegible]


```

    } elseif { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header "Location"]] } {
        HTTP::header replace Location [string map {http:// https://} [HTTP::header
"Location"]]
    }
}
}
ltm rule uat/u_i10_0_18_57 {
    partition uat
when HTTP_REQUEST {
    if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with u_hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
        }
    }

    HTTP::header replace "hkec_platform" "uat"

    if { [TCP::local_port] == 443 } {
        HTTP::header replace "X-Forwarded-Proto" "https"
        HTTP::header replace "hkec_ssl" "on"
    } else {
        HTTP::header replace "X-Forwarded-Proto" "http"
    }

    if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
        pool u_rproxy_http
    } elseif { [HTTP::host] eq "game-engine.hkedcity.net" } {
        pool u_game_engine_61001
    } elseif { [HTTP::host] eq "getset.hkedcity.net" } {
        pool u_getset_61004
    } else {
        HTTP::respond 404 content [subst $::u_static_error_message]
    }
}
}
ltm rule uat/u_i10_0_18_77_80 {
    partition uat
when RULE_INIT {
    set ::u_static_error_message {
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Frameset//EN"
"http://www.w3.org/TR/html4/frameset.dtd">
<html><head>
<meta http-equiv="content-type" content="text/html; charset=utf-8" />
<meta name="robots" content="noindex" />
<title>Page not found</title>
</head>
<FRAMESET rows="100%,*">
<FRAME src="//www-uat.hkedcity.net/404/" noresize>
</FRAMESET>

```

[illegible]

```
when HTTP_REQUEST {
    if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with u_hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
        }
    }

    HTTP::header replace "hkec_platform" "uat"

    if { [TCP::local_port] == 443 } {
        HTTP::header replace "X-Forwarded-Proto" "https"
        HTTP::header replace "hkec_ssl" "on"
    } else {
        HTTP::header replace "X-Forwarded-Proto" "http"
    }

    if { [HTTP::host] == "tgedu.proj.hkedcity.net" } {
        pool u_h_proj_tgedu http
    }
}
```

```

} elseif { [HTTP::host] == "literacy.proj.hkedcity.net" } {
    pool u_hkec_out_proj_http
} elseif { [HTTP::host] == "psupport.proj.hkedcity.net" } {
    pool u_hkec_out_proj_http
} elseif { [HTTP::host] == "icacoqc.proj.hkedcity.net" } {
    pool u_hkec_out_proj_http
} elseif { [HTTP::host] == "ase2.proj.hkedcity.net" } {
    set u_error_page_ignore 1
    if { [HTTP::uri] starts_with "/ssl/" or [HTTP::uri] == "/ssl" } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } else {
        pool u_proj3_http
    }
} elseif { [HTTP::host] == "tcassess.proj.hkedcity.net" } {
    pool u_proj3_http
} elseif { [class match [HTTP::uri] starts_with u_rproxy_names] } {
    pool u_rproxy_http
} elseif { [HTTP::host] == "minisite.proj.hkedcity.net" } {
    # 20171219:gordon:404 redirection cannot remove. Ticket:2013102210000021
    if { [HTTP::uri] == "/sec-chi" or [HTTP::uri] == "/sec-eng" or [HTTP::uri]
== "/sec-math" or [HTTP::uri] == "/sec-sci" or [HTTP::uri] == "/sec-te" or
[HTTP::uri] == "/sec-pshe" } {
        HTTP::respond 404 content [subst $::u_static_error_message]
    } elseif { [HTTP::uri] starts_with "/sec-chi/" or [HTTP::uri] starts_with
"/sec-eng/" or [HTTP::uri] starts_with "/sec-math/" or [HTTP::uri] starts_with
"/sec-sci/" or [HTTP::uri] starts_with "/sec-te/" or [HTTP::uri] starts_with
"/sec-pshe/" } {
        HTTP::respond 404 content [subst $::u_static_error_message]
    } else {
        pool u_h_proj_minisite_http
    }
} elseif { [HTTP::host] == "minisite1.proj.hkedcity.net" } {
    pool u_h_proj_minisite1_http
} elseif { [HTTP::host] == "elements.proj.hkedcity.net" } {
    pool u_h_proj_elements_http
} elseif { [HTTP::host] == "scilearn.proj.hkedcity.net" } {
    pool u_hkec_out_proj_http
} else {
    if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] } {
        # from internal servers, do nothing
    } else {
        HTTP::respond 200 content [subst $::u_static_error_message]
    }
}
}

when HTTP_RESPONSE {
    if { [info exists HKEC_BROWSER_set] } {
        set HKEC_BROWSER_value "u_HKEC_BROWSER=[clock seconds][format %09d [expr
{int(rand() * 1e9)}]]"; HttpOnly; Path="/"

```

```

        set HKEC_BROWSER_expires [clock format [ expr { [clock seconds] +
630720000 } ] -format {%a, %d-%b-%Y %H:%M:%S GMT} -gmt 1]
        append HKEC_BROWSER_value "; Domain=[class match -value $HKEC_BROWSER_set
equals u_hkec_rdomain]; Expires=$HKEC_BROWSER_expires"
        HTTP::header insert Set-Cookie "$HKEC_BROWSER_value"
        unset HKEC_BROWSER_set
        unset HKEC_BROWSER_value
        unset HKEC_BROWSER_expires
    }

    if { 0 and [IP::addr [IP::client_addr] equals 10.5.0.0/16] } {
        HTTP::redirect "http://maint.hkedcity.net/index.html"
        return
    } elseif { [HTTP::status] eq "404" or [HTTP::status] eq "500" } {
        if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] or [info exists
u_error_page_ignore] } {
            # from internal servers, do nothing
        } else {
            HTTP::respond 200 content [subst $::u_static_error_message]
        }
    } elseif { [HTTP::status] == 403 } {
        if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] } {
            # from internal servers, do nothing
        } else {
            HTTP::respond 200 content [subst $::u_static_error_message_403]
        }
    } elseif { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header Location]] } {
        HTTP::header replace Location [string map {http:// https://} [HTTP::header
value Location]]
    }
}
}

ltm rule uat/u_i10_0_18_77_443 {
    partition uat
    when RULE_INIT {
        set ::u_static_error_message {
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Frameset//EN"
"http://www.w3.org/TR/html4/frameset.dtd">
<html><head>
<meta http-equiv="content-type" content="text/html; charset=utf-8" />
<meta name="robots" content="noindex" />
<title>Page not found</title>
</head>
<FRAMESET rows="100%,*">
<FRAME src="//www-uat.hkedcity.net/404/" noresize>
</FRAMESET>
<p>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
&nbsp;&nbsp;&
&nbsp;&
&nbsp;

```



```

    pool u_rproxy_http
} elseif { [HTTP::host] == "minisite.proj.hkedcity.net" } {
    # 20171219:gordon:404 redirection cannot remove. Ticket:2013102210000021
    if { [HTTP::uri] == "/sec-chi" or [HTTP::uri] == "/sec-eng" or [HTTP::uri]
== "/sec-math" or [HTTP::uri] == "/sec-sci" or [HTTP::uri] == "/sec-te" or
[HTTP::uri] == "/sec-pshe" } {
        HTTP::respond 404 content [subst $::u_static_error_message]
    } elseif { [HTTP::uri] starts_with "/sec-chi/" or [HTTP::uri] starts_with
"/sec-eng/" or [HTTP::uri] starts_with "/sec-math/" or [HTTP::uri] starts_with
"/sec-sci/" or [HTTP::uri] starts_with "/sec-te/" or [HTTP::uri] starts_with
"/sec-pshe/"} {
        HTTP::respond 404 content [subst $::u_static_error_message]
    } else {
        pool u_h_proj_minisite_http
    }
} elseif { [HTTP::host] == "minisite1.proj.hkedcity.net" } {
    pool u_h_proj_minisite1_http
} else {
    if { [IP::addr [IP::client_addr] equals 10.0.12.0/23]} {
        # from internal servers, do nothing
    } else {
        HTTP::respond 200 content [subst $::u_static_error_message]
    }
}
}
}

```

```

when HTTP_RESPONSE {
    if { [info exists HKEC_BROWSER_set] } {
        set HKEC_BROWSER_value "u_HKEC_BROWSER=[clock seconds][format %09d [expr
{int(rand() * 1e9)}]]"; HttpOnly; Path="/"
        set HKEC_BROWSER_expires [clock format [ expr { [clock seconds] +
630720000 } ] -format { %a, %d-%b-%Y %H:%M:%S GMT} -gmt 1]
        append HKEC_BROWSER_value "; Domain=[class match -value $HKEC_BROWSER_set
equals u_hkec_rdomain]; Expires=$HKEC_BROWSER_expires"
        HTTP::header insert Set-Cookie "$HKEC_BROWSER_value"
        unset HKEC_BROWSER_set
        unset HKEC_BROWSER_value
        unset HKEC_BROWSER_expires
    }

    if { 0 and [IP::addr [IP::client_addr] equals 10.5.0.0/16] } {
        HTTP::redirect "http://maint.hkedcity.net/index.html"
        return
    } elseif { [HTTP::status] eq "404" or [HTTP::status] eq "500" } {
        if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] or [info exists
u_error_page_ignore] } {
            # from internal servers, do nothing
        } else {
            HTTP::respond 200 content [subst $::u_static_error_message]
        }
    } elseif { [HTTP::status] == 403 } {

```

```

        if { [IP::addr [IP::client_addr] equals 10.0.12.0/23]} {
            # from internal servers, do nothing
        } else {
            HTTP::respond 200 content [subst $::u_static_error_message_403]
        }
    } elseif { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header Location]] } {
        HTTP::header replace Location [string map {http:// https://} [HTTP::header
value Location]]
    }
}
}
ltm rule uat/u_i10_0_18_83 {
    partition uat
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
            }
        }

        HTTP::header replace "hkec_platform" "uat"
        HTTP::header replace "X-Forwarded-Port" "[TCP::local_port]"

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
            HTTP::header replace "hkec_ssl" "on"
        } else {
            HTTP::header replace "X-Forwarded-Proto" "http"
        }

        if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
            pool u_rproxy_http
        } elseif { [HTTP::host] eq "e.star.hkedcity.net" } {
            HTTP::respond 301 Location "https://estar-uat.edcity.hk[HTTP::uri]"
        } else {
            HTTP::respond 404 content [subst $::u_static_error_message]
        }
    }
}
ltm rule uat/u_i10_0_18_88_443 {
    partition uat
    when HTTP_REQUEST {
        set u_usessl 0

        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
            }
        }
    }
}

```

```

}

HTTP::header replace "hkec_platform" "uat"

if { [TCP::local_port] == 443 } {
    HTTP::header replace "X-Forwarded-Proto" "https"
    HTTP::header replace "hkec_ssl" "on"
} else {
    HTTP::header replace "X-Forwarded-Proto" "http"
}

if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
    pool u_rproxy_http
} elseif { ([HTTP::host] eq "is.hkedcity.net" or [HTTP::host] eq
"is-uat.hkedcity.net") and not ([HTTP::uri] starts_with "/carbon") } {
    pool u_is_9443
    set u_usessl 1
} elseif { [HTTP::host] eq "isrs.hkedcity.net" or [HTTP::host] eq
"isrs-uat.hkedcity.net" } {
    pool u_isrs_http
} else {
    HTTP::respond 404 content [subst $::u_static_error_message]
}
}

when SERVER_CONNECTED {
    if { $u_usessl == 1 } {
        SSL::enable serverside
        SSL::profile serverssl
    }
}

}

ltm rule uat/u_i10_0_18_94 {
    partition uat
    when HTTP_REQUEST {
        # Check if a specific cookie does not exist and if the host matches a domain
        from u_hkec_domain
        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
            }
        }

        # Set headers based on the connection port
        HTTP::header replace "hkec_platform" "uat"
        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
            HTTP::header replace "hkec_ssl" "on"
        } else {
            HTTP::header replace "X-Forwarded-Proto" "http"

```


[illegible]

[illegible]

```
when HTTP_REQUEST {
    if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with u_hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
        }
    }

    HTTP::header replace "hkec_platform" "uat"
    if { [TCP::local_port] == 443 } {
        HTTP::header replace "X-Forwarded-Proto" "https"
        HTTP::header replace "hkec_ssl" "on"
    } else {
        HTTP::header replace "X-Forwarded-Proto" "http"
    }

    if { [HTTP::host] eq "etv.hkedcity.net" } {
        HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
        return
    } else {
        if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] } {
            # No action is taken if the client IP is from internal servers
        } else {
            HTTP::respond 404 content [subst $::u_static_error_message]
        }
    }
}
```

```

    }
}

when HTTP_RESPONSE {
    if { [info exists HKEC_BROWSER_set] } {
        set HKEC_BROWSER_value "u_HKEC_BROWSER=[clock seconds][format %09d [expr
{int(rand() * 1e9)}]]"; HttpOnly; Path="/"
        set HKEC_BROWSER_expires [clock format [expr {[clock seconds] +
630720000}] -format {%a, %d-%b-%Y %H:%M:%S GMT} -gmt 1]
        append HKEC_BROWSER_value "; Domain=[class match -value $HKEC_BROWSER_set
equals u_hkec_rdomain]; Expires=$HKEC_BROWSER_expires"
        HTTP::header insert Set-Cookie "$HKEC_BROWSER_value"
        unset HKEC_BROWSER_set
        unset HKEC_BROWSER_value
        unset HKEC_BROWSER_expires
    }

    if { 0 and [IP::addr [IP::client_addr] equals 10.5.0.0/16] } {
        HTTP::redirect "http://maint.hkedcity.net/index.html"
        return
    } elseif { [HTTP::status] eq "404" or [HTTP::status] eq "500" } {
        if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] } {
        } else {
            HTTP::respond 200 content [subst $::u_static_error_message]
        }
    } elseif { [HTTP::status] eq "403" } {
        if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] } {
        } else {
            HTTP::respond 200 content [subst $::u_static_error_message_403]
        }
    } elseif { [HTTP::is_redirect] and [string match "*http://*hkecSchannel=yes*"
[HTTP::header value Location]] } {
        HTTP::header replace Location [string map {http:// https://} [HTTP::header
value Location]]
    }
}
}

ltm rule uat/u_i10_0_18_96_443 {
    partition uat
    when RULE_INIT {
        set ::u_static_error_message {
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Frameset//EN"
"http://www.w3.org/TR/html4/frameset.dtd">
<html><head>
<meta http-equiv="content-type" content="text/html; charset=utf-8" />
<meta name="robots" content="noindex" />
<title>Page not found</title>
</head>
<FRAMESET rows="100%,*">
<FRAME src="//www-uat.hkedcity.net/404/" noresize>
</FRAMESET>

```



```

        return
    } else {
        if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] } {
            #from internal servers, do nothing
        } else {
            HTTP::respond 404 content [subst $::u_static_error_message]
        }
    }
}

when HTTP_RESPONSE {
    if { [info exists HKEC_BROWSER_set] } {
        set HKEC_BROWSER_value "u_HKEC_BROWSER=[clock seconds][format %09d [expr
{int(rand() * 1e9)}]]"; HttpOnly; Path="/"
        set HKEC_BROWSER_expires [clock format [expr {[clock seconds] +
630720000}] -format {%a, %d-%b-%Y %H:%M:%S GMT} -gmt 1]
        append HKEC_BROWSER_value "; Domain=[class match -value $HKEC_BROWSER_set
equals u_hkec_rdomain]; Expires=$HKEC_BROWSER_expires"
        HTTP::header insert Set-Cookie "$HKEC_BROWSER_value"
        unset HKEC_BROWSER_set
        unset HKEC_BROWSER_value
        unset HKEC_BROWSER_expires
    }

    if { 0 and [IP::addr [IP::client_addr] equals 10.5.0.0/16] } {
        HTTP::redirect "http://maint.hkedcity.net/index.html"
        return
    } elseif { [HTTP::status] eq "404" or [HTTP::status] eq "500" } {
        if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] } {
        } else {
            HTTP::respond 200 content [subst $::u_static_error_message]
        }
    } elseif { [HTTP::status] eq "403" } {
        if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] } {
        } else {
            HTTP::respond 200 content [subst $::u_static_error_message_403]
        }
    } elseif { [HTTP::is_redirect] and [string match "*http://*hkecSchannel=yes*"
[HTTP::header value Location]] } {
        HTTP::header replace Location [string map {http:// https://} [HTTP::header
value Location]]
    }
}

ltm rule uat/u_i10_0_18_101_80 {
    partition uat
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
            }
        }
    }
}

```

```

    }
}

HTTP::header replace "hkec_platform" "uat"

if { [TCP::local_port] == 443 } {
    HTTP::header replace "hkec_ssl" "on"
    HTTP::header replace "X-Forwarded-Proto" "https"
} else {
    HTTP::header replace "X-Forwarded-Proto" "http"
}

if { [HTTP::host] == "etv.hkedcity.net" } {
    HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"
    return
} elseif { [class match [HTTP::uri] starts_with u_rproxy_names] } {
    pool u_rproxy_http
} elseif { [HTTP::host] == "edb.hkedcity.net" } {
    if { [HTTP::uri] starts_with "/bookworks/" or [HTTP::uri] == "/bookworks"
} {
    HTTP::redirect "http://bookworks.edb.edcity.hk/"
    return
    } else {
        pool u_proj3_http
    }
} elseif { [HTTP::host] == "wiki.hkedcity.net" } {
    pool u_hkec_proj_http
} elseif { [HTTP::host] == "forum.hkedcity.net" } {
    pool u_forum2_http
} else {
    if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] } {
        # Traffic from internal servers, do nothing
    } else {
        HTTP::respond 404 content [subst $::u_static_error_message]
    }
}
}

when HTTP_RESPONSE {
    if { [info exists HKEC_BROWSER_set] } {
        set HKEC_BROWSER_value "u_HKEC_BROWSER=[clock seconds][format %09d [expr
{int(rand() * 1e9)}]]"; HttpOnly; Path="/"
        set HKEC_BROWSER_expires [clock format [expr {[clock seconds] +
630720000}] -format {%a, %d-%b-%Y %H:%M:%S GMT} -gmt 1]
        append HKEC_BROWSER_value "; Domain=[class match -value $HKEC_BROWSER_set
equals u_hkec_rdomain]; Expires=$HKEC_BROWSER_expires"

        HTTP::header insert Set-Cookie "$HKEC_BROWSER_value"

        unset HKEC_BROWSER_set
        unset HKEC_BROWSER_value
    }
}

```

```

    unset HKEC_BROWSER_expires
}

if { 0 and [IP::addr [IP::client_addr] equals 10.5.0.0/16] } {
    HTTP::redirect "http://maint.hkedcity.net/index.html"
    return
}
elseif { [HTTP::status] eq "404" or [HTTP::status] eq "500" } {
    if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] } {
    }
    elseif { [HTTP::status] == 404 and [info exists u_IGNORE_404] } {
    }
    else {
        HTTP::respond 200 content [subst $::u_static_error_message]
    }
}
elseif { [HTTP::status] == 403 } {
    if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] } {
    }
    else {
        HTTP::respond 200 content [subst $::u_static_error_message_403]
    }
}
elseif { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header Location]] } {
    HTTP::header replace Location [string map {http:// https://} [HTTP::header
value Location]]
}
}
}

ltm rule uat/u_i10_0_18_101_443 {
    partition uat
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
            }
        }

        HTTP::header replace "hkec_platform" "uat"

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "hkec_ssl" "on"
            HTTP::header replace "X-Forwarded-Proto" "https"
        } else {
            HTTP::header replace "X-Forwarded-Proto" "http"
        }

        if { [HTTP::host] == "etv.hkedcity.net" } {
            HTTP::redirect "https://www.hkedcity.net/emm/notice/notice.html"

```

```

        return
    } elseif { [class match [HTTP::uri] starts_with u_rproxy_names] } {
        pool u_rproxy_http
    } elseif { [HTTP::host] == "edb.hkedcity.net" } {
        if { [HTTP::uri] starts_with "/bookworks/" or [HTTP::uri] == "/bookworks"
    } {
        HTTP::redirect "https://bookworks.edb.edcity.hk/"
        return
    } else {
        pool u_proj3_http
    }
    } elseif { [HTTP::host] == "wiki.hkedcity.net" } {
        pool u_hkec_proj_http
    } elseif { [HTTP::host] == "forum.hkedcity.net" } {
        pool u_forum2_http
    } else {
        if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] } {
        } else {
            HTTP::respond 404 content [subst $::u_static_error_message]
        }
    }
}
}

```

```

when HTTP_RESPONSE {
    if { [info exists HKEC_BROWSER_set] } {
        set HKEC_BROWSER_value "u_HKEC_BROWSER=[clock seconds][format %09d [expr
{int(rand() * 1e9)}]]]; HttpOnly; Path=/"
        set HKEC_BROWSER_expires [clock format [expr {[clock seconds] +
630720000}] -format {%a, %d-%b-%Y %H:%M:%S GMT} -gmt 1]
        append HKEC_BROWSER_value "; Domain=[class match -value $HKEC_BROWSER_set
equals u_hkec_rdomain]; Expires=$HKEC_BROWSER_expires"

        HTTP::header insert Set-Cookie "$HKEC_BROWSER_value"

        unset HKEC_BROWSER_set
        unset HKEC_BROWSER_value
        unset HKEC_BROWSER_expires
    }

    if { 0 and [IP::addr [IP::client_addr] equals 10.5.0.0/16] } {
        HTTP::redirect "http://maint.hkedcity.net/index.html"
        return
    }
    elseif { [HTTP::status] eq "404" or [HTTP::status] eq "500" } {
        if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] } {
        } else {
            HTTP::respond 200 content [subst $::u_static_error_message]
        }
    }
    elseif { [HTTP::status] == 403 } {
        if { [IP::addr [IP::client_addr] equals 10.0.12.0/23] } {

```


[illegible]


```

}
elseif { [HTTP::status] eq "404" or [HTTP::status] eq "500" } {
    if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
    } else {
        HTTP::respond 404 content [subst $::u_static_error_message]
    }
}
elseif { [HTTP::status] eq "403" } {
    if { [IP::addr [IP::client_addr] equals 10.0.0.0/22] } {
    } else {
        HTTP::respond 403 content [subst $::u_static_error_message_403]
    }
}
elseif { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header Location]] } {
    HTTP::header replace Location [string map {http:// https://} [HTTP::header
value Location]]
}
}
}
ltm rule uat/u_i202_8_90_24 {
    partition uat
when HTTP_REQUEST {
    if { [TCP::local_port] == 443 } {
        HTTP::header replace "X-Forwarded-Proto" "https"
    } else {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    }

    if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with u_hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
        }
    }

    HTTP::header replace "hkec_platform" "uat"

    if { [HTTP::host] eq "gsso-uat.hkedcity.net" } {
        pool u_sso_http
    } else {
        HTTP::respond 404 content [subst $::u_static_error_message]
    }
}
}
ltm rule uat/u_i202_8_90_28 {
    partition uat
when HTTP_REQUEST {
    if { [TCP::local_port] == 443 } {
        HTTP::header replace "X-Forwarded-Proto" "https"

```

```

    } else {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    }

    if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with u_hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
        }
    }

    HTTP::header replace "hkec_platform" "uat"

    if { [HTTP::host] eq "www-uat.hkedcity.net" or [HTTP::host] eq
"www.hkedcity.net" } {
        if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
            pool u_rproxy_http
        } elseif { [HTTP::uri] starts_with "/ereadscheme/" or [HTTP::uri] ==
"/ereadscheme" } {
            HTTP::header replace "hkec_ssl" "on"
            set URI [HTTP::uri]
            set redirect_url [class match -value $URI equals
u_ereadscheme_redirect_readingcity]
            log local0. "eReadscheme need redirected: $URI"
            if { $redirect_url != "" } {
                log local0. "eReadscheme redirected: $URI -> $redirect_url"
                HTTP::redirect $redirect_url
                return
            } else {
                if { [HTTP::uri] starts_with "/ereadscheme/en/pkg/" or [HTTP::uri]
== "/ereadscheme/en/pkg" } {
                    HTTP::redirect "https://www-uat.hkreadingcity.net/en/pkg"
                    return
                } elseif { [HTTP::uri] starts_with "/ereadscheme/en/" or
[HTTP::uri] == "/ereadscheme/en" } {
                    HTTP::redirect
"https://www-uat.hkreadingcity.net/en/ereadscheme"
                    return
                } elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/pkg/" or
[HTTP::uri] == "/ereadscheme/zh-hant/pkg" } {
                    HTTP::redirect "https://www-uat.hkreadingcity.net/zh-hant/pkg"
                    return
                } elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/" or
[HTTP::uri] == "/ereadscheme/zh-hant" } {
                    HTTP::redirect
"https://www-uat.hkreadingcity.net/zh-hant/ereadscheme"
                    return
                } elseif { [HTTP::uri] starts_with "/ereadscheme/pkg/" or
[HTTP::uri] == "/ereadscheme/pkg" } {
                    HTTP::redirect "https://www-uat.hkreadingcity.net/pkg"

```

```

        return
    } elseif { [HTTP::uri] starts_with
"/ereadscheme/sites/default/api/handler.php" or [HTTP::uri] ==
"/ereadscheme/sites/default/api/handler.php" } {
        pool u_drupal_ereadscheme_http
    } elseif { [string tolower [HTTP::uri]] starts_with
"/ereadscheme/zh-hant/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/en/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/testing" } {
        if { [class match [IP::client_addr] equals bypass_ip] } {
            pool u_drupal_ereadscheme_http
        } else {
            HTTP::respond 403 content [subst
$:u_static_error_message_403]
        }
    } else {
        HTTP::redirect "https://www-uat.hkreadingcity.net/ereadscheme"
        return
    }
}
} elseif { [class match [HTTP::uri] equals u_drupal_multisite_equal_names]
or [class match [HTTP::uri] starts_with u_drupal_multisite_start_names] } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_drupal_multisite_http
} elseif { [HTTP::uri] starts_with "/studentscheme/" or [HTTP::uri] ==
"/studentscheme" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_drupal_studentscheme_http
} elseif { [HTTP::uri] starts_with "/campaign/" or [HTTP::uri] ==
"/campaign" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_drupal_campaign_http
} elseif { [HTTP::uri] starts_with "/drupal_testpage/" or [HTTP::uri] ==
"/drupal_testpage" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_drupal_drupal_testpage_http
} elseif { [HTTP::uri] starts_with "/eventcalendar/" or [HTTP::uri] ==
"/eventcalendar" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_eventcalendar_http
} elseif { [HTTP::uri] starts_with "/websams/" or [HTTP::uri] ==
"/websams" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_websams_http
} elseif { [HTTP::uri] starts_with "/goelearning/" or [HTTP::uri] ==
"/goelearning" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_drupal_goelearning_http
} elseif { [HTTP::uri] starts_with "/eworks/" or [HTTP::uri] == "/eworks"
} {
    HTTP::header replace "hkec_ssl" "on"

```

```

        pool u_drupal_eworks2015_http
    } elseif { [HTTP::uri] starts_with "/etv/resource/" or [HTTP::uri] ==
"/etv/resource" or [HTTP::uri] == "/etv/sites/default/php/etv_app/handler.php" } {
        HTTP::header replace "hkec_ssl" "on"
        pool u_drupal_etv_http
    } elseif { [HTTP::uri] starts_with "/citizen/favorite/" or [HTTP::uri] ==
"/citizen/favorite" } {
        pool u_hkec_group7_http
    } elseif { [class match [HTTP::uri] equals u_hkec_legacy_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_legacy_start_names] } {
        HTTP::header replace "hkec_ssl" "on"
        pool u_hkec_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group1_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group1_start_names] } {
        HTTP::header replace "hkec_ssl" "on"
        pool u_hkec_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group3_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group3_start_names] } {
        HTTP::header replace "hkec_ssl" "on"
        pool u_hkec_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group4_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group4_start_names] } {
        pool u_hkec_group4_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group5_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group5_start_names] } {
        HTTP::header replace "hkec_ssl" "on"
        pool u_hkec_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group6_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group6_start_names] } {
        pool u_hkec_group6_http
    } elseif { [HTTP::uri] == "/member" or [HTTP::uri] starts_with "/member/"
} {
        pool u_hkec_member_http
    } else {
        pool u_hkec_group7_http
    }
} elseif { [HTTP::host] eq "www-new-uat.hkedcity.net" } {
    if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
        pool u_rproxy_http
    } elseif { [HTTP::uri] starts_with "/ereadscheme/" or [HTTP::uri] ==
"/ereadscheme" } {
        HTTP::header replace "hkec_ssl" "on"
        set URI [HTTP::uri]
        set redirect_url [class match -value $URI equals
u_ereadscheme_redirect_readingcity]
        log local0. "eReadscheme need redirected: $URI"
        if { $redirect_url != "" } {
            log local0. "eReadscheme redirected: $URI -> $redirect_url"
            HTTP::redirect $redirect_url
            return
        } else {

```

```

        if { [HTTP::uri] starts_with "/ereadscheme/en/pkg/" or [HTTP::uri]
== "/ereadscheme/en/pkg" } {
            HTTP::redirect "https://www-uat.hkreadingcity.net/en/pkg"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/en/" or
[HTTP::uri] == "/ereadscheme/en" } {
            HTTP::redirect
"https://www-uat.hkreadingcity.net/en/ereadscheme"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/pkg/" or
[HTTP::uri] == "/ereadscheme/zh-hant/pkg" } {
            HTTP::redirect "https://www-uat.hkreadingcity.net/zh-hant/pkg"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/" or
[HTTP::uri] == "/ereadscheme/zh-hant" } {
            HTTP::redirect
"https://www-uat.hkreadingcity.net/zh-hant/ereadscheme"
            return
        } elseif { [HTTP::uri] starts_with "/ereadscheme/pkg/" or
[HTTP::uri] == "/ereadscheme/pkg" } {
            HTTP::redirect "https://www-uat.hkreadingcity.net/pkg"
            return
        } elseif { [HTTP::uri] starts_with
"/ereadscheme/sites/default/api/handler.php" or [HTTP::uri] ==
"/ereadscheme/sites/default/api/handler.php" } {
            pool u_drupal_ereadscheme_http
        } elseif { [string tolower [HTTP::uri]] starts_with
"/ereadscheme/zh-hant/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/en/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/testing" } {
            if { [class match [IP::client_addr] equals bypass_ip] } {
                pool u_drupal_ereadscheme_http
            } else {
                HTTP::respond 403 content [subst
$:u_static_error_message_403]
            }
        } else {
            HTTP::redirect "https://www-uat.hkreadingcity.net/ereadscheme"
            return
        }
    }
} elseif { [class match [HTTP::uri] equals u_drupal_multisite_equal_names]
or [class match [HTTP::uri] starts_with u_drupal_multisite_start_names] } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_drupal_multisite_http
} elseif { [HTTP::uri] starts_with "/studentscheme/" or [HTTP::uri] ==
"/studentscheme" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_drupal_studentscheme_http
} elseif { [HTTP::uri] starts_with "/campaign/" or [HTTP::uri] ==
"/campaign" } {

```

```

        HTTP::header replace "hkec_ssl" "on"
        pool u_drupal_campaign_http
    } elseif { [HTTP::uri] starts_with "/drupal_testpage/" or [HTTP::uri] ==
"/drupal_testpage" } {
        HTTP::header replace "hkec_ssl" "on"
        pool u_drupal_drupal_testpage_http
    } elseif { [HTTP::uri] starts_with "/eventcalendar/" or [HTTP::uri] ==
"/eventcalendar" } {
        HTTP::header replace "hkec_ssl" "on"
        pool u_eventcalendar_http
    } elseif { [HTTP::uri] starts_with "/websams/" or [HTTP::uri] ==
"/websams" } {
        HTTP::header replace "hkec_ssl" "on"
        pool u_websams_http
    } elseif { [HTTP::uri] starts_with "/goelearning/" or [HTTP::uri] ==
"/goelearning" } {
        HTTP::header replace "hkec_ssl" "on"
        pool u_drupal_goelearning_http
    } elseif { [HTTP::uri] starts_with "/eworks/" or [HTTP::uri] == "/eworks"
} {
        HTTP::header replace "hkec_ssl" "on"
        pool u_drupal_eworks2015_http
    } elseif { [HTTP::uri] starts_with "/etv/resource/" or [HTTP::uri] ==
"/etv/resource" or [HTTP::uri] == "/etv/sites/default/php/etv_app/handler.php" } {
        HTTP::header replace "hkec_ssl" "on"
        pool u_drupal_etv_http
    } elseif { [HTTP::uri] starts_with "/citizen/favorite/" or [HTTP::uri] ==
"/citizen/favorite" } {
        pool u_hkec_group7_http
    } elseif { [class match [HTTP::uri] equals u_hkec_legacy_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_legacy_start_names] } {
        HTTP::header replace "hkec_ssl" "on"
        pool u_hkec_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group1_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group1_start_names] } {
        pool u_hkec_group1_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group3_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group3_start_names] } {
        pool u_hkec_group3_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group4_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group4_start_names] } {
        pool u_hkec_group4_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group5_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group5_start_names] } {
        pool u_hkec_group5_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group6_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group6_start_names] } {
        pool u_hkec_group6_http
    } elseif { [HTTP::uri] == "/member" or [HTTP::uri] starts_with "/member/"
} {
        pool u_hkec_member_http

```



```

    } else {
        pool u_hkec_group7_http
    }
} elseif { [HTTP::host] eq "osd1-uat.hkedcity.net" and [class match
[IP::client_addr] equals bypass_ip] } {
    set isErrPageIgnore 1
    pool u_osd1_5601
} elseif { [HTTP::host] eq "member-api-uat.hkedcity.net" } {
    pool u_new_member-api_http
} elseif { [HTTP::host] eq "member-mediator-uat.hkedcity.net" } {
    pool u_member-mediator_http
} elseif { [HTTP::host] eq "epublisher-new-uat.hkedcity.net" } {
    pool u_new_epublisher_http
} else {
    HTTP::respond 404 content [subst $::u_static_error_message]
}
}
}
ltm rule uat/u_i202_8_90_36 {
    partition uat
when HTTP_REQUEST {
    if { [TCP::local_port] == 443 } {
        HTTP::header replace "hkec_ssl" "on"
        HTTP::header replace "X-Forwarded-Proto" "https"
    } else {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    }

    if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with u_hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
        }
    }

    HTTP::header replace "hkec_platform" "uat"

    if { [HTTP::host] == "ase-uat.edcity.hk" } {
        pool u_ase_http
    } elseif { [HTTP::host] == "rdsys-uat.edcity.hk" } {
        pool u_rdsys2_http
    } elseif { [HTTP::host] == "edmall-uat.edcity.hk" } {
        if { (0) and not [class match [IP::client_addr] equals
u_bypass_ip_hkec_maint] } {
            HTTP::redirect "https://maint.hkedcity.net/maint.html"
            return
        }
    }
    if { [TCP::local_port] == 443 } {
        pool u_edmall_varnish
    } else {

```

```

        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    }
}
}
}
ltm rule uat/u_i202_8_90_43 {
    partition uat
    when HTTP_REQUEST {

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
        } else {
            HTTP::redirect "https://[HTTP::host][HTTP::uri]"
            return
        }

        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
            }
        }

        HTTP::header replace "hkec_platform" "uat"

        if { [HTTP::host] eq "epublisher-uat.hkedcity.net" } {
            HTTP::header replace "hkec_ssl" "on"
            pool u_epublisher1_http
        } else {
            HTTP::respond 404 content [subst $::u_static_error_message]
        }
    }
}
ltm rule uat/u_i202_8_90_44 {
    partition uat
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain ]
            }
        }

        HTTP::header replace "hkec_platform" "uat"

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
            HTTP::header replace "hkec_ssl" "on"
        } else {
            HTTP::header replace "X-Forwarded-Proto" "http"

```

```

    }

    if { [HTTP::host] eq "epublisher.uat.hkedcity.net" } {
        pool u_epublisher_http
    } elseif { [HTTP::host] eq "epublisher-uat.hkedcity.net" } {
        pool u_epublisher1_http
    } else {

        HTTP::respond 404 content [subst $::u_static_error_message]
#       GTI Testing
#       set html {<!doctype html><html><head><meta charset="utf-8"><title>404 Not
Found</title><meta name="viewport"
content="width=device-width,initial-scale=1"><style>body{font-family:Arial,Helveti
ca,sans-serif;margin:2rem;color:#333} .box{max-width:640px;margin:auto;border:1px
solid #ddd;border-radius:8px;padding:1.5rem;background:#fafafa}
h1{font-size:1.25rem;margin:0 0 .5rem} p{margin:.25rem 0}</style></head><body><div
class="box"><h1>404 Not Found</h1><p>GTI testing.</p><p>Time: [clock format [clock
seconds] -format "%Y-%m-%d %H:%M:%S %Z"]</p></div></body></html>}
#       HTTP::respond 404 content $html "Content-Type" "text/html; charset=utf-8"
noserver
        return
    }
}
}
ltm rule uat/u_i202_8_90_49 {
    partition uat
    when HTTP_REQUEST {

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
        } else {
            HTTP::redirect "https://[HTTP::host][HTTP::uri]"
            return
        }

        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
            }
        }

        if { [HTTP::host] eq "aillm-mac-lmstudio-uat.edcity.ai" } {
            pool u_lmstudio_1234
        } else {
            HTTP::respond 404 content [subst $::u_static_error_message]
        }
    }
}
ltm rule uat/u_i202_8_90_53_80 {

```

```

    partition uat
when HTTP_REQUEST {
    if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with u_hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
        }
    }

    if { [TCP::local_port] == 443 } {
        HTTP::header replace "X-Forwarded-Proto" "https"
    } else {
        HTTP::header replace "X-Forwarded-Proto" "http"
    }

    HTTP::header replace "hkec_platform" "uat"

    if { [HTTP::host] eq "tms.uat.hkedcity.net" } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { [HTTP::host] eq "getset.uat.hkedcity.net" } {
        HTTP::redirect "https://[HTTP::host][HTTP::uri]"
        return
    } elseif { ([HTTP::host] eq "is.uat.hkedcity.net") or ([HTTP::host] eq
"isrs.uat.hkedcity.net") } {
        if { [IP::addr [IP::client_addr] equals 193.104.184.225] or [IP::addr
[IP::client_addr] equals 210.5.185.66] or [IP::addr [IP::client_addr] equals
220.241.141.1] } {
            HTTP::redirect "https://[HTTP::host][HTTP::uri]"
            return
        } else {
            HTTP::respond 404 content [subst $::u_static_error_message]
        }
    } elseif { [HTTP::host] eq "ws-uat.hkedcity.net" } {
        pool u_ws_http
    } elseif { [HTTP::host] eq "ws.uat.hkedcity.net" } {
        pool u_ws_http
    } elseif { [HTTP::host] eq "epublisher.uat.hkedcity.net" } {
        pool u_epublisher_http
    } else {
        HTTP::respond 404 content [subst $::u_static_error_message]
    }
}
}
}
ltm rule uat/u_i202_8_90_53_443 {
    partition uat
when HTTP_REQUEST {
    set usessl 0

    if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with u_hkec_domain] } {

```

```

        set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain ]
    }
}

if { [TCP::local_port] == 443 } {
    HTTP::header replace "X-Forwarded-Proto" "https"
} else {
    HTTP::header replace "X-Forwarded-Proto" "http"
}
HTTP::header replace "hkec_platform" "uat"

if { [HTTP::host] eq "tms.uat.hkedcity.net" } {
    pool u_isrs_http
    #persist none
} elseif { [HTTP::host] eq "getset.uat.hkedcity.net" } {
    pool u_getset_61004
} elseif { ([HTTP::host] eq "is.uat.hkedcity.net") and not ([HTTP::uri]
starts_with "/carbon") ) } {
    if { [IP::addr [IP::client_addr] equals 193.104.184.225] or [IP::addr
[IP::client_addr] equals 210.5.185.66] or [IP::addr [IP::client_addr] equals
220.241.141.1] } {
        pool u_is_9443
        #persist none
        set usessl 1
    } else {
        HTTP::respond 404 content [subst $::u_static_error_message]
    }
} elseif { [HTTP::host] eq "isrs.uat.hkedcity.net" } {
    if { [IP::addr [IP::client_addr] equals 193.104.184.225] or [IP::addr
[IP::client_addr] equals 210.5.185.66] or [IP::addr [IP::client_addr] equals
220.241.141.1] } {
        pool u_isrs_http
        #persist none
    } else {
        HTTP::respond 404 content [subst $::u_static_error_message]
    }
} elseif { [HTTP::host] eq "ws-uat.hkedcity.net" } {
    pool u_ws_http
} elseif { [HTTP::host] eq "ws.uat.hkedcity.net" } {
    pool u_ws_http
} elseif { [HTTP::host] eq "epublisher.uat.hkedcity.net" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_epublisher_http
} else {
    HTTP::respond 404 content [subst $::u_static_error_message]
}
}

when SERVER_CONNECTED {
    if { $usessl == 1 } {

```

```

        SSL::enable serverside
        SSL::profile serverssl
    }
}
}
ltm rule uat/u_i202_8_90_54 {
    partition uat
    when HTTP_REQUEST {

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
        } else {
            HTTP::redirect "https://[HTTP::host][HTTP::uri]"
            return
        }

        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
            }
        }

        HTTP::header replace "hkec_platform" "uat"

        if { [HTTP::host] eq "jwt-uat.hkedcity.net" } {
            pool u_jwt_49261
        } elseif { [HTTP::host] eq "epublisher-uat.hkedcity.net" } {
            HTTP::header replace "hkec_ssl" "on"
            pool u_epublisher1_http
        } else {
            HTTP::respond 404 content [subst $::u_static_error_message]
        }
    }
}
ltm rule uat/u_i202_8_90_90 {
    partition uat
    when HTTP_REQUEST {
        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
        } else {
            HTTP::redirect "https://[HTTP::host][HTTP::uri]"
            return
        }

        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
            }
        }
    }
}

```

```

HTTP::header replace "hkec_platform" "uat"

if { [HTTP::host] eq "www-uat.hkedcity.net" or [HTTP::host] eq
"www.hkedcity.net" } {
    if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
        pool u_rproxy_http
    } elseif { [HTTP::uri] starts_with "/ereadscheme/" or [HTTP::uri] ==
"/ereadscheme" } {
        HTTP::header replace "hkec_ssl" "on"
        set URI [HTTP::uri]
        set redirect_url [class match -value $URI equals
u_ereadscheme_redirect_readingcity]
        log local0. "eReadscheme need redirected: $URI"
        if { $redirect_url != "" } {
            log local0. "eReadscheme redirected: $URI -> $redirect_url"
            HTTP::redirect $redirect_url
            return
        } else {
            if { [HTTP::uri] starts_with "/ereadscheme/en/pkg/" or [HTTP::uri]
== "/ereadscheme/en/pkg" } {
                HTTP::redirect "https://www-uat.hkreadingcity.net/en/pkg"
                return
            } elseif { [HTTP::uri] starts_with "/ereadscheme/en/" or
[HTTP::uri] == "/ereadscheme/en" } {
                HTTP::redirect
"https://www-uat.hkreadingcity.net/en/ereadscheme"
                return
            } elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/pkg/" or
[HTTP::uri] == "/ereadscheme/zh-hant/pkg" } {
                HTTP::redirect "https://www-uat.hkreadingcity.net/zh-hant/pkg"
                return
            } elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/" or
[HTTP::uri] == "/ereadscheme/zh-hant" } {
                HTTP::redirect
"https://www-uat.hkreadingcity.net/zh-hant/ereadscheme"
                return
            } elseif { [HTTP::uri] starts_with "/ereadscheme/pkg/" or
[HTTP::uri] == "/ereadscheme/pkg" } {
                HTTP::redirect "https://www-uat.hkreadingcity.net/pkg"
                return
            } elseif { [HTTP::uri] starts_with
"/ereadscheme/sites/default/api/handler.php" or [HTTP::uri] ==
"/ereadscheme/sites/default/api/handler.php" } {
                pool u_drupal_ereadscheme_http
            } elseif { [string tolower [HTTP::uri]] starts_with
"/ereadscheme/zh-hant/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/en/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/testing" } {
                if { [class match [IP::client_addr] equals bypass_ip] } {
                    pool u_drupal_ereadscheme_http

```

```

        } else {
            HTTP::respond 403 content [subst
$:u_static_error_message_403]
        }
    } else {
        HTTP::redirect "https://www-uat.hkreadingcity.net/ereadscheme"
        return
    }
}
} elseif { [class match [HTTP::uri] equals u_drupal_multisite_equal_names]
or [class match [HTTP::uri] starts_with u_drupal_multisite_start_names] } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_drupal_multisite_http
} elseif { [HTTP::uri] starts_with "/studentscheme/" or [HTTP::uri] ==
"/studentscheme" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_drupal_studentscheme_http
} elseif { [HTTP::uri] starts_with "/campaign/" or [HTTP::uri] ==
"/campaign" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_drupal_campaign_http
} elseif { [HTTP::uri] starts_with "/drupal_testpage/" or [HTTP::uri] ==
"/drupal_testpage" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_drupal_drupal_testpage_http
} elseif { [HTTP::uri] starts_with "/eventcalendar/" or [HTTP::uri] ==
"/eventcalendar" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_eventcalendar_http
} elseif { [HTTP::uri] starts_with "/websams/" or [HTTP::uri] ==
"/websams" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_websams_http
} elseif { [HTTP::uri] starts_with "/goelearning/" or [HTTP::uri] ==
"/goelearning" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_drupal_goelearning_http
} elseif { [HTTP::uri] starts_with "/eworks/" or [HTTP::uri] == "/eworks"
} {
    HTTP::header replace "hkec_ssl" "on"
    pool u_drupal_eworks2015_http
} elseif { [HTTP::uri] starts_with "/etv/resource/" or [HTTP::uri] ==
"/etv/resource" or [HTTP::uri] == "/etv/sites/default/php/etv_app/handler.php" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_drupal_etv_http
} elseif { [HTTP::uri] starts_with "/citizen/favorite/" or [HTTP::uri] ==
"/citizen/favorite" } {
    pool u_hkec_group7_http
} elseif { [class match [HTTP::uri] equals u_hkec_legacy_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_legacy_start_names] } {
    HTTP::header replace "hkec_ssl" "on"

```



```

        pool u_hkec_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group1_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group1_start_names] } {
        HTTP::header replace "hkec_ssl" "on"
        pool u_hkec_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group3_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group3_start_names] } {
        HTTP::header replace "hkec_ssl" "on"
        pool u_hkec_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group4_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group4_start_names] } {
        HTTP::header replace "hkec_ssl" "on"
        pool u_hkec_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group5_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group5_start_names] } {
        HTTP::header replace "hkec_ssl" "on"
        pool u_hkec_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group6_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group6_start_names] } {
        pool u_hkec_group6_http
    } elseif { [HTTP::uri] == "/member" or [HTTP::uri] starts_with "/member/"
} {
        pool u_hkec_member_http
    } else {
        pool u_hkec_group7_http
    }
} elseif { [HTTP::host] eq "www-new-uat.hkedcity.net" } {
    if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
        pool u_rproxy_http
    } elseif { [HTTP::uri] starts_with "/ereadscheme/" or [HTTP::uri] ==
"/ereadscheme" } {
        HTTP::header replace "hkec_ssl" "on"
        set URI [HTTP::uri]
        set redirect_url [class match -value $URI equals
u_ereadscheme_redirect_readingcity]
        log local0. "eReadscheme need redirected: $URI"
        if { $redirect_url != "" } {
            log local0. "eReadscheme redirected: $URI -> $redirect_url"
            HTTP::redirect $redirect_url
            return
        } else {
            if { [HTTP::uri] starts_with "/ereadscheme/en/pkg/" or [HTTP::uri]
== "/ereadscheme/en/pkg" } {
                HTTP::redirect "https://www-uat.hkreadingcity.net/en/pkg"
                return
            } elseif { [HTTP::uri] starts_with "/ereadscheme/en/" or
[HTTP::uri] == "/ereadscheme/en" } {
                HTTP::redirect
"https://www-uat.hkreadingcity.net/en/ereadscheme"
                return
            } elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/pkg/" or

```

```

[HTTP::uri] == "/ereadscheme/zh-hant/pkg" } {
    HTTP::redirect "https://www-uat.hkreadingcity.net/zh-hant/pkg"
    return
} elseif { [HTTP::uri] starts_with "/ereadscheme/zh-hant/" or
[HTTP::uri] == "/ereadscheme/zh-hant" } {
    HTTP::redirect
"https://www-uat.hkreadingcity.net/zh-hant/ereadscheme"
    return
} elseif { [HTTP::uri] starts_with "/ereadscheme/pkg/" or
[HTTP::uri] == "/ereadscheme/pkg" } {
    HTTP::redirect "https://www-uat.hkreadingcity.net/pkg"
    return
} elseif { [HTTP::uri] starts_with
"/ereadscheme/sites/default/api/handler.php" or [HTTP::uri] ==
"/ereadscheme/sites/default/api/handler.php" } {
    pool u_drupal_ereadscheme_http
} elseif { [string tolower [HTTP::uri]] starts_with
"/ereadscheme/zh-hant/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/en/testing" or [string tolower [HTTP::uri]] starts_with
"/ereadscheme/testing" } {
    if { [class match [IP::client_addr] equals bypass_ip] } {
        pool u_drupal_ereadscheme_http
    } else {
        HTTP::respond 403 content [subst
$:u_static_error_message_403]
    }
} else {
    HTTP::redirect "https://www-uat.hkreadingcity.net/ereadscheme"
    return
}
}
} elseif { [class match [HTTP::uri] equals u_drupal_multisite_equal_names]
or [class match [HTTP::uri] starts_with u_drupal_multisite_start_names] } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_drupal_multisite_http
} elseif { [HTTP::uri] starts_with "/studentscheme/" or [HTTP::uri] ==
"/studentscheme" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_drupal_studentscheme_http
} elseif { [HTTP::uri] starts_with "/campaign/" or [HTTP::uri] ==
"/campaign" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_drupal_campaign_http
} elseif { [HTTP::uri] starts_with "/drupal_testpage/" or [HTTP::uri] ==
"/drupal_testpage" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_drupal_drupal_testpage_http
} elseif { [HTTP::uri] starts_with "/eventcalendar/" or [HTTP::uri] ==
"/eventcalendar" } {
    HTTP::header replace "hkec_ssl" "on"
    pool u_eventcalendar_http
}
}

```

```

    } elseif { [HTTP::uri] starts_with "/websams/" or [HTTP::uri] ==
"/websams" } {
        HTTP::header replace "hkec_ssl" "on"
        pool u_websams_http
    } elseif { [HTTP::uri] starts_with "/goelearning/" or [HTTP::uri] ==
"/goelearning" } {
        HTTP::header replace "hkec_ssl" "on"
        pool u_drupal_goelearning_http
    } elseif { [HTTP::uri] starts_with "/eworks/" or [HTTP::uri] == "/eworks"
} {
        HTTP::header replace "hkec_ssl" "on"
        pool u_drupal_eworks2015_http
    } elseif { [HTTP::uri] starts_with "/etv/resource/" or [HTTP::uri] ==
"/etv/resource" or [HTTP::uri] == "/etv/sites/default/php/etv_app/handler.php" } {
        HTTP::header replace "hkec_ssl" "on"
        pool u_drupal_etv_http
    } elseif { [class match [HTTP::uri] equals u_hkec_legacy_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_legacy_start_names] } {
        if { [HTTP::uri] starts_with "/citizen/favorite/" or [HTTP::uri] ==
"/citizen/favorite" } {
            pool u_hkec_group7_http
        } else {
            HTTP::header replace "hkec_ssl" "on"
            pool u_hkec_http
        }
    } elseif { [class match [HTTP::uri] equals u_hkec_group1_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group1_start_names] } {
        pool u_hkec_group1_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group3_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group3_start_names] } {
        pool u_hkec_group3_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group4_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group4_start_names] } {
        pool u_hkec_group4_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group5_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group5_start_names] } {
        pool u_hkec_group5_http
    } elseif { [class match [HTTP::uri] equals u_hkec_group6_equal_names] or
[class match [HTTP::uri] starts_with u_hkec_group6_start_names] } {
        pool u_hkec_group6_http
    } elseif { [HTTP::uri] == "/member" or [HTTP::uri] starts_with "/member/"
} {
        pool u_hkec_member_http
    } else {
        pool u_hkec_group7_http
    }
} elseif { [HTTP::host] eq "osd1-uat.hkedcity.net" and [class match
[IP::client_addr] equals bypass_ip] } {
    set isErrPageIgnore 1
    pool u_osd1_5601
} elseif { [HTTP::host] eq "ws-uat.hkedcity.net" } {

```

```

        HTTP::header replace "hkec_ssl" "on"
        if { [HTTP::uri] starts_with "/webservice/userInfoService/" or [HTTP::uri]
== "/webservice/userInfoService" } {
            pool u_search_http
            log local0. "test for ws-uat.hkedcity.net."
        } elseif { [HTTP::uri] starts_with "/webservice/role/" or [HTTP::uri] ==
"/webservice/role" } {
            pool u_search_http
        } else {
            pool u_ws_http
        }
    } elseif { [HTTP::host] eq "member-api-uat.hkedcity.net" } {
        pool u_new_member-api_http
    } elseif { [HTTP::host] eq "member-mediator-uat.hkedcity.net" } {
        pool u_member-mediator_http
    } elseif { [HTTP::host] eq "epublisher-new-uat.hkedcity.net" } {
        pool u_new_epublisher_http
    } elseif { [HTTP::host] eq "gsso-uat.hkedcity.net" } {
        pool u_sso_http
    } else {
        HTTP::respond 404 content [subst $::u_static_error_message]
    }
}
}
ltm rule uat/u_i202_8_90_91 {
    partition uat
    when HTTP_REQUEST {
        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
        } else {
            HTTP::redirect "https://[HTTP::host][HTTP::uri]"
            return
        }

        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
            }
        }

        HTTP::header replace "hkec_platform" "uat"

        if { [HTTP::host] eq "ws-uat.hkedcity.net" } {
            HTTP::header replace "hkec_ssl" "on"
            if { [HTTP::uri] starts_with "/webservice/userInfoService/" or [HTTP::uri]
== "/webservice/userInfoService" } {
                pool u_search_http
                log local0. "test for ws-uat.hkedcity.net."
            } elseif { [HTTP::uri] starts_with "/webservice/role/" or [HTTP::uri] ==
"/webservice/role" } {

```

```

        pool u_search_http
    } else {
        pool u_ws_http
    }
} else {
    HTTP::respond 404 content [subst $::u_static_error_message]
}
}
}
ltm rule uat/u_i202_8_90_94 {
    partition uat
    when HTTP_REQUEST {

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "X-Forwarded-Proto" "https"
        } else {
            HTTP::redirect "https://[HTTP::host][HTTP::uri]"
            return
        }

        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
            }
        }

        HTTP::header replace "hkec_platform" "uat"

        if { [HTTP::host] eq "jwt-uat.hkedcity.net" } {
            pool u_jwt_49261
        } else {
            HTTP::respond 404 content [subst $::u_static_error_message]
        }
    }
}
ltm rule uat/u_limit_rate_request {
    partition uat
    # This iRule limits the number of HTTP Requests from a specified client IP address
    # to 200 HTTP Requests for 6000 seconds
    # A Data Group u_http_rl_list will contain the IP addresses that require
    # throttling

    when HTTP_REQUEST {

        # Check if the IP address is within the defined list of addresses to throttle
        if { [class match [IP::client_addr] equals u_http_rl_list ] } {

            # Check if there is an entry for the client_addr in the table
            if { [ table lookup -notouch [IP::client_addr] ] != "" } {
                # If the value is less than 200 increment it by one

```

```

        # log local0. "Client Throttle: Value present for [IP::client_addr]"
        if { [ table lookup -notouch [IP::client_addr] ] < 200 } {
            # log local0. "Client Throttle: Number of requests from
client = [ table lookup -notouch [IP::client_addr] ]"
            table incr -notouch [IP::client_addr] 1
        } else {
            log local0. "Client Throttle: Client [IP::client_addr]
has exceeded the number of allowed requests of [ table lookup -notouch
[IP::client_addr] ]"
            # This else statement is invoked when the table key
value for the client IP address is more than 200. That is, the client has reached
the 200 request limit

            # HTTP::respond 200 content {
            #     <html>
            #     <head>
            #     <title>Information Page</title>
            #     </head>
            #     <body>
            #         We are sorry, but the site has received
too many requests. Please try again later.
            #     </body>
            #     </html>
            #     }
        }
    } else {
        # If there is no entry for the client_addr create a new table
to track number of HTTP_REQUEST. Lifetime is set to 6000 seconds
        log local0. "Client Throttle: Table created for
[IP::client_addr]"
        table set [IP::client_addr] 1 6000
    }

} else {
    return
}

}
}
ltm rule uat/u_nessus_gt_https {
    partition uat
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
            }
        }

        HTTP::header replace "hkec_platform" "uat"

        if { [TCP::local_port] == 443 } {

```

```

        HTTP::header replace "X-Forwarded-Proto" "https"
        HTTP::header replace "hkec_ssl" "on"
    } else {
        HTTP::header replace "X-Forwarded-Proto" "http"
    }

    if {[HTTP::host] eq "nessus-gt.hkedcity.net" } {
        pool u_nessus_gt
    }
}
}
ltm rule uat/u_pbr_10.0.0.93_10.0.12.35 {
    partition uat
    when CLIENT_ACCEPTED {
        if { [IP::client_addr] eq "10.0.0.93" } {
            snat 202.8.90.31
            nexthop vlan301 202.8.90.126
        }
    }
}
ltm rule uat/u_request {
    partition uat
    when HTTP_REQUEST {
        if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
            if { [class match [HTTP::host] ends_with u_hkec_domain] } {
                set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
            }
        }

        HTTP::header replace "hkec_platform" "uat"

        if { [TCP::local_port] == 443 } {
            HTTP::header replace "hkec_ssl" "on"
            HTTP::header replace "X-Forwarded-Proto" "https"

            if { [class match [HTTP::host] equals u_redirect_to_http] } {
                HTTP::redirect "http://[HTTP::host][HTTP::uri]"
                return
            }
        } else {
            HTTP::header replace "X-Forwarded-Proto" "http"

            if { [class match [HTTP::host] equals u_redirect_to_https] } {
                HTTP::redirect "https://[HTTP::host][HTTP::uri]"
                return
            }
        }
    }
}
}
ltm rule uat/u_resources {

```

```

    partition uat
when HTTP_REQUEST {
    if { not [HTTP::cookie exists "u_HKEC_BROWSER"] } {
        if { [class match [HTTP::host] ends_with u_hkec_domain] } {
            set HKEC_BROWSER_set [class match -value [HTTP::host] ends_with
u_hkec_domain]
        }
    }

    HTTP::header replace "hkec_platform" "uat"

    if { [TCP::local_port] == 443 } {
        HTTP::header replace "X-Forwarded-Proto" "https"
        HTTP::header replace "hkec_ssl" "on"
    } else {
        HTTP::header replace "X-Forwarded-Proto" "http"
    }

    if { [class match [HTTP::uri] starts_with u_rproxy_names] } {
        pool u_rproxy_http
    } elseif { ([HTTP::uri] starts_with "/APIs/" || [HTTP::uri] eq "/APIs") } {
        if { [TCP::local_port] == 80 } {
            HTTP::redirect "https://[HTTP::host][HTTP::uri]"
            return
        } else {
            pool u_resources_http
        }
    } else {
        pool u_resources_http
    }
}
}
}
ltm rule uat/u_schannel {
    partition uat
when HTTP_RESPONSE {
    if { [HTTP::is_redirect] and [string match {*http://*hkecSchannel=yes*}
[HTTP::header Location]] } {
        set new_location [string map {http:// https://} [HTTP::header value
Location]]
        HTTP::header replace Location $new_location
    }
}
}
ltm snat prod/snat-202.8.88.1 {
    origins {
        10.0.0.177/32 { }
    }
    partition prod
    translation /prod/202.8.88.1
    vlans {
        Common/vlan20
    }
}

```



```

    }
    vlans-enabled
}
ltm snat prod/snat-202.8.88.2 {
    origins {
        10.0.0.178/32 { }
    }
    partition prod
    translation /prod/202.8.88.2
    vlans {
        Common/vlan20
    }
    vlans-enabled
}
ltm snat prod/snat-202.8.88.31 {
    origins {
        10.0.0.0/22 { }
        10.0.6.0/24 { }
        10.0.12.0/22 { }
        10.5.0.0/26 { }
        10.6.0.192/26 { }
        10.128.0.0/16 { }
        202.8.88.0/25 { }
    }
    partition prod
    translation /prod/202.8.88.31
    vlans {
        Common/vlan1
        Common/vlan20
        Common/vlan50
    }
    vlans-enabled
}
ltm snat prod/snat-202.8.88.48 {
    origins {
        10.0.2.133/32 { }
        10.0.2.134/32 { }
    }
    partition prod
    translation /prod/202.8.88.48
    vlans {
        Common/vlan20
    }
    vlans-enabled
}
ltm snat prod/snat-202.8.88.67 {
    origins {
        10.0.0.167/32 { }
        10.0.0.168/32 { }
    }
    partition prod

```

```

translation /prod/202.8.88.67
vlangs {
    Common/vlan20
}
vlangs-enabled
}
ltm snat prod/snat-202.8.88.77 {
    origins {
        10.0.2.131/32 { }
        10.0.2.132/32 { }
    }
    partition prod
    translation /prod/202.8.88.77
    vlangs {
        Common/vlan20
    }
    vlangs-enabled
}
ltm snat prod/snat-202.8.88.101 {
    origins {
        10.0.0.67/32 { }
        10.0.0.122/32 { }
    }
    partition prod
    translation /prod/202.8.88.101
    vlangs {
        Common/vlan20
    }
    vlangs-enabled
}
ltm snat uat/202.8.90.31 {
    origins {
        10.0.0.93/32 { }
        10.0.12.0/22 { }
        10.5.0.0/26 { }
        10.128.5.64/26 { }
        10.128.5.128/26 { }
        10.128.5.192/26 { }
        10.128.17.0/26 { }
        10.128.17.192/26 { }
        10.128.128.0/18 { }
        10.128.192.0/18 { }
        20.6.178.229/32 { }
        202.8.90.0/25 { }
    }
    partition uat
    translation /uat/202.8.90.31
    vlangs {
        Common/vlan30
        Common/vlan301
        Common/vlan31
    }
}

```

```

    }
    vlans-enabled
}
ltm snat-translation prod/202.8.88.1 {
    address 202.8.88.1
    inherited-traffic-group true
    partition prod
    traffic-group Common/traffic-group-1
}
ltm snat-translation prod/202.8.88.2 {
    address 202.8.88.2
    inherited-traffic-group true
    partition prod
    traffic-group Common/traffic-group-1
}
ltm snat-translation prod/202.8.88.31 {
    address 202.8.88.31
    inherited-traffic-group true
    partition prod
    traffic-group Common/traffic-group-1
}
ltm snat-translation prod/202.8.88.48 {
    address 202.8.88.48
    inherited-traffic-group true
    partition prod
    traffic-group Common/traffic-group-1
}
ltm snat-translation prod/202.8.88.67 {
    address 202.8.88.67
    inherited-traffic-group true
    partition prod
    traffic-group Common/traffic-group-1
}
ltm snat-translation prod/202.8.88.77 {
    address 202.8.88.77
    inherited-traffic-group true
    partition prod
    traffic-group Common/traffic-group-1
}
ltm snat-translation prod/202.8.88.101 {
    address 202.8.88.101
    inherited-traffic-group true
    partition prod
    traffic-group Common/traffic-group-1
}
ltm snat-translation uat/202.8.90.31 {
    address 202.8.90.31
    inherited-traffic-group true
    partition uat
    traffic-group Common/traffic-group-1
}

```

```
ltm tacdb licenseddb Common/licensed-tacdb {
  partition none
}
ltm virtual Common/vs-ip-forward {
  creation-time 2025-10-20:21:04:40
  destination Common/0.0.0.0:any
  ip-forward
  last-modified-time 2025-10-20:21:04:40
  mask any
  profiles {
    Common/fastL4 { }
  }
  rules {
    Common/u_pbr_202.8.90.0
  }
  serverssl-use-sni disabled
  source 0.0.0.0/0
  translate-address disabled
  translate-port disabled
  vs-index 2
}
ltm virtual prod/v10_0_0_108_80 {
  creation-time 2025-11-28:23:44:03
  destination prod/10.0.0.108:http
  ip-protocol tcp
  last-modified-time 2025-11-28:23:44:03
  mask 255.255.255.255
  partition prod
  pool prod/ag-prod-ip_80
  profiles {
    Common/http { }
    Common/tcp { }
  }
  serverssl-use-sni disabled
  source 0.0.0.0/0
  translate-address enabled
  translate-port enabled
  vs-index 229
}
ltm virtual prod/v10_0_0_108_443 {
  creation-time 2025-11-28:23:44:04
  destination prod/10.0.0.108:https
  ip-protocol tcp
  last-modified-time 2025-11-28:23:44:04
  mask 255.255.255.255
  partition prod
  pool prod/ag-prod-ip_443
  profiles {
    Common/http { }
    Common/serverssl {
      context serverside
    }
  }
}
```

```

    }
    Common/tcp { }
    prod/hkec_all_crt {
        context clientside
    }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 230
}
ltm virtual prod/v10_0_0_171_5044 {
    creation-time 2025-11-28:23:42:55
    destination prod/10.0.0.171:lx-evntsvc
    ip-protocol tcp
    last-modified-time 2025-11-28:23:42:55
    mask 255.255.255.255
    partition prod
    pool prod/logstash
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 169
}
ltm virtual prod/v10_0_0_171_9200 {
    creation-time 2025-11-28:23:43:09
    destination prod/10.0.0.171:wap-wsp
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:09
    mask 255.255.255.255
    partition prod
    pool prod/osearch
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 170
}
ltm virtual prod/v10_0_1_224_3307 {
    creation-time 2025-11-28:23:43:09
    destination prod/10.0.1.224:opsession-prxy
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:09

```

```

mask 255.255.255.255
partition prod
pool prod/gsql_3307
profiles {
    Common/tcp { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 171
}
ltm virtual prod/v10_0_1_224_3308 {
creation-time 2025-11-28:23:43:09
destination prod/10.0.1.224:tns-server
ip-protocol tcp
last-modified-time 2025-11-28:23:43:09
mask 255.255.255.255
partition prod
pool prod/gsql_3308
profiles {
    Common/tcp { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 172
}
ltm virtual prod/v10_0_1_224_3309 {
creation-time 2025-11-28:23:43:09
destination prod/10.0.1.224:tns-adv
ip-protocol tcp
last-modified-time 2025-11-28:23:43:09
mask 255.255.255.255
partition prod
pool prod/gsql_3309
profiles {
    Common/tcp { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 173
}
ltm virtual prod/v10_0_1_225_11211 {
creation-time 2025-11-28:23:43:09
destination prod/10.0.1.225:memcache
ip-protocol tcp
last-modified-time 2025-11-28:23:43:09

```

```

mask 255.255.255.255
partition prod
pool prod/mcache_11211
profiles {
    Common/tcp { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 174
}
ltm virtual prod/v10_0_1_227_80 {
creation-time 2025-11-28:23:45:23
destination prod/10.0.1.227:http
ip-protocol tcp
last-modified-time 2025-11-28:23:45:23
mask 255.255.255.255
partition prod
pool prod/ffmpeg_http
profiles {
    Common/tcp { }
    prod/hkec_maint { }
}
rules {
    prod/request
    prod/error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 287
}
ltm virtual prod/v10_0_1_228_389 {
creation-time 2025-11-28:23:41:49
destination prod/10.0.1.228:ldap
ip-protocol tcp
last-modified-time 2025-11-28:23:41:49
mask 255.255.255.255
partition prod
pool prod/centosds_ldap
profiles {
    prod/fastL4_centosds { }
}
rules {
    prod/centosds
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address disabled

```

```

    translate-port disabled
    vs-index 160
}
ltm virtual prod/v10_0_1_235_443 {
    creation-time 2025-11-28:23:44:10
    destination prod/10.0.1.235:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:10
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/hkec_all_crt {
            context clientside
        }
        prod/hkec_maint { }
    }
    rules {
        prod/i10_0_1_235_443
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 231
}
ltm virtual prod/v10_0_1_237_5671 {
    creation-time 2025-11-28:23:40:56
    destination prod/10.0.1.237:amqps
    ip-protocol tcp
    last-modified-time 2025-11-28:23:40:56
    mask 255.255.255.255
    partition prod
    pool prod/mq_upgrade_5672
    profiles {
        Common/tcp { }
        prod/hkec_all_crt {
            context clientside
        }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 156
}
ltm virtual prod/v10_0_1_237_5672 {
    creation-time 2025-11-28:23:40:56
    destination prod/10.0.1.237:amqp
    ip-protocol tcp

```



```

last-modified-time 2025-11-28:23:40:56
mask 255.255.255.255
partition prod
pool prod/mq_upgrade_5672
profiles {
    Common/tcp { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 157
}
ltm virtual prod/v10_0_1_238_80 {
creation-time 2025-11-28:23:44:10
destination prod/10.0.1.238:http
ip-protocol tcp
last-modified-time 2025-11-28:23:44:10
mask 255.255.255.255
partition prod
profiles {
    Common/tcp { }
    prod/hkec_maint { }
}
rules {
    prod/i10_0_1_238
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 232
}
ltm virtual prod/v10_0_1_238_443 {
creation-time 2025-11-28:23:44:10
destination prod/10.0.1.238:https
ip-protocol tcp
last-modified-time 2025-11-28:23:44:10
mask 255.255.255.255
partition prod
profiles {
    Common/tcp { }
    prod/hkec_all.crt {
        context clientside
    }
    prod/hkec_maint { }
}
rules {
    prod/i10_0_1_238
}
serverssl-use-sni disabled

```

```

    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 233
}
ltm virtual prod/v10_0_1_239_5671 {
    creation-time 2025-11-28:23:40:56
    destination prod/10.0.1.239:amqps
    ip-protocol tcp
    last-modified-time 2025-11-28:23:40:56
    mask 255.255.255.255
    partition prod
    pool prod/mq_5672
    profiles {
        Common/tcp { }
        prod/hkec_all.crt {
            context clientside
        }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 158
}
ltm virtual prod/v10_0_1_239_5672 {
    creation-time 2025-11-28:23:40:56
    destination prod/10.0.1.239:amqp
    ip-protocol tcp
    last-modified-time 2025-11-28:23:40:56
    mask 255.255.255.255
    partition prod
    pool prod/mq_5672
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 159
}
ltm virtual prod/v10_0_2_192_80 {
    creation-time 2025-11-28:23:44:10
    destination prod/10.0.2.192:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:10
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
    }
}

```

```

        prod/hkec_maint { }
    }
    rules {
        prod/i10_0_2_192
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 234
}
ltm virtual prod/v10_0_2_192_443 {
    creation-time 2025-11-28:23:44:10
    destination prod/10.0.2.192:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:10
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/hkec_all.crt {
            context clientside
        }
        prod/hkec_maint { }
    }
    rules {
        prod/i10_0_2_192
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 235
}
ltm virtual prod/v10_0_2_192_3306 {
    creation-time 2025-11-28:23:43:09
    destination prod/10.0.2.192:mysql
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:09
    mask 255.255.255.255
    partition prod
    pool prod/mysqly_3306
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled

```

```

    vs-index 175
}
ltm virtual prod/v10_0_2_192_49161 {
    creation-time 2025-11-28:23:43:09
    destination prod/10.0.2.192:49161
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:09
    mask 255.255.255.255
    partition prod
    pool prod/viewcounter-mq_49161
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 176
}
ltm virtual prod/v10_0_2_192_49162 {
    creation-time 2025-11-28:23:43:09
    destination prod/10.0.2.192:49162
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:09
    mask 255.255.255.255
    partition prod
    pool prod/viewcounter-mqc_49162
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 177
}
ltm virtual prod/v10_0_2_192_49169 {
    creation-time 2025-11-28:23:43:09
    destination prod/10.0.2.192:49169
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:09
    mask 255.255.255.255
    partition prod
    pool prod/videostat-mq_49169
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled

```

```

    vs-index 178
}
ltm virtual prod/v10_0_2_192_49170 {
    creation-time 2025-11-28:23:43:09
    destination prod/10.0.2.192:49170
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:09
    mask 255.255.255.255
    partition prod
    pool prod/videostat-mqc_49170
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 179
}
ltm virtual prod/v10_0_2_192_49187 {
    creation-time 2025-11-28:23:43:09
    destination prod/10.0.2.192:49187
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:09
    mask 255.255.255.255
    partition prod
    pool prod/wifitest-int-maria_49187
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 180
}
ltm virtual prod/v10_0_2_192_49190 {
    creation-time 2025-11-28:23:43:09
    destination prod/10.0.2.192:49190
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:09
    mask 255.255.255.255
    partition prod
    pool prod/download-mq-n1_49190
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled

```

```

    vs-index 181
}
ltm virtual prod/v10_0_2_192_49191 {
    creation-time 2025-11-28:23:43:09
    destination prod/10.0.2.192:49191
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:09
    mask 255.255.255.255
    partition prod
    pool prod/download-mqc-n1_49191
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 182
}
ltm virtual prod/v10_0_2_192_49192 {
    creation-time 2025-11-28:23:43:10
    destination prod/10.0.2.192:49192
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:10
    mask 255.255.255.255
    partition prod
    pool prod/download-mq-n2_49192
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 183
}
ltm virtual prod/v10_0_2_192_49193 {
    creation-time 2025-11-28:23:43:20
    destination prod/10.0.2.192:49193
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:20
    mask 255.255.255.255
    partition prod
    pool prod/download-mqc-n2_49193
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled

```

```

    vs-index 184
}
ltm virtual prod/v10_0_2_192_49196 {
    creation-time 2025-11-28:23:43:20
    destination prod/10.0.2.192:49196
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:20
    mask 255.255.255.255
    partition prod
    pool prod/download-mq-n1_49196
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 185
}
ltm virtual prod/v10_0_2_192_49197 {
    creation-time 2025-11-28:23:43:20
    destination prod/10.0.2.192:49197
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:20
    mask 255.255.255.255
    partition prod
    pool prod/download-mq-n1_49197
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 186
}
ltm virtual prod/v10_0_2_192_49198 {
    creation-time 2025-11-28:23:43:20
    destination prod/10.0.2.192:49198
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:20
    mask 255.255.255.255
    partition prod
    pool prod/download-mq-n1_49198
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled

```

```

    vs-index 187
}
ltm virtual prod/v10_0_2_192_49199 {
    creation-time 2025-11-28:23:43:20
    destination prod/10.0.2.192:49199
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:20
    mask 255.255.255.255
    partition prod
    pool prod/download-mq-n2_49199
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 188
}
ltm virtual prod/v10_0_2_192_49200 {
    creation-time 2025-11-28:23:43:20
    destination prod/10.0.2.192:49200
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:20
    mask 255.255.255.255
    partition prod
    pool prod/download-mq-n2_49200
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 189
}
ltm virtual prod/v10_0_2_192_49201 {
    creation-time 2025-11-28:23:43:20
    destination prod/10.0.2.192:49201
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:20
    mask 255.255.255.255
    partition prod
    pool prod/download-mq-n2_49201
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled

```



```

    vs-index 190
}
ltm virtual prod/v10_0_2_192_49204 {
    creation-time 2025-11-28:23:43:20
    destination prod/10.0.2.192:49204
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:20
    mask 255.255.255.255
    partition prod
    pool prod/arccgis-school-db_49204
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 191
}
ltm virtual prod/v10_0_2_192_49209 {
    creation-time 2025-11-28:23:43:20
    destination prod/10.0.2.192:49209
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:20
    mask 255.255.255.255
    partition prod
    pool prod/waas-booking-db_49209
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 192
}
ltm virtual prod/v10_0_2_192_49216 {
    creation-time 2025-11-28:23:43:20
    destination prod/10.0.2.192:49216
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:20
    mask 255.255.255.255
    partition prod
    pool prod/z-event-log-db_49216
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled

```

```

    vs-index 193
}
ltm virtual prod/v10_0_2_192_49217 {
    creation-time 2025-11-28:23:43:20
    destination prod/10.0.2.192:49217
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:20
    mask 255.255.255.255
    partition prod
    pool prod/z-event-log-mq_49217
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 194
}
ltm virtual prod/v10_0_2_192_49218 {
    creation-time 2025-11-28:23:43:21
    destination prod/10.0.2.192:49218
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:21
    mask 255.255.255.255
    partition prod
    pool prod/z-event-log-mqc_49218
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 195
}
ltm virtual prod/v10_0_2_192_49219 {
    creation-time 2025-11-28:23:43:30
    destination prod/10.0.2.192:49219
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:30
    mask 255.255.255.255
    partition prod
    pool prod/z-event-log-db-n1_49219
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled

```

```

    vs-index 196
}
ltm virtual prod/v10_0_2_192_49220 {
    creation-time 2025-11-28:23:43:30
    destination prod/10.0.2.192:49220
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:30
    mask 255.255.255.255
    partition prod
    pool prod/z-event-log-db-n2_49220
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 197
}
ltm virtual prod/v10_0_2_192_49226 {
    creation-time 2025-11-28:23:43:30
    destination prod/10.0.2.192:49226
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:30
    mask 255.255.255.255
    partition prod
    pool prod/waas-school-ui-db_49226
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 198
}
ltm virtual prod/v10_0_2_192_49232 {
    creation-time 2025-11-28:23:43:30
    destination prod/10.0.2.192:49232
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:30
    mask 255.255.255.255
    partition prod
    pool prod/emocounter-mq_49232
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled

```

```

    vs-index 199
}
ltm virtual prod/v10_0_2_192_49233 {
    creation-time 2025-11-28:23:43:31
    destination prod/10.0.2.192:49233
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:31
    mask 255.255.255.255
    partition prod
    pool prod/emocounter-mqc_49233
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 200
}
ltm virtual prod/v10_0_2_192_49262 {
    creation-time 2025-11-28:23:43:31
    destination prod/10.0.2.192:49262
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:31
    mask 255.255.255.255
    partition prod
    pool prod/jwt-db_49262
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 201
}
ltm virtual prod/v10_0_2_192_49285 {
    creation-time 2025-11-28:23:43:31
    destination prod/10.0.2.192:49285
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:31
    mask 255.255.255.255
    partition prod
    pool prod/forum-mqc_49285
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled

```

```

    vs-index 202
}
ltm virtual prod/v10_0_2_192_49323 {
    creation-time 2025-11-28:23:43:31
    destination prod/10.0.2.192:49323
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:31
    mask 255.255.255.255
    partition prod
    pool prod/grouping-v1-1-mq_49323
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 203
}
ltm virtual prod/v10_0_2_192_49324 {
    creation-time 2025-11-28:23:43:31
    destination prod/10.0.2.192:49324
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:31
    mask 255.255.255.255
    partition prod
    pool prod/grouping-v1-1-mqc_49324
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 204
}
ltm virtual prod/v10_0_2_192_49345 {
    creation-time 2025-11-28:23:43:31
    destination prod/10.0.2.192:49345
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:31
    mask 255.255.255.255
    partition prod
    pool prod/forum-mq_49345
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled

```

```

    vs-index 205
}
ltm virtual prod/v10_0_2_192_49346 {
    creation-time 2025-11-28:23:43:31
    destination prod/10.0.2.192:49346
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:31
    mask 255.255.255.255
    partition prod
    pool prod/jwt-testing-db_49346
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 206
}
ltm virtual prod/v202_8_88_1_53 {
    creation-time 2025-11-28:23:43:39
    destination prod/202.8.88.1:domain
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:39
    mask 255.255.255.255
    partition prod
    pool prod/dns_tcp
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 207
}
ltm virtual prod/v202_8_88_1_53_udp {
    creation-time 2025-11-28:23:43:48
    destination prod/202.8.88.1:domain
    ip-protocol udp
    last-modified-time 2025-11-28:23:43:48
    mask 255.255.255.255
    partition prod
    pool prod/dns
    profiles {
        prod/udp_hkec_dns { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled

```

```

    vs-index 218
}
ltm virtual prod/v202_8_88_1_123 {
    creation-time 2025-11-28:23:43:56
    destination prod/202.8.88.1:ntp
    ip-protocol udp
    last-modified-time 2025-11-28:23:43:56
    mask 255.255.255.255
    partition prod
    pool prod/ntp1_ntp
    profiles {
        Common/udp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 220
}
ltm virtual prod/v202_8_88_2_53 {
    creation-time 2025-11-28:23:43:39
    destination prod/202.8.88.2:domain
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:39
    mask 255.255.255.255
    partition prod
    pool prod/dns_tcp
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 209
}
ltm virtual prod/v202_8_88_2_53_udp {
    creation-time 2025-11-28:23:43:48
    destination prod/202.8.88.2:domain
    ip-protocol udp
    last-modified-time 2025-11-28:23:43:48
    mask 255.255.255.255
    partition prod
    pool prod/dns
    profiles {
        prod/udp_hkec_dns { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled

```

```

    vs-index 219
}
ltm virtual prod/v202_8_88_2_123 {
    creation-time 2025-11-28:23:43:56
    destination prod/202.8.88.2:ntp
    ip-protocol udp
    last-modified-time 2025-11-28:23:43:56
    mask 255.255.255.255
    partition prod
    pool prod/ntp2_ntp
    profiles {
        Common/udp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 221
}
ltm virtual prod/v202_8_88_24_80 {
    creation-time 2025-11-28:23:44:22
    destination prod/202.8.88.24:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:22
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/hkec_maint { }
    }
    rules {
        prod/hkec
        prod/schannel
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 242
}
ltm virtual prod/v202_8_88_24_443 {
    creation-time 2025-11-28:23:44:49
    destination prod/202.8.88.24:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:49
    mask 255.255.255.255
    partition prod
    profiles {
        Common/http { }
        Common/tcp { }
    }

```



```

        prod/hkec_all_crt {
            context clientside
        }
    }
    rules {
        prod/hkec_https
        prod/schannel
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 270
}
ltm virtual prod/v202_8_88_24_8080 {
    creation-time 2025-11-28:23:43:39
    destination prod/202.8.88.24:webcache
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:39
    mask 255.255.255.255
    partition prod
    pool prod/hkec1
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 210
}
ltm virtual prod/v202_8_88_26_554 {
    creation-time 2025-11-28:23:43:48
    destination prod/202.8.88.26:rtsp
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:48
    mask 255.255.255.255
    partition prod
    pool prod/wmedia1_rtsp
    profiles {
        prod/hkec_tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 216
}
ltm virtual prod/v202_8_88_26_5005 {
    creation-time 2025-11-28:23:43:56

```

```

destination prod/202.8.88.26:avt-profile-2
ip-protocol udp
last-modified-time 2025-11-28:23:43:56
mask 255.255.255.255
partition prod
pool prod/wmedia1_5005
profiles {
    Common/udp { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 222
}
ltm virtual prod/v202_8_88_27_80 {
creation-time 2025-11-28:23:45:23
destination prod/202.8.88.27:http
ip-protocol tcp
last-modified-time 2025-11-28:23:45:23
mask 255.255.255.255
partition prod
persist {
    prod/hkec_cookie {
        default yes
    }
}
pool prod/upload_http
profiles {
    Common/tcp { }
    prod/hkec_maint { }
}
rules {
    prod/error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 290
}
ltm virtual prod/v202_8_88_28_80 {
creation-time 2025-11-28:23:44:22
destination prod/202.8.88.28:http
ip-protocol tcp
last-modified-time 2025-11-28:23:44:22
mask 255.255.255.255
partition prod
profiles {
    Common/tcp { }
    prod/hkec_maint { }
}

```

```

    }
    rules {
        prod/i202_8_88_28
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 243
}
ltm virtual prod/v202_8_88_28_443 {
    creation-time 2025-11-28:23:44:22
    destination prod/202.8.88.28:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:22
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/hkec_all.crt {
            context clientside
        }
        prod/hkec_maint { }
    }
    rules {
        prod/i202_8_88_28
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 244
}
ltm virtual prod/v202_8_88_30_80 {
    creation-time 2025-11-28:23:44:50
    destination prod/202.8.88.30:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:50
    mask 255.255.255.255
    partition prod
    persist {
        prod/hkec_cookie {
            default yes
        }
    }
    profiles {
        Common/http { }
        Common/tcp { }
    }
}

```

```

rules {
    prod/i202_8_88_30
    prod/schanel
    prod/error_page_exclude_maint
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 271
}
ltm virtual prod/v202_8_88_30_443 {
    creation-time 2025-11-28:23:44:58
    destination prod/202.8.88.30:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:58
    mask 255.255.255.255
    partition prod
    persist {
        prod/hkec_cookie {
            default yes
        }
    }
    profiles {
        Common/http { }
        Common/tcp { }
        prod/hkec_all_crt {
            context clientside
        }
    }
    rules {
        prod/limit_rate_request
        prod/i202_8_88_30
        prod/schanel
        prod/error_page_exclude_maint
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 272
}
ltm virtual prod/v202_8_88_35_80 {
    creation-time 2025-11-28:23:44:23
    destination prod/202.8.88.35:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:23
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
    }
}

```

```

        prod/hkec_maint { }
    }
    rules {
        prod/i202_8_88_35
        prod/schanel
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 245
}
ltm virtual prod/v202_8_88_35_443 {
    creation-time 2025-11-28:23:44:23
    destination prod/202.8.88.35:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:23
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/hkec_all_crt {
            context clientside
        }
        prod/hkec_maint { }
    }
    rules {
        prod/i202_8_88_35
        prod/schanel
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 246
}
ltm virtual prod/v202_8_88_36_80 {
    creation-time 2025-11-28:23:44:23
    destination prod/202.8.88.36:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:23
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/hkec_maint { }
    }
    rules {
        prod/i202_8_88_36

```

```

    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 247
}
ltm virtual prod/v202_8_88_36_443 {
    creation-time 2025-11-28:23:44:23
    destination prod/202.8.88.36:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:23
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/edcity_all_crt {
            context clientside
        }
        prod/hkec_maint { }
    }
    rules {
        prod/i202_8_88_36
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 248
}
ltm virtual prod/v202_8_88_37_80 {
    creation-time 2025-11-28:23:45:24
    destination prod/202.8.88.37:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:45:24
    mask 255.255.255.255
    partition prod
    pool prod/static1_http
    profiles {
        Common/tcp { }
        prod/hkec_maint { }
    }
    rules {
        prod/request
        prod/error_page_exclude_maint
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 291
}

```

```

}
ltm virtual prod/v202_8_88_37_443 {
  creation-time 2025-11-28:23:45:32
  destination prod/202.8.88.37:https
  ip-protocol tcp
  last-modified-time 2025-11-28:23:45:32
  mask 255.255.255.255
  partition prod
  pool prod/static1_http
  profiles {
    Common/tcp { }
    prod/hkec_all_crt {
      context clientside
    }
    prod/hkec_maint { }
  }
  rules {
    prod/request
    prod/error_page_exclude_maint
  }
  serverssl-use-sni disabled
  source 0.0.0.0/0
  translate-address enabled
  translate-port enabled
  vs-index 292
}
ltm virtual prod/v202_8_88_38_80 {
  creation-time 2025-11-28:23:45:32
  destination prod/202.8.88.38:http
  ip-protocol tcp
  last-modified-time 2025-11-28:23:45:32
  mask 255.255.255.255
  partition prod
  pool prod/fjt_http
  profiles {
    Common/tcp { }
    prod/hkec_maint { }
  }
  rules {
    prod/fjt_http
    prod/error_page
  }
  serverssl-use-sni disabled
  source 0.0.0.0/0
  translate-address enabled
  translate-port enabled
  vs-index 293
}
ltm virtual prod/v202_8_88_38_443 {
  creation-time 2025-11-28:23:45:32
  destination prod/202.8.88.38:https

```

```

ip-protocol tcp
last-modified-time 2025-11-28:23:45:32
mask 255.255.255.255
partition prod
pool prod/fjt_https
profiles {
    Common/serverssl {
        context serverside
    }
    Common/tcp { }
    prod/hkec_all.crt {
        context clientside
    }
    prod/hkec_maint { }
}
rules {
    prod/fjt_https
    prod/error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 294
}
ltm virtual prod/v202_8_88_39_80 {
    creation-time 2025-11-28:23:44:58
    destination prod/202.8.88.39:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:58
    mask 255.255.255.255
    partition prod
    profiles {
        Common/http { }
        Common/tcp { }
    }
    rules {
        prod/i202_8_88_39_80
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 273
}
ltm virtual prod/v202_8_88_39_443 {
    creation-time 2025-11-28:23:44:58
    destination prod/202.8.88.39:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:58
    mask 255.255.255.255

```



```

partition prod
profiles {
    Common/http { }
    Common/tcp { }
    prod/edcity_edb_all_crt_high {
        context clientside
    }
}
rules {
    prod/i202_8_88_39_443
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 274
}
ltm virtual prod/v202_8_88_39_ftps {
    creation-time 2025-11-28:23:42:42
    destination prod/202.8.88.39:any
    ip-protocol tcp
    last-modified-time 2026-01-12:16:13:59
    mask 255.255.255.255
    partition prod
    persist {
        prod/ftps_srcaddr {
            default yes
        }
    }
    pool prod/edb.edcity.hk_ftps
    profiles {
        prod/fastL4_ftps { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port disabled
    vs-index 165
}
ltm virtual prod/v202_8_88_40_80 {
    creation-time 2025-11-28:23:45:32
    destination prod/202.8.88.40:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:45:32
    mask 255.255.255.255
    partition prod
    pool prod/redirect_http
    profiles {
        Common/tcp { }
        prod/hkec_maint { }
    }
}

```

```

rules {
    prod/request
    prod/error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 295
}
ltm virtual prod/v202_8_88_40_443 {
    creation-time 2025-11-28:23:45:32
    destination prod/202.8.88.40:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:45:32
    mask 255.255.255.255
    partition prod
    pool prod/redirect_http
    profiles {
        Common/tcp { }
        prod/hkec_all.crt {
            context clientside
        }
        prod/hkec_maint { }
    }
    rules {
        prod/request
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 296
}
ltm virtual prod/v202_8_88_41_69 {
    creation-time 2025-11-28:23:43:56
    destination prod/202.8.88.41:tftp
    ip-protocol udp
    last-modified-time 2025-11-28:23:43:56
    mask 255.255.255.255
    partition prod
    pool prod/tftp
    profiles {
        Common/udp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 223

```

```

}
ltm virtual prod/v202_8_88_41_80 {
  creation-time 2025-11-28:23:45:33
  destination prod/202.8.88.41:http
  ip-protocol tcp
  last-modified-time 2025-11-28:23:45:33
  mask 255.255.255.255
  partition prod
  pool prod/nagios_http
  profiles {
    Common/tcp { }
    prod/hkec_maint { }
  }
  rules {
    prod/sadm_http
  }
  serverssl-use-sni disabled
  source 0.0.0.0/0
  translate-address enabled
  translate-port enabled
  vs-index 297
}
ltm virtual prod/v202_8_88_41_443 {
  creation-time 2025-11-28:23:45:33
  destination prod/202.8.88.41:https
  ip-protocol tcp
  last-modified-time 2025-11-28:23:45:33
  mask 255.255.255.255
  partition prod
  pool prod/nagios_http
  profiles {
    Common/tcp { }
    prod/hkec_all_crt_sadm {
      context clientside
    }
    prod/hkec_maint { }
  }
  rules {
    prod/hkec_tls1_internal
    prod/sadm_http
  }
  serverssl-use-sni disabled
  source 0.0.0.0/0
  translate-address enabled
  translate-port enabled
  vs-index 298
}
ltm virtual prod/v202_8_88_41_514 {
  creation-time 2025-11-28:23:43:56
  destination prod/202.8.88.41:514
  ip-protocol udp

```

```

last-modified-time 2025-11-28:23:43:56
mask 255.255.255.255
partition prod
pool prod/syslog
profiles {
    Common/udp { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 224
}
ltm virtual prod/v202_8_88_42_80 {
creation-time 2025-11-28:23:44:58
destination prod/202.8.88.42:http
ip-protocol tcp
last-modified-time 2025-11-28:23:44:58
mask 255.255.255.255
partition prod
profiles {
    Common/http { }
    Common/tcp { }
}
rules {
    prod/i202_8_88_42
    prod/error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 275
}
ltm virtual prod/v202_8_88_42_443 {
creation-time 2025-11-28:23:44:59
destination prod/202.8.88.42:https
ip-protocol tcp
last-modified-time 2025-11-28:23:44:59
mask 255.255.255.255
partition prod
profiles {
    Common/http { }
    Common/tcp { }
    prod/edcity_proj_all_crt {
        context clientside
    }
}
rules {
    prod/i202_8_88_42
    prod/error_page
}

```

```

    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 276
}
ltm virtual prod/v202_8_88_42_ftps {
    creation-time 2025-11-28:23:42:42
    destination prod/202.8.88.42:any
    ip-protocol tcp
    last-modified-time 2026-01-12:16:14:59
    mask 255.255.255.255
    partition prod
    persist {
        prod/ftps_srcaddr {
            default yes
        }
    }
    pool prod/proj.edcity.hk_ftps
    profiles {
        prod/fastL4_ftps { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port disabled
    vs-index 166
}
ltm virtual prod/v202_8_88_43_80 {
    creation-time 2025-11-28:23:44:23
    destination prod/202.8.88.43:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:23
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/hkec_maint { }
    }
    rules {
        prod/i202_8_88_43
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 249
}
ltm virtual prod/v202_8_88_43_443 {

```

```

creation-time 2025-11-28:23:44:23
destination prod/202.8.88.43:https
ip-protocol tcp
last-modified-time 2025-11-28:23:44:23
mask 255.255.255.255
partition prod
profiles {
    Common/tcp { }
    prod/hkec_all.crt_TLSv12-nokRSA {
        context clientside
    }
    prod/hkec_maint { }
}
rules {
    prod/i202_8_88_43
    prod/error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 250
}
ltm virtual prod/v202_8_88_47_80 {
creation-time 2025-11-28:23:45:11
destination prod/202.8.88.47:http
ip-protocol tcp
last-modified-time 2025-11-28:23:45:11
mask 255.255.255.255
partition prod
profiles {
    Common/http { }
    Common/tcp { }
}
rules {
    prod/edmall_http
    prod/schannel
    prod/error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 277
}
ltm virtual prod/v202_8_88_47_443 {
creation-time 2025-11-28:23:45:12
destination prod/202.8.88.47:https
ip-protocol tcp
last-modified-time 2025-11-28:23:45:12
mask 255.255.255.255

```

```

partition prod
profiles {
    Common/http { }
    Common/tcp { }
    prod/hkec_all.crt {
        context clientside
    }
}
rules {
    prod/edmall_https
    prod/schannel
    prod/error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 278
}
ltm virtual prod/v202_8_88_48_80 {
    creation-time 2025-11-28:23:45:12
    destination prod/202.8.88.48:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:45:12
    mask 255.255.255.255
    partition prod
    profiles {
        Common/http { }
        Common/tcp { }
    }
    rules {
        prod/i202_8_88_48_80
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 279
}
ltm virtual prod/v202_8_88_48_443 {
    creation-time 2025-11-28:23:45:12
    destination prod/202.8.88.48:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:45:12
    mask 255.255.255.255
    partition prod
    profiles {
        Common/http { }
        Common/tcp { }
        prod/hkec_edb_all.crt_high {
            context clientside
        }
    }
}

```

```

    }
}
rules {
    prod/i202_8_88_48_443
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 280
}
ltm virtual prod/v202_8_88_48_ftps {
    creation-time 2025-11-28:23:42:42
    destination prod/202.8.88.48:any
    ip-protocol tcp
    last-modified-time 2026-01-12:16:16:09
    mask 255.255.255.255
    partition prod
    persist {
        prod/ftps_srcaddr {
            default yes
        }
    }
    pool prod/edb_ftps
    profiles {
        prod/fastL4_ftps { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port disabled
    vs-index 167
}
ltm virtual prod/v202_8_88_49_80 {
    creation-time 2025-11-28:23:44:33
    destination prod/202.8.88.49:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:33
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/hkec_maint { }
    }
    rules {
        prod/i202_8_88_49
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled

```



```

    translate-port enabled
    vs-index 260
}
ltm virtual prod/v202_8_88_49_443 {
    creation-time 2025-11-28:23:44:33
    destination prod/202.8.88.49:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:33
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/ai_edcity_all_crt {
            context clientside
        }
        prod/hkec_maint { }
    }
    rules {
        prod/i202_8_88_49
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 261
}
ltm virtual prod/v202_8_88_49_49349 {
    creation-time 2025-11-28:23:43:40
    destination prod/202.8.88.49:49349
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:40
    mask 255.255.255.255
    partition prod
    pool prod/aipoc_49349
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 215
}
ltm virtual prod/v202_8_88_57_80 {
    creation-time 2025-11-28:23:44:23
    destination prod/202.8.88.57:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:23
    mask 255.255.255.255
    partition prod

```

```

    profiles {
        Common/tcp { }
        prod/hkec_maint { }
    }
    rules {
        prod/i202_8_88_57
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 251
}
ltm virtual prod/v202_8_88_57_443 {
    creation-time 2025-11-28:23:44:23
    destination prod/202.8.88.57:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:23
    mask 255.255.255.255
    partition prod
    persist {
        prod/hkec_cookie {
            default yes
        }
    }
    profiles {
        Common/tcp { }
        prod/hkec_all_crt {
            context clientside
        }
        prod/hkec_maint { }
    }
    rules {
        prod/i202_8_88_57
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 252
}
ltm virtual prod/v202_8_88_60_80 {
    creation-time 2025-11-28:23:45:12
    destination prod/202.8.88.60:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:45:12
    mask 255.255.255.255
    partition prod
    profiles {

```

```

        Common/tcp { }
        prod/hkec_maint { }
    }
    rules {
        prod/i202_8_88_60_80
        prod/schanel
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 281
}
ltm virtual prod/v202_8_88_60_443 {
    creation-time 2025-11-28:23:45:12
    destination prod/202.8.88.60:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:45:12
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/hkec_maint { }
        prod/hkrc_all_crt {
            context clientside
        }
    }
    rules {
        prod/i202_8_88_60_443
        prod/schanel
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 282
}
ltm virtual prod/v202_8_88_65_3306 {
    creation-time 2025-11-28:23:43:39
    destination prod/202.8.88.65:mysql
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:39
    mask 255.255.255.255
    partition prod
    pool prod/proxysql
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled

```

```

    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 211
}
ltm virtual prod/v202_8_88_65_6032 {
    creation-time 2025-11-28:23:43:39
    destination prod/202.8.88.65:6032
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:39
    mask 255.255.255.255
    partition prod
    pool prod/proxysql_admin
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 212
}
ltm virtual prod/v202_8_88_66_80 {
    creation-time 2025-11-28:23:45:40
    destination prod/202.8.88.66:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:45:40
    mask 255.255.255.255
    partition prod
    pool prod/misc_http
    profiles {
        Common/tcp { }
        prod/hkec_maint { }
    }
    rules {
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 299
}
ltm virtual prod/v202_8_88_67_25 {
    creation-time 2025-11-28:23:41:49
    destination prod/202.8.88.67:smtp
    ip-protocol tcp
    last-modified-time 2025-12-01:16:08:17
    mask 255.255.255.255
    partition prod
    profiles {

```

```

        Common/tcp { }
    }
    rules {
        prod/hkec_sc_mbox_smtp
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 161
}
ltm virtual prod/v202_8_88_67_143 {
    creation-time 2025-11-29:00:36:40
    destination prod/202.8.88.67:imap
    ip-protocol tcp
    last-modified-time 2025-12-01:16:15:26
    mask 255.255.255.255
    partition prod
    persist {
        prod/hkec_srcaddr {
            default yes
        }
    }
    profiles {
        prod/hkec_tcp { }
    }
    rules {
        prod/hkec_sc_mbox_imap
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 307
}
ltm virtual prod/v202_8_88_77_80 {
    creation-time 2025-11-28:23:45:12
    destination prod/202.8.88.77:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:45:12
    mask 255.255.255.255
    partition prod
    profiles {
        Common/http { }
        Common/tcp { }
    }
    rules {
        prod/i202_8_88_77_80
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0

```

```

    translate-address enabled
    translate-port enabled
    vs-index 283
}
ltm virtual prod/v202_8_88_77_443 {
    creation-time 2025-11-28:23:45:12
    destination prod/202.8.88.77:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:45:12
    mask 255.255.255.255
    partition prod
    profiles {
        Common/http { }
        Common/tcp { }
        prod/hkec_proj_all_crt {
            context clientside
        }
    }
    rules {
        prod/i202_8_88_77_443
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 284
}
ltm virtual prod/v202_8_88_77_ftps {
    creation-time 2025-11-28:23:42:44
    destination prod/202.8.88.77:any
    ip-protocol tcp
    last-modified-time 2026-01-12:16:16:59
    mask 255.255.255.255
    partition prod
    persist {
        prod/ftps_srcaddr {
            default yes
        }
    }
    pool prod/proj_ftps
    profiles {
        prod/fastL4_ftps { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port disabled
    vs-index 168
}
ltm virtual prod/v202_8_88_80_80 {
    creation-time 2025-11-28:23:45:40

```

```

destination prod/202.8.88.80:http
ip-protocol tcp
last-modified-time 2025-11-28:23:45:40
mask 255.255.255.255
partition prod
pool prod/wmedia_http
profiles {
    Common/http { }
    Common/tcp { }
}
rules {
    prod/i202_8_88_80_80
    prod/error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 300
}
ltm virtual prod/v202_8_88_80_554 {
creation-time 2025-11-28:23:43:48
destination prod/202.8.88.80:rtsp
ip-protocol tcp
last-modified-time 2025-11-28:23:43:48
mask 255.255.255.255
partition prod
pool prod/wmedia_rtsp
profiles {
    prod/hkec_tcp { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 217
}
ltm virtual prod/v202_8_88_80_5005 {
creation-time 2025-11-28:23:43:56
destination prod/202.8.88.80:avt-profile-2
ip-protocol udp
last-modified-time 2025-11-28:23:43:56
mask 255.255.255.255
partition prod
pool prod/wmedia_5005
profiles {
    Common/udp { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled

```

```

        translate-port enabled
        vs-index 225
    }
    ltm virtual prod/v202_8_88_80_8081 {
        creation-time 2025-11-28:23:43:56
        destination prod/202.8.88.80:tproxy
        ip-protocol udp
        last-modified-time 2025-11-28:23:43:56
        mask 255.255.255.255
        partition prod
        pool prod/wmedia_8081
        profiles {
            Common/udp { }
        }
        serverssl-use-sni disabled
        source 0.0.0.0/0
        translate-address enabled
        translate-port enabled
        vs-index 226
    }
    ltm virtual prod/v202_8_88_81_80 {
        creation-time 2025-11-28:23:45:40
        destination prod/202.8.88.81:http
        ip-protocol tcp
        last-modified-time 2025-11-28:23:45:40
        mask 255.255.255.255
        partition prod
        pool prod/apps2_http
        profiles {
            Common/http { }
            Common/tcp { }
        }
        rules {
            prod/apps2
            prod/schannel
            prod/error_page
        }
        serverssl-use-sni disabled
        source 0.0.0.0/0
        translate-address enabled
        translate-port enabled
        vs-index 301
    }
    ltm virtual prod/v202_8_88_81_443 {
        creation-time 2025-11-28:23:45:40
        destination prod/202.8.88.81:https
        ip-protocol tcp
        last-modified-time 2025-11-28:23:45:40
        mask 255.255.255.255
        partition prod
        pool prod/apps2_http
    }

```



```

profiles {
    Common/http { }
    Common/tcp { }
    prod/hkec_all.crt {
        context clientside
    }
}
rules {
    prod/apps2
    prod/schannel
    prod/error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 302
}
ltm virtual prod/v202_8_88_83_80 {
    creation-time 2025-11-28:23:44:23
    destination prod/202.8.88.83:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:23
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/hkec_maint { }
    }
    rules {
        prod/i202_8_88_83
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 253
}
ltm virtual prod/v202_8_88_83_443 {
    creation-time 2025-11-28:23:44:23
    destination prod/202.8.88.83:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:23
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/hkec_maint { }
        prod/hkec_star_all.crt {
            context clientside
        }
    }
}

```

```

    }
}
rules {
    prod/i202_8_88_83
    prod/error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 254
}
ltm virtual prod/v202_8_88_88_443 {
    creation-time 2025-11-28:23:44:23
    destination prod/202.8.88.88:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:23
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/hkec_all.crt {
            context clientside
        }
        prod/hkec_maint { }
    }
    rules {
        prod/i202_8_88_88_443
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 255
}
ltm virtual prod/v202_8_88_91_80 {
    creation-time 2025-11-28:23:45:40
    destination prod/202.8.88.91:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:45:40
    mask 255.255.255.255
    partition prod
    pool prod/acladmin_http
    profiles {
        Common/tcp { }
        prod/hkec_maint { }
    }
    rules {
        prod/apps_http
        prod/error_page
    }
}

```

```

    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 303
}
ltm virtual prod/v202_8_88_91_443 {
    creation-time 2025-11-28:23:45:47
    destination prod/202.8.88.91:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:45:47
    mask 255.255.255.255
    partition prod
    pool prod/acladmin_http
    profiles {
        Common/tcp { }
        prod/hkec_all_crt_high {
            context clientside
        }
        prod/hkec_maint { }
    }
    rules {
        prod/hkec_tls1_internal
        prod/apps_http
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 304
}
ltm virtual prod/v202_8_88_92_80 {
    creation-time 2025-11-28:23:45:47
    destination prod/202.8.88.92:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:45:47
    mask 255.255.255.255
    partition prod
    persist {
        prod/hkec_cookie {
            default yes
        }
    }
    pool prod/edbblog_http
    profiles {
        Common/tcp { }
        prod/hkec_maint { }
    }
    rules {

```

```

        prod/edblog
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 305
}
ltm virtual prod/v202_8_88_92_443 {
    creation-time 2025-11-28:23:45:47
    destination prod/202.8.88.92:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:45:47
    mask 255.255.255.255
    partition prod
    persist {
        prod/hkec_cookie {
            default yes
        }
    }
    pool prod/edblog_http
    profiles {
        Common/tcp { }
        prod/hkec_all.crt {
            context clientside
        }
        prod/hkec_maint { }
    }
    rules {
        prod/edblog
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 306
}
ltm virtual prod/v202_8_88_93_80 {
    creation-time 2025-11-28:23:44:24
    destination prod/202.8.88.93:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:24
    mask 255.255.255.255
    partition prod
    persist {
        prod/hkec_cookie {
            default yes
        }
    }
}

```

```

    profiles {
        Common/tcp { }
        prod/hkec_maint { }
    }
    rules {
        prod/resources
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 256
}
ltm virtual prod/v202_8_88_93_443 {
    creation-time 2025-11-28:23:44:32
    destination prod/202.8.88.93:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:32
    mask 255.255.255.255
    partition prod
    persist {
        prod/hkec_cookie {
            default yes
        }
    }
    profiles {
        Common/tcp { }
        prod/hkec_all.crt {
            context clientside
        }
        prod/hkec_maint { }
    }
    rules {
        prod/resources
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 257
}
ltm virtual prod/v202_8_88_94_80 {
    creation-time 2025-11-28:23:44:32
    destination prod/202.8.88.94:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:32
    mask 255.255.255.255
    partition prod
    profiles {

```

```

        Common/tcp { }
        prod/hkec_maint { }
    }
    rules {
        prod/i202_8_88_94
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 258
}
ltm virtual prod/v202_8_88_94_443 {
    creation-time 2025-11-28:23:44:33
    destination prod/202.8.88.94:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:33
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/hkec_all_crt {
            context clientside
        }
        prod/hkec_maint { }
    }
    rules {
        prod/i202_8_88_94
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 259
}
ltm virtual prod/v202_8_88_94_12001 {
    creation-time 2025-11-28:23:43:39
    destination prod/202.8.88.94:entextnetwk
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:39
    mask 255.255.255.255
    partition prod
    pool prod/fluentsd_12001
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled

```

```

    translate-port enabled
    vs-index 213
}
ltm virtual prod/v202_8_88_94_49177 {
    creation-time 2025-11-28:23:43:39
    destination prod/202.8.88.94:49177
    ip-protocol tcp
    last-modified-time 2025-11-28:23:43:39
    mask 255.255.255.255
    partition prod
    pool prod/saml-sp_49177
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 214
}
ltm virtual prod/v202_8_88_94_49178 {
    creation-time 2025-11-28:23:44:03
    destination prod/202.8.88.94:49178
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:03
    mask 255.255.255.255
    partition prod
    pool prod/saml-sp_49177
    profiles {
        Common/http { }
        Common/tcp { }
        prod/hkec_all.crt {
            context clientside
        }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 227
}
ltm virtual prod/v202_8_88_94_49202 {
    creation-time 2025-11-28:23:44:03
    destination prod/202.8.88.94:49202
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:03
    mask 255.255.255.255
    partition prod
    pool prod/saml-test-sp_49202
    profiles {
        Common/http { }
    }
}

```

```

        Common/tcp { }
        prod/hkec_all_crt {
            context clientside
        }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 228
}
ltm virtual prod/v202_8_88_96_80 {
    creation-time 2025-11-28:23:45:12
    destination prod/202.8.88.96:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:45:12
    mask 255.255.255.255
    partition prod
    profiles {
        Common/http { }
        Common/tcp { }
    }
    rules {
        prod/i202_8_88_96_80
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 285
}
ltm virtual prod/v202_8_88_96_443 {
    creation-time 2025-11-28:23:45:12
    destination prod/202.8.88.96:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:45:12
    mask 255.255.255.255
    partition prod
    profiles {
        Common/http { }
        Common/tcp { }
        prod/hkec_all_crt {
            context clientside
        }
    }
    rules {
        prod/i202_8_88_96_443
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled

```



```

        translate-port enabled
        vs-index 286
    }
    ltm virtual prod/v202_8_88_101_80 {
        creation-time 2025-11-28:23:44:41
        destination prod/202.8.88.101:http
        ip-protocol tcp
        last-modified-time 2025-11-28:23:44:41
        mask 255.255.255.255
        partition prod
        profiles {
            Common/http { }
            Common/tcp { }
        }
        rules {
            prod/i202_8_88_101_80
        }
        serverssl-use-sni disabled
        source 0.0.0.0/0
        translate-address enabled
        translate-port enabled
        vs-index 262
    }
    ltm virtual prod/v202_8_88_101_443 {
        creation-time 2025-11-28:23:44:41
        destination prod/202.8.88.101:https
        ip-protocol tcp
        last-modified-time 2025-11-28:23:44:41
        mask 255.255.255.255
        partition prod
        profiles {
            Common/http { }
            Common/tcp { }
            prod/hkec_all_crt {
                context clientside
            }
        }
        rules {
            prod/i202_8_88_101_443
        }
        serverssl-use-sni disabled
        source 0.0.0.0/0
        translate-address enabled
        translate-port enabled
        vs-index 263
    }
    ltm virtual prod/v202_8_88_101_ftps {
        creation-time 2025-11-28:23:42:42
        destination prod/202.8.88.101:any
        ip-protocol tcp
        last-modified-time 2026-01-12:16:03:45
    }

```

```

mask 255.255.255.255
partition prod
persist {
    prod/ftps_srcaddr {
        default yes
    }
}
pool prod/hkec_ftps
profiles {
    prod/fastL4_ftps { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port disabled
vs-index 163
}
ltm virtual prod/v202_8_88_113_wmng_80 {
    creation-time 2025-11-28:23:44:10
    destination prod/202.8.88.113:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:10
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/hkec_maint { }
    }
    rules {
        prod/hkec
        prod/schannel
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 236
}
ltm virtual prod/v202_8_88_113_wmng_443 {
    creation-time 2025-11-28:23:44:10
    destination prod/202.8.88.113:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:10
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/hkec_all_crt {
            context clientside
        }
    }
}

```

```

        prod/hkec_maint { }
    }
    rules {
        prod/hkec_https
        prod/schannel
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 237
}
ltm virtual prod/v202_8_88_114_80_wmng {
    creation-time 2025-11-28:23:45:23
    destination prod/202.8.88.114:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:45:23
    mask 255.255.255.255
    partition prod
    pool prod/acladmin_http_mongo_upgrade
    profiles {
        Common/tcp { }
        prod/hkec_maint { }
    }
    rules {
        prod/apps_http_mongo_upgrade
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 288
}
ltm virtual prod/v202_8_88_114_443_wmng {
    creation-time 2025-11-28:23:45:23
    destination prod/202.8.88.114:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:45:23
    mask 255.255.255.255
    partition prod
    pool prod/acladmin_http_mongo_upgrade
    profiles {
        Common/tcp { }
        prod/hkec_all_crt {
            context clientside
        }
        prod/hkec_maint { }
    }
    rules {

```

```

        prod/apps_http_mongo_upgrade
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 289
}
ltm virtual prod/v202_8_88_116_80 {
    creation-time 2025-11-28:23:44:10
    destination prod/202.8.88.116:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:10
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/hkec_maint { }
    }
    rules {
        prod/hkec
        prod/schannel
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 238
}
ltm virtual prod/v202_8_88_116_443 {
    creation-time 2025-11-28:23:44:41
    destination prod/202.8.88.116:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:41
    mask 255.255.255.255
    partition prod
    profiles {
        Common/http { }
        Common/tcp { }
        prod/hkec_all_crt {
            context clientside
        }
    }
    rules {
        prod/hkec_https
        prod/schannel
        prod/error_page
    }
    serverssl-use-sni disabled

```

```

    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 264
}
ltm virtual prod/v202_8_88_117_80_wmng {
    creation-time 2025-11-28:23:44:10
    destination prod/202.8.88.117:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:10
    mask 255.255.255.255
    partition prod
    profiles {
        Common/tcp { }
        prod/hkec_maint { }
    }
    rules {
        prod/schannel
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 239
}
ltm virtual prod/v202_8_88_117_443_wmng {
    creation-time 2025-11-28:23:44:41
    destination prod/202.8.88.117:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:41
    mask 255.255.255.255
    partition prod
    profiles {
        Common/http { }
        Common/tcp { }
        prod/hkec_all_crt {
            context clientside
        }
    }
    rules {
        prod/schannel
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 265
}
ltm virtual prod/v202_8_88_117_8080_wmng {

```

```

creation-time 2025-11-28:23:43:39
destination prod/202.8.88.117:webcache
ip-protocol tcp
last-modified-time 2025-11-28:23:43:39
mask 255.255.255.255
partition prod
pool prod/hkec1_mongo_upgrade
profiles {
    Common/tcp { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 208
}
ltm virtual prod/v202_8_88_118_80_wmng {
creation-time 2025-11-28:23:44:49
destination prod/202.8.88.118:http
ip-protocol tcp
last-modified-time 2025-11-28:23:44:49
mask 255.255.255.255
partition prod
profiles {
    Common/http { }
    Common/tcp { }
}
rules {
    prod/i202_8_88_101_80_mongo_upgrade
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 266
}
ltm virtual prod/v202_8_88_118_443_wmng {
creation-time 2025-11-28:23:44:49
destination prod/202.8.88.118:https
ip-protocol tcp
last-modified-time 2025-11-28:23:44:49
mask 255.255.255.255
partition prod
profiles {
    Common/http { }
    Common/tcp { }
    prod/hkec_all_crt {
        context clientside
    }
}
rules {

```

```

        prod/i202_8_88_101_443
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 267
}
ltm virtual prod/v202_8_88_118_ftps_wmng {
    creation-time 2025-11-28:23:42:42
    destination prod/202.8.88.118:any
    ip-protocol tcp
    last-modified-time 2026-01-12:16:12:39
    mask 255.255.255.255
    partition prod
    persist {
        prod/ftps_srcaddr {
            default yes
        }
    }
    pool prod/hkec_ftps
    profiles {
        prod/fastL4_ftps { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port disabled
    vs-index 164
}
ltm virtual prod/v202_8_88_119_80_wmng {
    creation-time 2025-11-28:23:44:12
    destination prod/202.8.88.119:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:12
    mask 255.255.255.255
    partition prod
    persist {
        prod/hkec_cookie {
            default yes
        }
    }
    profiles {
        Common/tcp { }
        prod/hkec_maint { }
    }
    rules {
        prod/resources_mongo_upgrade
        prod/error_page
    }
    serverssl-use-sni disabled

```

```

    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 240
}
ltm virtual prod/v202_8_88_119_443_wmng {
    creation-time 2025-11-28:23:44:22
    destination prod/202.8.88.119:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:22
    mask 255.255.255.255
    partition prod
    persist {
        prod/hkec_cookie {
            default yes
        }
    }
    profiles {
        Common/tcp { }
        prod/hkec_all_crt {
            context clientside
        }
        prod/hkec_maint { }
    }
    rules {
        prod/resources_mongo_upgrade
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 241
}
ltm virtual prod/v202_8_88_120_80_wmng {
    creation-time 2025-11-28:23:44:49
    destination prod/202.8.88.120:http
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:49
    mask 255.255.255.255
    partition prod
    persist {
        prod/hkec_cookie {
            default yes
        }
    }
    profiles {
        Common/http { }
        Common/tcp { }
    }
    rules {

```



```

        prod/wapps1_http_mongo_upgrade
        prod/schanel
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 268
}
ltm virtual prod/v202_8_88_120_443_wmng {
    creation-time 2025-11-28:23:44:49
    destination prod/202.8.88.120:https
    ip-protocol tcp
    last-modified-time 2025-11-28:23:44:49
    mask 255.255.255.255
    partition prod
    persist {
        prod/hkec_cookie {
            default yes
        }
    }
    profiles {
        Common/http { }
        Common/tcp { }
        prod/hkec_all.crt {
            context clientside
        }
    }
    rules {
        prod/limit_rate_request
        prod/wapps1_https_mongo_upgrade
        prod/schanel
        prod/error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 269
}
ltm virtual uat/u_v10_0_12_35_80 {
    creation-time 2025-10-14:09:32:51
    destination uat/10.0.12.35:http
    ip-protocol tcp
    last-modified-time 2025-12-01:11:40:04
    mask 255.255.255.255
    partition uat
    pool uat/ag2-uat-ip_80
    profiles {
        Common/http { }
    }
}

```

```

        Common/tcp { }
    }
    rules {
        Common/u_pbr_202.8.90.0
        uat/u_pbr_10.0.0.93_10.0.12.35
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 3
}
ltm virtual uat/u_v10_0_12_35_443 {
    creation-time 2025-10-14:09:41:34
    destination uat/10.0.12.35:https
    ip-protocol tcp
    last-modified-time 2025-12-01:11:40:23
    mask 255.255.255.255
    partition uat
    pool uat/ag2-uat-ip_443
    profiles {
        Common/http { }
        Common/serverssl {
            context serverside
        }
        Common/tcp { }
        uat/u_hkec_all_crt {
            context clientside
        }
    }
}
rules {
    Common/u_pbr_202.8.90.0
    uat/u_pbr_10.0.0.93_10.0.12.35
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 4
}
ltm virtual uat/u_v10_0_12_224_3307 {
    creation-time 2025-10-15:10:11:20
    destination uat/10.0.12.224:opsession-prxy
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:36
    mask 255.255.255.255
    partition uat
    pool uat/u_gsql_3307
    profiles {
        Common/tcp { }
    }
}

```

```

serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 5
}
ltm virtual uat/u_v10_0_12_224_3308 {
creation-time 2025-10-15:10:12:40
destination uat/10.0.12.224:tns-server
ip-protocol tcp
last-modified-time 2025-10-21:10:02:36
mask 255.255.255.255
partition uat
pool uat/u_gsql_3308
profiles {
    Common/tcp { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 6
}
ltm virtual uat/u_v10_0_12_224_3309 {
creation-time 2025-10-15:10:12:40
destination uat/10.0.12.224:tns-adv
ip-protocol tcp
last-modified-time 2025-10-21:10:02:36
mask 255.255.255.255
partition uat
pool uat/u_gsql_3309
profiles {
    Common/tcp { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 7
}
ltm virtual uat/u_v10_0_12_225_11211 {
creation-time 2025-10-15:10:12:40
destination uat/10.0.12.225:memcache
ip-protocol tcp
last-modified-time 2025-10-21:10:02:36
mask 255.255.255.255
partition uat
pool uat/u_mcache_11211
profiles {
    Common/tcp { }
}
}

```

```

        serverssl-use-sni disabled
        source 0.0.0.0/0
        translate-address enabled
        translate-port enabled
        vs-index 8
    }
    ltm virtual uat/u_v10_0_12_226_3306 {
        creation-time 2025-10-15:10:12:41
        destination uat/10.0.12.226:mysql
        ip-protocol tcp
        last-modified-time 2025-10-21:10:02:36
        mask 255.255.255.255
        partition uat
        pool uat/u_osmysql3_proj_3306
        profiles {
            Common/tcp { }
        }
        serverssl-use-sni disabled
        source 0.0.0.0/0
        translate-address enabled
        translate-port enabled
        vs-index 9
    }
    ltm virtual uat/u_v10_0_12_227_80 {
        creation-time 2025-10-14:12:22:37
        destination uat/10.0.12.227:http
        ip-protocol tcp
        last-modified-time 2025-10-21:10:02:36
        mask 255.255.255.255
        partition uat
        pool uat/u_ffmpeg_http
        profiles {
            Common/tcp { }
            uat/u_hkec_maint { }
        }
        rules {
            uat/u_request
            uat/u_error_page
        }
        serverssl-use-sni disabled
        source 0.0.0.0/0
        translate-address enabled
        translate-port enabled
        vs-index 10
    }
    ltm virtual uat/u_v10_0_12_228_389 {
        creation-time 2025-10-15:09:58:38
        destination uat/10.0.12.228:ldap
        ip-protocol tcp
        last-modified-time 2025-10-21:10:02:37
        mask 255.255.255.255
    }

```

```

partition uat
pool uat/u_centosds_ldap
profiles {
    uat/u_fastL4_centosds { }
}
rules {
    uat/u_centosds
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address disabled
translate-port disabled
vs-index 11
}
ltm virtual uat/u_v10_0_12_229_3306 {
creation-time 2025-10-15:10:12:57
destination uat/10.0.12.229:mysql
ip-protocol tcp
last-modified-time 2025-10-21:10:02:37
mask 255.255.255.255
partition uat
pool uat/u_osmysql2_3306
profiles {
    Common/tcp { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 12
}
ltm virtual uat/u_v10_0_12_230_3306 {
creation-time 2025-10-15:10:12:57
destination uat/10.0.12.230:mysql
ip-protocol tcp
last-modified-time 2025-10-21:10:02:37
mask 255.255.255.255
partition uat
pool uat/u_smysql_3306
profiles {
    Common/tcp { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 13
}
ltm virtual uat/u_v10_0_12_231_3306 {
creation-time 2025-10-15:10:12:57
destination uat/10.0.12.231:mysql

```

```

ip-protocol tcp
last-modified-time 2025-10-21:10:02:37
mask 255.255.255.255
partition uat
pool uat/u_smysql2_3306
profiles {
    Common/tcp { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 14
}
ltm virtual uat/u_v10_0_12_235_443 {
creation-time 2025-10-14:14:14:04
destination uat/10.0.12.235:https
ip-protocol tcp
last-modified-time 2025-10-21:10:02:37
mask 255.255.255.255
partition uat
profiles {
    Common/tcp { }
    uat/u_hkec_all.crt {
        context clientside
    }
    uat/u_hkec_maint { }
}
rules {
    uat/u_i10_0_12_235_443
    uat/u_error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 15
}
ltm virtual uat/u_v10_0_12_238_80 {
creation-time 2025-10-14:12:24:01
destination uat/10.0.12.238:http
ip-protocol tcp
last-modified-time 2025-10-21:10:02:37
mask 255.255.255.255
partition uat
profiles {
    Common/tcp { }
    uat/u_hkec_maint { }
}
rules {
    uat/u_i10_0_12_238

```

```

    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 16
}
ltm virtual uat/u_v10_0_12_238_443 {
    creation-time 2025-10-14:14:14:15
    destination uat/10.0.12.238:https
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_all.crt {
            context clientside
        }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i10_0_12_238
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 17
}
ltm virtual uat/u_v10_0_13_192_80 {
    creation-time 2025-10-14:13:20:31
    destination uat/10.0.13.192:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:38
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i10_0_13_192
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 18
}

```

```

ltm virtual uat/u_v10_0_13_192_443 {
  creation-time 2025-10-14:14:14:19
  destination uat/10.0.13.192:https
  ip-protocol tcp
  last-modified-time 2025-10-21:10:02:37
  mask 255.255.255.255
  partition uat
  profiles {
    Common/tcp { }
    uat/u_hkec_all_crt {
      context clientside
    }
    uat/u_hkec_maint { }
  }
  rules {
    uat/u_i10_0_13_192
    uat/u_error_page
  }
  serverssl-use-sni disabled
  source 0.0.0.0/0
  translate-address enabled
  translate-port enabled
  vs-index 19
}
ltm virtual uat/u_v10_0_13_192_3306 {
  creation-time 2025-10-15:10:13:55
  destination uat/10.0.13.192:mysql
  ip-protocol tcp
  last-modified-time 2025-10-21:10:02:37
  mask 255.255.255.255
  partition uat
  pool uat/u_mysql_3306
  profiles {
    Common/tcp { }
  }
  serverssl-use-sni disabled
  source 0.0.0.0/0
  translate-address enabled
  translate-port enabled
  vs-index 20
}
ltm virtual uat/u_v10_0_13_192_49161 {
  creation-time 2025-10-15:10:13:55
  destination uat/10.0.13.192:49161
  ip-protocol tcp
  last-modified-time 2025-10-21:10:02:37
  mask 255.255.255.255
  partition uat
  pool uat/u_viewcounter-mq_49161
  profiles {
    Common/tcp { }
  }
}

```



```

    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 21
}
ltm virtual uat/u_v10_0_13_192_49162 {
    creation-time 2025-10-15:10:13:55
    destination uat/10.0.13.192:49162
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_viewcounter-mqc_49162
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 22
}
ltm virtual uat/u_v10_0_13_192_49169 {
    creation-time 2025-10-15:10:13:55
    destination uat/10.0.13.192:49169
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_videostat-mq_49169
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 23
}
ltm virtual uat/u_v10_0_13_192_49170 {
    creation-time 2025-10-15:10:13:55
    destination uat/10.0.13.192:49170
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_videostat-mqc_49170
    profiles {
        Common/tcp { }
    }
}

```

```

    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 24
}
ltm virtual uat/u_v10_0_13_192_49187 {
    creation-time 2025-10-15:10:13:56
    destination uat/10.0.13.192:49187
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_wifitest-int-maria_49187
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 25
}
ltm virtual uat/u_v10_0_13_192_49190 {
    creation-time 2025-10-15:10:13:56
    destination uat/10.0.13.192:49190
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_download-mq-n1_49190
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 26
}
ltm virtual uat/u_v10_0_13_192_49191 {
    creation-time 2025-10-15:10:13:56
    destination uat/10.0.13.192:49191
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_download-mqc-n1_49191
    profiles {
        Common/tcp { }
    }
}

```

```

    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 27
}
ltm virtual uat/u_v10_0_13_192_49192 {
    creation-time 2025-10-15:10:13:56
    destination uat/10.0.13.192:49192
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_download-mq-n2_49192
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 28
}
ltm virtual uat/u_v10_0_13_192_49193 {
    creation-time 2025-10-15:10:13:56
    destination uat/10.0.13.192:49193
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_download-mqc-n2_49193
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 29
}
ltm virtual uat/u_v10_0_13_192_49195 {
    creation-time 2025-10-15:10:14:16
    destination uat/10.0.13.192:49195
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_waas-cloud-db_49195
    profiles {
        Common/tcp { }
    }
}

```

```

    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 30
}
ltm virtual uat/u_v10_0_13_192_49196 {
    creation-time 2025-10-15:10:14:16
    destination uat/10.0.13.192:49196
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_download-mq-n1_49196
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 31
}
ltm virtual uat/u_v10_0_13_192_49197 {
    creation-time 2025-10-15:10:14:16
    destination uat/10.0.13.192:49197
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_download-mq-n1_49197
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 32
}
ltm virtual uat/u_v10_0_13_192_49198 {
    creation-time 2025-10-15:10:14:16
    destination uat/10.0.13.192:49198
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_download-mq-n1_49198
    profiles {
        Common/tcp { }
    }
}

```

```

    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 33
}
ltm virtual uat/u_v10_0_13_192_49199 {
    creation-time 2025-10-15:10:14:16
    destination uat/10.0.13.192:49199
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_download-mq-n2_49199
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 34
}
ltm virtual uat/u_v10_0_13_192_49200 {
    creation-time 2025-10-15:10:14:16
    destination uat/10.0.13.192:49200
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_download-mq-n2_49200
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 35
}
ltm virtual uat/u_v10_0_13_192_49201 {
    creation-time 2025-10-15:10:14:16
    destination uat/10.0.13.192:49201
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_download-mq-n2_49201
    profiles {
        Common/tcp { }
    }
}

```

```

    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 36
}
ltm virtual uat/u_v10_0_13_192_49204 {
    creation-time 2025-10-15:10:14:16
    destination uat/10.0.13.192:49204
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_arcgis-school-db_49204
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 37
}
ltm virtual uat/u_v10_0_13_192_49209 {
    creation-time 2025-10-15:10:14:16
    destination uat/10.0.13.192:49209
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_waas-booking-db_49209
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 38
}
ltm virtual uat/u_v10_0_13_192_49216 {
    creation-time 2025-10-15:10:14:17
    destination uat/10.0.13.192:49216
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_z-event-log-db_49216
    profiles {
        Common/tcp { }
    }
}

```

```

    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 39
}
ltm virtual uat/u_v10_0_13_192_49217 {
    creation-time 2025-10-15:10:14:26
    destination uat/10.0.13.192:49217
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_z-event-log-mq_49217
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 40
}
ltm virtual uat/u_v10_0_13_192_49218 {
    creation-time 2025-10-15:10:14:26
    destination uat/10.0.13.192:49218
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_z-event-log-mqc_49218
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 41
}
ltm virtual uat/u_v10_0_13_192_49219 {
    creation-time 2025-10-15:10:14:26
    destination uat/10.0.13.192:49219
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_z-event-log-db-n1_49219
    profiles {
        Common/tcp { }
    }
}

```

```

    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 42
}
ltm virtual uat/u_v10_0_13_192_49220 {
    creation-time 2025-10-15:10:14:26
    destination uat/10.0.13.192:49220
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_z-event-log-db-n2_49220
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 43
}
ltm virtual uat/u_v10_0_13_192_49226 {
    creation-time 2025-10-15:10:14:26
    destination uat/10.0.13.192:49226
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_waas-school-ui-db_49226
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 44
}
ltm virtual uat/u_v10_0_13_192_49232 {
    creation-time 2025-10-15:10:14:26
    destination uat/10.0.13.192:49232
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_emocounter-mq_49232
    profiles {
        Common/tcp { }
    }
}

```



```

    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 45
}
ltm virtual uat/u_v10_0_13_192_49233 {
    creation-time 2025-10-15:10:14:26
    destination uat/10.0.13.192:49233
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_emocounter-mqc_49233
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 46
}
ltm virtual uat/u_v10_0_13_192_49262 {
    creation-time 2025-10-15:10:14:26
    destination uat/10.0.13.192:49262
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_jwt-db_49262
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 47
}
ltm virtual uat/u_v10_0_13_192_49285 {
    creation-time 2025-10-15:10:14:27
    destination uat/10.0.13.192:49285
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_forum-mqc_49285
    profiles {
        Common/tcp { }
    }
}

```

```

    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 48
}
ltm virtual uat/u_v10_0_13_192_49323 {
    creation-time 2025-10-15:10:14:40
    destination uat/10.0.13.192:49323
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:37
    mask 255.255.255.255
    partition uat
    pool uat/u_grouping-v1-1-mq_49323
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 49
}
ltm virtual uat/u_v10_0_13_192_49324 {
    creation-time 2025-10-15:10:14:42
    destination uat/10.0.13.192:49324
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:38
    mask 255.255.255.255
    partition uat
    pool uat/u_grouping-v1-1-mqc_49324
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 50
}
ltm virtual uat/u_v10_0_13_192_49345 {
    creation-time 2025-10-15:10:14:42
    destination uat/10.0.13.192:49345
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:38
    mask 255.255.255.255
    partition uat
    pool uat/u_forum-mq_49345
    profiles {
        Common/tcp { }
    }

```

```

    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 51
}
ltm virtual uat/u_v10_0_13_237_5671 {
    creation-time 2025-10-14:10:29:44
    destination uat/10.0.13.237:amqps
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:38
    mask 255.255.255.255
    partition uat
    pool uat/u_mq_upgrade_5672
    profiles {
        Common/tcp { }
        uat/u_hkec_all.crt {
            context clientside
        }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 52
}
ltm virtual uat/u_v10_0_13_237_5672 {
    creation-time 2025-10-14:10:30:36
    destination uat/10.0.13.237:amqp
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:38
    mask 255.255.255.255
    partition uat
    pool uat/u_mq_upgrade_5672
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 53
}
ltm virtual uat/u_v10_0_13_239_5671 {
    creation-time 2025-10-14:10:32:08
    destination uat/10.0.13.239:amqps
    ip-protocol tcp
    last-modified-time 2025-10-21:16:10:12
    mask 255.255.255.255
    partition uat

```

```

pool uat/u_mq_5672
profiles {
    Common/tcp { }
    uat/u_hkec_all_crt {
        context clientside
    }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 54
}
ltm virtual uat/u_v10_0_13_239_5672 {
    creation-time 2025-10-14:10:32:17
    destination uat/10.0.13.239:amqp
    ip-protocol tcp
    last-modified-time 2025-10-21:16:10:12
    mask 255.255.255.255
    partition uat
    pool uat/u_mq_5672
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 55
}
ltm virtual uat/u_v10_0_18_1_53_tcp {
    creation-time 2025-10-14:09:49:57
    destination uat/10.0.18.1:domain
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:38
    mask 255.255.255.255
    partition uat
    pool uat/u_dns_tcp
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 56
}
ltm virtual uat/u_v10_0_18_1_53_udp {
    creation-time 2025-10-14:09:49:18
    destination uat/10.0.18.1:domain
    ip-protocol udp

```

```

last-modified-time 2025-10-21:10:02:38
mask 255.255.255.255
partition uat
pool uat/u_dns
profiles {
    uat/u_udp_hkec_dns { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 57
}
ltm virtual uat/u_v10_0_18_2_53_tcp {
creation-time 2025-10-14:10:13:49
destination uat/10.0.18.2:domain
ip-protocol tcp
last-modified-time 2025-10-21:10:02:38
mask 255.255.255.255
partition uat
pool uat/u_dns_tcp
profiles {
    Common/tcp { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 58
}
ltm virtual uat/u_v10_0_18_2_53_udp {
creation-time 2025-10-14:10:13:49
destination uat/10.0.18.2:domain
ip-protocol udp
last-modified-time 2025-10-21:10:02:38
mask 255.255.255.255
partition uat
pool uat/u_dns
profiles {
    uat/u_udp_hkec_dns { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 59
}
ltm virtual uat/u_v10_0_18_24_80 {
creation-time 2025-10-14:11:53:52
destination uat/10.0.18.24:http
ip-protocol tcp

```

```

last-modified-time 2025-10-21:10:02:38
mask 255.255.255.255
partition uat
profiles {
    Common/tcp { }
    uat/u_hkec_maint { }
}
rules {
    uat/u_hkec
    uat/u_schannel
    uat/u_error_page_p3p
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 60
}
ltm virtual uat/u_v10_0_18_24_443 {
creation-time 2025-10-14:13:57:36
destination uat/10.0.18.24:https
ip-protocol tcp
last-modified-time 2025-10-21:10:02:38
mask 255.255.255.255
partition uat
profiles {
    Common/http { }
    Common/tcp { }
    uat/u_hkec_all_crt {
        context clientside
    }
}
rules {
    uat/u_hkec_https
    uat/u_schannel
    uat/u_error_page_p3p
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 61
}
ltm virtual uat/u_v10_0_18_24_8080 {
creation-time 2025-10-15:10:14:50
destination uat/10.0.18.24:webcache
ip-protocol tcp
last-modified-time 2025-10-21:10:02:38
mask 255.255.255.255
partition uat
pool uat/u_hkec1

```

```

    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 62
}
ltm virtual uat/u_v10_0_18_25_80 {
    creation-time 2025-10-14:12:14:11
    destination uat/10.0.18.25:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:38
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i10_0_18_25
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 63
}
ltm virtual uat/u_v10_0_18_25_443 {
    creation-time 2025-10-14:15:03:53
    destination uat/10.0.18.25:https
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:38
    mask 255.255.255.255
    partition uat
    profiles {
        Common/http { }
        Common/tcp { }
        uat/u_hkrc_all_crt {
            context clientside
        }
    }
    rules {
        uat/u_i10_0_18_25
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled

```

```

        translate-port enabled
        vs-index 64
    }
    ltm virtual uat/u_v10_0_18_26_80 {
        creation-time 2025-10-14:12:14:14
        destination uat/10.0.18.26:http
        ip-protocol tcp
        last-modified-time 2025-10-21:10:02:38
        mask 255.255.255.255
        partition uat
        profiles {
            Common/tcp { }
            uat/u_hkec_maint { }
        }
        rules {
            uat/u_i10_0_18_26
            uat/u_error_page
        }
        serverssl-use-sni disabled
        source 0.0.0.0/0
        translate-address enabled
        translate-port enabled
        vs-index 65
    }
    ltm virtual uat/u_v10_0_18_26_443 {
        creation-time 2025-10-14:13:57:40
        destination uat/10.0.18.26:https
        ip-protocol tcp
        last-modified-time 2025-10-21:10:02:38
        mask 255.255.255.255
        partition uat
        profiles {
            Common/http { }
            Common/tcp { }
            uat/u_hkec_all_crt {
                context clientside
            }
        }
        rules {
            uat/u_i10_0_18_26
            uat/u_error_page
        }
        serverssl-use-sni disabled
        source 0.0.0.0/0
        translate-address enabled
        translate-port enabled
        vs-index 66
    }
    ltm virtual uat/u_v10_0_18_27_80 {
        creation-time 2025-10-14:14:25:14
        destination uat/10.0.18.27:http

```



```

ip-protocol tcp
last-modified-time 2025-10-21:10:02:38
mask 255.255.255.255
partition uat
persist {
    uat/u_hkec_cookie {
        default yes
    }
}
pool uat/u_upload_http
profiles {
    Common/tcp { }
    uat/u_hkec_maint { }
}
rules {
    uat/u_request
    uat/u_error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 67
}
ltm virtual uat/u_v10_0_18_28_80 {
    creation-time 2025-10-14:11:54:59
    destination uat/10.0.18.28:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:38
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i10_0_18_28
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 68
}
ltm virtual uat/u_v10_0_18_28_443 {
    creation-time 2025-10-14:14:19:08
    destination uat/10.0.18.28:https
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:38
    mask 255.255.255.255

```

```

partition uat
profiles {
    Common/tcp { }
    uat/u_hkec_all_crt {
        context clientside
    }
    uat/u_hkec_maint { }
}
rules {
    uat/u_i10_0_18_28
    uat/u_error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 69
}
ltm virtual uat/u_v10_0_18_30_80 {
    creation-time 2025-10-14:15:06:17
    destination uat/10.0.18.30:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:38
    mask 255.255.255.255
    partition uat
    persist {
        uat/u_hkec_cookie {
            default yes
        }
    }
    profiles {
        Common/http { }
        Common/tcp { }
    }
    rules {
        uat/u_i10_0_18_30
        uat/u_schannel
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 70
}
ltm virtual uat/u_v10_0_18_30_443 {
    creation-time 2025-10-15:09:47:25
    destination uat/10.0.18.30:https
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:38
    mask 255.255.255.255

```

```

partition uat
persist {
    uat/u_hkec_cookie {
        default yes
    }
}
profiles {
    Common/http { }
    Common/tcp { }
    uat/u_hkec_all_crt {
        context clientside
    }
}
rules {
    uat/u_limit_rate_request
    uat/u_i10_0_18_30
    uat/u_schannel
    uat/u_error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 71
}
ltm virtual uat/u_v10_0_18_34_80 {
    creation-time 2025-11-07:14:00:24
    destination uat/10.0.18.34:http
    ip-protocol tcp
    last-modified-time 2025-11-07:14:00:24
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i10_0_18_34
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 72
}
ltm virtual uat/u_v10_0_18_34_443 {
    creation-time 2025-11-07:12:06:55
    destination uat/10.0.18.34:https
    ip-protocol tcp
    last-modified-time 2025-11-07:12:06:55
    mask 255.255.255.255

```

```

partition uat
profiles {
    Common/tcp { }
    uat/u_edcity_all_crt {
        context clientside
    }
    uat/u_hkec_maint { }
}
rules {
    uat/u_i10_0_18_34
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 73
}
ltm virtual uat/u_v10_0_18_35_80 {
    creation-time 2025-10-14:11:55:04
    destination uat/10.0.18.35:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:38
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i10_0_18_35
        uat/u_schannel
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 74
}
ltm virtual uat/u_v10_0_18_35_443 {
    creation-time 2025-10-14:14:19:12
    destination uat/10.0.18.35:https
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:38
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_all_crt {
            context clientside
        }
    }
}

```

```

        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i10_0_18_35
        uat/u_schannel
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 75
}
ltm virtual uat/u_v10_0_18_36_80 {
    creation-time 2025-10-14:11:55:07
    destination uat/10.0.18.36:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:38
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i10_0_18_36
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 76
}
ltm virtual uat/u_v10_0_18_36_443 {
    creation-time 2025-10-14:14:51:31
    destination uat/10.0.18.36:https
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:38
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_edcity_all_crt {
            context clientside
        }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i10_0_18_36
    }
    serverssl-use-sni disabled

```

```

    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 77
}
ltm virtual uat/u_v10_0_18_37_80 {
    creation-time 2025-10-14:12:05:07
    destination uat/10.0.18.37:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:38
    mask 255.255.255.255
    partition uat
    pool uat/u_static1_http
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_request
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 78
}
ltm virtual uat/u_v10_0_18_37_443 {
    creation-time 2025-10-14:14:19:15
    destination uat/10.0.18.37:https
    ip-protocol tcp
    last-modified-time 2026-01-21:14:19:13
    mask 255.255.255.255
    partition uat
    pool uat/u_static1_http
    profiles {
        Common/tcp { }
        uat/u_hkec_all_crt {
            context clientside
        }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_request
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 79
}

```

```

}
ltm virtual uat/u_v10_0_18_38_80 {
  creation-time 2025-10-14:12:06:47
  destination uat/10.0.18.38:http
  ip-protocol tcp
  last-modified-time 2025-10-21:10:02:39
  mask 255.255.255.255
  partition uat
  pool uat/u_fjt_http
  profiles {
    Common/tcp { }
    uat/u_hkec_maint { }
  }
  rules {
    uat/u_fjt_http
    uat/u_error_page
  }
  serverssl-use-sni disabled
  source 0.0.0.0/0
  translate-address enabled
  translate-port enabled
  vs-index 80
}
ltm virtual uat/u_v10_0_18_38_443 {
  creation-time 2025-10-14:14:19:18
  destination uat/10.0.18.38:https
  ip-protocol tcp
  last-modified-time 2025-10-21:10:02:39
  mask 255.255.255.255
  partition uat
  pool uat/u_fjt_http
  profiles {
    Common/tcp { }
    uat/u_hkec_all.crt {
      context clientside
    }
    uat/u_hkec_maint { }
  }
  rules {
    uat/u_fjt_http
    uat/u_error_page
  }
  serverssl-use-sni disabled
  source 0.0.0.0/0
  translate-address enabled
  translate-port enabled
  vs-index 81
}
ltm virtual uat/u_v10_0_18_39_80 {
  creation-time 2025-11-06:12:37:50
  destination uat/10.0.18.39:http

```

```

ip-protocol tcp
last-modified-time 2025-11-06:12:38:38
mask 255.255.255.255
partition uat
profiles {
    Common/tcp { }
    uat/u_hkec_maint { }
}
rules {
    uat/u_i10_0_18_39
    uat/u_error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 82
}
ltm virtual uat/u_v10_0_18_39_443 {
creation-time 2025-11-06:12:40:07
destination uat/10.0.18.39:https
ip-protocol tcp
last-modified-time 2025-11-06:12:40:07
mask 255.255.255.255
partition uat
profiles {
    Common/tcp { }
    uat/u_ai_edcity_all_crt {
        context clientside
    }
    uat/u_hkec_maint { }
}
rules {
    uat/u_i10_0_18_39
    uat/u_error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 83
}
ltm virtual uat/u_v10_0_18_40_80 {
creation-time 2025-10-14:12:06:51
destination uat/10.0.18.40:http
ip-protocol tcp
last-modified-time 2025-10-21:10:02:39
mask 255.255.255.255
partition uat
pool uat/u_redirect_http
profiles {

```



```

        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_request
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 84
}
ltm virtual uat/u_v10_0_18_40_443 {
    creation-time 2025-10-14:14:19:21
    destination uat/10.0.18.40:https
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:39
    mask 255.255.255.255
    partition uat
    pool uat/u_redirect_http
    profiles {
        Common/tcp { }
        uat/u_hkec_all_crt {
            context clientside
        }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_request
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 85
}
ltm virtual uat/u_v10_0_18_43_80 {
    creation-time 2025-10-14:11:55:10
    destination uat/10.0.18.43:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:39
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i10_0_18_43

```

```

        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 86
}
ltm virtual uat/u_v10_0_18_43_443 {
    creation-time 2025-10-14:14:51:35
    destination uat/10.0.18.43:https
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:39
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_all.crt_TLSv12-nokRSA {
            context clientside
        }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i10_0_18_43
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 87
}
ltm virtual uat/u_v10_0_18_47_80 {
    creation-time 2025-10-14:12:14:16
    destination uat/10.0.18.47:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:39
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_edmall_http
        uat/u_schannel
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled

```

```

    translate-port enabled
    vs-index 88
}
ltm virtual uat/u_v10_0_18_47_443 {
    creation-time 2025-10-14:13:57:43
    destination uat/10.0.18.47:https
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:39
    mask 255.255.255.255
    partition uat
    profiles {
        Common/http { }
        Common/tcp { }
        uat/u_hkec_all.crt {
            context clientside
        }
    }
    rules {
        uat/u_edmall_https
        uat/u_schannel
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 89
}
ltm virtual uat/u_v10_0_18_48_80 {
    creation-time 2025-10-14:12:14:19
    destination uat/10.0.18.48:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:39
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i10_0_18_48_80
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 90
}
ltm virtual uat/u_v10_0_18_48_443 {
    creation-time 2025-10-14:15:03:56
    destination uat/10.0.18.48:https

```

```

ip-protocol tcp
last-modified-time 2025-10-21:10:02:39
mask 255.255.255.255
partition uat
profiles {
    Common/http { }
    Common/tcp { }
    uat/u_hkec_edb_all_crt_high {
        context clientside
    }
}
rules {
    uat/u_i10_0_18_48_443
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 91
}
ltm virtual uat/u_v10_0_18_48_ftps {
    creation-time 2025-10-14:10:07:45
    destination uat/10.0.18.48:any
    ip-protocol tcp
    last-modified-time 2026-01-12:15:54:39
    mask 255.255.255.255
    partition uat
    persist {
        uat/u_ftps_srcaddr {
            default yes
        }
    }
    pool uat/u_edb_ftps
    profiles {
        uat/u_fastL4_ftps { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port disabled
    vs-index 92
}
ltm virtual uat/u_v10_0_18_57_80 {
    creation-time 2025-10-14:11:55:14
    destination uat/10.0.18.57:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:39
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
    }
}

```

```

        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i10_0_18_57
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 93
}
ltm virtual uat/u_v10_0_18_57_443 {
    creation-time 2025-10-14:14:28:01
    destination uat/10.0.18.57:https
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:39
    mask 255.255.255.255
    partition uat
    persist {
        uat/u_hkec_cookie {
            default yes
        }
    }
    profiles {
        Common/tcp { }
        uat/u_hkec_all_crt {
            context clientside
        }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i10_0_18_57
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 94
}
ltm virtual uat/u_v10_0_18_60_80 {
    creation-time 2025-10-14:11:55:18
    destination uat/10.0.18.60:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:39
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }

```

```

    }
    rules {
        uat/u_hkec
        uat/u_schannel
        uat/u_error_page_p3p
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 95
}
ltm virtual uat/u_v10_0_18_60_443 {
    creation-time 2025-10-14:14:51:37
    destination uat/10.0.18.60:https
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:39
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
        uat/u_hkrc_all_crt {
            context clientside
        }
    }
    rules {
        uat/u_hkec_https
        uat/u_schannel
        uat/u_error_page_p3p
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 96
}
ltm virtual uat/u_v10_0_18_65_3306 {
    creation-time 2025-10-15:10:14:54
    destination uat/10.0.18.65:mysql
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:39
    mask 255.255.255.255
    partition uat
    pool uat/u_proxysql
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled

```

```

        translate-port enabled
        vs-index 97
    }
    ltm virtual uat/u_v10_0_18_65_6032 {
        creation-time 2025-10-15:10:14:54
        destination uat/10.0.18.65:6032
        ip-protocol tcp
        last-modified-time 2025-10-21:10:02:39
        mask 255.255.255.255
        partition uat
        pool uat/u_proxysql_admin
        profiles {
            Common/tcp { }
        }
        serverssl-use-sni disabled
        source 0.0.0.0/0
        translate-address enabled
        translate-port enabled
        vs-index 98
    }
    ltm virtual uat/u_v10_0_18_77_80 {
        creation-time 2025-10-14:12:14:22
        destination uat/10.0.18.77:http
        ip-protocol tcp
        last-modified-time 2025-10-21:10:02:39
        mask 255.255.255.255
        partition uat
        profiles {
            Common/tcp { }
            uat/u_hkec_maint { }
        }
        rules {
            uat/u_i10_0_18_77_80
        }
        serverssl-use-sni disabled
        source 0.0.0.0/0
        translate-address enabled
        translate-port enabled
        vs-index 99
    }
    ltm virtual uat/u_v10_0_18_77_443 {
        creation-time 2025-10-14:15:03:59
        destination uat/10.0.18.77:https
        ip-protocol tcp
        last-modified-time 2025-10-21:10:02:39
        mask 255.255.255.255
        partition uat
        profiles {
            Common/http { }
            Common/tcp { }
            uat/u_hkec_proj_all_crt {

```

```

        context clientside
    }
}
rules {
    uat/u_i10_0_18_77_443
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 100
}
ltm virtual uat/u_v10_0_18_77_ftp {
    creation-time 2025-10-14:10:07:49
    destination uat/10.0.18.77:any
    ip-protocol tcp
    last-modified-time 2026-01-12:15:54:01
    mask 255.255.255.255
    partition uat
    persist {
        uat/u_ftp_srcaddr {
            default yes
        }
    }
    pool uat/u_proj_ftp
    profiles {
        uat/u_fastL4_ftp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port disabled
    vs-index 101
}
ltm virtual uat/u_v10_0_18_81_80 {
    creation-time 2025-10-14:12:14:24
    destination uat/10.0.18.81:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:39
    mask 255.255.255.255
    partition uat
    pool uat/u_apps2_http
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_request
        uat/u_schannel
        uat/u_error_page
    }
}

```



```

serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 102
}
ltm virtual uat/u_v10_0_18_81_443 {
creation-time 2025-10-14:13:57:47
destination uat/10.0.18.81:https
ip-protocol tcp
last-modified-time 2025-10-21:10:02:39
mask 255.255.255.255
partition uat
pool uat/u_apps2_http
profiles {
    Common/http { }
    Common/tcp { }
    uat/u_hkec_all_crt {
        context clientside
    }
}
rules {
    uat/u_request
    uat/u_schannel
    uat/u_error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 103
}
ltm virtual uat/u_v10_0_18_83_80 {
creation-time 2025-10-14:11:55:21
destination uat/10.0.18.83:http
ip-protocol tcp
last-modified-time 2025-10-21:10:02:39
mask 255.255.255.255
partition uat
profiles {
    Common/tcp { }
    uat/u_hkec_maint { }
}
rules {
    uat/u_i10_0_18_83
    uat/u_error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled

```

```

    vs-index 104
}
ltm virtual uat/u_v10_0_18_83_443 {
    creation-time 2025-10-14:14:51:40
    destination uat/10.0.18.83:https
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:39
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
        uat/u_hkec_star_all_crt {
            context clientside
        }
    }
    rules {
        uat/u_i10_0_18_83
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 105
}
ltm virtual uat/u_v10_0_18_88_443 {
    creation-time 2025-10-14:14:51:42
    destination uat/10.0.18.88:https
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:39
    mask 255.255.255.255
    partition uat
    profiles {
        Common/serverssl {
            context serverside
        }
        Common/tcp { }
        uat/u_hkec_all_crt {
            context clientside
        }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i10_0_18_88_443
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled

```

```

    vs-index 106
}
ltm virtual uat/u_v10_0_18_91_80 {
    creation-time 2025-10-14:12:08:18
    destination uat/10.0.18.91:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:40
    mask 255.255.255.255
    partition uat
    pool uat/u_acladmin_http
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_apps_http
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 107
}
ltm virtual uat/u_v10_0_18_91_443 {
    creation-time 2025-10-14:14:59:11
    destination uat/10.0.18.91:https
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:40
    mask 255.255.255.255
    partition uat
    pool uat/u_acladmin_http
    profiles {
        Common/tcp { }
        uat/u_hkec_all.crt_high {
            context clientside
        }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_hkec_tls1_internal
        uat/u_apps_http
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 108
}
ltm virtual uat/u_v10_0_18_92_80 {

```

```

creation-time 2025-10-14:14:25:59
destination uat/10.0.18.92:http
ip-protocol tcp
last-modified-time 2025-10-21:10:02:40
mask 255.255.255.255
partition uat
persist {
    uat/u_hkec_cookie {
        default yes
    }
}
pool uat/u_edblog_http
profiles {
    Common/tcp { }
    uat/u_hkec_maint { }
}
rules {
    uat/u_edblog
    uat/u_error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 109
}
ltm virtual uat/u_v10_0_18_92_443 {
creation-time 2025-10-14:14:28:05
destination uat/10.0.18.92:https
ip-protocol tcp
last-modified-time 2025-10-21:10:02:40
mask 255.255.255.255
partition uat
persist {
    uat/u_hkec_cookie {
        default yes
    }
}
pool uat/u_edblog_http
profiles {
    Common/tcp { }
    uat/u_hkec_all_crt {
        context clientside
    }
    uat/u_hkec_maint { }
}
rules {
    uat/u_edblog
    uat/u_error_page
}
serverssl-use-sni disabled

```

```

    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 110
}
ltm virtual uat/u_v10_0_18_93_80 {
    creation-time 2025-10-14:14:26:04
    destination uat/10.0.18.93:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:40
    mask 255.255.255.255
    partition uat
    persist {
        uat/u_hkec_cookie {
            default yes
        }
    }
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_resources
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 111
}
ltm virtual uat/u_v10_0_18_93_443 {
    creation-time 2025-10-14:14:28:08
    destination uat/10.0.18.93:https
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:40
    mask 255.255.255.255
    partition uat
    persist {
        uat/u_hkec_cookie {
            default yes
        }
    }
    profiles {
        Common/tcp { }
        uat/u_hkec_all_crt {
            context clientside
        }
        uat/u_hkec_maint { }
    }
    rules {

```

```

        uat/u_resources
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 112
}
ltm virtual uat/u_v10_0_18_94_80 {
    creation-time 2025-10-14:11:55:25
    destination uat/10.0.18.94:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:40
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i10_0_18_94
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 113
}
ltm virtual uat/u_v10_0_18_94_443 {
    creation-time 2025-10-14:14:19:24
    destination uat/10.0.18.94:https
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:40
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_all_crt {
            context clientside
        }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i10_0_18_94
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled

```

```

        translate-port enabled
        vs-index 114
    }
    ltm virtual uat/u_v10_0_18_94_12001 {
        creation-time 2025-10-15:10:14:58
        destination uat/10.0.18.94:entextnetwk
        ip-protocol tcp
        last-modified-time 2025-10-21:10:02:40
        mask 255.255.255.255
        partition uat
        pool uat/u_fluentd_12001
        profiles {
            Common/tcp { }
        }
        serverssl-use-sni disabled
        source 0.0.0.0/0
        translate-address enabled
        translate-port enabled
        vs-index 115
    }
    ltm virtual uat/u_v10_0_18_94_49177 {
        creation-time 2025-10-15:10:14:58
        destination uat/10.0.18.94:49177
        ip-protocol tcp
        last-modified-time 2025-10-21:10:02:40
        mask 255.255.255.255
        partition uat
        pool uat/u_saml-sp_49177
        profiles {
            Common/tcp { }
        }
        serverssl-use-sni disabled
        source 0.0.0.0/0
        translate-address enabled
        translate-port enabled
        vs-index 116
    }
    ltm virtual uat/u_v10_0_18_94_49178 {
        creation-time 2025-10-14:10:16:44
        destination uat/10.0.18.94:49178
        ip-protocol tcp
        last-modified-time 2025-10-21:10:02:40
        mask 255.255.255.255
        partition uat
        pool uat/u_saml-sp_49177
        profiles {
            Common/http { }
            Common/tcp { }
            uat/u_hkec_all_crt {
                context clientside
            }
        }
    }

```

```

    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 117
}
ltm virtual uat/u_v10_0_18_94_49194 {
    creation-time 2025-10-15:10:15:01
    destination uat/10.0.18.94:49194
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:40
    mask 255.255.255.255
    partition uat
    pool uat/u_waas-cloud-ws_49194
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 118
}
ltm virtual uat/u_v10_0_18_94_49202 {
    creation-time 2025-10-14:10:16:48
    destination uat/10.0.18.94:49202
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:40
    mask 255.255.255.255
    partition uat
    pool uat/u_saml-test-sp_49202
    profiles {
        Common/http { }
        Common/tcp { }
        uat/u_hkec_all_crt {
            context clientside
        }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 119
}
ltm virtual uat/u_v10_0_18_96_80 {
    creation-time 2025-10-14:12:19:40
    destination uat/10.0.18.96:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:40
    mask 255.255.255.255

```



```

partition uat
profiles {
    Common/tcp { }
    uat/u_hkec_maint { }
}
rules {
    uat/u_i10_0_18_96_80
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 120
}
ltm virtual uat/u_v10_0_18_96_443 {
creation-time 2025-10-14:13:59:56
destination uat/10.0.18.96:https
ip-protocol tcp
last-modified-time 2025-10-21:10:02:40
mask 255.255.255.255
partition uat
profiles {
    Common/http { }
    Common/tcp { }
    uat/u_hkec_all_crt {
        context clientside
    }
}
rules {
    uat/u_i10_0_18_96_443
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 121
}
ltm virtual uat/u_v10_0_18_101_80 {
creation-time 2025-10-14:12:14:08
destination uat/10.0.18.101:http
ip-protocol tcp
last-modified-time 2025-10-21:10:02:38
mask 255.255.255.255
partition uat
profiles {
    Common/tcp { }
    uat/u_hkec_maint { }
}
rules {
    uat/u_i10_0_18_101_80
}

```

```

serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 122
}
ltm virtual uat/u_v10_0_18_101_443 {
creation-time 2025-10-14:13:26:16
destination uat/10.0.18.101:https
ip-protocol tcp
last-modified-time 2025-10-21:10:02:38
mask 255.255.255.255
partition uat
profiles {
    Common/http { }
    Common/tcp { }
    uat/u_hkec_all.crt {
        context clientside
    }
}
rules {
    uat/u_i10_0_18_101_443
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 123
}
ltm virtual uat/u_v10_0_18_101_ftps {
creation-time 2025-10-14:10:04:21
destination uat/10.0.18.101:any
ip-protocol tcp
last-modified-time 2026-01-12:14:28:59
mask 255.255.255.255
partition uat
persist {
    uat/u_ftps_srcaddr {
        default yes
    }
}
pool uat/u_hkec_ftps
profiles {
    uat/u_fastL4_ftps { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port disabled
vs-index 124
}

```

```

ltm virtual uat/u_v10_0_18_113_80 {
  creation-time 2025-10-14:11:53:41
  destination uat/10.0.18.113:http
  ip-protocol tcp
  last-modified-time 2025-10-21:10:02:38
  mask 255.255.255.255
  partition uat
  profiles {
    Common/tcp { }
    uat/u_hkec_maint { }
  }
  rules {
    uat/u_i10_0_18_30
    uat/u_schannel
    uat/u_error_page
  }
  serverssl-use-sni disabled
  source 0.0.0.0/0
  translate-address enabled
  translate-port enabled
  vs-index 125
}
ltm virtual uat/u_v10_0_18_113_443 {
  creation-time 2025-10-14:13:54:01
  destination uat/10.0.18.113:https
  ip-protocol tcp
  last-modified-time 2025-10-21:10:02:38
  mask 255.255.255.255
  partition uat
  profiles {
    Common/http { }
    Common/tcp { }
    uat/u_hkec_all_crt {
      context clientside
    }
  }
  rules {
    uat/u_i10_0_18_113_443_wmng
  }
  serverssl-use-sni disabled
  source 0.0.0.0/0
  translate-address enabled
  translate-port enabled
  vs-index 126
}
ltm virtual uat/u_v10_0_18_113_5672 {
  creation-time 2025-10-14:10:33:42
  destination uat/10.0.18.113:amqp
  ip-protocol tcp
  last-modified-time 2025-10-21:10:02:38
  mask 255.255.255.255

```

```

partition uat
pool uat/u_mq_5672
profiles {
    Common/tcp { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 127
}
ltm virtual uat/u_v10_0_18_115_80 {
creation-time 2025-10-14:10:09:36
destination uat/10.0.18.115:http
ip-protocol tcp
last-modified-time 2025-10-21:10:02:38
mask 255.255.255.255
partition uat
pool uat/ag2-uat-ip_80
profiles {
    Common/http { }
    Common/tcp { }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 128
}
ltm virtual uat/u_v10_0_18_115_443 {
creation-time 2025-10-14:10:11:29
destination uat/10.0.18.115:https
ip-protocol tcp
last-modified-time 2025-10-21:10:02:38
mask 255.255.255.255
partition uat
pool uat/ag2-uat-ip_443
profiles {
    Common/serverssl {
        context serverside
    }
    Common/tcp { }
    uat/u_hkec_all.crt {
        context clientside
    }
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 129

```

```

}
ltm virtual uat/u_v202_8_90_24_80 {
  creation-time 2025-11-11:11:45:25
  destination uat/202.8.90.24:http
  ip-protocol tcp
  last-modified-time 2025-11-11:11:45:25
  mask 255.255.255.255
  partition uat
  profiles {
    Common/tcp { }
    uat/u_hkec_maint { }
  }
  rules {
    uat/u_error_page
    uat/u_i202_8_90_24
  }
  serverssl-use-sni disabled
  source 0.0.0.0/0
  translate-address enabled
  translate-port enabled
  vs-index 130
}
ltm virtual uat/u_v202_8_90_24_443 {
  creation-time 2025-11-11:11:44:41
  destination uat/202.8.90.24:https
  ip-protocol tcp
  last-modified-time 2025-11-11:11:44:41
  mask 255.255.255.255
  partition uat
  profiles {
    Common/tcp { }
    uat/u_hkec_all_crt {
      context clientside
    }
    uat/u_hkec_maint { }
  }
  rules {
    uat/u_i202_8_90_24
    uat/u_error_page
  }
  serverssl-use-sni disabled
  source 0.0.0.0/0
  translate-address enabled
  translate-port enabled
  vs-index 131
}
ltm virtual uat/u_v202_8_90_28_80 {
  creation-time 2025-11-11:11:40:47
  destination uat/202.8.90.28:http
  ip-protocol tcp
  last-modified-time 2025-11-11:11:40:47

```

```

mask 255.255.255.255
partition uat
profiles {
    Common/tcp { }
    uat/u_hkec_maint { }
}
rules {
    uat/u_error_page
    uat/u_i202_8_90_28
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 132
}
ltm virtual uat/u_v202_8_90_28_443 {
creation-time 2025-11-11:11:38:56
destination uat/202.8.90.28:https
ip-protocol tcp
last-modified-time 2025-11-11:11:38:56
mask 255.255.255.255
partition uat
profiles {
    Common/tcp { }
    uat/u_hkec_all_crt {
        context clientside
    }
    uat/u_hkec_maint { }
}
rules {
    uat/u_i202_8_90_28
    uat/u_error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 133
}
ltm virtual uat/u_v202_8_90_36_80 {
creation-time 2025-11-10:15:14:02
destination uat/202.8.90.36:http
ip-protocol tcp
last-modified-time 2025-11-10:15:14:02
mask 255.255.255.255
partition uat
profiles {
    Common/tcp { }
    uat/u_hkec_maint { }
}
}

```

```

rules {
    uat/u_error_page
    uat/u_i202_8_90_36
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 134
}
ltm virtual uat/u_v202_8_90_36_443 {
    creation-time 2025-11-10:15:15:28
    destination uat/202.8.90.36:https
    ip-protocol tcp
    last-modified-time 2025-11-11:10:24:14
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_edcity_all_crt {
            context clientside
        }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i202_8_90_36
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 135
}
ltm virtual uat/u_v202_8_90_43_80 {
    creation-time 2025-11-11:10:50:28
    destination uat/202.8.90.43:http
    ip-protocol tcp
    last-modified-time 2025-11-11:10:50:28
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_error_page
        uat/u_i202_8_90_43
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0

```

```

    translate-address enabled
    translate-port enabled
    vs-index 136
}
ltm virtual uat/u_v202_8_90_43_443 {
    creation-time 2025-11-11:10:49:40
    destination uat/202.8.90.43:https
    ip-protocol tcp
    last-modified-time 2025-11-11:10:49:40
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_all.crt {
            context clientside
        }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_error_page
        uat/u_i202_8_90_43
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 137
}
ltm virtual uat/u_v202_8_90_44_80 {
    creation-time 2025-10-15:10:19:04
    destination uat/202.8.90.44:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:40
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i202_8_90_44
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 138
}
ltm virtual uat/u_v202_8_90_44_443 {
    creation-time 2025-10-14:14:56:58

```



```

destination uat/202.8.90.44:https
ip-protocol tcp
last-modified-time 2026-01-08:08:49:23
mask 255.255.255.255
partition uat
profiles {
    Common/tcp { }
    uat/u_hkec_maint { }
    uat/u_hkec_uat_all_crt_TLSv12-nokRSA {
        context clientside
    }
}
rules {
    uat/u_i202_8_90_44
    uat/u_error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 139
}
ltm virtual uat/u_v202_8_90_47_80 {
creation-time 2025-11-11:10:31:35
destination uat/202.8.90.47:http
ip-protocol tcp
last-modified-time 2025-11-11:10:31:35
mask 255.255.255.255
partition uat
profiles {
    Common/http { }
    Common/tcp { }
}
rules {
    uat/u_edmall_payment_http
    uat/u_schannel
    uat/u_error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 140
}
ltm virtual uat/u_v202_8_90_47_443 {
creation-time 2025-11-11:10:30:17
destination uat/202.8.90.47:https
ip-protocol tcp
last-modified-time 2025-11-11:10:30:17
mask 255.255.255.255
partition uat

```

```

profiles {
    Common/http { }
    Common/tcp { }
    uat/u_hkec_all_crt {
        context clientside
    }
}
rules {
    uat/u_edmall_payment
    uat/u_error_page
    uat/u_schannel
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 141
}
ltm virtual uat/u_v202_8_90_49_80 {
    creation-time 2025-12-03:16:23:51
    destination uat/202.8.90.49:http
    ip-protocol tcp
    last-modified-time 2025-12-03:16:33:25
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i202_8_90_49
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 308
}
ltm virtual uat/u_v202_8_90_49_443 {
    creation-time 2025-12-03:16:25:03
    destination uat/202.8.90.49:https
    ip-protocol tcp
    last-modified-time 2025-12-03:16:35:42
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_ai_edcity_all_crt {
            context clientside
        }
    }
}

```

```

        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i202_8_90_49
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 309
}
ltm virtual uat/u_v202_8_90_53_80 {
    creation-time 2025-10-15:10:18:00
    destination uat/202.8.90.53:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:40
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i202_8_90_53_80
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 142
}
ltm virtual uat/u_v202_8_90_53_443 {
    creation-time 2025-10-14:14:33:13
    destination uat/202.8.90.53:https
    ip-protocol tcp
    last-modified-time 2026-01-08:08:50:00
    mask 255.255.255.255
    partition uat
    persist {
        uat/u_hkec_cookie {
            default yes
        }
    }
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
        uat/u_hkec_uat_all.crt_TLSv12-nokRSA {
            context clientside
        }
    }
}

```

```

    }
    rules {
        uat/u_i202_8_90_53_443
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 143
}
ltm virtual uat/u_v202_8_90_53_12001 {
    creation-time 2025-10-15:10:18:27
    destination uat/202.8.90.53:entextnetwk
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:40
    mask 255.255.255.255
    partition uat
    pool uat/u_fluentd_12001
    profiles {
        Common/tcp { }
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 144
}
ltm virtual uat/u_v202_8_90_54_80 {
    creation-time 2025-09-19:15:18:46
    destination uat/202.8.90.54:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:40
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_error_page
        uat/u_i202_8_90_54
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 145
}
ltm virtual uat/u_v202_8_90_54_443 {
    creation-time 2025-09-19:15:20:16

```

```

destination uat/202.8.90.54:https
ip-protocol tcp
last-modified-time 2025-10-21:10:02:40
mask 255.255.255.255
partition uat
profiles {
    Common/tcp { }
    uat/u_hkec_all_crt {
        context clientside
    }
    uat/u_hkec_maint { }
}
rules {
    uat/u_error_page
    uat/u_i202_8_90_54
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 146
}
ltm virtual uat/u_v202_8_90_90_80 {
creation-time 2025-09-19:15:27:39
destination uat/202.8.90.90:http
ip-protocol tcp
last-modified-time 2025-10-21:10:02:40
mask 255.255.255.255
partition uat
profiles {
    Common/tcp { }
    uat/u_hkec_maint { }
}
rules {
    uat/u_error_page
    uat/u_i202_8_90_90
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 147
}
ltm virtual uat/u_v202_8_90_90_443 {
creation-time 2025-09-19:15:29:16
destination uat/202.8.90.90:https
ip-protocol tcp
last-modified-time 2025-10-21:10:02:40
mask 255.255.255.255
partition uat
profiles {

```

```

        Common/tcp { }
        uat/u_hkec_all.crt {
            context clientside
        }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_i202_8_90_90
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 148
}
ltm virtual uat/u_v202_8_90_91_80 {
    creation-time 2025-11-11:11:43:33
    destination uat/202.8.90.91:http
    ip-protocol tcp
    last-modified-time 2025-11-11:11:43:33
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_error_page
        uat/u_i202_8_90_91
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 149
}
ltm virtual uat/u_v202_8_90_91_443 {
    creation-time 2025-11-11:11:42:50
    destination uat/202.8.90.91:https
    ip-protocol tcp
    last-modified-time 2025-11-11:11:42:50
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_all.crt {
            context clientside
        }
        uat/u_hkec_maint { }
    }
}

```

```

rules {
    uat/u_i202_8_90_91
    uat/u_error_page
}
serverssl-use-sni disabled
source 0.0.0.0/0
translate-address enabled
translate-port enabled
vs-index 150
}
ltm virtual uat/u_v202_8_90_94_80 {
    creation-time 2025-11-11:10:47:02
    destination uat/202.8.90.94:http
    ip-protocol tcp
    last-modified-time 2025-11-11:10:47:02
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_error_page
        uat/u_i202_8_90_94
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 151
}
ltm virtual uat/u_v202_8_90_94_443 {
    creation-time 2025-11-11:10:48:20
    destination uat/202.8.90.94:https
    ip-protocol tcp
    last-modified-time 2025-11-11:10:48:20
    mask 255.255.255.255
    partition uat
    profiles {
        Common/tcp { }
        uat/u_hkec_all_crt {
            context clientside
        }
        uat/u_hkec_maint { }
    }
    rules {
        uat/u_error_page
        uat/u_i202_8_90_94
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0

```

```

    translate-address enabled
    translate-port enabled
    vs-index 152
}
ltm virtual uat/u_v202_8_90_98_80 {
    creation-time 2025-10-20:18:50:28
    destination uat/202.8.90.98:http
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:40
    mask 255.255.255.255
    partition uat
    profiles {
        Common/http { }
        Common/tcp { }
    }
    rules {
        uat/u_edmall_payment_http
        uat/u_schannel
        uat/u_error_page
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 153
}
ltm virtual uat/u_v202_8_90_98_443 {
    creation-time 2025-10-20:18:51:52
    destination uat/202.8.90.98:https
    ip-protocol tcp
    last-modified-time 2025-10-21:10:02:40
    mask 255.255.255.255
    partition uat
    profiles {
        Common/http { }
        Common/tcp { }
        uat/u_hkec_all_crt {
            context clientside
        }
    }
    rules {
        uat/u_edmall_payment
        uat/u_error_page
        uat/u_schannel
    }
    serverssl-use-sni disabled
    source 0.0.0.0/0
    translate-address enabled
    translate-port enabled
    vs-index 154
}

```



```

ltm virtual uat/u_v202_8_90_111_443 {
  creation-time 2026-01-21:12:31:58
  description "GT nessus scanning"
  destination uat/202.8.90.111:https
  ip-protocol tcp
  last-modified-time 2026-01-21:14:50:31
  mask 255.255.255.255
  partition uat
  pool uat/u_nessus_gt
  profiles {
    Common/serverssl {
      context serverside
    }
    Common/tcp { }
    uat/u_hkec_all.crt {
      context clientside
    }
  }
  serverssl-use-sni disabled
  source 0.0.0.0/0
  translate-address enabled
  translate-port enabled
  vs-index 310
}
net cos global-settings { }
net dag-globals { }
net dns-resolver Common/f5-aws-dns {
  forward-zones {
    amazonaws.com {
      nameservers {
        8.8.8.8:domain { }
      }
    }
    idservice.net {
      nameservers {
        8.8.8.8:domain { }
      }
    }
    shpapi.com {
      nameservers {
        8.8.8.8:domain { }
      }
    }
  }
}
route-domain Common/0
}
net fdb tunnel Common/http-tunnel { }
net fdb tunnel Common/socks-tunnel { }
net fdb vlan Common/HA { }
net fdb vlan Common/vlan1 { }
net fdb vlan Common/vlan20 { }

```

```
net fdb vlan Common/vlan30 { }
net fdb vlan Common/vlan31 { }
net fdb vlan Common/vlan50 { }
net fdb vlan Common/vlan301 { }
net interface 1.1 {
    if-index 48
    mac-address 14:a9:d0:c5:a7:a1
    media-active 10000T-FD
    media-max 10000T-FD
    mtu 9198
}
net interface 1.2 {
    if-index 64
    mac-address 14:a9:d0:c5:a7:a1
    media-active 10000T-FD
    media-max 10000T-FD
    mtu 9198
}
net interface 1.3 {
    if-index 80
    mac-address 14:a9:d0:c5:a7:a3
    media-active 10000T-FD
    media-max 10000T-FD
    mtu 9198
}
net interface 1.4 {
    if-index 96
    mac-address 14:a9:d0:c5:a7:a3
    media-active 10000T-FD
    media-max 10000T-FD
    mtu 9198
}
net interface 1.5 {
    if-index 112
    mac-address 14:a9:d0:c5:a7:a4
    media-max 10000T-FD
    mtu 9198
}
net interface 1.6 {
    if-index 128
    mac-address 14:a9:d0:c5:a7:a5
    media-max 10000T-FD
    mtu 9198
}
net interface 1.7 {
    if-index 144
    mac-address 14:a9:d0:c5:a7:a7
    media-active 10000T-FD
    media-max 10000T-FD
    mtu 9198
}
```

```

net interface 1.8 {
    if-index 160
    mac-address 14:a9:d0:c5:a7:a7
    media-active 10000T-FD
    media-max 10000T-FD
    mtu 9198
}
net interface mgmt {
    if-index 32
    mac-address 14:a9:d0:c5:a7:92
    media-active 100TX-FD
}
net ipsec ike-daemon Common/iked daemon {
    log-publisher Common/default-ipsec-log-publisher
}
net lacp-globals { }
net lldp-globals { }
net multicast-globals { }
net packet-filter-trusted { }
net port-list Common/_sys_self_allow_tcp_defaults {
    ports {
        1029-1043 { }
        domain { }
        f5-iquery { }
        https { }
        snmp { }
        ssh { }
    }
}
net port-list Common/_sys_self_allow_udp_defaults {
    ports {
        520 { }
        cap { }
        domain { }
        f5-iquery { }
        snmp { }
    }
}
net route Common/default {
    gw 202.8.88.126
    network default
}
net route-domain Common/0 {
    id 0
    vlans {
        Common/socks-tunnel
        Common/http-tunnel
        Common/HA
        Common/vlan31
        Common/vlan301
        Common/vlan1
    }
}

```

```

        Common/vlan50
        Common/vlan20
        Common/vlan30
    }
}
net self Common/202.8.88.20 {
    address 202.8.88.20/25
    floating enabled
    traffic-group Common/traffic-group-1
    unit 1
    vlan Common/vlan1
}
net self Common/10.6.0.8 {
    address 10.6.0.8/24
    floating enabled
    traffic-group Common/traffic-group-1
    unit 1
    vlan Common/vlan50
}
net self Common/10.0.1.34 {
    address 10.0.1.34/22
    floating enabled
    traffic-group Common/traffic-group-1
    unit 1
    vlan Common/vlan20
}
net self Common/202.8.90.15 {
    address 202.8.90.15/25
    traffic-group Common/traffic-group-local-only
    vlan Common/vlan301
}
net self Common/10.0.18.8 {
    address 10.0.18.8/23
    floating enabled
    traffic-group Common/traffic-group-1
    unit 1
    vlan Common/vlan31
}
net self Common/10.0.12.8 {
    address 10.0.12.8/23
    floating enabled
    traffic-group Common/traffic-group-1
    unit 1
    vlan Common/vlan30
}
net self Common/10.4.0.33 {
    address 10.4.0.33/30
    allow-service {
        default
    }
    traffic-group Common/traffic-group-local-only

```

```

    vlan Common/HA
}
net self Common/10.0.1.35 {
    address 10.0.1.35/22
    traffic-group Common/traffic-group-local-only
    vlan Common/vlan20
}
net self Common/10.0.12.119 {
    address 10.0.12.119/23
    traffic-group Common/traffic-group-local-only
    vlan Common/vlan30
}
net self Common/10.0.18.3 {
    address 10.0.18.3/23
    traffic-group Common/traffic-group-local-only
    vlan Common/vlan31
}
net self Common/10.6.0.3 {
    address 10.6.0.3/24
    traffic-group Common/traffic-group-local-only
    vlan Common/vlan50
}
net self Common/202.8.88.15 {
    address 202.8.88.15/25
    traffic-group Common/traffic-group-local-only
    vlan Common/vlan1
}
net self Common/202.8.90.20 {
    address 202.8.90.20/25
    floating enabled
    traffic-group Common/traffic-group-1
    unit 1
    vlan Common/vlan301
}
net self-allow {
    defaults {
        igmp:any
        ospf:any
        pim:any
        tcp:domain
        tcp:f5-iquery
        tcp:https
        tcp:snmp
        tcp:ssh
        udp:520
        udp:cap
        udp:domain
        udp:f5-iquery
        udp:snmp
    }
}

```

```

net stp-globals { }
net trunk HA {
    bandwidth 20000
    cfg-mbr-count 2
    id 3
    interfaces {
        1.7
        1.8
    }
    mac-address 14:a9:d0:c5:a7:a7
    stp disabled
    type vcmp-shadow
    working-mbr-count 2
}
net trunk trunk-group-2 {
    bandwidth 20000
    cfg-mbr-count 2
    id 4
    interfaces {
        1.1
        1.2
    }
    mac-address 14:a9:d0:c5:a7:a1
    stp disabled
    type vcmp-shadow
    working-mbr-count 2
}
net trunk trunk-group-3 {
    bandwidth 20000
    cfg-mbr-count 2
    id 2
    interfaces {
        1.3
        1.4
    }
    mac-address 14:a9:d0:c5:a7:a3
    stp disabled
    type vcmp-shadow
    working-mbr-count 2
}
net tunnels tunnel Common/http-tunnel {
    description "Tunnel for http-explicit profile"
    if-index 192
    profile Common/tcp-forward
}
net tunnels tunnel Common/socks-tunnel {
    description "Tunnel for socks profile"
    if-index 208
    profile Common/tcp-forward
}
net vlan Common/HA {

```

```
    dag-adjustment none
    fwd-mode 13
    if-index 224
    interfaces {
        HA {
            tagged
        }
    }
    tag 4094
}
net vlan Common/vlan1 {
    dag-adjustment none
    failsafe enabled
    failsafe-action failover
    failsafe-timeout 30
    fwd-mode 13
    if-index 240
    interfaces {
        trunk-group-3 { }
    }
    tag 1
}
net vlan Common/vlan20 {
    dag-adjustment none
    failsafe enabled
    failsafe-action failover
    failsafe-timeout 30
    fwd-mode 13
    if-index 256
    interfaces {
        trunk-group-2 {
            tagged
        }
    }
    tag 20
}
net vlan Common/vlan30 {
    dag-adjustment none
    failsafe-action failover
    fwd-mode 13
    if-index 272
    interfaces {
        trunk-group-2 {
            tagged
        }
    }
    tag 30
}
net vlan Common/vlan31 {
    dag-adjustment none
    failsafe-action failover
```

```

    fwd-mode 13
    if-index 288
    interfaces {
        trunk-group-2 {
            tagged
        }
    }
    tag 31
}
net vlan Common/vlan50 {
    dag-adjustment none
    failsafe enabled
    failsafe-action failover
    failsafe-timeout 30
    fwd-mode 13
    if-index 304
    interfaces {
        trunk-group-2 {
            tagged
        }
    }
    tag 50
}
net vlan Common/vlan301 {
    dag-adjustment none
    fwd-mode 13
    if-index 320
    interfaces {
        trunk-group-3 {
            tagged
        }
    }
    tag 301
}
security firewall management-ip-rules { }
sys aom { }
sys autoscale-group { }
sys core {
    bigd-action rotate
    bigd-manage false
    bigd-max 1
    mcpd-action rotate
    mcpd-manage false
    mcpd-max 1
    retention 30
    tmm-action rotate
    tmm-manage false
    tmm-max 1
}
sys crypto acceleration-strategy { }
sys crypto allow-key-export { }

```



```

sys crypto cert prod/ai_edcity_all_crt {
    cert-validation-options none
    cert-validators {
        { }
    }
    certificate-key-size 2048
    city
    common-name *.edcity.ai
    country
    email-address
    expiration Oct 27 04:40:26 2026 GMT
    fingerprint
SHA256/CE:FC:47:3A:DA:CC:C7:7C:CB:3C:EE:B6:07:02:50:53:7D:5D:42:00:9C:B9:04:F7:26:
D6:F9:32:3C:7E:66:46
    issuer CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US
    issuer-certificate
    organization
    ou
    public-key-type RSA
    state
    subject-alternative-name DNS:*.edcity.ai, DNS:edcity.ai
}
sys crypto cert prod/edcity_all_crt {
    cert-validation-options none
    cert-validators {
        { }
    }
    certificate-key-size 2048
    city
    common-name *.edcity.hk
    country
    email-address
    expiration Jun 25 08:57:02 2026 GMT
    fingerprint
SHA256/F4:D9:13:55:77:CC:4D:15:5B:98:1E:C5:C7:8C:62:79:6B:80:A2:1E:D6:87:53:52:F9:
FB:41:6D:83:C4:72:DC
    issuer CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US
    issuer-certificate
    organization
    ou
    public-key-type RSA
    state
    subject-alternative-name DNS:*.edcity.hk, DNS:edcity.hk
}
sys crypto cert prod/edcity_edb_all_crt {
    cert-validation-options none
    cert-validators {

```

```

    { }
}
certificate-key-size 2048
city
common-name *.edb.edcity.hk
country
email-address
expiration Nov 25 01:38:58 2026 GMT
fingerprint
SHA256/66:52:C5:5F:52:A3:58:54:0A:2D:55:D0:D5:48:C1:07:31:B2:C5:65:3E:62:F4:1B:EE:
21:99:2C:62:DA:1D:A5
    issuer CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US
    issuer-certificate
organization
ou
public-key-type RSA
state
subject-alternative-name DNS:*.edb.edcity.hk, DNS:edb.edcity.hk
}
sys crypto cert prod/edcity_proj_all.crt {
    cert-validation-options none
    cert-validators {
        { }
    }
    certificate-key-size 2048
    city
    common-name *.proj.edcity.hk
    country
    email-address
    expiration Nov 25 01:40:49 2026 GMT
    fingerprint
SHA256/96:CC:88:4F:40:8C:1B:3F:37:75:64:9A:B9:36:47:73:73:EA:B0:A5:E0:13:2A:C0:B7:
84:CE:EA:4A:F8:F3:FA
    issuer CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US
    issuer-certificate
organization
ou
public-key-type RSA
state
subject-alternative-name DNS:*.proj.edcity.hk, DNS:proj.edcity.hk
}
sys crypto cert prod/hkec.chain.crt {
    cert-validation-options none
    cert-validators {
        { }
    }
}
certificate-key-size 2048

```

```

city Scottsdale
common-name Go Daddy Secure Certificate Authority - G2
country US
email-address
expiration May 3 07:00:00 2031 GMT
fingerprint
SHA256/97:3A:41:27:6F:FD:01:E0:27:A2:AA:D4:9E:34:C3:78:46:D3:E9:76:FF:6A:62:0B:67:
12:E3:38:32:04:1A:A6
    issuer CN=Go Daddy Root Certificate Authority - G2,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US
    issuer-certificate
    organization GoDaddy.com, Inc.
    ou http://certs.godaddy.com/repository/
    public-key-type RSA
    state Arizona
    subject-alternative-name
}
sys crypto cert prod/hkec_all_crt {
    cert-validation-options none
    cert-validators {
        { }
    }
    certificate-key-size 2048
    city
    common-name *.hkedcity.net
    country
    email-address
    expiration Jan 19 07:02:02 2027 GMT
    fingerprint
SHA256/94:AF:87:A2:70:C9:44:7F:06:DA:69:96:42:B6:37:00:62:D0:BA:E6:AA:92:50:E3:9A:
96:5A:81:57:BF:45:2A
    issuer CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US
    issuer-certificate
    organization
    ou
    public-key-type RSA
    state
    subject-alternative-name DNS:*.hkedcity.net, DNS:hkedcity.net
}
sys crypto cert prod/hkec_edb_all_crt {
    cert-validation-options none
    cert-validators {
        { }
    }
    certificate-key-size 2048
    city
    common-name *.edb.hkedcity.net
    country
    email-address

```

```

    expiration May 11 08:45:46 2026 GMT
    fingerprint
SHA256/E9:A8:38:BB:6C:BD:CC:C2:2E:7A:67:0E:0A:9E:3D:9B:C8:CA:1E:6C:3F:F8:29:AF:4D:
9E:78:B0:BF:A5:A7:B2
    issuer CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US
    issuer-certificate
    organization
    ou
    public-key-type RSA
    state
    subject-alternative-name DNS:*.edb.hkedcity.net, DNS:edb.hkedcity.net
}
sys crypto cert prod/hkec_proj_all.crt {
    cert-validation-options none
    cert-validators {
        { }
    }
    certificate-key-size 2048
    city
    common-name *.proj.hkedcity.net
    country
    email-address
    expiration Jan 19 07:02:06 2027 GMT
    fingerprint
SHA256/76:71:B1:79:85:F3:6D:D9:51:6C:28:75:2D:F7:E5:33:CD:7D:A6:05:96:C3:F0:14:F9:
9F:B1:B5:90:E2:DB:A9
    issuer CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US
    issuer-certificate
    organization
    ou
    public-key-type RSA
    state
    subject-alternative-name DNS:*.proj.hkedcity.net, DNS:proj.hkedcity.net
}
sys crypto cert prod/hkec_star_all.crt {
    cert-validation-options none
    cert-validators {
        { }
    }
    certificate-key-size 2048
    city
    common-name *.star.hkedcity.net
    country
    email-address
    expiration Sep 30 08:33:55 2026 GMT
    fingerprint
SHA256/00:A8:88:26:E6:2E:7A:72:5F:2B:07:7E:8D:AE:D6:F5:29:D0:3D:C4:39:09:2D:81:7F:

```

```

06:AD:22:4A:59:87:F9
    issuer CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US
    issuer-certificate
    organization
    ou
    public-key-type RSA
    state
    subject-alternative-name DNS:*.star.hkedcity.net, DNS:star.hkedcity.net
}
sys crypto cert prod/hkrc_all.crt {
    cert-validation-options none
    cert-validators {
        { }
    }
    certificate-key-size 2048
    city
    common-name *.hkreadingcity.net
    country
    email-address
    expiration Jul 15 10:00:48 2026 GMT
    fingerprint
SHA256/B1:F5:05:EC:99:F5:F9:EF:C5:A1:BE:13:04:6B:15:CB:4A:E2:FF:62:B5:55:B6:8F:89:
37:BC:40:8A:DC:EE:A1
    issuer CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US
    issuer-certificate
    organization
    ou
    public-key-type RSA
    state
    subject-alternative-name DNS:*.hkreadingcity.net, DNS:hkreadingcity.net
}
sys crypto cert uat/u_ai_edcity_all.crt {
    cert-validation-options none
    cert-validators {
        { }
    }
    certificate-key-size 2048
    city
    common-name *.edcity.ai
    country
    email-address
    expiration Oct 27 04:40:26 2026 GMT
    fingerprint
SHA256/CE:FC:47:3A:DA:CC:C7:7C:CB:3C:EE:B6:07:02:50:53:7D:5D:42:00:9C:B9:04:F7:26:
D6:F9:32:3C:7E:66:46
    issuer CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,

```

```

Inc.,L=Scottsdale,ST=Arizona,C=US
  issuer-certificate
  organization
  ou
  public-key-type RSA
  state
  subject-alternative-name DNS:*.edcity.ai, DNS:edcity.ai
}
sys crypto cert uat/u_edcity_all.crt {
  cert-validation-options none
  cert-validators {
    { }
  }
  certificate-key-size 2048
  city
  common-name *.edcity.hk
  country
  email-address
  expiration Jun 25 08:57:02 2026 GMT
  fingerprint
SHA256/F4:D9:13:55:77:CC:4D:15:5B:98:1E:C5:C7:8C:62:79:6B:80:A2:1E:D6:87:53:52:F9:
FB:41:6D:83:C4:72:DC
  issuer CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US
  issuer-certificate /uat/u_hkec.chain.crt
  organization
  ou
  public-key-type RSA
  state
  subject-alternative-name DNS:*.edcity.hk, DNS:edcity.hk
}
sys crypto cert uat/u_hkec.chain.crt {
  cert-validation-options none
  cert-validators {
    { }
  }
  certificate-key-size 2048
  city Scottsdale
  common-name Go Daddy Secure Certificate Authority - G2
  country US
  email-address
  expiration May 3 07:00:00 2031 GMT
  fingerprint
SHA256/97:3A:41:27:6F:FD:01:E0:27:A2:AA:D4:9E:34:C3:78:46:D3:E9:76:FF:6A:62:0B:67:
12:E3:38:32:04:1A:A6
  issuer CN=Go Daddy Root Certificate Authority - G2,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US
  issuer-certificate
  organization GoDaddy.com, Inc.
  ou http://certs.godaddy.com/repository/

```

```

    public-key-type RSA
    state Arizona
    subject-alternative-name
}
sys crypto cert uat/u_hkec_all.crt {
    cert-validation-options none
    cert-validators {
        { }
    }
    certificate-key-size 2048
    city
    common-name *.hkedcity.net
    country
    email-address
    expiration Jan 19 07:02:02 2027 GMT
    fingerprint
SHA256/94:AF:87:A2:70:C9:44:7F:06:DA:69:96:42:B6:37:00:62:D0:BA:E6:AA:92:50:E3:9A:
96:5A:81:57:BF:45:2A
    issuer CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US
    issuer-certificate /uat/u_hkec.chain.crt
    organization
    ou
    public-key-type RSA
    state
    subject-alternative-name DNS:*.hkedcity.net, DNS:hkedcity.net
}
sys crypto cert uat/u_hkec_edb_all.crt {
    cert-validation-options none
    cert-validators {
        { }
    }
    certificate-key-size 2048
    city
    common-name *.edb.hkedcity.net
    country
    email-address
    expiration May 11 08:45:46 2026 GMT
    fingerprint
SHA256/E9:A8:38:BB:6C:BD:CC:C2:2E:7A:67:0E:0A:9E:3D:9B:C8:CA:1E:6C:3F:F8:29:AF:4D:
9E:78:B0:BF:A5:A7:B2
    issuer CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US
    issuer-certificate /uat/u_hkec.chain.crt
    organization
    ou
    public-key-type RSA
    state
    subject-alternative-name DNS:*.edb.hkedcity.net, DNS:edb.hkedcity.net

```

```

}
sys crypto cert uat/u_hkec_proj_all.crt {
    cert-validation-options none
    cert-validators {
        { }
    }
    certificate-key-size 2048
    city
    common-name *.proj.hkedcity.net
    country
    email-address
    expiration Jan 19 07:02:06 2027 GMT
    fingerprint
SHA256/76:71:B1:79:85:F3:6D:D9:51:6C:28:75:2D:F7:E5:33:CD:7D:A6:05:96:C3:F0:14:F9:
9F:B1:B5:90:E2:DB:A9
    issuer CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US
    issuer-certificate /uat/u_hkec.chain.crt
    organization
    ou
    public-key-type RSA
    state
    subject-alternative-name DNS:*.proj.hkedcity.net, DNS:proj.hkedcity.net
}
sys crypto cert uat/u_hkec_star_all.crt {
    cert-validation-options none
    cert-validators {
        { }
    }
    certificate-key-size 2048
    city
    common-name *.star.hkedcity.net
    country
    email-address
    expiration Sep 30 08:33:55 2026 GMT
    fingerprint
SHA256/00:A8:88:26:E6:2E:7A:72:5F:2B:07:7E:8D:AE:D6:F5:29:D0:3D:C4:39:09:2D:81:7F:
06:AD:22:4A:59:87:F9
    issuer CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US
    issuer-certificate /uat/u_hkec.chain.crt
    organization
    ou
    public-key-type RSA
    state
    subject-alternative-name DNS:*.star.hkedcity.net, DNS:star.hkedcity.net
}
sys crypto cert uat/u_hkec_uat_all.crt {
    cert-validation-options none

```



```

cert-validators {
    { }
}
certificate-key-size 2048
city
common-name *.uat.hkedcity.net
country
email-address
expiration Jul  7 09:22:01 2026 GMT
fingerprint
SHA256/8C:5F:50:1B:97:33:99:25:F7:5B:06:CD:8B:7A:06:E4:F5:F9:9F:4F:72:96:00:56:7A:
7C:E3:15:0F:4F:38:1C
    issuer CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US
    issuer-certificate /uat/u_hkec.chain.crt
organization
ou
public-key-type RSA
state
subject-alternative-name DNS:*.uat.hkedcity.net, DNS:uat.hkedcity.net
}
sys crypto cert uat/u_hkrc_all.crt {
    cert-validation-options none
    cert-validators {
        { }
    }
    certificate-key-size 2048
    city
    common-name *.hkreadingcity.net
    country
    email-address
    expiration Jul 15 10:00:48 2026 GMT
    fingerprint
SHA256/B1:F5:05:EC:99:F5:F9:EF:C5:A1:BE:13:04:6B:15:CB:4A:E2:FF:62:B5:55:B6:8F:89:
37:BC:40:8A:DC:EE:A1
    issuer CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US
    issuer-certificate /uat/u_hkec.chain.crt
organization
ou
public-key-type RSA
state
subject-alternative-name DNS:*.hkreadingcity.net, DNS:hkreadingcity.net
}
sys crypto key prod/ai_edcity_all.crt {
    key-size 2048
    key-type rsa-private
    security-type normal
}

```

```
sys crypto key prod/edcity_all.crt {
    key-size 2048
    key-type rsa-private
    security-type normal
}
sys crypto key prod/edcity_edb_all.crt {
    key-size 2048
    key-type rsa-private
    security-type normal
}
sys crypto key prod/edcity_proj_all.crt {
    key-size 2048
    key-type rsa-private
    security-type normal
}
sys crypto key prod/hkec_all.crt {
    key-size 2048
    key-type rsa-private
    security-type normal
}
sys crypto key prod/hkec_edb_all.crt {
    key-size 2048
    key-type rsa-private
    security-type normal
}
sys crypto key prod/hkec_proj_all.crt {
    key-size 2048
    key-type rsa-private
    security-type normal
}
sys crypto key prod/hkec_star_all.crt {
    key-size 2048
    key-type rsa-private
    security-type normal
}
sys crypto key prod/hkrc_all.crt {
    key-size 2048
    key-type rsa-private
    security-type normal
}
sys crypto key uat/u_ai_edcity_all.crt {
    key-size 2048
    key-type rsa-private
    security-type normal
}
sys crypto key uat/u_edcity_all.crt {
    key-size 2048
    key-type rsa-private
    security-type normal
}
sys crypto key uat/u_hkec_all.crt {
```

```

    key-size 2048
    key-type rsa-private
    security-type normal
}
sys crypto key uat/u_hkec_edb_all_crt {
    key-size 2048
    key-type rsa-private
    security-type normal
}
sys crypto key uat/u_hkec_proj_all_crt {
    key-size 2048
    key-type rsa-private
    security-type normal
}
sys crypto key uat/u_hkec_star_all_crt {
    key-size 2048
    key-type rsa-private
    security-type normal
}
sys crypto key uat/u_hkec_uat_all_crt {
    key-size 2048
    key-type rsa-private
    security-type normal
}
sys crypto key uat/u_hkrc_all_crt {
    key-size 2048
    key-type rsa-private
    security-type normal
}
sys daemon-log-settings clusterd { }
sys daemon-log-settings csyncd { }
sys daemon-log-settings icr-eventd { }
sys daemon-log-settings icrd { }
sys daemon-log-settings lind { }
sys daemon-log-settings mcpd { }
sys daemon-log-settings tmm { }
sys datastor {
    dedup-cache-weight 0
    disk disabled
}
sys diags ihealth {
    expiration 30
    no-ihealth false
    options none
    password none
    user none
}
sys diags ihealth-request {
    error-str none
    ihealth-finish-time 1768198803
    ihealth-start-time 1768198635

```

```

    progress 0
    qk-progress 100
    qk-progress-msg none
    qkview-date 1768198801
    qkview-filename /shared/support/support.tar.gz
    qkview-size 56924681
    qkview-user admin
    tcpdump-date 0
    tcpdump-filename " "
    tcpdump-size 0
    type qkview
}
sys disk logical-disk HD1 {
    mode mixed
    size 84992
    vg-free 35056
    vg-in-use 49724
}
sys dns {
    name-servers { 10.0.0.177 10.0.0.178 202.8.88.1 202.8.88.2 }
}
sys dynad settings {
    development-mode false
}
sys ecm cloud-provider Common/aws-ec2 {
    description "The aws-ec2 parameters"
    property-template {
        account { }
        availability-zone {
            valid-values { a b c d }
        }
        instance-type {
            valid-values { t2.micro t2.small t2.medium m3.medium m3.large
m3.xlarge m3.2xlarge c3.large c3.xlarge c3.2xlarge c3.4xlarge c3.8xlarge r3.large
r3.xlarge r3.2xlarge r3.4xlarge r3.8xlarge }
        }
        region {
            valid-values { us-east-1 us-west-1 us-west-2 sa-east-1 eu-west-1
eu-central-1 ap-southeast-2 ap-southeast-1 ap-northeast-1 }
        }
    }
}
sys ecm cloud-provider Common/dnet {
    description "The dnet parameters"
}
sys ecm cloud-provider Common/vsphere {
    description "The vsphere parameters"
    property-template {
        cloud-host-ip { }
        dhcp-network-name { }
        end-point-url { }
    }
}

```

```

        node-name { }
    }
}
sys ecm config { }
sys file ssl-cert prod/ai_edcity_all.crt {
    certificate-key-size 2048
    checksum SHA1:2360:74f7dee5887323e9339577475be8ebb92e14a41e
    create-time 2025-10-30:17:09:21
    created-by root
    expiration-date 1793076026
    expiration-string "Oct 27 04:40:26 2026 GMT"
    fingerprint
SHA256/CE:FC:47:3A:DA:CC:C7:7C:CB:3C:EE:B6:07:02:50:53:7D:5D:42:00:9C:B9:04:F7:26:
D6:F9:32:3C:7E:66:46
    issuer "CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
    key-type rsa-public
    last-update-time 2025-10-30:17:09:21
    mode 33188
    partition prod
    revision 1
    serial-number de:74:b1:f9:dc:33:79:14
    size 2360
    source-path none
    subject CN=*.edcity.ai
    subject-alternative-name "DNS:*.edcity.ai, DNS:edcity.ai"
    updated-by root
    version 3
}
sys file ssl-cert prod/edcity_all.crt {
    certificate-key-size 2048
    checksum SHA1:2360:5a966b085aacde5c2b90fb60046f0e1270381b57
    create-time 2025-10-30:17:12:22
    created-by root
    expiration-date 1782377822
    expiration-string "Jun 25 08:57:02 2026 GMT"
    fingerprint
SHA256/F4:D9:13:55:77:CC:4D:15:5B:98:1E:C5:C7:8C:62:79:6B:80:A2:1E:D6:87:53:52:F9:
FB:41:6D:83:C4:72:DC
    issuer "CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
    key-type rsa-public
    last-update-time 2025-10-30:17:12:22
    mode 33188
    partition prod
    revision 1
    serial-number c6:26:13:b6:c0:ca:26:cd
    size 2360
    source-path none

```

```

    subject CN=*.edcity.hk
    subject-alternative-name "DNS:*.edcity.hk, DNS:edcity.hk"
    updated-by root
    version 3
}
sys file ssl-cert prod/edcity_edb_all_crt {
    certificate-key-size 2048
    checksum SHA1:2378:b6913030df64f47cf335c9036ca86ff77551a78d
    create-time 2025-10-30:17:13:31
    created-by root
    expiration-date 1795570738
    expiration-string "Nov 25 01:38:58 2026 GMT"
    fingerprint
SHA256/66:52:C5:5F:52:A3:58:54:0A:2D:55:D0:D5:48:C1:07:31:B2:C5:65:3E:62:F4:1B:EE:
21:99:2C:62:DA:1D:A5
    issuer "CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
    key-type rsa-public
    last-update-time 2025-10-30:17:13:31
    mode 33188
    partition prod
    revision 1
    serial-number cb:a9:c7:2b:06:08:6e:32
    size 2378
    source-path none
    subject CN=*.edb.edcity.hk
    subject-alternative-name "DNS:*.edb.edcity.hk, DNS:edb.edcity.hk"
    updated-by root
    version 3
}
sys file ssl-cert prod/edcity_proj_all_crt {
    certificate-key-size 2048
    checksum SHA1:2382:7d3e12af0af5b06d5d3882a75c784d7345f537c7
    create-time 2025-10-30:17:14:27
    created-by root
    expiration-date 1795570849
    expiration-string "Nov 25 01:40:49 2026 GMT"
    fingerprint
SHA256/96:CC:88:4F:40:8C:1B:3F:37:75:64:9A:B9:36:47:73:73:EA:B0:A5:E0:13:2A:C0:B7:
84:CE:EA:4A:F8:F3:FA
    issuer "CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
    key-type rsa-public
    last-update-time 2025-10-30:17:14:27
    mode 33188
    partition prod
    revision 1
    serial-number 67:a7:97:35:72:d7:e2:21
    size 2382

```

```

    source-path none
    subject CN=*.proj.edcity.hk
    subject-alternative-name "DNS:*.proj.edcity.hk, DNS:proj.edcity.hk"
    updated-by root
    version 3
}
sys file ssl-cert prod/hkec.chain.crt {
    certificate-key-size 2048
    checksum SHA1:1754:4f967f9323196e9a520ae2fe0243b09006cc49fc
    create-time 2026-01-08:09:04:03
    created-by kelvin.yeung-a
    expiration-date 1935558000
    expiration-string "May  3 07:00:00 2031 GMT"
    fingerprint
SHA256/97:3A:41:27:6F:FD:01:E0:27:A2:AA:D4:9E:34:C3:78:46:D3:E9:76:FF:6A:62:0B:67:
12:E3:38:32:04:1A:A6
    issuer "CN=Go Daddy Root Certificate Authority - G2,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
    key-type rsa-public
    last-update-time 2026-01-08:09:04:03
    mode 33188
    partition prod
    revision 1
    serial-number 7
    size 1754
    source-path none
    subject "CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
    updated-by kelvin.yeung-a
    version 3
}
sys file ssl-cert prod/hkec_all.crt {
    certificate-key-size 2048
    checksum SHA1:2334:cd54f1137c7649d744075144a7b08b371f6e3ba9
    create-time 2025-10-30:17:15:31
    created-by root
    expiration-date 1800342122
    expiration-string "Jan 19 07:02:02 2027 GMT"
    fingerprint
SHA256/94:AF:87:A2:70:C9:44:7F:06:DA:69:96:42:B6:37:00:62:D0:BA:E6:AA:92:50:E3:9A:
96:5A:81:57:BF:45:2A
    issuer "CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
    key-type rsa-public
    last-update-time 2026-01-17:03:11:21
    mode 33188
    partition prod
    revision 2
    serial-number de:c3:83:f5:0c:67:2a:6c

```

```

size 2334
source-path none
subject CN=*.hkedcity.net
subject-alternative-name "DNS:*.hkedcity.net, DNS:hkedcity.net"
updated-by eric.tam-a
version 3
}
sys file ssl-cert prod/hkec_edb_all.crt {
certificate-key-size 2048
checksum SHA1:2386:85805efc604d301a16840bce6bc49b6a5ecee396
create-time 2025-10-30:17:16:25
created-by root
expiration-date 1778489146
expiration-string "May 11 08:45:46 2026 GMT"
fingerprint
SHA256/E9:A8:38:BB:6C:BD:CC:C2:2E:7A:67:0E:0A:9E:3D:9B:C8:CA:1E:6C:3F:F8:29:AF:4D:
9E:78:B0:BF:A5:A7:B2
issuer "CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
key-type rsa-public
last-update-time 2025-10-30:17:16:25
mode 33188
partition prod
revision 1
serial-number 15:b7:ac:dd:29:fb:47:46
size 2386
source-path none
subject CN=*.edb.hkedcity.net
subject-alternative-name "DNS:*.edb.hkedcity.net, DNS:edb.hkedcity.net"
updated-by root
version 3
}
sys file ssl-cert prod/hkec_proj_all.crt {
certificate-key-size 2048
checksum SHA1:2354:2baf560713f0510fa787756f1943fcd7f3497b8b
create-time 2025-10-30:17:17:19
created-by root
expiration-date 1800342126
expiration-string "Jan 19 07:02:06 2027 GMT"
fingerprint
SHA256/76:71:B1:79:85:F3:6D:D9:51:6C:28:75:2D:F7:E5:33:CD:7D:A6:05:96:C3:F0:14:F9:
9F:B1:B5:90:E2:DB:A9
issuer "CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
key-type rsa-public
last-update-time 2026-01-17:03:11:50
mode 33188
partition prod
revision 2

```



```

    serial-number 61:63:ed:e1:79:68:20:15
    size 2354
    source-path none
    subject CN=*.proj.hkedcity.net
    subject-alternative-name "DNS:*.proj.hkedcity.net, DNS:proj.hkedcity.net"
    updated-by eric.tam-a
    version 3
}
sys file ssl-cert prod/hkec_star_all.crt {
    certificate-key-size 2048
    checksum SHA1:2398:3c6543e3437bb7e53258fd7447a4e69362a23ffd
    create-time 2025-10-30:17:18:08
    created-by root
    expiration-date 1790757235
    expiration-string "Sep 30 08:33:55 2026 GMT"
    fingerprint
SHA256/00:A8:88:26:E6:2E:7A:72:5F:2B:07:7E:8D:AE:D6:F5:29:D0:3D:C4:39:09:2D:81:7F:
06:AD:22:4A:59:87:F9
    issuer "CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
    key-type rsa-public
    last-update-time 2025-10-30:17:18:08
    mode 33188
    partition prod
    revision 1
    serial-number d1:24:0c:bd:23:70:34:8f
    size 2398
    source-path none
    subject CN=*.star.hkedcity.net
    subject-alternative-name "DNS:*.star.hkedcity.net, DNS:star.hkedcity.net"
    updated-by root
    version 3
}
sys file ssl-cert prod/hkrc_all.crt {
    certificate-key-size 2048
    checksum SHA1:2394:e1827f47951dce690a16decf87300ef5926b8c94
    create-time 2025-10-30:17:19:00
    created-by root
    expiration-date 1784109648
    expiration-string "Jul 15 10:00:48 2026 GMT"
    fingerprint
SHA256/B1:F5:05:EC:99:F5:F9:EF:C5:A1:BE:13:04:6B:15:CB:4A:E2:FF:62:B5:55:B6:8F:89:
37:BC:40:8A:DC:EE:A1
    issuer "CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
    key-type rsa-public
    last-update-time 2025-10-30:17:19:00
    mode 33188
    partition prod

```

```

revision 1
serial-number 51:85:28:b8:66:01:24:f4
size 2394
source-path none
subject CN=*.hkreadingcity.net
subject-alternative-name "DNS:*.hkreadingcity.net, DNS:hkreadingcity.net"
updated-by root
version 3
}
sys file ssl-cert uat/u_ai_edcity_all.crt {
certificate-key-size 2048
checksum SHA1:2360:74f7dee5887323e9339577475be8ebb92e14a41e
create-time 2025-10-31:12:47:37
created-by root
expiration-date 1793076026
expiration-string "Oct 27 04:40:26 2026 GMT"
fingerprint
SHA256/CE:FC:47:3A:DA:CC:C7:7C:CB:3C:EE:B6:07:02:50:53:7D:5D:42:00:9C:B9:04:F7:26:
D6:F9:32:3C:7E:66:46
issuer "CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
key-type rsa-public
last-update-time 2025-10-31:12:47:37
mode 33188
partition uat
revision 1
serial-number de:74:b1:f9:dc:33:79:14
size 2360
source-path none
subject CN=*.edcity.ai
subject-alternative-name "DNS:*.edcity.ai, DNS:edcity.ai"
updated-by root
version 3
}
sys file ssl-cert uat/u_edcity_all.crt {
certificate-key-size 2048
checksum SHA1:2360:5a966b085aacde5c2b90fb60046f0e1270381b57
create-time 2025-09-09:17:28:23
created-by root
expiration-date 1782377822
expiration-string "Jun 25 08:57:02 2026 GMT"
fingerprint
SHA256/F4:D9:13:55:77:CC:4D:15:5B:98:1E:C5:C7:8C:62:79:6B:80:A2:1E:D6:87:53:52:F9:
FB:41:6D:83:C4:72:DC
issuer "CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
issuer-cert uat/u_hkec.chain.crt
key-type rsa-public
last-update-time 2025-09-09:17:28:23

```

```

mode 33188
partition uat
revision 1
serial-number c6:26:13:b6:c0:ca:26:cd
size 2360
source-path none
subject CN=*.edcity.hk
subject-alternative-name "DNS:*.edcity.hk, DNS:edcity.hk"
updated-by root
version 3
}
sys file ssl-cert uat/u_hkec.chain.crt {
certificate-key-size 2048
checksum SHA1:1754:4f967f9323196e9a520ae2fe0243b09006cc49fc
create-time 2025-09-09:17:10:43
created-by root
expiration-date 1935558000
expiration-string "May 3 07:00:00 2031 GMT"
fingerprint
SHA256/97:3A:41:27:6F:FD:01:E0:27:A2:AA:D4:9E:34:C3:78:46:D3:E9:76:FF:6A:62:0B:67:
12:E3:38:32:04:1A:A6
issuer "CN=Go Daddy Root Certificate Authority - G2,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
key-type rsa-public
last-update-time 2025-09-09:17:10:43
mode 33188
partition uat
revision 1
serial-number 7
size 1754
source-path none
subject "CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
updated-by root
version 3
}
sys file ssl-cert uat/u_hkec_all.crt {
certificate-key-size 2048
checksum SHA1:2334:cd54f1137c7649d744075144a7b08b371f6e3ba9
create-time 2025-09-09:17:16:18
created-by root
expiration-date 1800342122
expiration-string "Jan 19 07:02:02 2027 GMT"
fingerprint
SHA256/94:AF:87:A2:70:C9:44:7F:06:DA:69:96:42:B6:37:00:62:D0:BA:E6:AA:92:50:E3:9A:
96:5A:81:57:BF:45:2A
issuer "CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
issuer-cert uat/u_hkec.chain.crt

```

```

key-type rsa-public
last-update-time 2026-01-17:03:12:50
mode 33188
partition uat
revision 2
serial-number de:c3:83:f5:0c:67:2a:6c
size 2334
source-path none
subject CN=*.hkedcity.net
subject-alternative-name "DNS:*.hkedcity.net, DNS:hkedcity.net"
updated-by eric.tam-a
version 3
}
sys file ssl-cert uat/u_hkec_edb_all_crt {
certificate-key-size 2048
checksum SHA1:2386:85805efc604d301a16840bce6bc49b6a5ecee396
create-time 2025-09-09:17:30:19
created-by root
expiration-date 1778489146
expiration-string "May 11 08:45:46 2026 GMT"
fingerprint
SHA256/E9:A8:38:BB:6C:BD:CC:C2:2E:7A:67:0E:0A:9E:3D:9B:C8:CA:1E:6C:3F:F8:29:AF:4D:
9E:78:B0:BF:A5:A7:B2
issuer "CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
issuer-cert uat/u_hkec.chain.crt
key-type rsa-public
last-update-time 2025-09-09:17:30:19
mode 33188
partition uat
revision 1
serial-number 15:b7:ac:dd:29:fb:47:46
size 2386
source-path none
subject CN=*.edb.hkedcity.net
subject-alternative-name "DNS:*.edb.hkedcity.net, DNS:edb.hkedcity.net"
updated-by root
version 3
}
sys file ssl-cert uat/u_hkec_proj_all_crt {
certificate-key-size 2048
checksum SHA1:2354:2baf560713f0510fa787756f1943fcd7f3497b8b
create-time 2025-09-09:17:23:01
created-by root
expiration-date 1800342126
expiration-string "Jan 19 07:02:06 2027 GMT"
fingerprint
SHA256/76:71:B1:79:85:F3:6D:D9:51:6C:28:75:2D:F7:E5:33:CD:7D:A6:05:96:C3:F0:14:F9:
9F:B1:B5:90:E2:DB:A9
issuer "CN=Go Daddy Secure Certificate Authority -

```

```
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
    issuer-cert uat/u_hkec.chain.crt
    key-type rsa-public
    last-update-time 2026-01-17:03:13:10
    mode 33188
    partition uat
    revision 2
    serial-number 61:63:ed:e1:79:68:20:15
    size 2354
    source-path none
    subject CN=*.proj.hkedcity.net
    subject-alternative-name "DNS:*.proj.hkedcity.net, DNS:proj.hkedcity.net"
    updated-by eric.tam-a
    version 3
}
sys file ssl-cert uat/u_hkec_star_all.crt {
    certificate-key-size 2048
    checksum SHA1:2398:3c6543e3437bb7e53258fd7447a4e69362a23ffd
    create-time 2025-09-09:17:24:26
    created-by root
    expiration-date 1790757235
    expiration-string "Sep 30 08:33:55 2026 GMT"
    fingerprint
SHA256/00:A8:88:26:E6:2E:7A:72:5F:2B:07:7E:8D:AE:D6:F5:29:D0:3D:C4:39:09:2D:81:7F:
06:AD:22:4A:59:87:F9
    issuer "CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
    issuer-cert uat/u_hkec.chain.crt
    key-type rsa-public
    last-update-time 2025-09-09:17:24:26
    mode 33188
    partition uat
    revision 1
    serial-number d1:24:0c:bd:23:70:34:8f
    size 2398
    source-path none
    subject CN=*.star.hkedcity.net
    subject-alternative-name "DNS:*.star.hkedcity.net, DNS:star.hkedcity.net"
    updated-by root
    version 3
}
sys file ssl-cert uat/u_hkec_uat_all.crt {
    certificate-key-size 2048
    checksum SHA1:2390:c0e1008b0cb6b3a6956339aa5c815a73b63b656d
    create-time 2025-09-09:17:25:33
    created-by root
    expiration-date 1783416121
    expiration-string "Jul 7 09:22:01 2026 GMT"
    fingerprint
```

SHA256/8C:5F:50:1B:97:33:99:25:F7:5B:06:CD:8B:7A:06:E4:F5:F9:9F:4F:72:96:00:56:7A:7C:E3:15:0F:4F:38:1C

```
    issuer "CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
    issuer-cert uat/u_hkec.chain.crt
    key-type rsa-public
    last-update-time 2025-09-09:17:25:33
    mode 33188
    partition uat
    revision 1
    serial-number 4e:56:33:2e:8f:0c:dd:e2
    size 2390
    source-path none
    subject CN=*.uat.hkedcity.net
    subject-alternative-name "DNS:*.uat.hkedcity.net, DNS:uat.hkedcity.net"
    updated-by root
    version 3
}
```

```
sys file ssl-cert uat/u_hkrc_all.crt {
    certificate-key-size 2048
    checksum SHA1:2394:e1827f47951dce690a16decf87300ef5926b8c94
    create-time 2025-09-09:17:26:51
    created-by root
    expiration-date 1784109648
    expiration-string "Jul 15 10:00:48 2026 GMT"
    fingerprint
```

SHA256/B1:F5:05:EC:99:F5:F9:EF:C5:A1:BE:13:04:6B:15:CB:4A:E2:FF:62:B5:55:B6:8F:89:37:BC:40:8A:DC:EE:A1

```
    issuer "CN=Go Daddy Secure Certificate Authority -
G2,OU=http://certs.godaddy.com/repository/,O=GoDaddy.com,
Inc.,L=Scottsdale,ST=Arizona,C=US"
    issuer-cert uat/u_hkec.chain.crt
    key-type rsa-public
    last-update-time 2025-09-09:17:26:51
    mode 33188
    partition uat
    revision 1
    serial-number 51:85:28:b8:66:01:24:f4
    size 2394
    source-path none
    subject CN=*.hkreadingcity.net
    subject-alternative-name "DNS:*.hkreadingcity.net, DNS:hkreadingcity.net"
    updated-by root
    version 3
}
```

```
sys file ssl-key prod/ai_edcity_all.crt {
    checksum SHA1:1730:998d5142558226c404e420d230916b743cc1e032
    create-time 2025-10-30:17:09:58
    created-by root
    key-size 2048
```

```
    last-update-time 2025-10-30:17:09:58
    mode 33184
    partition prod
    revision 1
    size 1730
    source-path none
    updated-by root
}
sys file ssl-key prod/edcity_all.crt {
    checksum SHA1:1700:286d87b6d9e982773f2e7d797ef87770a30980ef
    create-time 2025-10-30:17:11:59
    created-by root
    key-size 2048
    last-update-time 2025-10-30:17:11:59
    mode 33184
    partition prod
    revision 1
    size 1700
    source-path none
    updated-by root
}
sys file ssl-key prod/edcity_edb_all.crt {
    checksum SHA1:1704:4979ec13a4ecc172289c6da65edaf64e4d44765f
    create-time 2025-10-30:17:13:08
    created-by root
    key-size 2048
    last-update-time 2025-10-30:17:13:08
    mode 33184
    partition prod
    revision 1
    size 1704
    source-path none
    updated-by root
}
sys file ssl-key prod/edcity_proj_all.crt {
    checksum SHA1:1704:98a23a4baf3cae6e0772ec7d800888241280293
    create-time 2025-10-30:17:14:11
    created-by root
    key-size 2048
    last-update-time 2025-10-30:17:14:11
    mode 33184
    partition prod
    revision 1
    size 1704
    source-path none
    updated-by root
}
sys file ssl-key prod/hkec_all.crt {
    checksum SHA1:1704:fb810e8cd3b0bc69bd63dd31c99dbaa3753ad969
    create-time 2025-10-30:17:15:12
    created-by root
```

```
key-size 2048
last-update-time 2025-10-30:17:15:12
mode 33184
partition prod
revision 1
size 1704
source-path none
updated-by root
}
sys file ssl-key prod/hkec_edb_all.crt {
checksum SHA1:1700:7f8fc035088bba3ad5637adad2cefcc06b8ff498
create-time 2025-10-30:17:16:10
created-by root
key-size 2048
last-update-time 2025-10-30:17:16:10
mode 33184
partition prod
revision 1
size 1700
source-path none
updated-by root
}
sys file ssl-key prod/hkec_proj_all.crt {
checksum SHA1:1704:9e54e584631190125b11352c82896277e1874dc7
create-time 2025-10-30:17:17:03
created-by root
key-size 2048
last-update-time 2025-10-30:17:17:03
mode 33184
partition prod
revision 1
size 1704
source-path none
updated-by root
}
sys file ssl-key prod/hkec_star_all.crt {
checksum SHA1:1704:de17bd91a54e12e2f90d7f8658fb09e240078245
create-time 2025-10-30:17:17:54
created-by root
key-size 2048
last-update-time 2025-10-30:17:17:54
mode 33184
partition prod
revision 1
size 1704
source-path none
updated-by root
}
sys file ssl-key prod/hkrc_all.crt {
checksum SHA1:1700:c3fb4a2c3a8e5de0f9584871a8eee8503b43447e
create-time 2025-10-30:17:18:45
```



```
    created-by root
    key-size 2048
    last-update-time 2025-10-30:17:18:45
    mode 33184
    partition prod
    revision 1
    size 1700
    source-path none
    updated-by root
}
sys file ssl-key uat/u_ai_edcity_all.crt {
    checksum SHA1:1730:998d5142558226c404e420d230916b743cc1e032
    create-time 2025-10-31:12:50:01
    created-by root
    key-size 2048
    last-update-time 2025-10-31:12:50:01
    mode 33184
    partition uat
    revision 1
    size 1730
    source-path none
    updated-by root
}
sys file ssl-key uat/u_edcity_all.crt {
    checksum SHA1:1700:286d87b6d9e982773f2e7d797ef87770a30980ef
    create-time 2025-09-09:17:29:04
    created-by root
    key-size 2048
    last-update-time 2025-09-09:17:29:04
    mode 33184
    partition uat
    revision 1
    size 1700
    source-path none
    updated-by root
}
sys file ssl-key uat/u_hkec_all.crt {
    checksum SHA1:1704:fb810e8cd3b0bc69bd63dd31c99dbaa3753ad969
    create-time 2025-09-09:17:18:03
    created-by root
    key-size 2048
    last-update-time 2025-09-09:17:18:03
    mode 33184
    partition uat
    revision 1
    size 1704
    source-path none
    updated-by root
}
sys file ssl-key uat/u_hkec_edb_all.crt {
    checksum SHA1:1700:7f8fc035088bba3ad5637adad2cefcc06b8ff498
```

```
create-time 2025-09-09:17:31:13
created-by root
key-size 2048
last-update-time 2025-09-09:17:31:13
mode 33184
partition uat
revision 1
size 1700
source-path none
updated-by root
}
sys file ssl-key uat/u_hkec_proj_all.crt {
checksum SHA1:1704:9e54e584631190125b11352c82896277e1874dc7
create-time 2025-09-09:17:23:36
created-by root
key-size 2048
last-update-time 2025-09-09:17:23:36
mode 33184
partition uat
revision 1
size 1704
source-path none
updated-by root
}
sys file ssl-key uat/u_hkec_star_all.crt {
checksum SHA1:1704:de17bd91a54e12e2f90d7f8658fb09e240078245
create-time 2025-09-09:17:24:53
created-by root
key-size 2048
last-update-time 2025-09-09:17:24:53
mode 33184
partition uat
revision 1
size 1704
source-path none
updated-by root
}
sys file ssl-key uat/u_hkec_uat_all.crt {
checksum SHA1:1700:6d7d18c9ed6e7db6645d2167b158cc6dc6915642
create-time 2025-09-09:17:26:06
created-by root
key-size 2048
last-update-time 2025-09-09:17:26:06
mode 33184
partition uat
revision 1
size 1700
source-path none
updated-by root
}
sys file ssl-key uat/u_hkrc_all.crt {
```

```
checksum SHA1:1700:c3fb4a2c3a8e5de0f9584871a8eee8503b43447e
create-time 2025-09-09:17:27:09
created-by root
key-size 2048
last-update-time 2025-09-09:17:27:09
mode 33184
partition uat
revision 1
size 1700
source-path none
updated-by root
}
sys folder / {
    device-group Common/Sync-Failover
    inherited-devicegroup false
    inherited-traffic-group false
    traffic-group Common/traffic-group-1
}
sys folder Common {
    device-group Common/Sync-Failover
    inherited-devicegroup true
    inherited-traffic-group true
    traffic-group Common/traffic-group-1
}
sys folder Common/Drafts {
    device-group Common/Sync-Failover
    inherited-devicegroup true
    inherited-traffic-group true
    traffic-group Common/traffic-group-1
}
sys folder prod {
    device-group Common/Sync-Failover
    inherited-devicegroup true
    inherited-traffic-group true
    traffic-group Common/traffic-group-1
}
sys folder uat {
    device-group Common/Sync-Failover
    inherited-devicegroup true
    inherited-traffic-group true
    traffic-group Common/traffic-group-1
}
sys fpga firmware-config {
    type standard-balanced-fpga
}
sys global-settings {
    gui-setup disabled
    hostname adc3-bip1.hkedcity.net
}
sys httpd {
    ssl-certchainfile /config/httpd/conf/ssl.crt/chain.crt
```

```

}
sys iconcontrol-soap { }
sys log-rotate { }
sys management-dhcp Common/sys-mgmt-dhcp-config {
    request-options { subnet-mask broadcast-address routers domain-name
domain-name-servers host-name ntp-servers interface-mtu }
}
sys management-ip 10.0.6.47/24 { }
sys management-ovsdb {
    bfd-disabled
    bfd-route-domain none
    ca-cert-file none
    cert-file none
    cert-key-file none
    disabled
    flooding-type replicator
    log-level info
    logical-routing-type none
    tunnel-maintenance-mode active
}
sys management-route Common/default {
    gateway 10.0.6.254
    network default
}
sys ntp {
    servers { ntp1.hkedcity.net ntp2.hkedcity.net }
    timezone Asia/Hong_Kong
}
sys outbound-smtp {
    from-line-override disabled
    mailhub localhost
}
sys provision ltm {
    level nominal
}
sys scriptd { }
sys sflow global-settings http { }
sys sflow global-settings interface { }
sys sflow global-settings system { }
sys sflow global-settings vlan { }
sys snmp {
    agent-addresses { tcp6:161 udp6:161 }
    allowed-addresses { 127.0.0.0/8 10.0.0.93 10.0.1.92 }
    communities {
        Common/i40aaZB_1 {
            community-name 40aaZB
        }
    }
}
disk-monitors {
    Common/root {
        minspace 2000
    }
}

```

```

        path /
    }
    Common/var {
        minspace 10000
        path /var
    }
}
process-monitors {
    Common/bigd {
        max-processes infinity
        process bigd
    }
    Common/chmand {
        process chmand
    }
    Common/httpd {
        max-processes infinity
        process httpd
    }
    Common/mcpd {
        process mcpd
    }
    Common/sod {
        process sod
    }
    Common/tmm {
        max-processes infinity
        process tmm
    }
}
}
sys software hotfix Hotfix-BIGIP-17.5.1.3.0.1.19-ENG.iso {
    build 0.1.19
    checksum f39d772805ccba2d06b01081f84ffef
    id HF0-ENG1
    product BIG-IP
    title "Engineering Hotfix Version 0.1.19"
    verified yes
    version 17.5.1.3
}
sys software hotfix Hotfix-BIGIP-17.5.1.3.0.192.19-ENG.iso {
    build 0.192.19
    checksum 26fd390cf6bdd89be0b205c666374b92
    id HF0-ENG192
    product BIG-IP
    title "Engineering Hotfix Version 0.192.19"
    verified yes
    version 17.5.1.3
}
sys software image BIGIP-17.5.1.3-0.0.19.iso {
    build 0.0.19

```

```
    build-date "Thu Oct 9 11 01 53 PDT 2025"
    checksum df695316b655c5edbb6258a7c43fcd48
    file-size "3143 MB"
    last-modified "Fri Oct 17 12:33:01 2025"
    product BIG-IP
    verified yes
    version 17.5.1.3
}
sys software update {
    auto-check enabled
    auto-phonehome enabled
    frequency weekly
}
sys software update-status Common/GEOLoc-ISP {
    available ip-geolocation-v2-2.0.0-20260112.821.0
    check-user root
    label "Geo Location ISP Data"
    last-checked 2026-01-15:04:37:41
    last-checked-auto-mode enabled
    last-checked-version 2.0.0-20250922.803.0
    progress-status available
    url
https://downloads.f5.com/esd/ecc.sv/?sw=BIG-IP&pro=big-ip\_v17.x&ver=17.5.1&container=GeoLocationUpdates\_Edge
}
sys software update-status Common/GEOLoc-Region2 {
    available ip-geolocation-v2-2.0.0-20260112.821.0
    check-user root
    label "Geo Location Region2 (Worldwide) Data"
    last-checked 2026-01-15:04:37:41
    last-checked-auto-mode enabled
    last-checked-version 2.0.0-20250922.803.0
    progress-status available
    url
https://downloads.f5.com/esd/ecc.sv/?sw=BIG-IP&pro=big-ip\_v17.x&ver=17.5.1&container=GeoLocationUpdates\_Edge
}
sys software update-status Common/GEOLoc-v6 {
    available ip-geolocation-v2-2.0.0-20260112.821.0
    check-user root
    label "Geo Location v6 Data"
    last-checked 2026-01-15:04:37:41
    last-checked-auto-mode enabled
    last-checked-version 2.0.0-20250922.803.0
    progress-status available
    url
https://downloads.f5.com/esd/ecc.sv/?sw=BIG-IP&pro=big-ip\_v17.x&ver=17.5.1&container=GeoLocationUpdates\_Edge
}
sys software update-status Common/RELEASE {
    available none
}
```

```

    check-user root
    label "BIG-IP Version"
    last-checked 2026-01-15:04:37:41
    last-checked-auto-mode enabled
    last-checked-version 17.5.1.3-0.192.19
    url "Software is up-to-date."
}
sys software volume HD1.1 {
    active
    active-requested
    basebuild 0.0.19
    build 0.192.19
    media {
        HD1.1 {
            default-boot-location
            media hd
            size default
        }
    }
    product BIG-IP
    status complete
    version 17.5.1.3
}
sys software volume HD1.2 {
    basebuild 0.0.19
    build 0.1.19
    media {
        HD1.2 {
            media hd
            size default
        }
    }
    product BIG-IP
    status complete
    version 17.5.1.3
}
sys sshd { }
sys state-mirroring {
    addr 10.4.0.33
}
sys syslog {
    remote-servers {
        Common/remotesyslog1 {
            host 10.0.0.93
        }
    }
}
}
sys telemd {
    partition none
}
sys turboflex profile-config {

```

```
    type turboflex-adc
}
sys url-db download-schedule Common/urlldb { }
```