



[Menu](#)

Displaying Transit Time

Clip Transit Time

Overview

This [endpoint](#) provides the current time estimate to process a requested clip.

This information can be used to inform your user of the approximate wait time for the given clip.

Use case

This endpoint is meant to be used when all of these conditions are met:

- Your user is actively looking at a page of a clip that has been requested by you but is not yet processed.
- Allstar has sent you a [Clip Submitted](#) webhook event.
- You have not received a [Clip Processed](#) webhook event yet.
- From the previous responses of this endpoint, you have not received a `localKey` value of `TRANSIT_TIME_COMPLETED` or `TRANSIT_TIME_CLIP_ERROR`

NOTE: *You can call the endpoint in certain intervals (30s for example) to refresh the latest information and update your users with it.*

Request

Example request:

```
{ENDPOINT}?clip_identifier=02e80213-cdb2-4c43-a12a-00:
```

Takes the following *queryStringParameters*:

- `clip_identifier` - the `requestId` value returned to you in the original clip request.
 - You can also use the `trackId` value from the [Clip Submitted](#) webhook event as they are the same.

NOTE: Requires [Authentication](#).

Return data

HTTP 200 response structure:

```
{
  "processed": false,
  "approxTimeToComplete": 60000,
  "localKey": "STRING",
  "clip": {
    "status": "Submitted",
    "trackId": "02e80213-cdb2-4c43-a12a-001c99bc2f11",
    ...
  }
}
```

- `processed` - a boolean value of if the clip has been processed or not. A `true` value means the clip is ready to be viewed.
- `approxTimeToComplete` - a time delta value in milliseconds of the expected wait time for the specified clip to be processed.
- `localKey` - a string enum of response types for possible erroneous requests or to indicate that there was an issue with processing the clip.
 - Key may not be present in the payload if no issue is detected.

- See [all possible localKey values](#) for the possible values of this key.
- ``clip`` - the JSON representation of the clip.
 - Key may not be present in the payload if there is an issue with looking up the clip.
 - The same JSON structure as the body of a [clip lifecycle](#) webhook event, without the ``event`` key.

Possible ``localKey`` values

- ``TRANSIT_TIME_UNKNOWN_CLIP`` - could not look up the clip using provided ``clip_identifier``.
 - Provided ``clip_identifier`` could be invalid.
 - The current transit time request could have been made too early (before Allstar sent the Clip Submitted webhook).
- ``TRANSIT_TIME_COMPLETED`` - the clip has already been processed.
- ``TRANSIT_TIME_CLIP_ERROR`` - the processing of this clip request was not successful.
- ``TRANSIT_TIME_ERROR`` - a general serverside error status for this endpoint.

Return data examples:

Clip is processing (and should be completed in approximately 60s):

```
{
  "processed": false,
  "approxTimeToComplete": 60000,
  "clip": {
    "_id": "65138fe1b33739000dddbf99",
    "status": "Submitted",
    ...
  }
}
```

Clip is already processed:

```
{
  "processed": true,
  "approxTimeToComplete": 0,
  "localKey": "TRANSIT_TIME_COMPLETED",
  "clip": {
    "_id": "65138fe1b33739000dddbf99",
    "status": "Processed",
    ...
  }
}
```

Clip could not be processed:

```
{
  "processed": false,
  "approxTimeToComplete": 0,
  "localKey": "TRANSIT_TIME_CLIP_ERROR",
  "clip": {
    "_id": "65138fe1b33739000dddbf99",
    "status": "Processed",
    ...
  }
}
```

There was an issue fetching the transit time for the clip:

```
{
  "processed": false,
  "approxTimeToComplete": 0,
  "localKey": "TRANSIT_TIME_ERROR",
  "clip": {
    "_id": "65138fe1b33739000dddbf99",
    "status": "Submitted",
    ...
  }
}
```