



Displaying Clips

Displaying Clips from the API

Overview

This guide provides a simple example of how you can fetch clips from the API and display them in a web, mobile or desktop app using Javascript. The code samples assume access to modern Javascript capabilities such as [the fetch API](#) running in a browser-like environment with access to a DOM but the concepts can be easily applied to other kinds of applications.

Accessing the API

Select API endpoints allow the use of either a secret API key (called ``apiKey`` in documentation) or a semi-public API key (called ``publicApiKey`` in docs). These endpoints include (but may not be limited to) ``/user/clips`` (fetching all clips for a given user) or ``/{game}/clips`` (fetching all clips for a given game associated with your partner account).

Displaying Clips

The following code example will display a text box where you can add the ID for a user and click "fetch". Doing so will fetch all clips for a user and display them in a list. Clicking an item in the list will play that video using the [iFrame player](#).

```
<html>
  <head>
    <title>Clips for User</title>
    <script>
```

```

function loadClips() {
  var userId = document.getElementById('userId').value;
  fetch('https://prt.allstar.gg/user/clips?userId=' + userId, {
    headers: { 'X-API-Key': 'YOUR_PUBLIC_API_KEY' }
  })
    .then(function(resp) {
      return resp.json();
    })
    .then(function(json) {
      json.data.clips.forEach(addClipToList);
    })
  }

function playClip(event) {
  document.getElementById('clipPlayer').src = event.target.src;
}

function addClipToList(clip) {
  var li = document.createElement('li');
  li.appendChild(document.createTextNode(clip.clipTitle));
  li.id = clip._id;
  li.setAttribute('data-url', clip.clipUrl);
  li.addEventListener('click', playClip);

  document.getElementById('clipList').appendChild(li);
}

window.addEventListener('load', function() {
  document.getElementById('submit').addEventListener('click', loadClips);
});
</script>
</head>
<body>
  <div>
    <input id="userId">
    <button id="submit">fetch</button>
  </div>
  <ul id="clipList"></ul>
  <iframe id="clipPlayer"></iframe>
</body>
</html>

```

