Documentation of ROS2 package: Interfaces

Description:

This is a package, generated from Generos to contain all the Custom Interfaces, created by the user. This package contains all the Msg, Srv and Action interfaces the user created in the model. This document present this interfaces.

Topic Messages

MSG: ValueInt

Message for passing a header and an integer

ValueInt Objects

| Name | Туре | Default | Package | Description |
|--------|--------|---------|----------|-----------------------------|
| header | Header | None | std_msgs | header type object |
| Χ | int32 | None | no | x value for integer message |

MSG: ValueString

Message for testing purposes

ValueString Objects

| Name | Туре | Default | Package | Description |
|------|--------|---------|---------|----------------------------|
| X | string | None | no | x value for string message |

Service Messages

SRV: Addtwo

Service for receiving two numbers and returning their their sum

Addtwo Objects

| Name | Type | Default | Package | Description |
|-------|-------|---------|----------|---|
| Reque | est | | | |
| а | Int32 | None | std_msgs | a value for integer service Addtwo request 1 |
| b | int64 | None | no | b value for integer service Addtwo request 2 |
| Respo | nse | | | |
| С | int32 | None | no | c value for integer service Addtwo response |

SRV: SrFloatFloatString

Service for testing purposes

SrFloatFloatString Objects

| Name | Туре | Default | Package | Description |
|-------|---------|---------|---------|---|
| Reque | est | | | |
| X | float64 | None | no | x value for float service SrFloatFloatString request 1 |
| У | float32 | None | no | y value for float service SrFloatFloatString request 2 |
| Respo | nse | | | |
| Z | string | None | no | z value for string service SrFloatFloatString response |

Action Messages

ACTION: Increase

Action for enabling counters

Increase Objects

| Name | Туре | Default | Package | Description |
|--------|-------|---------|---------|----------------------------|
| Goal | | | | |
| start | int64 | None | no | a value for start value |
| goal | int64 | None | no | a value for goal value |
| Result | | | | |
| а | int64 | None | no | a value for result trigger |
| Feedba | ck | | | |
| update | int64 | None | no | a value for feedback |