BIOS 611 Project Report

Global Indicator Data Analysis

Brooke Felsheim

1. Introduction

The future existence of humankind is dependent on our ability to live sustainably. As human populations rise along with greenhouse gas emissions, deforestation rates, and generation of waste, we will continue to deplete natural resources, disrupt ecosystems, and increase global temperatures, leading to an unsustainable future. Because of this, it is critical to study environmental indicators to assess the current state and trajectory of the environment.

For my BIOS 611 project, I chose to analyze global environmental indicator data along with global economic and happiness indicator data. My goal was to assess recent environmental trends of countries around the world and to see how these trends might correspond with the state of the economy and measured levels of happiness within the countries.

2. Source data description

There were three types of source data sets used for this analysis: environmental indicator data, economic indicator data, and happiness indicator data. Each data type contains quantitative indicator measures by country and year.

Environmental indicator data

The environmental indicator source data come from the United Nations Statistics Division (UNSD) / United Nations Environment Programme (UNEP) Questionairre on Environment Statistics. The data were downloaded via Kaggle here (last updated June 5, 2021). Multiple types of environmental indicator data were used in this analysis and fall under the categories of air and climate, biodiversity, energy, forest, inland water resources, land and agriculture, natural disasters, and waste. Environmental indicator data are available within the year range 1990-2020.

Economic indicator data

The economic indicator source data come from the UNSD Human Development Report and were downloaded via Kaggle here (last updated August 11, 2020). The primary measure of economic activity used for this analysis was gross domestic product (GDP) by country. Economic indicator data are available within the year range 1990-2018.

Happiness indicator data

The happiness indicator data come from the World Happiness Report published by the Sustainable Development Solutions Network. The data were downloaded via Kaggle here (last updated November 26, 2019). Each country is given a "happiness score" (0 to 10) that is based on life evaluation survey responses. Happiness indicator data are available within the year range 2015-2019.

3. Results

Exploration of indicator trends within countries

The first goal of my analysis was to explore trends of indicator data within individual countries. To achieve this goal, I created an interactive R shiny app that plots many different types indicator data over time for 190 different countries. The country of interest can first be selected via a drop-down menu in the app. For the selected country, thirteen different types of plots are generated:

- Environmental indicator plots
 - Greenhouse gas emissions by type over time
 - Greenhouse gas emissions by sector
 - Energy supply per capita over time
 - Renewable energy production percentage over time
 - Forest area over time
 - Precipitation over time
 - Natural disaster occurrences over time
 - Natural disaster deaths over time
 - Hazardous waste by type over time
 - Municipal waste recycled over time
- Economic indicator plots
 - Gross domestic product per capita over time
 - Gross national income by gender over time
- Happiness indicator plots
 - Happiness score over time

The plots displayed in the shiny app can give insight into the level and ways that a country may be negatively affecting the environment, the status of a country's economy, and the estimated happiness level of a country's citizens over time.

As an example, we can look at all of the indicator plots generated for Sweden in the shiny app. From this data, we can see that Sweden's greenhouse gas emissions have been decreasing over time, and that most of these greenhouse gas emissions come from energy use. Correspondingly, energy supply per capita has been decreasing over time and the total percentage renewable energy production increasing over time. The total forest area by year in Sweden increased from 1990-2000, but decreased from 2000-2020. While the total precipitation fluctuates year by year in Sweden, the indicator plot shows a general trend of increased precipitation since 1990. Additionally, Sweden has had very few recent natural disasters, treats/disposes of approximately half of its hazardous waste, and has been increasing the percentage of municipal waste it recycles. We can also see that Sweden's GDP has been steadily rising over time, and while the national income has been rising as well, it remains higher for men than women. Furthermore, Sweden's happiness score has only fluctuated by less than 0.1 out of 10 from 2015-19.




Figure 1: Emissions over time

Exploration of trends between indicators

Prediction of happiness level from environmental indicator data

```
readRDS("outputs/happiness_elasticnet_model.rds")

## glmnet
##
## 86 samples
## 6 predictor
## 2 classes: 'Low', 'High'
##
## No pre-processing
## Resampling: Cross-Validated (10 fold)
```




Figure 2: Paired indicators




Figure 3: Environmental indicator PCA




Figure 4: Region boxplots

```
## Summary of sample sizes: 77, 77, 78, 77, 78, 78, ...
## Resampling results across tuning parameters:
##
##
     alpha
           lambda
                           Accuracy
                                      Kappa
##
     0.10
            0.0005588992
                          0.7805556
                                      0.5610976
##
     0.10
            0.0055889918 0.7594444
                                      0.5202439
##
     0.10
            0.0558899181
                          0.7594444
                                      0.5202439
     0.55
                                      0.5610976
##
            0.0005588992
                          0.7805556
##
     0.55
            0.0055889918
                          0.7594444
                                      0.5202439
##
     0.55
            0.0558899181
                          0.7783333
                                      0.5603833
##
     1.00
            0.0005588992
                          0.7805556
                                      0.5610976
##
     1.00
            0.0055889918
                          0.7694444
                                      0.5402439
            0.0558899181
##
     1.00
                          0.7758333
                                      0.5553833
##
## Accuracy was used to select the optimal model using the largest value.
## The final values used for the model were alpha = 0.1 and lambda = 0.0005588992.
```

readRDS("outputs/happiness_elasticnet_coefficients.rds")

```
## 7 x 1 sparse Matrix of class "dgCMatrix"
##
## (Intercept)
                              -4.02755295
## GHG per capita emissions
                               0.29352022
## Energy_per_capita
                               0.02136925
## Renewable_energy_percent
                               0.01427311
## Agricultural_area_percent
                               0.01430855
## Forest_area_percent
                               0.01609668
## Protected_area_percent
                              -0.03236558
```




Figure 5: Happiness predictor

Prediction of GDP level from environmental indicator data

```
readRDS("outputs/GDP_elasticnet_model.rds")
## glmnet
##
## 86 samples
## 6 predictor
## 2 classes: 'Low', 'High'
##
## No pre-processing
## Resampling: Cross-Validated (10 fold)
## Summary of sample sizes: 77, 77, 78, 77, 78, 78, ...
## Resampling results across tuning parameters:
##
##
    alpha lambda
                       Accuracy
                                 Kappa
##
    0.10
          0.0006950761 0.9305556 0.8599719
    0.10
          0.0695076065 0.9094444 0.8180206
##
    0.10
         0.0006950761 0.9305556 0.8599719
##
    0.55
##
    0.0695076065 0.9094444 0.8180206
##
    0.55
##
    1.00
          0.0006950761 0.9208333 0.8399719
          0.0069507607 0.9319444 0.8630206
##
    1.00
##
    1.00
          0.0695076065 0.8969444 0.7930206
## Accuracy was used to select the optimal model using the largest value.
## The final values used for the model were alpha = 1 and lambda = 0.006950761.
readRDS("outputs/GDP_elasticnet_coefficients.rds")
## 7 x 1 sparse Matrix of class "dgCMatrix"
## (Intercept)
                          -4.746593788
## GHG_per_capita_emissions 0.240806557
```

4. Conclusions

Energy per capita

Forest_area_percent

Protected_area_percent

5. Further exploration

Renewable_energy_percent -0.012684575
Agricultural_area_percent -0.005305846

0.066914612

0.022893270

0.011387377




Figure 6: GDP predictor