

SLUDGE VALVE STATION

NTS



ELECTRICAL ROOM

1/4"=1'-0"

SHEET NOTES

1. PUMP 103-P-1 VFD
2. PUMP 103-P-2 VFD
3. PUMP 101-P-1 MCC
4. PUMP 101-P-2 MCC
5. PUMP 102-1 VFD
6. PUMP 102-2 VFD
7. 10#14-1" TO PLC-DG
8. 1-2/C#16SH-3/4" TO PLC-DG
9. PUMP 103-P-3 VFD
10. PUMP 130-P-4 VFD



ELECTRICAL ROOM DEMO PLAN

1/4"=1'-0"

BID SET

RECORD DRAWINGS
SURVEYED BY: DRAWN BY:
REVIEWED BY: PROJECT ENGINEER DATE
APPROVED BY: CITY ENGINEERING DIRECTOR TARA KIVETT, P.E. #86611 DATE

Addendum 7, 080720 GSF

REVISION | BY | DATE

CITY OF CLEARWATER, FLORIDA
ENGINEERING DEPARTMENT
100 S. MYRTLE AVE.
CLEARWATER, FL 33756

INVESTIGATE BEFORE YOU EXCAVATE
CALL 811
SUNSHINE STATE ONE CALL OF FLORIDA
www.sunshine811.com
(800) 432-4770
MIN. 48 HOURS BEFORE YOU EXCAVATE

JonesEdmunds
CERTIFICATE OF AUTHORIZATION #1841
730 NE WALDO ROAD, GAINESVILLE, FLORIDA 32641 / (352) 377-5821
324 S HYDE PARK AVE, SUITE 250, TAMPA, FLORIDA 33606 / (813) 258-0703

NE WRF SLUDGE BLEND TANK IMPROVEMENTS
SLUDGE VALVE STATION & ELECTRICAL ROOM

DWG NAME: E-08 SLUDGE VALVE STATION & ELECTRICAL ROOM.dwg	FIELD BOOK:	SURVEYED BY:	SCALE: VERT. HORIZ. AS NOTED
CONTRACT NO.: 14-0036-UT	DATE DRAWN: JULY 2019	DRAWN BY: JPH	
JOB NO.: 03720-048-01	DESIGNED BY: WCH	CHECKED BY: WCH	SHEET NO.: E8

APPROVED FOR CONSTRUCTION
WILLARD C HOANSHELT, P.E. # 42593 DATE