

ez_is_field_empty

- Description
- Prototype and Arguments
- Usage
 - Using the field identifier as parameter
 - Using the Field as parameter



Version compatibility

This Twig helper is available as of eZ Publish **5.2 / 2013.09**

- Using a Field as `fieldDefIdentifier` argument as of eZ Publish **5.3 / 2014.03**

Description

`ez_is_field_empty()` is a Twig helper which checks if a Content's field value is considered empty, in the current language.

It returns a boolean value (`true` or `false`).



If the current language cannot be found as a translation for content, main language will be used. This behavior is identical when forcing a language.

Prototype and Arguments

ez_is_field_empty(eZ\Publish\Core\Repository\Values\Content\Content **content**, eZ\Publish\API\Repository\Values\Content\Field|string **fieldDefIdentifier**[, string **forcedLanguage**])

Argument name	Type	Description
content	eZ\Publish\Core\Repository\Values\Content\Content	Content object the displayable field belongs to.
fieldDefIdentifier	eZ\Publish\API\Repository\Values\Content\Field or string	The field we want to check or its identifier.
forcedLanguage	string	Locale we want the content name translation in (e.g. "fre-FR"). Null by default (takes current locale)

Usage

Using the field identifier as parameter

```
{# Display "description" field if not empty #}
{% if not ez_is_field_empty( content, "description" ) %}
    <div class="description">
        {{ ez_render_field( content, "description" ) }}
    </div>
{% endif %}
```

Using the Field as parameter

```
{# Display "description" field if not empty #}
{% if not ez_is_field_empty( content, field ) %}
    <div class="description">
        {{ ez_render_field( content, field.fieldDefIdentifier ) }}
    </div>
{% endif %}
```