

# The setup wizard

This section contains a comprehensive guide through the web-based setup wizard of eZ Publish. The setup wizard is designed to ease the initial configuration of the system. It can be started using a web browser when the necessary installation steps (described in the previous sections) are completed. The setup wizard will automatically start the first time the "index.php" file (located in the root of the eZ Publish directory) is accessed/browsed.

The setup wizard does not store or modify any data before the final step; thus, it can be safely restarted by reloading the URL containing only the "index.php" part. The back button (located at the bottom) can be used to jump back to previous steps in order to modify settings. A typical setup cycle consists of 13 steps:

1. Welcome page
2. System Fine Tuning
3. System Check
4. Outgoing Email
5. Database choice (optional)
6. Database initialization
7. Language support
8. Site selection
9. Access method
10. Site details
11. Site security
12. Site registration
13. Finish

**Note:** Some of the steps will be omitted when an eZ Publish bundle is being installed.

## Welcome page

**eZ Publish**

### Welcome to eZ Publish Platform 5.0.0

Welcome to the eZ Publish content management system and development framework. This wizard will help you set up eZ Publish.  
Your system is not optimal, if you wish you can click the *Finetune* button.  
This will present hints on how to fix these issues.  
Click *Next* to continue without finetuning.

Select installation language:

English (American)

[Finetune](#) [Next >](#)

#### Help

This section will contain information/help about each step in the setup wizard.

The summary section below will contain information about configured settings.

No data will be stored in the database until the final step of the setup.

Information about how to set up eZ Publish manually is available [here](#).

#### Summary

System:  
Image system:  
Mail:  
Database:  
Language:  
Site:

0% completed

eZ Publish™ copyright © 1999-2012 eZ Systems AS

### Setup Wizard Welcome Page

This is the initial page of the setup wizard. This step allows the user to select which language will be used during the installation process. In addition, the wizard also checks the system configuration and displays a note if it is not optimal (in this case, an additional button called "Finetune" will be available at the bottom of the page).

The system automatically pre-selects one of the languages according to your browser's language settings. You can choose another language by selecting the desired language using the drop-down list. (The list of available languages is built using the INI files located in the "share/locale" directory).

After you click "Finetune" (if available), the wizard will load the "System finetuning" page, which contains information about configuration issues. The following screenshot shows an example of this page.

## eZ Publish

### System check

There are some important issues that have to be resolved. A list of issues / problems is presented below. Each section contains a description and a suggested / recommended solution.

Once the problems / issues are fixed, you may click the *Next* button to continue. The system check will be run again. If everything is okay, the setup will go to the next stage. If there are problems, the system check page will reappear.

Some issues may be ignored by checking the *Ignore this test* checkbox(es); however, this is not recommended.

It is also possible to do some finetuning of your system, click *Finetune* instead *Next* if you want to see the finetuning hints.

### Issues

#### 1. Insufficient directory permissions

Insufficient directory permissions

eZ Publish cannot write to some important directories, without this the setup will fail. The affected directories are: `../ezpublish/config design extension settings settings/siteaccess var/cache/texttoimage var/log var/storage`

Shell commands

These shell commands will give proper permission to the web server.

```
cd /var/www/esp5/ezpublish_legacy
chmod -R ug+rxw ../ezpublish/config design extension settings settings/siteaccess var
chown -R www-data:www-data ../ezpublish/config design extension settings settings/site
```

Alternative shell commands

If you don't have permissions to change the ownership you can try these commands:

```
cd /var/www/esp5/ezpublish_legacy
chmod -R a+rxw ../ezpublish/config design extension settings settings/siteaccess var
```

Missed some directories

eZ Publish cannot create some important directories, without this the setup will fail. The nonexistent directories are: `settings/override settings/siteaccess/admin var/cache/translation var/storage/original var/storage/reference var/storage/translations var/autoload`

You can try the following shell commands to create necessary directories:

```
cd /var/www/esp5/ezpublish_legacy
mkdir -p settings/override \
settings/siteaccess/admin \
var/cache/content \
var/cache/override \
var/cache/template/process \
var/cache/template/tree \
var/cache/translation \
var/storage/original \
var/storage/reference \
var/storage/translations \
var/autoload
```

☐ Ignore this test

< Back Finetune Next >

7% completed

eZ Publish™ copyright © 1999-2012 eZ Systems AS

## Setup Wizard Finetuning

After you click "Next", the wizard will either load the "System check" page (if some critical issues need to be fixed) or the "Outgoing Email" page (if everything is okay).

## System check



## System check

There are some important issues that have to be resolved. A list of issues / problems is presented below. Each section contains a description and a suggested / recommended solution.

Once the problems / issues are fixed, you may click the *Next* button to continue. The system check will be run again. If everything is okay, the setup will go to the next stage. If there are problems, the system check page will reappear.

Some issues may be ignored by checking the *Ignore this test* checkbox(es); however, this is not recommended.

It is also possible to do some finetuning of your system, click *Finetune* instead *Next* if you want to see the finetuning hints.

## Issues

### 1. Insufficient directory permissions

#### Insufficient directory permissions

eZ Publish cannot write to some important directories, without this the setup will fail. The affected directories are: `../ezpublish/config design extension settings settings/siteaccess var/cache/texttoimage var/log var/storage`

#### Shell commands

These shell commands will give proper permission to the web server.

```
cd /var/www/esp5/ezpublish_legacy
chmod -R u+rwpx ../ezpublish/config design extension settings settings/siteaccess var
chown -R www-data:www-data ../ezpublish/config design extension settings settings/siteaccess
```

#### Alternative shell commands

If you don't have permissions to change the ownership you can try these commands:

```
cd /var/www/esp5/ezpublish_legacy
chmod -R a+rwpx ../ezpublish/config design extension settings settings/siteaccess var
```

#### Missed some directories

eZ Publish cannot create some important directories, without this the setup will fail. The nonexistent directories are: `settings/override settings/siteaccess/admin var/cache/translation var/storage/original var/storage/reference var/storage/translation`

You can try the following shell commands to create necessary directories:

```
cd /var/www/esp5/ezpublish_legacy
mkdir -p settings/override \
settings/siteaccess/admin \
var/cache/content \
var/cache/override \
var/cache/template/process \
var/cache/template/tree \
var/cache/translation \
var/storage/original \
var/storage/reference \
var/storage/translation \
var/autoloader
```

☐ Ignore this test

< Back Finetune Next >

## Help

The system check page is being displayed. This means that there are some problems/issues present.

These issues have to be resolved/fixed, or else, eZ Publish will not function properly.

The problems are usually file-system related and can be easily fixed by copy / paste / running the suggested commands in a system shell.

## Summary

System:

Image system: ImageMagick

Mail:

Database:

Language:

Site:

## Setup Wizard System Check

This page usually appears if critical issues/problems are detected. The setup wizard will display information about the issues that need to be fixed and suggestions describing how they can be fixed.

## Issues

There may be several issues/problems. A suggestion to each problem is presented below the description of the problem itself. The setup wizard will probably suggest the execution of miscellaneous shell commands (in order to fix ownerships, permissions, etc.). These commands must be executed using a system shell. Simply copy the commands from the browser window and paste them into an open shell. The setup wizard will run the system check again when the "Next" button is clicked. The "System check" page will keep reappearing until all issues have been fixed (or ignored, see the next section). Once everything is okay, the setup wizard will display the next step.

## Ignoring tests

**Important:** Some issues/problems may be ignored using a check-box labeled "Ignore this test". **However, it is recommended to fix all issues**

*rather than ignoring them.*

## Outgoing Email

**eZ Publish**

### Outgoing Email

This section is used to configure how eZ Publish delivers its outgoing Email.

There are two options:

- Direct delivery through transfer agent (must be available on the server).
- Indirect delivery using an SMTP relay server.

Email delivery:

☒ Sendmail/MTA

☐ SMTP

Server name:

Username (optional):

Password (optional):

< Back   Next >

#### Help

The eZ Publish system uses email to send out important notices such as user registration and content approval. On Linux/UNIX: try to use sendmail. On Windows: use an SMTP server.

**Sendmail/MTA:**  
Mail is delivered directly using the mail transfer agent. The most common agent, sendmail, is usually available on most Linux/UNIX systems. If a mail transfer agent is not available then SMTP should be used.

**SMTP:**  
Mail is delivered through an SMTP server. At the minimum, the hostname of the SMTP server must be specified.  
Hint: check the SMTP settings in your email application.

#### Summary

System: OK  
Image system: ImageMagick  
Mail:  
Database:  
Language:  
Site:

21% completed

eZ Publish™ copyright © 1999-2012 eZ Systems AS

### Setup Wizard Outgoing Email

eZ Publish uses Email to send out miscellaneous notices. This step is used to configure how eZ Publish delivers outgoing Email. There are two options:

- Direct delivery through sendmail (must be available on the server)
- Indirect delivery using an SMTP (Simple Mail Transfer Protocol) relay server

On Linux/UNIX: try to use sendmail; use SMTP if sendmail is unavailable. On Windows: use the SMTP setting.


## Sendmail

Mail is delivered directly using the sendmail transfer agent. The agent must be running on the same host as the webserver is running on. The sendmail binary is usually available on most Linux/UNIX systems. If sendmail is not available then SMTP should be used.

## SMTP

Mail is delivered through an SMTP server. At the minimum, the hostname of the SMTP server must be specified.

## Database type




### Setup Wizard Database Type

The setup will automatically detect database support that has been made available for the PHP scripting engine. If both MySQL and PostgreSQL are supported, the database choice dialog will appear. If PHP is setup only to support one type of database, eZ Publish will automatically use it and thus the database choice dialog will not be displayed.

Note that if the [MySQLi extension](#) is enabled in PHP, the "MySQL Improved" option will be available on the list. If you are going to use a MySQL database, it is recommended to select "MySQL Improved" instead of "MySQL".

## Database initialization



The screenshot shows the 'eZ Publish' logo at the top left. Below it is the title 'Database initialization' and a prompt: 'Please input database access information in the form below.' A form titled 'Database:' contains fields for 'Type' (MySQL Improved), 'Servername' (localhost), 'Port' (empty), 'Username' (root), 'Password' (empty), and 'Socket (optional)' (empty). Navigation buttons '< Back' and 'Next >' are at the bottom right of the form. A sidebar on the right contains a 'Help' section with text about database access and a 'Summary' section listing system details. At the bottom, a progress bar shows '35% completed' and a copyright notice for eZ Publish.

**eZ Publish**

### Database initialization

Please input database access information in the form below.

Database:

Type: MySQL Improved

Servername: localhost

Port:

Username: root

Password:

Socket (optional):

< Back Next >

#### Help

If you don't have access to a database, you should obtain access now. eZ Publish is capable of running multiple sites, each site needs its own database. This means that you need to create several databases if you plan to run multiple sites. Please refer to the database system user manual if you're unsure about how to create a database.

PostgreSQL username and password is not tested until database names are selected.

If you are using MySQL and do not know what to enter in the socket field, leave it blank

#### Summary

System: OK

Image system: ImageMagick

Mail: sendmail

Database: MySQL Improved

Language:

Site:

35% completed

eZ Publish™ copyright © 1999-2012 eZ Systems AS

## Setup Wizard Database Initialization

Information about the host name of the server running the database engine, and a user name/password combination needs to be provided. After you click "Next", if MySQL or MySQL Improved are used, the setup wizard will attempt to connect to the database. The setup will only continue if it is able to connect to the specified MySQL server with the specified user name/password combination. PostgreSQL parameters are tested at a later stage during the setup wizard. (Note that even if the eZ Publish Extension for Oracle® Database is installed, the setup wizard will not let you use an Oracle database. The configuration must be done manually as described in the [documentation of the database extension](#).)

**Known issue with running PHP5.3 on MySQL:** Some people (like Windows users with both IPv4 and IPv6 installed ) experience problems connecting to the database server using host names like "localhost"... If you experience problems, try using IPv4 address like "127.0.0.1". This is due to a connectivity problem when running PHP5.3 on MySQL. So, please replace the database server name "localhost" with the IP address of the machine, or "127.0.0.1", which is reserved for the local host.

## Language support



## Language support

Use the radio buttons to choose the default language, and the checkboxes to choose additional languages. You will be able to use any of the selected languages for translating your content. The default language will determine the locale settings and will be used as the most prioritized language for your site.

Default/Additional:

- ☐ ☐ Catalan
- ☐ ☐ Croatian (Hrvatski)
- ☐ ☐ Danish
- ☐ ☒ German
- ☐ ☐ English (American)
- ☐ ☐ English (Australia)
- ☐ ☐ English (Canada)
- ☐ ☐ English (New Zealand)
- ☒ ☐ English (United Kingdom)
- ☐ ☐ Spanish (Spain)
- ☐ ☐ Spanish (Mexico)
- ☐ ☐ Esperanto
- ☐ ☐ French (Belgium)
- ☐ ☐ French (Canada)
- ☐ ☒ French (France)
- ☐ ☐ Greek (Hellenic)
- ☐ ☐ Hebrew
- ☐ ☐ Hindi (India)
- ☐ ☐ Indonesian
- ☐ ☐ Italian
- ☐ ☐ Hungarian
- ☐ ☐ Dutch
- ☐ ☐ Norwegian (Bokmal)
- ☐ ☐ Norwegian (Nynorsk)
- ☐ ☐ Polish
- ☐ ☐ Portuguese (Brazil)
- ☐ ☐ Portuguese (Mozambique)
- ☐ ☒ Portuguese (Portugal)
- ☐ ☐ Serbian (Srpski)
- ☐ ☐ Serbian (Српски)
- ☐ ☐ Slovak
- ☐ ☐ Finnish
- ☐ ☐ Swedish
- ☐ ☐ Turkish
- ☐ ☐ Ukrainian
- ☐ ☐ Czech
- ☐ ☐ Russian
- ☐ ☐ Arabic
- ☐ ☐ Japanese
- ☐ ☐ Simplified Chinese
- ☐ ☐ Traditional Chinese (Taiwan)
- ☐ ☐ Traditional Chinese (HongKong)
- ☐ ☐ Korean

< Back

Next >

## Help

eZ Publish supports multiple languages.

The selected languages are used to determine character sets, date / number formats, etc.

These and other additional languages can also be installed later.

For more information about language customization, please refer to the [documentation](#).

## Summary

System: OK  
Image system: ImageMagick  
Mail: sendmail  
Database: MySQL Improved  
Language:  
Site:

42% completed

eZ Publish™ copyright © 1999-2012 eZ Systems AS

## Setup Wizard Language Support

This step allows the user to choose a language configuration for the site that is being installed. The setup wizard automatically pre-selects one of the languages according to your browser language settings. Use the radio buttons to choose the default language (required), and the check-boxes to choose the additional languages (optional). All the selected languages will be added to the system and put on the list of [prioritized languages](#). You will be able to use any of these languages for creating and translating your content after the setup wizard is finished.

Note that choosing the default language at this step will determine [default language](#), [system locale](#) and the most prioritized language for your site. If you select for example "German" as default language, then both locale and default language will be set to "ger-DE", your administration interface will be translated into German, and this language will be recorded as the most prioritized one for your site. Languages can be reconfigured at any time (even when a site is up and running) using the administration interface.

**Important:** Note that regardless of the selected language configuration, the site will be created using UTF-8 as the character set.

## Site selection





## Site package

Please choose a site package you would like to test or base your site on.



### eZ Publish Demo Site (ver. 5.0-0) *Imported*

#### Dependencies

ezwt\_extension (ver.5.0): *Imported*  
ezstarrating\_extension (ver.5.0): *Imported*  
ezgmaplocation\_extension (ver.5.0): *Imported*  
ezdemo\_extension (ver.5.0): *Imported*  
ezflow\_extension (ver.5.0): *Imported*  
ezcomments\_extension (ver.5.0): *Imported*  
ezdemo\_classes (ver.5.0): *Imported*  
ezdemo\_democontent (ver.5.0): *Imported*



### eZ Publish Demo Site (without demo content) (ver. 5.0-0) *Imported*

#### Dependencies

ezwt\_extension (ver.5.0): *Imported*  
ezstarrating\_extension (ver.5.0): *Imported*  
ezgmaplocation\_extension (ver.5.0): *Imported*  
ezdemo\_extension (ver.5.0): *Imported*  
ezflow\_extension (ver.5.0): *Imported*  
ezcomments\_extension (ver.5.0): *Imported*  
ezdemo\_classes (ver.5.0): *Imported*  
ezdemo\_democontent\_clean (ver.5.0): *Imported*



### Website Interface LS (ver. 5.0-0) *Imported*

Website Interface is a web based CMS solution based on eZ Publish. It contains templates and settings that meets the most common requirements for content management systems.

#### Dependencies

ezwt\_extension (ver.5.0): *Imported*  
ezstarrating\_extension (ver.5.0): *Imported*  
ezgmaplocation\_extension (ver.5.0): *Imported*  
ezwebin\_extension (ver.5.0): *Imported*  
ezwebin\_classes (ver.5.0): *Imported*  
ezwebin\_banners (ver.5.0): *Imported*  
ezwebin\_democontent (ver.5.0): *Imported*  
ezwebin\_design\_cleangray (ver.5.0): *Imported*  
ezwebin\_design\_gray (ver.5.0): *Imported*  
ezwebin\_design\_blue (ver.5.0): *Imported*



### Website Interface (without demo content) (ver. 5.0-0) *Imported*

Website Interface is a web based CMS solution based on eZ Publish. It contains templates and settings that meets the most common requirements for content management systems.

#### Dependencies


ezwt\_extension (ver.5.0): *Imported*  
ezstarrating\_extension (ver.5.0): *Imported*  
ezgmaplocation\_extension (ver.5.0): *Imported*  
ezwebin\_extension (ver.5.0): *Imported*  
ezwebin\_classes (ver.5.0): *Imported*  
ezwebin\_democontent\_clean (ver.5.0): *Imported*

## Help

The type of site will choose some basic settings for toolbars, menus, color and functionality. It is possible to change these settings at a later time.

## Summary

System:	OK
Image system:	ImageMagick
Mail:	sendmail
Database:	MySQL Improved
Language:	ger-DE fre-FR eng-GB
Site:	



### Setup Wizard Site Selection

This step allows the user to select one of the standard [site packages](#). These packages are intended to provide basic examples mostly for the purpose of demonstration and learning. However, it is possible to use them as a basic framework which you can extend/tweak in order to make it suitable for a specific purpose. A demo site usually contains some artwork (images), CSS code, actual content and template files. The plain type should be used when starting from scratch.

The setup wizard automatically fetches the list of available site packages from [remote](#) and [internal](#) repositories and asks the user to choose one. The default remote repository is <http://packages.ez.no/ezpublish/> (you can browse packages in this repository, to find the ones applicable to the new release).

Note that it only contains the following packages:

- Plain site
- [Website Interface](#)
- [eZ Flow](#)
- [Demo Design](#)


*Older site packages such as "News site", "Shop site" and "Gallery site" are currently not available for eZ Publish 4.*

The wizard will automatically download the selected site package and all its dependent packages, import them to the system and display a list of successfully imported packages as shown in the following screenshot. (This step will be omitted if all these packages are already stored under internal repositories.)

**Note:** You may download and extract these packages and required files for offline installation. Read the requirements for such an offline installation by clicking on this [link](#).

All dependent packages except for the site style package will be automatically installed.

## Package language options



### Setup Wizard Package Language Options

If the language configuration selected at the "Language support" step doesn't match the languages used in the packages being installed, the

"Package language options" interface will appear as shown on the screenshot above. For example, the "Website interface" site package makes it possible to have demo content created in 2 languages: English (United Kingdom) and French. If the same languages are selected at the "Language support" step, the packages will be installed silently. Otherwise, the user will need to specify how the system should act towards the "superfluous" languages (i.e. languages that exist in the package but aren't present in the selected language configuration for the site). Possible actions are:

- Skip content in this language
- Create language (extend the language configuration of the site and create demo content in this language)
- Map to another language (use demo data to create content in another language)

If the web server is not able to contact the remote repository (due to firewall rules for example), the setup wizard will display an error message at the "Site selection" step. To fix this, allow outbound connections to <http://packages.ez.no> in your firewall (port 80) or download the packages manually.

## Outbound connections via proxy

If you allow only outbound connections via a proxy server, then you need to configure eZ Publish in the following way:

1. Create a file called "site.ini.append.php" in the "settings/override" directory and make sure it contains the following lines:

```
[ProxySettings]
ProxyServer=proxy.example.com:3128
User=myuser
Password=secret
```

Replace "proxy.example.com:3128" with the actual address and port number that can be used to access the web through the proxy server. If the proxy server requires authentication, you will also need to provide a valid username/password combination.

2. Restart the setup wizard.

*Note that [CURL](#) support must be enabled in PHP, otherwise outbound connections via proxy will not work.*

## Manual download of packages

If the wizard fails to connect the external packages repository, you can manually download the desired site package and all the dependent packages it requires and then upload/import them via the setup wizard. The following instructions reveal how this can be done.

1. Go to the [packages download page](#). The "Sites" section of this page contains the list of available site packages including the following information for each of them:

- Name
- Description
- Dependencies (if any)

Click on the name of the desired site package to download it. (A package is downloaded as an ".ezpkg" file.)

2. Download all the dependent packages required by this site package (these are listed under "Dependencies"). You can download a package by clicking on its name. The packages are downloaded as ".ezpkg" files.
3. Use the package import interface located at the bottom of the page in the setup wizard to upload/import the downloaded site package (click the "Choose" button, select the downloaded "ezpkg" file that contains the site package and click the "Upload" button). The imported site package will appear on the list.
4. Upload/import all the dependent packages using the same import interface.

**Note:** it is also possible to download packages manually from the remote repository. The following instructions reveal how this can be done.

1. Go to the [packages repository](#), find the desired site package and download it manually. (A package is downloaded as an ".ezpkg" file.)
2. Unpack the "ezpkg" file into a temporary folder and view the "package.xml" file in order to figure out which dependent packages are required (these are listed between the <dependencies> and </dependencies> XML tags as described [here](#)). Download all the dependent packages that are required.

## Additional functionality

In eZ Publish 3.7 and earlier versions, the setup wizard included one more step called "Site functionality" that allowed to select additional features

that should be installed. This step is no longer used. Additional functionality can be added after the setup wizard is finished by downloading the desired packages from the "Content objects" section of the [packages download page](#), importing the packages and installing them.

## Access method

**eZ Publish**

### Site access configuration

Please choose the access method you want to use for your site. The access method determines how the site will be accessed from within a web browser. If unsure: choose URL.

Access method:

☒ URL (recommended)  
☐ Port  
☐ Hostname

< Back   Next >

#### Help

**URL**  
e.g. ez.no/admin and ez.no/web

**Port\***  
e.g. ez.no:81 and ez.no:80  
\* Requires web server setup.

**Hostname\***  
e.g. admin.ez.no and www.ez.no  
\* Requires DNS setup.  
For more detailed information on site access, refer to the [online documentation](#)

#### Summary

System:	OK
Image system:	ImageMagick
Mail:	sendmail
Database:	MySQL Improved
Language:	heb-IL hin-IN ind-ID ita-IT hun-HU dut-NL nor-NO nno-NO pol-PL eng-US
Site:	ezwebin_site

### Setup Wizard Siteaccess Configuration

This step allows the configuration of the access method that should be used when eZ Publish receives a request. There are three options:

- URL
- Port
- Hostname

## URL

When the URL access method is used, eZ Publish selects the site that should be accessed based on the contents of the URL (in particular the part that comes right after "index.php"). This is the default and most generic option. It doesn't require any additional configuration. Use this setting when installing eZ Publish for the first time.

## Port

When the port access method is used, eZ Publish selects the site that should be accessed based on a port number that is specified in the URL. The port number must be appended to the host name of the web server: "http://www.example.com:81/index.php". This option requires additional web server and firewall configuration. Use this setting only if you know what you're doing.

## Host name

When this access method is used, each site is assigned a unique host name. For example, "www.example.com" and "admin.example.com" can be assigned to the public and the administration interface respectively. This option requires additional web and DNS server configuration. Use this setting only if you know what you're doing.

## Site details

**eZ Publish**

### Site details

This page lets you modify information about the site you have chosen to install. In addition, it also lets you choose a database for the site.

**Details for site:**

Title:

Site url:

User path:

Admin path:

Database :

[< Back](#) [Refresh](#) [Next >](#)

#### Help

You may modify the details for each site.

For more information about how to configure site access, refer to the [documentation](#)

Use the refresh button to update the database listing.

#### Summary

System: OK

Image system: ImageMagick

Mail: sendmail

Database: MySQL Improved

Language: heb-IL  
hin-IN  
ind-ID  
ita-IT  
hun-HU  
dut-NL  
nor-NO  
nno-NO  
pol-PL  
eng-US

Site: ezwebin\_site

71% completed

eZ Publish™ copyright © 1999-2012 eZ Systems AS

### Setup Wizard Site Details

This step allows the modification of settings related to the site that is being installed. Note that the "User path" and "Admin path" access values depend on which access method you choose. When the port access method is used these values are port numbers. If you use the URL access method then "User path" and "Admin path" should only contain letters, digits and underscores. If the host name access method is used then some additional symbols like dashes, dots and colons are allowed whereas underscores aren't.

The available databases will be displayed in the database drop-down menu. The "Refresh" button can be used to update the list (if a database is being created at this point). It is required that the database uses UTF-8 as character set.

If the selected database already contains data, the "Site Details" page will reappear and ask what to do. Possible actions are:

- Leave the data and add new
- Remove existing data
- Leave the data and do nothing
- I've chosen a new database

Use the last option if another database has been chosen.

## Site security

This step suggests some basic modifications that should be carried out in order to secure the site being installed. The suggested security tweak protects the configuration files from unwanted access. Don't worry about this unless you're setting up a site for public use.

Note that the administrator's user name (log-in) is set to "admin" by default and can not be changed. If you need another user name for site administrator, you can install eZ Publish, create a new administrator user, log in as this user and remove the old one.

## Site registration

**eZ Publish**

### Site registration

In order to provide you with the best service in the future, we need some statistics to know a bit about your usage of eZ Publish and its underlying platform. In return this will also provide you with heads-up on security issues, notifications about updates, upgrades and other important news. This happens periodically, and you will always be able to opt-out of this at anytime.

Registration information email:

First name\*:

Last name\*:

Your email\*:

Country\*:

Company:

Is this the first time you are installing eZ Publish? ☐

Included some simple technical information? ☒

< Back   Next >

Contents of registration email:

Provided registration information:

- First name -
- Last name -
- Email -
- Country -
- Company -
- First time user - no
- Include tech stats - yes

We care for your privacy. Read more [here](#). This data will be treated securely and not shared with third parties without your permission.

92% completed

eZ Publish™ copyright © 1999-2012 eZ Systems AS

### Help

By sending registration the following data will be sent to eZ Systems

- System details (OS type, etc)
- The test results
- The database type
- The site name
- The url of the site
- Languages chosen

This data will help to improve future releases of eZ Publish.

### Summary

System: OK

Image system: ImageMagick

Mail: sendmail

Database: MySQL Improved

Language: heb-IL  
hin-IN  
ind-ID  
ita-IT  
hun-HU  
dut-NL  
nor-NO  
nno-NO  
pol-PL  
eng-US

Site: ezwebin\_site

### Setup Wizard Site Registration

On this step the Setup Wizard will ask the user for the following information:

- First name
- Last name
- Email
- Country
- Company

**Note:** First name, last name, email and country are mandatory fields, thus must be filled.

If you are installing eZ Publish for the first time, you should check the following option: **Is this the first time you are installing eZ Publish?**

If you also checks this option: **Is it ok that some simple technical information is included?**


the following information will also be sent to eZ Systems:

- System details (OS type, etc)
- The test results
- The type of database that is being used
- The name of the site
- The URL of the site
- The languages that were chosen



**Important Note:** All the information above will be sent to eZ Systems in an information Email and will be used internally for statistics and for improving eZ Publish. No confidential data will be transmitted and eZ Systems will not misuse or sell these details.

## Finished



The screenshot shows the 'Finished' screen of the eZ Publish setup wizard. The main heading is 'Finished' with a sub-message: 'eZ Publish has been installed with your select site setup. You will find the username mentioned in the details below.' A note box states: 'Note: The first time the user or admin site is accessed it will take some time (30 to 60 seconds). This is because eZ Publish prepares the site for your machine.' Below this, 'Site details:' are listed: Title: Plain site, URL: [User site](#), [Admin site](#), Username: admin. A small thumbnail of the eZ Publish interface is shown. On the right, a 'Help' sidebar contains a tip to save the page as an HTML file and links to forums and the eZ Publish website. Below the help is a 'Summary' table with system details. At the bottom, an orange bar indicates '100% completed' and the copyright notice 'eZ Publish™ copyright © 1999-2012 eZ Systems AS' is displayed. A large, stylized circular arrow graphic is overlaid on the right side of the screen.

**eZ Publish**

### Finished

eZ Publish has been installed with your select site setup. You will find the username mentioned in the details below.

**Note:** The first time the user or admin site is accessed it will take some time (30 to 60 seconds). This is because eZ Publish prepares the site for your machine.

Site details:

Title: Plain site  
URL: [User site](#), [Admin site](#)  
Username: admin

**Help**

Tip: Store this page as an html file by clicking Save-As in your web browser menu, alternatively you may write down the URLs for your sites. Make sure to visit the [forums](#) and the [eZ Publish](#) web site.

**Summary**

System:	OK
Image system:	ImageMagick
Mail:	sendmail
Database:	MySQL Improved
Language:	eng-GB
Site:	plain_site

100% completed

eZ Publish™ copyright © 1999-2012 eZ Systems AS

### Setup Wizard Finished

The setup wizard has finished. eZ Publish is ready for use. Click on one of the links to access the various interfaces (public site, administration interface, etc.).

Note that it is possible to restart the installation wizard after its successful finishing by specifying "CheckValidity=true" in the "settings/override/site.ini.append.php" file so that the setup wizard will be initiated when trying to access the site.