

## SAFETY DATA SHEET

Issuing Date: 28-Jan-2015 Revision Date: 16-Feb-2015 Revision Number: 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Code: 08633TUA-B33 Product Name: ISRAELI TAN VOHAP FREE ZENTHANE

MIL-DTL-53039E, TYPE IX Company Phone Number: 1-414-353-4200

Hentzen Coatings, Inc.

Recommended use of the chemical and restrictions on use

6937 West Mill Road, Milwaukee, WI 53218-1225 Emergency telephone number ChemTrec 1-800-424-9300

Industrial paint (Paint or Paint-Related), Restricted to

professional users

# 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Carcinogenicity	Category 2
Flammable Liquids	Category 2

#### **Label Elements**

#### **Emergency Overview**

#### DANGER

#### **Hazard Statements**

harmful if inhaled Suspected of causing cancer Highly flammable liquid and vapor



Appearance Opaque Physical state Liquid Odor Solvent

## **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/Bond container and receiving equipment

Use explosion-proof electrical/ ventilating/ lighting/ equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Revision Date: 16-Feb-2015

## **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

In case of fire: Use CO2, dry chemical, or foam for extinction

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool Store in accordance with local regulations

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Other information

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Contains a known or suspected carcinogen

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

Chemical Name	CAS No	Weight-%	ACGIH	OSHA
METHYL AMYL KETONE	110-43-0	30% - 40%	TWA: 50 ppm	TWA: 100 ppm TWA: 465 mg/m <sup>3</sup>
HOMOPOLYMER OF HEXAMETHYLENE DIISOCYANATE	28182-81-2	10% - 20%	N/A	N/A
HEXAMETHYLENE DIISOCYANATE	822-06-0	0% - 1%	TWA: 0.005 ppm	N/A

## 4. FIRST AID MEASURES

#### **First Aid Measures**

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Eye Contact Immediately flush eyes with water for at least 15 minutes. Get medical attention. If easy to

do, remove contact lenses. Keep eye wide open while rinsing. If symptoms persist, call a

physician.

Skin Contact Wash off immediately with soap and plenty of water. Consult a physician if necessary. IF

ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

**Inhalation** Consult a physician if necessary. If breathing is irregular or stopped, administer artificial

respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Asthma-like and/ or skin allergy-like symptoms.

**Ingestion** Do NOT induce vomiting.

**Self-protection of the first aider** Remove all sources of ignition.

Most important symptoms and effects, both acute and delayed

08633TUA-B33 - ISRAELI TAN VOHAP FREE ZENTHANE MIL-DTL-53039E, TYPE IX

Revision Date: 16-Feb-2015

**Most Important Symptoms and** 

**Effects** 

No information available.

Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

#### Specific hazards arising from the chemical

Flammable. Containers may explode when heated or if contaminated with water.

#### **Explosion Data**

Sensitivity to Mechanical Impact no data available.

Sensitivity to Static Discharge Yes.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of

ignition. Use personal protective equipment as required. Avoid breathing vapors or mists.

Ventilate the area.

Other information DECONTAMINATION SOLUTION: Concentrated ammonia (3 - 8%), detergent (2%) and

water (90 - 95%), a solution of Union Carbide's Tergitol TMN-10 (20%) and water (80%) or a solution of 50% isopropanol, 45% water, and 5% concentrated ammonia solution(% by

weight).

**Environmental Precautions** 

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system. Vapors are heavier than air, spread

along floors and form explosive mixtures with air.

#### Methods and materials for containment and cleaning up

**Methods for Containment**Decontaminate floor with decontamination solution letting stand for at least 15 minutes.

Soak up with inert absorbent material.

Methods for Cleaning Up Pick up and transfer to properly labeled containers. Dam up. Soak up with inert absorbent

material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Soak up with inert

absorbent material.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use explosion-proof electrical (ventilation and lighting) equipment. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). To dissipate static electricity during transfer, ground drum and connect to receiving container with bonding strap. Use only non-sparking tools.

Revision Date: 16-Feb-2015

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep away

from heat, sparks and flame. Protect from moisture.

Incompatible Products Water. Glycol ethers. Alcohols. Epoxies. Bases.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines

Chemical Name	ACGIH	OSHA	NIOSH IDLH
METHYL AMYL KETONE	TWA: 50 ppm	TWA: 100 ppm	IDLH: 800 ppm
110-43-0		TWA: 465 mg/m <sup>3</sup>	TWA: 100 ppm
			TWA: 465 mg/m <sup>3</sup>
TITANIUM DIOXIDE	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m <sup>3</sup>
13463-67-7			
IRON (III) OXIDE	TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m³ fume	IDLH: 2500 mg/m <sup>3</sup> Fe dust and
1309-37-1		TWA: 15 mg/m <sup>3</sup> total dust	fume
		TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m <sup>3</sup> Fe dust and fume
ORGANIC TIN COMPOUND	STEL: 0.2 mg/m <sup>3</sup> Sn	TWA: 0.1 mg/m <sup>3</sup> Sn	IDLH: 25 mg/m³ Sn
77-58-7	TWA: 0.1 mg/m <sup>3</sup> Sn	_	TWA: 0.1 mg/m³ except Cyhexatin
	S*		Sn

NIOSH IDLH: Immediately Dangerous to Life or Health

#### **Exposure controls**

Engineering Measures Persons allergic to isocyanates, and particularly those suffering from asthma or other

respiratory conditions, should not work with isocyanates.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Use personal protective equipment as required.

**Skin and Body Protection** Chemical resistant apron.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work

area and clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Liquid Appearance Opaque

OdorSolvent.Odor ThresholdNo data availablepHNo data availableFlash Point40 °F / 4 °C

08633TUA-B33 - ISRAELI TAN VOHAP FREE ZENTHANE MIL-DTL-53039E, TYPE IX

Decomposition temperatureNo data availableBoiling Point208 °F / 98 °CMelting Point / Melting RangeNo data availableFreezing PointNo data availableVapor Pressure @20°C (kPa)No data availablePartition coefficient:No data availableVapor DensityNo data availableDensityNo data available

Bulk densityNo data availableSpecific Gravity1.04Evaporation RateNo data availableWater solubilityNo data

Evaporation Rate No data available Water solubility No data available

**Dynamic viscosity** No data available **Weight per Gallon (lbs/gal):** 8.67

Flammability Limits in Air

**Upper** 3.02 % **Lower** 0.42 %

Revision Date: 16-Feb-2015

#### 10. STABILITY AND REACTIVITY

Reactivity

No data available

**Chemical stability** 

Stable under recommended storage conditions.

**Conditions to Avoid** 

Extremes of temperature and direct sunlight.

**Incompatible Materials** 

Water. Glycol ethers. Alcohols. Epoxies. Bases.

**Hazardous Decomposition Products** 

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

Product Information The product has not been tested

**Inhalation** There is no data for this product.

**Eye Contact** There is no data for this product.

**Skin Contact** There is no data for this product.

**Ingestion** There is no data for this product.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
METHYL AMYL KETONE 110-43-0			2000 ppm (Rat) 4 h
TITANIUM DIOXIDE 13463-67-7	10000 mg/kg (Rat)	N/A	N/A
IRON (III) OXIDE 1309-37-1	10000 mg/kg (Rat)	N/A	N/A
ORGANIC TIN COMPOUND 77-58-7	45 mg/kg (Rat)	630 mg/kg(Rabbit)	N/A

## Information on toxicological effects

**Symptoms** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization MUTAGENIC EFFECTS**No information available.
No information available.

Carcinogenicity This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly

Revision Date: 16-Feb-2015

carcinogenic to humans (Group 2B).

Chemical Name	ACGIH	IARC	NTP	OSHA
TITANIUM DIOXIDE 13463-67-7	N/A	Group 2B	N/A	Х
IRON (III) OXIDE 1309-37-1	N/A	Group 3	N/A	N/A

#### Legend:

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity
Specific target organ systemic
toxicity (single exposure)
Specific target organ systemic
toxicity (repeated exposure)

No information available. No information available.

get organ systemic No information available.

Target Organ Effects Central nervous system (CNS), Eyes, Lungs, Peripheral Nervous System (PNS),

Respiratory system, Skin. **Aspiration hazard**Respiratory system, Skin.

No information available.

## Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 2008 mg/kg
ATEmix (dermal) 12627 mg/kg
ATEmix (inhalation-dust/mist) 1.5 mg/l

Oral LD50 7206 mg/kg (rat) Estimated Dermal LD50 32962 mg/kg (rat) Estimated

## 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to daphnia and other aquatic invertebrates
METHYL AMYL KETONE 110-43-0	N/A	126 - 137: 96 h Pimephales promelas mg/L LC50 flow-through	N/A

#### Persistence and degradability

No information available.

## Bioaccumulation

No information available.

Chemical Name	Partition coefficient
METHYL AMYL KETONE	1.98
110-43-0	

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

·

Revision Date: 16-Feb-2015

Waste treatment methods

Waste treatment methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

US EPA Waste Number D001

U239

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
ORGANIC TIN COMPOUND	Toxic
77-58-7	

## 14. TRANSPORT INFORMATION

DOT

UN-No UN1263
Proper shipping name Paint
Hazard class 3
Packing Group II

**Special Provisions** 149, B52, IB2, T4, TP1, TP8, TP28

**Description** UN1263, Paint, 3, II

Emergency Response Guide 128

Number

TDG

UN-NoUN1263Proper shipping namePaintHazard class3Packing GroupII

**Description** UN1263, Paint, 3, II

**MEX** 

UN-NoUN1263Proper shipping namePaintHazard class3Packing GroupII

**Description** UN1263, Paint, 3, II

**ICAO** 

UN-No UN1263
Proper shipping name Paint
Hazard class 3
Packing Group II
Special Provisions A3, A72

**Description** UN1263, Paint, 3, II

**ICAO** 

UN-No UN1263
Proper shipping name Paint
Hazard class 3
Packing Group II

Revision Date: 16-Feb-2015

Special Provisions A3, A72

**Description** UN1263, Paint, 3, II

IMDG/IMO

UN-NoUN1263Proper shipping namePaintHazard class3Packing GroupIIEmS-NoF-E, S-E

EmS-No F-E, S-E Special Provisions 163

**Description** UN1263, Paint, 3, II

**RID** 

UN-No UN1263
Proper shipping name Paint
Hazard class 3
Packing Group II
Classification Code F1

**Description** UN1263, Paint, 3, II

ADR/RID

UN-NoUN1263Proper shipping namePaintHazard class3Packing GroupIIClassification CodeF1Tunnel restriction code(D/E)

**Special Provisions** 163, 640C, 650

**Description** UN1263, Paint, 3, II, (D/E)

ADR/RID-Labels 3

ADN

Proper shipping namePaintHazard class3Packing GroupIIClassification CodeF1

**Special Provisions** 163, 640C, 650 **Description** UN1263, Paint, 3, II

Limited Quantity (LQ) 5 L Ventilation VE01

## 15. REGULATORY INFORMATION

**International Inventories** 

Complies **TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS ENCS** Complies Complies **IECSC** Complies **KECL PICCS** Complies **AICS** Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

# 08633TUA-B33 - ISRAELI TAN VOHAP FREE ZENTHANE MIL-DTL-53039E, TYPE IX

Revision Date: 16-Feb-2015

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### CAA (Clean Air Act)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## **State Regulations**

## **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	CAS No	California Proposition 65
TITANIUM DIOXIDE	13463-67-7	Carcinogen

## U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
METHYL AMYL KETONE	X	X	X	N/A	X
TITANIUM DIOXIDE	X	Х	Х	N/A	X
TERTIARY BUTYL	X	X	Х	N/A	Х
ACETATE					

#### **International Regulations**

Mexico - Grade Serious risk, Grade 3

	Chemical Name	Carcinogenic Status	Exposure Limits
•			-

Revision Date: 16-Feb-2015

METHYL AMYL KETONE	N/A	Mexico: TWA 50 ppm
		Mexico: TWA 235 mg/m <sup>3</sup>
		Mexico: STEL 100 ppm
		Mexico: STEL 465 mg/m <sup>3</sup>
TITANIUM DIOXIDE	N/A	Mexico: TWA 10 mg/m <sup>3</sup>
		Mexico: STEL 20 mg/m <sup>3</sup>
IRON (III) OXIDE	N/A	Mexico: TWA 5 mg/m <sup>3</sup>
		Mexico: STEL 10 mg/m <sup>3</sup>
ORGANIC TIN COMPOUND	N/A	Mexico: TWA 0.1 mg/m <sup>3</sup>
		Mexico: STEL 0.2 mg/m <sup>3</sup>

## **16. OTHER INFORMATION**

NFPA Health Hazard 2 Flammability 3 Instability 0 Physical and Chemical Hazards -



HMIS Health Hazard 1 \* Flammability 3 Physical Hazard 0 Personal protection X

Chronic Hazard Star Legend \* Chronic Health Hazard

**Issuing Date:** 28-Jan-2015 **Revision Date:** 16-Feb-2015

**Revision Note** 

No information available

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

end