SINCE 2014, RIO GRANITO HAS CONTINUOUSLY INNOVATED WITH ADVANCED TECHNOLOGY.

Rio Granito has established itself as one of India's leading brands in luxurious tiles since its founding in 2014 in Morbi, Gujarat. The company's growth is driven by continuous innovation, advanced technology, and cutting-edge designs, all while maintaining a steadfast commitment to exceptional quality and service. Rio Granito's superior products are used to enhance a wide range of spaces, from homes and commercial properties to architectural masterpieces

The company's commitment to excellence is reinforced by key principles: continuous improvement, high industry standards, expertise, and a dedication to honesty and transparency. Rio Granito stays current with the latest innovations to craft designs that appeal to all tastes, from minimalist to bold. As a leading tile supplier and manufacturer, it upholds the highest quality standards, producing durable and versatile tiles suitable for any surface.

24 7
COLLECTION

YOUR TRUSTED READY STOCK DESTINATION

In the construction industry, time is everything. Even a single day of delay can impact an entire project. That's why we have built a system where stock is always available, service is always fast, and commitment is always strong.

We are proud to be Your Trusted Ready Stock Destination a place where you never have to worry about shortages, long waiting periods, or delayed deliveries.

Our warehouse and showroom maintain a massive inventory of ceramic tiles, vitrified tiles, premium designer collections all available with **24x7 ready stock**.





WHERE RADIANCE MEETS REFINED LIVING

From modern living rooms to stylish kitchens, serene bedrooms to premium commercial environments, Endless Glossy tiles adapt seamlessly. Their versatile tones and smooth finish allow designers and homeowners to curate interiors that feel both luxurious and comfortable.

Whether paired with minimalist décor or layered with rich textures and statement pieces, these tiles provide the perfect canvas for creative expression.

THE PERFECT HARMONY OF SHINE AND SUBTLETY

Semi High Gloss Tiles are crafted for those who seek brilliance without excess a refined surface that offers luminosity while maintaining understated elegance. Designed to balance radiance and comfort, this collection introduces a controlled shine that enhances interiors without overpowering them.

Unlike fully high-gloss finishes that create sharp reflections, Semi High Gloss tiles provide a softer, smoother sheen. The result is a surface that interacts beautifully with light, adding brightness and depth while preserving a calm, sophisticated atmosphere.

600
X1200MM

SEAMLESS MASTERPIECE WITH THE UNBREAKABLE FLOW.

Glossy Endless Collection redefines seamless flooring with its groundbreaking continuous pattern technology. This unique feature ensures that no matter how you place the tiles whether horizontally or vertically, and regardless of the tile's orientation the texture flows flawlessly across the surface, creating an unbreakable, uniform design.

MULTIPURPOSE APPLICATIONS

Glossy Endless collection & Semi High-Gloss is engineered for a broad spectrum of environments, demonstrating exceptional durability and design flexibility for truly multipurpose applications. From Residential to Commercial Floorings and Moderate & Intensive Public Spaces, our tiles maintain their integrity and aesthetic appeal.

LIVING ROOM

STUDY ROOM


CHILDREN'S ROOM

BATHROOM


KITCHEN

BEDROOM


DINING AREA

TV ROOM

A SURFACE THAT DAZZLES, BRILLIANCE AND BALANCE.

Powered by state of the art innovation, these tiles offer a luminous reflective sheen that instantly brightens interiors and adds a layer of modern sophistication. Beneath the shine lies a carefully developed non-slip surface, providing durability and security while maintaining flawless aesthetics.

TECHNICAL DETAILS.:

- LIGHT WEIGHT
- CHEMICAL RESISTANCE
- FLEXURAL STRENGTH
- IMPACT RESISTANCE
- ECO FRIENDLY
- SCRATCH RESISTANCE

RIO
GRANITO



SUPER WHITE

BACK TO INDEX

CHERRY BLOSSOM AQUA

Spectra COLLECTION

600x 1200mm | GLOSSY SURFACE | Thickness 8.5mm | RANDOM 01

24 7 COLLECTION

Preview Of // Cherry Blossom Aqua (600x1200mm)

RIO GRANITO

RIO
GRANITO



SUPER WHITE

BACK TO INDEX

CHERRY BLOSSOM GREEN

Spectra
COLLECTION

600x
1200mm

GLOSSY
SURFACE

Thickness
8.5mm

RANDOM
01

24 7
COLLECTION

Preview Of // Cherry Blossom Green (600x1200mm)

RIO GRANITO

RIO GRANITO



SUPER WHITE

BACK TO INDEX

CHERRY BLOSSOM IVORY

Spectra COLLECTION

600x 1200mm | GLOSSY SURFACE | Thickness 8.5mm | RANDOM 01

24 7 COLLECTION

Preview Of // Cherry Blossom Ivory (600x1200mm)

RIO GRANITO

RIO
GRANITO

NEW

BACK TO INDEX

DEBY AQUA

Spectra COLLECTION

600x 1200mm | GLOSSY SURFACE | Thickness 8.5mm | RANDOM 03

24 7 COLLECTION

Preview Of // Deby Aqua (600x1200mm)

RIO GRANITO

RIO
GRANITO



BACK TO INDEX

DEBY BLUE

Spectra COLLECTION

600x 1200mm | GLOSSY SURFACE | Thickness 8.5mm | RANDOM 03

24 7 COLLECTION

Preview 01 // Baby Blue (600x1200mm)

RIO GRANITO

NEW





BACK TO INDEX

DEBY GREEN

Spectra COLLECTION

600x 1200mm | GLOSSY SURFACE | Thickness 8.5mm | RANDOM 03

24 7 COLLECTION

Preview Of // Deby Green (600x1200mm)

RIO GRANITO

RIO
GRANITO

NEW





BACK TO INDEX

GOLDEN BLOSSAM

Spectra
COLLECTION

600x
1200mm

GLOSSY
SURFACE

Thickness
8.5mm

RANDOM
02

24 7
COLLECTION

Preview Of // Golden Blossam (600x1200mm)

RIO GRANITO

RIO
GRANITO

NEW





BACK TO INDEX

SLICE AQUA

Spectra COLLECTION

600x 1200mm | GLOSSY SURFACE | Thickness 8.5mm | RANDOM 04

24 7 COLLECTION

Preview Of // Slice Aqua (600x1200mm)

RIO GRANITO

RIO
GRANITO

NEW





BACK TO INDEX

SLICE BLUE

Spectra
COLLECTION

600x
1200mm

GLOSSY
SURFACE

Thickness
8.5mm

RANDOM
04

24 7
COLLECTION

Preview Of // Slice Blue (600x1200mm)

RIO GRANITO

RIO
GRANITO



BACK TO INDEX

SLICE GREY

Spectra
COLLECTION

600x
1200mm

GLOSSY
SURFACE

Thickness
8.5mm

RANDOM
04

24 7
COLLECTION

Preview Of // Slice Grey (600x1200mm)

RIO GRANITO

RIO
GRANITO

NEW



BACK TO INDEX

THOMAS BLUE

Spectra
COLLECTION

600x
1200mm

GLOSSY
SURFACE

Thickness
8.5mm

RANDOM
01

24 7
COLLECTION

Preview Of // Thomas Blue (600x1200mm)

RIO GRANITO

RIO
GRANITO



BACK TO INDEX

THOMAS GREEN

Spectra
COLLECTION

600x
1200mm

GLOSSY
SURFACE

Thickness
8.5mm

RANDOM
01

24 7
COLLECTION

Preview Of // Thomas Green (600x1200mm)

RIO GRANITO

RIO
GRANITO

BACK TO INDEX

THOMAS ROYAL

Spectra
COLLECTION

600x
1200mm

GLOSSY
SURFACE

Thickness
8.5mm

RANDOM
01

24 7
COLLECTION

Preview Of // Thomas Royal (600x1200mm)

RIO
GRANITO

BACK TO INDEX

AXIS SILVERO

Spectra
COLLECTION

600x 1200mm	SEMI HIGH GLOSS	Thickness 8.5mm	RANDOM 01

24 7
COLLECTION

Preview Of // Axis Silvero (600x1200mm)

RIO GRANITO

RIO GRANITO



BACK TO INDEX

BOTANIC GREEN GOLD

Spectra COLLECTION

600x 1200mm | SEMI HIGH GLOSS | Thickness 8.5mm | RANDOM 04

24 7 COLLECTION

Preview Of // Botanic Green Gold (600x1200mm)

RIO GRANITO

RIO
GRANITO



BACK TO INDEX

LIMPID AQUA

Spectra COLLECTION

600x 1200mm | SEMI HIGH GLOSS | Thickness 8.5mm | RANDOM 01

24 7 COLLECTION

Preview Of // Limpid Aqua (600x1200mm)

RIO GRANITO

RIO GRANITO



BACK TO INDEX

LIMPID GREY

Spectra COLLECTION

600x 1200mm | SEMI HIGH GLOSS | Thickness 8.5mm | RANDOM 01

24 7 COLLECTION

Preview Of // Limpid Grey (600x1200mm)

RIO
GRANITO



BACK TO INDEX

SIERA BLUE

Spectra COLLECTION

600x 1200mm | SEMI HIGH GLOSS | Thickness 8.5mm | RANDOM 03

24 7 COLLECTION

Preview Of // Siera Blue (600x1200mm)

RIO GRANITO

RIO GRANITO



BACK TO INDEX

SOBER WHITE GOLD

Spectra COLLECTION

600x 1200mm	SEMI HIGH GLOSS	Thickness 8.5mm	RANDOM 03

24 7 COLLECTION

Preview Of // sober white gold (600x1200mm)

RIO GRANITO

TECHNICAL SPECIFICATION

	TEST NAME	TEST METHOD	ISO STANDARD	TEST RESULT
DEVIATION IN DIMENSIONS OF TILE	DEVIATION IN LENGTH	UNO- EN - ISO - 10545-2	+/- 0.6%	0.02%
	DEVIATION IN WIDTH	UNO- EN - ISO - 10545-2	+/- 0.6%	0.00%
	DEVIATION IN THICKNESS	UNO- EN - ISO - 10545-2	+/- 5%	0.85%
	STRAIGHTNESS IN LENGTH SIDE	UNO- EN - ISO - 10545-2	+/- 0.5%	0.03%
	STRAIGHTNESS IN WIDTH SIDE	UNO- EN - ISO - 10545-2	+/- 0.5%	0.03%
	RECTANGULARITY IN LENGTH	UNO- EN - ISO - 10545-2	+/- 0.5%	0.03%
	RECTANGULARITY IN WIDTH	UNO- EN - ISO - 10545-2	+/- 0.5%	0.04%
	SURFACE FLATNESS IN LENGTH	UNO- EN - ISO - 10545-2	+/- 0.5%	0.03%
	SURFACE FLATNESS IN WIDTH	UNO- EN - ISO - 10545-2	+/- 0.5%	0.02%
	EDGE CURVATURE OF LENGTH	UNO- EN - ISO - 10545-2	+/- 0.5%	0.03%
	EDGE CURVATURE OF WIDTH	UNO- EN - ISO - 10545-2	+/- 0.5%	0.05%
OTHER TEST	SURFACE QUALITY	UNO- EN - ISO - 10545-2	95% DEFECT FREE	100% DEFECT FREE
	WATER ABSORPTION	UNO- EN - ISO - 10545-3	</= 0.5%	0.057%
	BREAKING STRENGTH	UNO- EN - ISO - 10545-4	>1300 N	1950.77 N
	MODULUS OF RUPTURE	UNO- EN - ISO - 10545-4	MIN. 35 N / mm2	41.0 N / mm2
	RESISTANCE TO DEEP ABRASION	UNO- EN - ISO - 10545-7	NO MIN. STANDARD	1500 REVOLUTION PASS
	COEFFICIENT OF RESTITUTION (RESISTANCE TO IMPACT)	UNO- EN - ISO - 10545-5	NO MIN. STANDARD	0.85
	COEFFICINET OF LINEAR THERMAL (EXPANSION (ROOM TEMP. TO 1003 C)	UNO- EN - ISO - 10545-8	9 X 10-6 AT MAX.	2.67 X 10-6
	MOISTURE EXPANSION	UNO- EN - ISO - 10545-10	NO MIN. STANDARD	0.002 mm/M
	RESISTANCE TO THERMAL SHOCK	UNO- EN - ISO - 10545-9	10 CYCLE PASS AND NO DAMAGE	NO DAMAGE OBSERVED
	RESISTANCE TO CRAZING	UNO- EN - ISO - 10545-11	2 CYCLE PASS AND DAMAGE	NO DAMAGE OBSERVED
	RESISTANCE TO FROST	UNO- EN - ISO - 10545-12	50 CYCLE PASS	100 CYCLE PASS
	RESISTANCE TO GREEN STAIN	UNO- EN - ISO - 10545-14	MIN. CLASS 3	CLASS 5 PASS
	RESISTANCE TO RED STAIN	UNO- EN - ISO - 10545-14	MIN. CLASS 3	CLASS 5 PASS
	RESISTANCE TO BLUE / BLACK STAIN	UNO- EN - ISO - 10545-14	MIN. CLASS 3	CLASS 5 PASS
	RESISTANCE TO OIL BASED STAIN	UNO- EN - ISO - 10545-14	MIN. CLASS 3	CLASS 5 PASS
	RESISTANCE TO LOW CONC. ACID	UNO- EN - ISO - 10545-13	NO. MIN STANDARD	GLA
	RESISTANCE TO LOW CONC. ALKALI	UNO- EN - ISO - 10545-13	NO. MIN STANDARD	GLA
	RESISTANCE TO HIGH CONC. ACID.	UNO- EN - ISO - 10545-13	NO. MIN STANDARD	GLA
	RESISTANCE TO HIGH CONC. ALKALI	UNO- EN - ISO - 10545-13	NO. MIN STANDARD	GLA
	RESISTANCE TO HOUSE HOLD CHEMICALS	UNO- EN - ISO - 10545-13	MIN. CLASS B	GA
	RESISTANCE TO SWIMMING POOL SALTS	UNO- EN - ISO - 10545-13	MIN. CLASS B	GA
	RELEASE OF LEAD	UNO- EN - ISO - 10545-15	0.8 mg/dm3	0.008 mg/dm3
	RELEASE OF CADMIUM	UNO- EN - ISO - 10545-15	0.07 mg/dm3	0.004 mg/dm3

we are certified from ISO and CE