

ADHESIVE AND GROUT

We make your
HOME
Luxurious

Think Tiles... Think OneClick.

LATICRETE

MYK LATICRETE

LATAPFIX FLOOR AND WALL TILE ADHESIVE 305



- For fixing ceramic tiles on interior floor & wall
- Ideal for new floor tiling
- Economical & easy to use
- Single component - just add water

- मिती टाइल्स एवं फर्श पर सिंथेटिक टाइल लगाने के लिए
- नए फ्लोर टाइलिंग के लिए आदर्श
- किफायती – इस्तेमाल करना आसान
- सिंगल कंपोनेंट – केवल पानी मिलाएं

ANSI NATIONAL STANDARDS

CTE Conforms to CTE Standards

Low VOC

PREMIUM

GREY

Net Quantity: 20 kg

FOR A STRONGER, LONGER LASTING TOMORROW

USE NO HOOKS

Pidilite

Roff®

TILE & STONE FIXING

NSA White / T09

NON-SKID ADHESIVE

नॉन-स्किड एडहेसिव (व्हाइट)

Adhesive for vitrified tiles and stones of any size



NEW & ADVANCED


- High bond strength
- High open time
- Tile-on-Tile Application



CONFORMS TO IS 15477:2019 TYPE II T

CONFORMS TO EN 12004 C1TE


UltraTech
TILEFIXO NT
Cladding Tile Adhesive
POLYMER MODIFIED HIGH STRENGTH
CLADDING TILE ADHESIVE
CONFORMS TO IS 15477
NET WEIGHT 20 kg
✓ READY TO USE
✓ EXCELLENT BOND STRENGTH
✓ HIGHER DURABILITY
✓ SAVES TIME AND LABOUR
TILEFIXO-NT


JK LAKSHMI
ADHESIVES
Floor Tile Adhesive
To prepare,
Just add
4.5 ltr
of water*
20 KG
JK LAKSHMI
ADHESIVES
Floor Tile Adhesive


USE WS HOOKS
UltraTech
FIXOBLOCK
Thin Layer Jointing Mortar
CONFORMS TO ASTM C 1660-09
NET WEIGHT 40 KG
✓ SUPERIOR QUALITY
✓ HIGH STRENGTH
✓ THIN JOINTING MORTAR
✓ SELF CURING
FIXOBLOCK

JKCement

JKCement

TileMax X

211 - Anti-Skid Grey Adhesive

ADVANCED POLYMER ENRICHED



Benefits

20 kg
Net Weight


antique
build better. build stronger.
ISO 9001 2015 CERTIFIED COMPANY
TILE GROUT
BASED ON
GERMAN TECHNOLOGY
Polymer Modified Grout