ORACLE® Application Express   Welcome BROWNCH (Logout)

| Home | Application Builder | SQL Workshop | Team Development | Administration |

Home > SQL Workshop > SQL Scripts > **Results**   Help

Script: **Week7**   Status: **Complete**   Edit Script
View: ⦿ Detail ○ Summary Show: ☑ Statement ☑ Results ☑ Feedback   Go

```
CREATE TABLE my_employee
(id NUMBER(4) CONSTRAINT my_employee_id_nn NOT NULL,
last_name VARCHAR2(25),
first_name VARCHAR2(25),
userid VARCHAR2(8),
salary NUMBER(9,2))
```

ORA-00955: name is already used by an existing object

```
INSERT INTO MY_EMPLOYEE
VALUES (1, 'Patel', 'Ralph', 'rpatel', 795)
```

1 row(s) inserted. 0.16 seconds

```
INSERT INTO MY_EMPLOYEE (ID, LAST_NAME, FIRST_NAME, USERID, SALARY)
VALUES (2, 'Dancs', 'Betty', 'bdancs', 860)
```

1 row(s) inserted. 0.00 seconds

```
SELECT *
FROM MY_EMPLOYEE
```

ID	LAST_NAME	FIRST_NAME	USERID	SALARY
1	Patel	Ralph	rpatel	795
2	Dancs	Betty	bdancs	860

2 rows selected. 0.02 seconds

```
UPDATE MY_EMPLOYEE
SET USERID = (SUBSTR('FIRST_NAME',1,1) || SUBSTR('LAST_NAME',1,7))
WHERE :ID = &ID
AND :FIRST_NAME = '&FIRST_NAME'
AND :LAST_NAME = '&LAST_NAME'
AND :SALARY = &SALARY
```

0 row(s) updated. 0.00 seconds

```
INSERT INTO MY_EMPLOYEE (ID, LAST_NAME, FIRST_NAME, USERID, SALARY)
VALUES (3, 'Biri', 'Ben', 'bbiri', 1100)
```

1 row(s) inserted. 0.00 seconds

```
INSERT INTO MY_EMPLOYEE (ID, LAST_NAME, FIRST_NAME, USERID, SALARY)
VALUES (4, 'Newman', 'Chad', 'cnewman', 750)
```

1 row(s) inserted. 0.00 seconds

```
SELECT *
FROM MY_EMPLOYEE
```

ID	LAST_NAME	FIRST_NAME	USERID	SALARY
1	Patel	Ralph	rpatel	795
2	Dancs	Betty	bdancs	860
3	Biri	Ben	bbiri	1100
4	Newman	Chad	cnewman	750

4 rows selected. 0.00 seconds

```
COMMIT
```

Statement processed. 0.00 seconds

```
UPDATE MY_EMPLOYEE
SET LAST_NAME = 'Drexler'
WHERE LAST_NAME = 'Biri'
```

1 row(s) updated. 0.00 seconds

```
UPDATE MY_EMPLOYEE
SET SALARY = 1000
WHERE SALARY < 900
```

3 row(s) updated. 0.00 seconds

```
SELECT *
FROM MY_EMPLOYEE
```

ID	LAST_NAME	FIRST_NAME	USERID	SALARY
1	Patel	Ralph	rpatel	1000
2	Dancs	Betty	bdancs	1000
3	Drexler	Ben	bbiri	1100
4	Newman	Chad	cnewman	1000

4 rows selected. 0.00 seconds

```
DELETE FROM MY_EMPLOYEE
WHERE LAST_NAME = 'Dancs'
```

1 row(s) deleted. 0.00 seconds

```
COMMIT
```

Statement processed. 0.00 seconds

```
SELECT *
FROM MY_EMPLOYEE
```

ID	LAST_NAME	FIRST_NAME	USERID	SALARY
1	Patel	Ralph	rpatel	1000
3	Drexler	Ben	bbiri	1100
4	Newman	Chad	cnewman	1000

3 rows selected. 0.00 seconds

```
INSERT INTO MY_EMPLOYEE (ID, LAST_NAME, FIRST_NAME, USERID, SALARY)
VALUES (5, 'Ropeburn', 'Audry', 'aropebur', 1550)
```

1 row(s) inserted. 0.01 seconds

```
COMMIT
```

Statement processed. 0.00 seconds

```
DELETE FROM MY_EMPLOYEE
```

4 row(s) deleted. 0.00 seconds

```
SELECT *
FROM MY_EMPLOYEE
```

no data found

Statement processed. 0.00 seconds

```
ROLLBACK
```

Statement processed. 0.01 seconds

```
COMMIT
```

Statement processed. 0.00 seconds

```
SELECT *
FROM MY_EMPLOYEE
```

ID	LAST_NAME	FIRST_NAME	USERID	SALARY
5	Ropeburn	Audry	aropebur	1550
1	Patel	Ralph	rpatel	1000
3	Drexler	Ben	bbiri	1100

| 4 | Newman | Chad | cnewman | 1000 |

4 rows selected. 0.00 seconds

Download

Run By	BROWNCH
Parsing Schema	BROWNCH
Script Started	Monday, May 3, 2021
	2 seconds ago
Elapsed time	0.27 seconds
Statements Processed	22
Successful	21
With Errors	1

Application Express 4.0.2.00.09