
Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.6
0.7
0.8
0.9
Water Mass (g)
Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
15
10
5
0
0
10
20
30
Relative Water Deficit (%)
Inflection Detection
Ψ_p(MPa)
1.0
0.5
0.0
RWCtlp = 76.98 %
0
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.9
1.0
1.1
1.2
Water Mass (g)
Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
10
5
0
0
10
20
Relative Water Deficit (%)
Inflection Detection
Ψ_p(MPa)
1.5
1.0
0.5
0.0
RWCtlp = 64.1 %
0
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.9
1.0
1.1
1.2
1.3
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
10.0
7.5
5.0
2.5
0.0
0
10
20
30
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.5
1.0
0.5
0.0
RWCtlp = 72.84 %
0
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.70
0.75
0.80
0.85
0.90
0.95
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
6
4
2
0
10
20
30
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.5
1.0
0.5
0.0
RWCtlp = 67.91 %
0
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
1.4
1.6
1.8
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
15
10
5
0
0
10
20
30
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.5
1.0
0.5
0.0
RWCtlp = 73.1 %
0
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
1.3
1.4
1.5
1.6
1.7
1.8
Water Mass (g)
Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
15
10
5
0
0
10
20
30
Relative Water Deficit (%)
Inflection Detection
Ψ_p(MPa)
1.0
0.5
0.0
RWCtlp = 70.48 %
0
20
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.05
0.10
0.15
0.20
0.25
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
1.2
0.8
0.4
20
40
60
80
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 72.2 %
Ψ_p(MPa)
0.9
0.6
0.3
0.0
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
0.0
−0.5
−1.0
−1.5
−2.0
−2.5
Ψ_{leaf} (MPa)
0.1
0.2
0.3
0.4
Water Mass (g)


Turgor Loss Point
1.25
1.00
0.75
0.50
$-\frac{1}{\Psi_{leaf}}$
40
60
80
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 67.44 %
1.00
0.75
0.50
0.25
0.00
Ψ_p(MPa)
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
−4
0.1
0.2
0.3
0.4
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
5
4
3
2
1
0
0
20
40
60
80
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 83.81 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
0
20
40
60
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
0.0
−0.5
−1.0
−1.5
−2.0
Ψ_{leaf} (MPa)
0.04
0.08
0.12
0.16
Water Mass (g)


Turgor Loss Point
4
3
2
1
$\frac{-1}{\Psi_{leaf}}$
20
40
60
80
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 81.46 %
1.00
0.75
0.50
0.25
0.00
Ψ_p(MPa)
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
0
−1
−2
−3
Ψ_{leaf} (MPa)
0.05
0.10
0.15
Water Mass (g)


Turgor Loss Point
2
1
$\frac{-1}{\Psi_{leaf}}$
20
40
60
80
Relative Water Deficit (%)


Inflection Detection
1.5
1.0
0.5
0.0
Ψ_p(MPa)
RWCtlp = 70.31 %
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
−0.5
−1.0
−1.5
0.1
0.2
0.3
0.4
0.5
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
2.0
1.5
1.0
0.5
20
40
60
80
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 90.36 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
10
20
30
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.14
0.15
0.16
0.17
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
30
20
10
0
0
5
10
15
20
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
2.0
1.5
1.0
0.5
0.0
RWCtlp = 79.93 %
0
10
20
30
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
0
−1
−2
Ψ_{leaf} (MPa)
0.08
0.09
0.10
0.11
Water Mass (g)


Turgor Loss Point
6
4
2
$\frac{-1}{\Psi_{leaf}}$
0
10
20
30
Relative Water Deficit (%)


Inflection Detection
1.5
1.0
0.5
0.0
Ψ_p(MPa)
RWCtlp = 89.36 %
0
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.100
0.105
0.110
0.115
0.120
0.125
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
6
4
2
0
5
10
15
20
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.5
1.0
0.5
0.0
RWCtlp = 80.29 %
0
10
20
30
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.09
0.10
0.11
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
10
5
0
0
10
20
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.5
1.0
0.5
0.0
RWCtlp = 86.93 %
0
10
20
30
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.09
0.10
0.11
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
8
6
4
2
0
0
10
20
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
2.0
1.5
1.0
0.5
0.0
RWCtlp = 85.7 %
0
5
10
15
20
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
0.08
0.09
0.10
0.11
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
30
20
10
0
0
10
20
30
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
2.0
1.5
1.0
0.5
0.0
RWCtlp = 85.09 %
0
5
10
15
20
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.65
0.70
0.75
0.80
0.85
Water Mass (g)
Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
1.5
1.0
0.5
10
20
Relative Water Deficit (%)
Inflection Detection
Ψ_p(MPa)
RWCtlp = 69.11 %
0.9
0.6
0.3
0.0
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.52
0.56
0.60
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
1.5
1.0
0.5
5
10
15
20
25
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 58.83 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.30
0.35
0.40
0.45
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
3
2
1
10
20
30
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.2
0.9
0.6
0.3
0.0
RWCtlp = 69.4 %
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
0
−1
−2
−3
Ψ_{leaf} (MPa)
0.36
0.40
0.44
0.48
Water Mass (g)


Turgor Loss Point
1.5
1.0
0.5
$\frac{-1}{\Psi_{leaf}}$
10
20
30
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 59.45 %
1.00
0.75
0.50
0.25
0.00
Ψ_p(MPa)
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.50
0.55
0.60
0.65
0.70
0.75
Water Mass (g)
Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
4
3
2
1
0
10
20
30
Relative Water Deficit (%)
Inflection Detection
Ψ_p(MPa)
1.0
0.5
0.0
RWCtlp = 65.9 %
0
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.150
0.175
0.200
0.225
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
4
3
2
1
0
10
20
30
40
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.0
0.5
0.0
RWCtlp = 77.32 %
0
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.13
0.15
0.17
0.19
0.21
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
3
2
1
0
10
20
30
40
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
2.0
1.5
1.0
0.5
0.0
RWCtlp = 84.95 %
0
10
20
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
0.175
0.200
0.225
0.250
0.275
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
3
2
1
10
20
30
40
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.5
1.0
0.5
0.0
RWCtlp = 81.45 %
5
10
15
20
25
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.200
0.225
0.250
0.275
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
2
1
10
20
30
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.25
1.00
0.75
0.50
0.25
0.00
RWCtlp = 65.55 %
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.20
0.25
0.30
0.35
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
2
1
0
10
20
30
40
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.2
0.8
0.4
0.0
RWCtlp = 82.89 %
0
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
0
−1
−2
−3
Ψ_{leaf} (MPa)
0.4
0.6
0.8
Water Mass (g)


Turgor Loss Point
2
1
$\frac{-1}{\Psi_{leaf}}$
20
40
60
Relative Water Deficit (%)


Inflection Detection
1.2
0.9
0.6
0.3
0.0
Ψ_p(MPa)
RWCtlp = 64.35 %
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.1
0.2
0.3
0.4
0.5
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
1.1
0.9
0.7
0.5
0.3
25
50
75
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.25
1.00
0.75
0.50
0.25
0.00
RWCtlp = 80.21 %
10
20
30
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.50
0.55
0.60
0.65
0.70
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
6
4
2
0
0
10
20
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.5
1.0
0.5
0.0
RWCtlp = 80.95 %
0
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.6
0.7
0.8
0.9
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
7.5
5.0
2.5
0.0
0
10
20
30
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
2.0
1.5
1.0
0.5
0.0
RWCtlp = 73.21 %
0
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.30
0.35
0.40
0.45
0.50
0.55
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
9
6
3
0
0
10
20
30
40
50
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.5
1.0
0.5
0.0
RWCtlp = 63.35 %
0
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.00
0.03
0.06
0.09
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
3
2
1
25
50
75
100
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 56.95 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
20
40
60
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.1
0.2
0.3
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
8
6
4
2
0
0
20
40
60
80
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.2
0.9
0.6
0.3
0.0
RWCtlp = 72.13 %
0
20
40
60
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
−0.5
−1.0
−1.5
0.10
0.12
0.14
0.16
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
4
3
2
1
10
20
30
40
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 84.43 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
0
−1
−2
−3
Ψ_{leaf} (MPa)
0.025
0.050
0.075
0.100
Water Mass (g)


Turgor Loss Point
1.00
0.75
0.50
$-\frac{1}{\Psi_{leaf}}$
25
50
75
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 74.86 %
0.9
0.6
0.3
0.0
Ψ_p(MPa)
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.1
0.2
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
3
2
1
20
40
60
80
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.0
0.5
0.0
RWCtlp = 60.57 %
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
0
−1
−2
Ψ_{leaf} (MPa)
0.025
0.050
0.075
0.100
Water Mass (g)


Turgor Loss Point
6
4
2
$\frac{-1}{\Psi_{leaf}}$
0
25
50
75
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 73.54 %
1.0
0.5
0.0
Ψ_p(MPa)
0
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
−0.5
−1.0
−1.5
0.4
0.5
0.6
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
6
4
2
10
20
30
40
50
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 73.26 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
0.0
−0.5
−1.0
−1.5
−2.0
Ψ_{leaf} (MPa)
0.35
0.40
0.45
Water Mass (g)


Turgor Loss Point
3
2
1
$\frac{-1}{\Psi_{leaf}}$
10
20
30
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 76.5 %
0.9
0.6
0.3
0.0
Ψ_p(MPa)
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
−0.5
−1.0
−1.5
−2.0
0.45
0.50
0.55
0.60
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
3
2
1
10
20
30
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 67.25 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
0.0
−0.5
−1.0
−1.5
−2.0
Ψ_{leaf} (MPa)
0.36
0.40
0.44
Water Mass (g)


Turgor Loss Point
10
5
0
$-\frac{1}{\Psi_{leaf}}$
10
20
30
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 69.36 %
1.00
0.75
0.50
0.25
0.00
Ψ_p(MPa)
10
20
30
40
50
60
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
0.4
0.5
0.6
0.7
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
7.5
5.0
2.5
0.0
0
10
20
30
40
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 79.37 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
0
20
40
60
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
−0.5
−1.0
−1.5
−2.0
0.5
0.6
0.7
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
6
4
2
10
20
30
40
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 69.4 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
−0.5
−1.0
−1.5
−2.0
1.0
1.1
1.2
1.3
1.4
1.5
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
4
3
2
1
0
10
20
30
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 87.77 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
0
10
20
30
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
−0.5
−1.0
−1.5
−2.0
0.5
0.6
0.7
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
8
6
4
2
0
10
20
30
40
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
RWCtlp = 86.5 %
0
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
−0.5
−1.0
−1.5
0.24
0.27
0.30
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
6
4
2
0
10
20
30
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 89.19 %
Ψ_p(MPa)
0.9
0.6
0.3
0.0
0
10
20
30
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
0.0
−0.5
−1.0
−1.5
−2.0
Ψ_{leaf} (MPa)
0.50
0.55
0.60
0.65
0.70
Water Mass (g)


Turgor Loss Point
3
2
1
$\frac{-1}{\Psi_{leaf}}$
10
20
30
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 83.38 %
1.00
0.75
0.50
0.25
0.00
Ψ_p(MPa)
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0.0
−0.5
−1.0
−1.5
−2.0
0.25
0.30
0.35
0.40
Water Mass (g)
Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
6
4
2
0
10
20
30
40
50
Relative Water Deficit (%)
Inflection Detection
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
RWCtlp = 82.15 %
0
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
−0.5
−1.0
−1.5
−2.0
1.2
1.3
1.4
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
6
4
2
0
5
10
15
20
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 74.15 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
0
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−2
−4
−6
0.150
0.175
0.200
0.225
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
1.5
1.0
0.5
0
10
20
30
40
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
2
1
0
RWCtlp = 79.98 %
0
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
−4
−5
0.13
0.14
0.15
0.16
0.17
Water Mass (g)
Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
4
3
2
1
0
0
10
20
Relative Water Deficit (%)
Inflection Detection
Ψ_p(MPa)
3
2
1
0
RWCtlp = 82.58 %
0
10
20
30
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
−4
0.10
0.11
0.12
0.13
0.14
0.15
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
5
4
3
2
1
0
0
10
20
30
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
2.0
1.5
1.0
0.5
0.0
RWCtlp = 77.61 %
0
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
−4
−5
0.09
0.10
0.11
0.12
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
3
2
1
0
10
20
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
3
2
1
0
RWCtlp = 81.54 %
0
10
20
30
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
−4
0.18
0.19
0.20
0.21
0.22
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
4
3
2
1
0
5
10
15
20
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
2
1
0
RWCtlp = 77.92 %
0
10
20
30
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
−4
−5
0.09
0.10
0.11
0.12
0.13
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
5
4
3
2
1
0
0
10
20
30
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
3
2
1
0
RWCtlp = 81.19 %
0
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
−0.5
−1.0
−1.5
−2.0
0.32
0.36
0.40
0.44
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
2.5
2.0
1.5
1.0
0.5
10
20
30
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 77.68 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
−0.4
−0.8
−1.2
−1.6
0.300
0.325
0.350
0.375
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
1.5
1.0
10
15
20
25
30
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 74.77 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
−0.4
−0.8
−1.2
−1.6
0.275
0.300
0.325
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
2.5
2.0
1.5
1.0
5
10
15
20
25
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 61.13 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
−0.5
−1.0
−1.5
−2.0
0.12
0.14
0.16
0.18
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
6
4
2
10
20
30
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 74.11 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
−0.5
−1.0
−1.5
−2.0
0.20
0.22
0.24
0.26
0.28
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
3
2
1
10
20
30
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 74.04 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.05
0.06
0.07
0.08
0.09
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
1.00
0.75
0.50
10
20
30
40
50
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 84.06 %
Ψ_p(MPa)
0.9
0.6
0.3
0.0
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.03
0.04
0.05
0.06
0.07
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
1.25
1.00
0.75
0.50
20
40
60
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 79 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.03
0.04
0.05
0.06
0.07
0.08
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
8
6
4
2
0
0
20
40
60
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.0
0.5
0.0
RWCtlp = 69.98 %
0
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.07
0.08
0.09
0.10
0.11
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
1.2
0.8
0.4
10
20
30
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.5
1.0
0.5
0.0
RWCtlp = 80.92 %
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
0.04
0.06
0.08
0.10
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
2
1
20
40
60
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.2
0.9
0.6
0.3
0.0
RWCtlp = 65.4 %
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−2
−4
−6
0.16
0.20
0.24
0.28
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
2.5
2.0
1.5
1.0
0.5
0
10
20
30
40
50
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
2.0
1.5
1.0
0.5
0.0
RWCtlp = 74.7 %
0
20
40
60
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
−4
0.24
0.28
0.32
0.36
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
3
2
1
0
10
20
30
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.5
1.0
0.5
0.0
RWCtlp = 81.86 %
0
20
40
60
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
0
−2
−4
Ψ_{leaf} (MPa)
0.20
0.25
0.30
Water Mass (g)


Turgor Loss Point
2.0
1.5
1.0
0.5
$\frac{-1}{\Psi_{leaf}}$
0
10
20
30
40
50
Relative Water Deficit (%)


Inflection Detection
2.0
1.5
1.0
0.5
0.0
Ψ_p(MPa)
RWCtlp = 81.02 %
0
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
−4
0.30
0.35
0.40
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
1.5
1.0
0.5
10
20
30
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.5
1.0
0.5
0.0
RWCtlp = 71.46 %
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
−4
0.24
0.28
0.32
0.36
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
2.5
2.0
1.5
1.0
0.5
0
10
20
30
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
2.5
2.0
1.5
1.0
0.5
0.0
RWCtlp = 75.44 %
0
10
20
30
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
−4
0.250
0.275
0.300
0.325
0.350
0.375
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
2.0
1.5
1.0
0.5
10
20
30
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
2.0
1.5
1.0
0.5
0.0
RWCtlp = 65.38 %
10
20
30
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
−4
0.8
0.9
1.0
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
10.0
7.5
5.0
2.5
0.0
0
10
20
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
2.0
1.5
1.0
0.5
0.0
RWCtlp = 60.02 %
0
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
1.1
1.2
1.3
1.4
1.5
Water Mass (g)
Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
8
6
4
2
0
0
10
20
Relative Water Deficit (%)
Inflection Detection
Ψ_p(MPa)
2.5
2.0
1.5
1.0
0.5
0.0
RWCtlp = 79.74 %
0
10
20
30
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
−4
2.4
2.6
2.8
3.0
3.2
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
8
6
4
2
0
0
10
20
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
2.0
1.5
1.0
0.5
0.0
RWCtlp = 75.61 %
0
10
20
30
40
50
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
1.5
1.6
1.7
1.8
1.9
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
7.5
5.0
2.5
0.0
0
5
10
15
20
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
2.0
1.5
1.0
0.5
0.0
RWCtlp = 72.51 %
0
10
20
30
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
1.4
1.6
1.8
2.0
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
12.5
10.0
7.5
5.0
2.5
0.0
0
10
20
30
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
2.0
1.5
1.0
0.5
0.0
RWCtlp = 85.93 %
0
5
10
15
20
25
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
0
−1
−2
−3
2.75
3.00
3.25
3.50
3.75
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
6
4
2
0
10
20
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
2.0
1.5
1.0
0.5
0.0
RWCtlp = 70.69 %
0
10
20
30
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
−0.5
−1.0
−1.5
0.15
0.20
0.25
0.30
0.35
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
6
4
2
0
20
40
60
Relative Water Deficit (%)


Inflection Detection
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
RWCtlp = 83.91 %
0
10
20
30
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
−0.5
−1.0
−1.5
0.35
0.40
0.45
0.50
Water Mass (g)


Turgor Loss Point
$-\frac{1}{\Psi_{leaf}}$
6
4
2
10
20
30
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 76.68 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
0.0
−0.5
−1.0
−1.5
−2.0
Ψ_{leaf} (MPa)
0.15
0.20
0.25
0.30
0.35
Water Mass (g)


Turgor Loss Point
6
4
2
$-\frac{1}{\Psi_{leaf}}$
20
40
60
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 79.77 %
1.00
0.75
0.50
0.25
0.00
Ψ_p(MPa)
10
20
30
40
Symplastic Relative Water Deficit (%)


Plateau effect, Saturated Water Content
Ψ_{leaf} (MPa)
−0.5
−1.0
−1.5
0.36
0.40
0.44
Water Mass (g)


Turgor Loss Point
$\frac{-1}{\Psi_{leaf}}$
4
3
2
1
10
20
30
Relative Water Deficit (%)


Inflection Detection
RWCtlp = 76.77 %
Ψ_p(MPa)
1.00
0.75
0.50
0.25
0.00
10
20
30
40
Symplastic Relative Water Deficit (%)