Interim Report

Semester-IV

Name	Bhagyashree Pujari
USN	231VMTHR0202
Elective	Computer Science and IT
Date of Submission	25/04/2025

Objectives of the Study:

1. **Develop a Deep Learning Forecasting Model Using LSTM and GRU Networks:**

- This project aims to develop a hybrid deep learning model combining Long Short-Term Memory (LSTM) and Gated Recurrent Unit (GRU) networks to forecast stock prices. Leveraging their strengths in modeling sequential data, the model will capture complex temporal dependencies and non-linear patterns that traditional methods often miss. Historical stock data—including open, high, low, close prices, and trading volume—will be used, along with technical indicators like RSI, moving averages, and Bollinger Bands.

- The data will be preprocessed through normalization and windowing to make it suitable for time-series modeling. LSTM layers will be used to learn long-term dependencies, while GRU layers will enhance computational efficiency and faster convergence. The model will be implemented in Python using TensorFlow or PyTorch and trained using optimizers like Adam or RMSprop. Hyperparameter tuning methods such as grid search or Bayesian optimization will be applied for optimal performance.

- The study will benchmark the hybrid model against standalone LSTM, GRU, and traditional models like ARIMA and Random Forest. The final goal is to develop a robust, accurate, and generalizable model capable of capturing market dynamics and supporting informed financial decisions.

2. **Implement Time Series Cross-Validation to Evaluate Model Performance on Various Time Segments:**

- This objective aims to implement Time Series Cross-Validation (TSCV) to evaluate the performance of LSTM, GRU, and hybrid models on different time segments of stock market data. Unlike traditional cross-validation, TSCV preserves the temporal order to avoid data leakage and better simulate real-world forecasting conditions.

- The method involves training the model on expanding time windows and testing it on subsequent periods, enabling evaluation under varying market conditions such as trends, volatility, and seasonality. This approach ensures that the model is not just accurate on historical data, but also generalizes well to unseen data.

- Performance will be assessed using metrics like MSE, RMSE, and MAE, alongside visual tools such as prediction vs. actual plots and rolling error charts. The process will be automated in Python using Scikit-learn for splitting logic and TensorFlow/PyTorch for model training.

- By analyzing performance across multiple time slices, this objective provides insights into model stability, sensitivity to market changes, and readiness for real-world deployment.

3. **Assess the Accuracy and Reliability of the Model's Stock Price Predictions by Calculating MSE, RMSE, and MAE:**

- This objective focuses on evaluating the accuracy and reliability of LSTM, GRU, and hybrid models in predicting stock prices using key error metrics: Mean Squared Error (MSE), Root Mean Squared Error (RMSE), and Mean Absolute Error (MAE). These metrics provide a comprehensive view of model performance—MSE emphasizes larger errors, RMSE offers error values in the same unit as stock prices, and MAE gives a straightforward average error.

- The metrics will be computed on both training and test datasets to detect signs of overfitting or underfitting. Additionally, performance will be assessed across different time windows using results from time series cross-validation, offering insight into how well the model handles varying market conditions.

- Visual tools like predicted vs. actual plots, residual charts, and rolling error graphs will

be used to detect trends, biases, or anomalies in predictions. Performance will also be compared with traditional models like ARIMA, linear regression, and moving averages to quantify the benefits of deep learning.

- Overall, this objective ensures that the model delivers consistent, interpretable, and high-precision forecasts suitable for real-world financial applications.

4. **Integrate Risk Management Strategies such as Stop-Loss Limits and Portfolio Diversification to Minimize Financial Loss and Enhance Decision-Making in Volatile Market Conditions:**

- This objective focuses on integrating risk management strategies—specifically stop-loss limits and portfolio diversification—into the stock price forecasting framework to reduce financial losses and enhance decision-making in volatile market conditions.

- Stop-loss mechanisms will be applied to simulated trades based on model predictions, automatically closing positions when losses exceed set thresholds (e.g., 5%, 10%, 15%). These strategies will be back-tested to assess their effectiveness in limiting drawdowns and preserving capital during adverse market movements.

- In parallel, portfolio diversification will be implemented by allocating investments across multiple stocks from different sectors. This reduces the impact of inaccurate predictions on any single asset and improves risk-adjusted returns.

- Performance will be evaluated using metrics like Sharpe Ratio, maximum drawdown, and portfolio volatility, offering a comprehensive view of risk mitigation. A simple risk-aware trading algorithm will also be developed to combine model predictions with dynamic risk control rules.

- Ultimately, this objective ensures the forecasting model is not only accurate but also resilient, practical, and ready for real-world financial deployment.

Scope of the Study

This study aims to evaluate the performance of deep learning models—specifically Long Short-Term Memory (LSTM) and Gated Recurrent Unit (GRU) networks—in forecasting financial time series data, focusing on stock prices of companies listed on major stock exchanges. The research is confined to the following areas:

1. Financial Time Series Forecasting

The primary objective is to assess the efficacy of LSTM and GRU models in predicting stock prices based on historical data. These models are chosen for their ability to capture temporal dependencies in time series data, which is crucial for accurate financial forecasting.

2. Data Selection and Time Frame

The study utilizes historical stock price data from companies listed on the New York Stock Exchange (NYSE) and NASDAQ. The selected time frame spans the last 5 to 10 years, providing a comprehensive dataset for training and testing the models.

3. Model Evaluation Using Time Series Cross-Validation

To ensure the reliability of the models, time series cross-validation is employed. This method involves training the model on a rolling window of data and testing it on subsequent periods, thereby simulating real-world forecasting scenarios.

4. Performance Metrics

The models' performance is evaluated using standard error metrics:

- ✓ Mean Squared Error (MSE): Measures the average of the squares of the errors.
- ✓ Root Mean Squared Error (RMSE): Provides the square root of the MSE, offering error magnitude in the same units as the data.
- ✓ Mean Absolute Error (MAE): Calculates the average of the absolute errors, providing a straightforward interpretation of prediction accuracy.

5. Risk Management Strategies

The study integrates risk management strategies, such as stop-loss limits and portfolio diversification, to mitigate potential financial losses due to incorrect predictions.

Methodology

The study employs a systematic and data-oriented methodology to predict stock prices with LSTM and GRU deep learning models. Secondary stock market data is first gathered from sources such as Yahoo Finance and Alpha Vantage. The raw data is preprocessed through missing value handling, normalization, and outlier removal to prepare quality input. Time-series features are engineered to prepare the data for prediction purposes. Deep learning models—LSTM and GRU—are subsequently designed and optimized with suitable hyperparameters such as neuron number, layer number, and activation functions. The models are trained with methods such as Adam or RMSprop optimization and validated with time series cross-validation to determine their stability across various time periods. Performance is measured with metrics such as RMSE, MAE, and R-squared. Further, risk management techniques such as portfolio diversification and stop-loss are integrated into the models to mitigate financial risks, rendering the models applicable for real-world decision-making.




Figure 1: The Flow Diagram of the Proposed Work

- ✓ ***Data Collection:***

Secondary stock market data is collected from reliable sources such as Yahoo Finance and Alpha Vantage. The data includes stock prices (open, high, low, close), trading volume, and technical indicators like Moving Averages, RSI, and Bollinger Bands.

- ✓ ***Data Processing:***

The raw data undergoes preprocessing where missing values are handled, outliers are removed, and the data is normalized. Time-series features are engineered, including the creation of lag variables to prepare the data for model prediction.

- ✓ ***Feature Engineering:***

Relevant features are extracted from the stock market data, and lag variables are created. This transforms the dataset into a structured format suitable for supervised learning, ensuring the data aligns with time-series forecasting needs.

- ✓ ***Model Development:***


LSTM and GRU models are developed with customized architectures to process the sequential nature of the stock price data. Hyperparameters, including neuron number, layers, activation functions, and regularization techniques like dropout, are optimized for better performance.

- ✓ ***Model Training and Evaluation:***

The models are trained using optimization algorithms such as Adam or RMSprop. The dataset is split into training, validation, and test sets. Time series cross-validation is utilized to evaluate the models across different time periods, ensuring the models' generalization ability.

- ✓ ***Performance Metrics and Risk Management:***


RMSE, MAE, and R-squared are used to assess model accuracy. Additionally, risk management strategies such as stop-loss and portfolio diversification are incorporated to minimize financial risks based on the model's predictions, making the results more applicable in real-world trading scenarios.



Meteodiology: A hodologic Methodology

Research Design

- The study takes the form of an experimental design approach towards developing and comparing two deep learning models, namely LSTM and GRU, for forecasting stock prices.
- The research is initiated with identifying the problem and reviewing literature to know about existing gaps in stock forecasting methodologies. This includes the gathering of secondary time-series stock data from authentic financial databases such as Yahoo Finance and Alpha Vantage.
- The data is preprocessed to replace missing values, scale features, and create time-lagged variables required for sequence modeling. Both GRU and LSTM models are subsequently created with precisely optimized hyperparameters and trained on this preprocessed data.
- Time series cross-validation is utilized to evaluate the performance of models on multiple temporal folds to provide robustness and generalizability.
- The predictive ability of the models is assessed based on performance measures like MSE, RMSE, and MAE. The risk management strategies such as stop-loss and portfolio diversification are also incorporated to match the model's output with real-world financial strategies.
- The forecasted results are then compared with real prices to measure effectiveness, and the more effective model is determined based on accuracy and risk-adjusted information.


Experimental Design
Problem Identification and Literature Review
Secondary Time-Series Stock Data
yahoo! finance
ALPHA VANTAGE
Data Preprocessing
LSTM and GRU Model Development
MSE
RMSE
MAE
Time-Series Cross-Valida-tion
Performance Evaluation
Risk Management and Comparison

Data Collection Method

The dataset used in this project is secondary data, collected from financial data sources like Yahoo Finance and Alpha Vantage. The dataset typically includes stock prices (open, high, low, close), trading volume, and additional technical indicators such as moving averages, Relative Strength Index (RSI), and Bollinger Bands. The quality and completeness of the data are critical for ensuring the predictive models' accuracy, as incomplete or noisy data can significantly degrade model performance.

The dataset used in this study is secondary data, sourced from reliable financial data providers such as Yahoo Finance and Alpha Vantage. These sources provide comprehensive stock market data, which includes the following key components:

- **Stock prices:** Including the opening, high, low, and closing prices of the stocks.
- **Trading volume:** The number of shares traded during each time period.
- **Technical indicators:** These indicators include Moving Averages (MA), Relative Strength Index (RSI), and Bollinger Bands, which are essential for analyzing stock price trends and potential future movements.

The quality and completeness of the data are critical for ensuring the accuracy of the predictive models. Missing, inconsistent, or noisy data could significantly degrade model performance, making it essential to ensure the data is both clean and complete. Thus, the data undergoes a thorough preprocessing phase to handle missing values, outliers, and inconsistencies, ensuring its readiness for training and forecasting stock prices.

Sampling Method

The research adopts a **purposive sampling** technique to select a group of representative stocks for the purpose of stock price forecasting using deep learning models such as LSTM (Long Short-Term Memory) and GRU (Gated Recurrent Unit). This method involves intentionally choosing stocks based on specific criteria to ensure data quality, relevance, and consistency.

Key elements of the sampling method include:

- **Sampling Approach**:
    - A non-random, purposive sampling strategy is used to ensure that only stocks meeting the research criteria are included.
    - This approach is ideal for financial modelling tasks where the goal is to train models on clean, meaningful data rather than generalize across all possible stocks.
- **Data Sources**:
    - Historical stock data is retrieved from trusted and widely-used platforms such as:
        - **Yahoo Finance**
        - **Alpha Vantage**
    - These sources provide high-resolution time series data, including daily closing prices and other technical indicators.
- **Selection Criteria**:
    - **Data availability**: Stocks with at least 5–10 years of historical data.
    - **Trading volume**: Preference given to highly traded stocks to reduce noise and ensure liquidity.
    - **Market significance**: Inclusion of stocks from large-cap companies with consistent market presence and influence.
- **Rationale**:
    - Ensures a robust, clean dataset for training deep learning models.
    - Increases model reliability and forecasting accuracy by focusing on stable and informative stock data.

- Helps prevent data gaps and anomalies that could negatively affect model performance.

By applying this method, the research maintains a high standard of data integrity, leading to more dependable and interpretable forecasting results when using LSTM and GRU models.

Data Analysis Tools

This project utilizes a range of tools and libraries in Python, which is a powerful programming language for data analysis, machine learning, and deep learning tasks. The following tools are employed in different stages of the analysis:

1. Python Programming Language

Python serves as the core programming language for the project. It is widely used for data science and machine learning tasks due to its simplicity, flexibility, and extensive support libraries. Python is a go-to language for implementing deep learning models like LSTM and GRU, as well as for handling and analyzing large datasets.

2. NumPy

NumPy is a fundamental library for numerical computing in Python. It provides support for large, multi-dimensional arrays and matrices, along with a wide collection of mathematical functions to perform operations on these data structures. In this project, NumPy is primarily used for efficient numerical calculations, such as data manipulation and matrix operations required for machine learning models.

3. Pandas

Pandas is an essential library for data manipulation and analysis, especially for handling time-series data. It allows for easy handling of data in tabular form (i.e., Data Frames) and provides functionality for indexing, slicing, reshaping, and aggregating data. In this project, Pandas is used for preprocessing stock market data, handling missing values, creating lag features, and performing basic data transformations necessary for model input.

4. Matplotlib

Matplotlib is a widely used library for generating static, animated, and interactive visualizations in Python. It is employed to create various plots and charts such as line charts, bar charts, and scatter plots, which are used to visualize stock price trends, model predictions, and the performance of the models. Matplotlib is critical in interpreting the results visually,

enabling users to track the predictions and errors over time.

5. Scikit-learn

Scikit-learn is an invaluable library for traditional machine learning tasks, offering simple and efficient tools for data analysis and modeling. In this project, Scikit-learn is used for:

- **Preprocessing:** Functions for scaling, imputing missing values, and encoding categorical data.

- **Model Evaluation:** It is also used to calculate various performance metrics, including Mean Squared Error (MSE), Root Mean Squared Error (RMSE), and Mean Absolute Error (MAE).

- **Cross-validation:** Specifically, time series cross-validation is applied using Scikit-learn to evaluate the model's performance on different time segments.

6. TensorFlow

TensorFlow is an open-source deep learning framework developed by Google. It is used to build and train deep learning models, including LSTM and GRU models for stock price prediction. TensorFlow provides powerful tools for creating, training, and deploying machine learning models with high computational efficiency. It also supports parallel processing for faster training, making it suitable for handling large financial datasets.

7. Keras

Keras is a high-level API that runs on top of TensorFlow and simplifies the process of building and training deep learning models. It provides an intuitive and modular way to define LSTM, GRU, and other neural network models. In this project, Keras is used to design the deep learning architectures, define the layers (e.g., LSTM or GRU layers), and set the model parameters. Keras also facilitates easy model evaluation and performance tracking during training.

8. Time Series Cross-Validation

Time series cross-validation is a critical technique for validating predictive models on temporal data. In this project, time series cross-validation is used to assess the models by splitting the data into sequential time intervals. This technique simulates the real-world scenario where future stock prices are predicted based on historical data and ensures the model generalizes well over different time periods.

9. Performance Metrics

The following performance metrics are used to evaluate the accuracy and reliability of the predictive models:

Mean Squared Error (MSE): Measures the average squared difference between the predicted and actual stock prices. It is used to penalize large errors more than small ones.

Root Mean Squared Error (RMSE): Provides the square root of MSE, which helps interpret the error in the same units as the predicted values.

Mean Absolute Error (MAE): Calculates the average of the absolute differences between the predicted and actual values, providing a simple measure of prediction accuracy.

R-Squared: Measures the proportion of variance in the dependent variable that is predictable from the independent variables, helping assess how well the model fits the data.