




Initializing Local Git Repository and Staging Files

```

DemoEarlyWarningTool — -zsh — 85x35

Last login: Fri Sep 18 09:02:10 on ttys000
sofiabeatrice@Sofias-MacBook-Air ~ % cd ~/Downloads/DemoEarlyWarningTool
sofiabeatrice@Sofias-MacBook-Air DemoEarlyWarningTool % git init
[git branch -M main
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
hint:
hint: Disable this message with "git config set advice.defaultBranchName false"
Initialized empty Git repository in /Users/sofiabeatrice/Downloads/DemoEarlyWarningTool/.git/
sofiabeatrice@Sofias-MacBook-Air DemoEarlyWarningTool % git add .
git commit -m "Add KNIME workflow, dataset, and README"
[main (root-commit) 72e972e] Add KNIME workflow, dataset, and README
3 files changed, 54 insertions(+)
create mode 100644 DemoEarlyWarningTool.knwf
create mode 100644 README.md
create mode 100644 student performance knime.csv
]
```

Navigates into the project directory, initializes a new Git repository, renames the default branch to main, and stages/commits the initial project files (DemoEarlyWarningTool.knwf, README.md, and student_performance_knime.csv).

Linking Remote Repository and Initial Push Rejection

```

sofiabeatrice@Sofias-MacBook-Air DemoEarlyWarningTool % git remote add origin https://
/github.com/brryes/Reyes-SofiaBeatriceAlexa-CS0065-AN42.git
git push -u origin main
[To https://github.com/brryes/Reyes-SofiaBeatriceAlexa-CS0065-AN42.git
! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'https://github.com/brryes/Reyes-SofiaBeatriceAlexa-CS0065-AN42.git'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
]
```

Adds the remote GitHub URL as origin and attempts to push. The push is rejected because the remote GitHub repository already contains online history/files missing from the local workspace.

Merging Remote History and Resolving Merge Conflicts

```
sofiabeatrice@Sofias-MacBook-Air DemoEarlyWarningTool % git pull origin main --allow-unrelated-histories --no-rebase --no-edit
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 919 bytes | 459.00 KiB/s, done.
From https://github.com/brryes/Reyes-SofiaBeatriceAlexa-CS0065-AN42
 * branch          main          -> FETCH_HEAD
 * [new branch]    main          -> origin/main
Auto-merging README.md
CONFLICT (add/add): Merge conflict in README.md
Automatic merge failed; fix conflicts and then commit the result.
sofiabeatrice@Sofias-MacBook-Air DemoEarlyWarningTool % git checkout --ours README.md
git add README.md
git commit -m "Merge remote repository with KNIME project"
Updated 1 path from the index
[[main d5821a8] Merge remote repository with KNIME project]
```

Pulls the remote repository history using `--allow-unrelated-histories`. Resolves the resulting `README.md` merge conflict by selecting the local version (`git checkout --ours`), staging the resolution, and committing the merge.

Pushing Merged Changes to GitHub

```
sofiabeatrice@Sofias-MacBook-Air DemoEarlyWarningTool % git push -u origin main
Enumerating objects: 8, done.
[Counting objects: 100% (8/8), done.
Delta compression using up to 8 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 67.38 KiB | 33.69 MiB/s, done.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/brryes/Reyes-SofiaBeatriceAlexa-CS0065-AN42.git
 043162e..d5821a8  main -> main
branch 'main' set up to track 'origin/main'.
```

Re-organizing Files into Project Subdirectory

```
sofiabeatrice@Sofias-MacBook-Air DemoEarlyWarningTool % mkdir -p DemoEarlyWarningTool
git mv DemoEarlyWarningTool.knwf DemoEarlyWarningTool/
git mv student_performance_knime.csv DemoEarlyWarningTool/
git mv README.md DemoEarlyWarningTool/
git add .
git commit -m "Organize KNIME files into project folder"
git push
[main 0b2b230] Organize KNIME files into project folder
 3 files changed, 0 insertions(+), 0 deletions(-)
[ rename DemoEarlyWarningTool.knwf => DemoEarlyWarningTool/DemoEarlyWarningTool.knwf (100%)
 rename README.md => DemoEarlyWarningTool/README.md (100%)
 rename student_performance_knime.csv => DemoEarlyWarningTool/student_performance_knime.csv (100%)
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (1/1), done.
Writing objects: 100% (2/2), 263 bytes | 263.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/brryes/Reyes-SofiaBeatriceAlexa-CS0065-AN42.git
 d5821a8..0b2b230  main -> main
sofiabeatrice@Sofias-MacBook-Air DemoEarlyWarningTool %
```