

HYBRIS: ACCELERATOR

WEEK 9

Task 9.4 - (Accelerator):

Task: Think of a short name for a new store (for example, estore). Create a separate codebase for your store using modulegen. Create project data for the new module.

Start Hybris with generated extensions. Ensure that your new store is displayed without errors after initialization.

Implementation details

Steps what I did:

1. Run ant modulegen with the following parameters:

```
template: accelerator  
name:     apple  
package:  org.training
```

2. Add extensions to the localextensions.xml file

```
<extension name="applefulfilmentprocess"/>  
<extension name="applecore"/>  
<extension name="appleinitialdata"/>  
<extension name="applefacades"/>  
<extension name="appletest"/>  
<extension name="applestorefront"/>  
<extension name="applecockpits"/>
```

3. Run ant clean all

4. Start the server

5. Update the system with project data

6. Add new entries to the host file:

```
127.0.0.1  electronics.local  
127.0.0.1  apparel-uk.local  
127.0.0.1  apparel-de.local
```

Verification

I can see the sites in HMC.

Explorer: Administrator@hybris.local/master:9002: Website

Home | New | Quick Search:

Administrator

- Inbox
- System
- Catalog
- Multimedia
- User
- Order
- Price Settings
- Internationalization
- Marketing
- WCMS
- Websites**
- Page Types
- Page Templates
- Content Slots for Page Tem
- Pages

Search

Results

ID	Name	Active	Content Catalogs
apparel-de	Apparel Site DE	Yes	apparel-deContentCatalog
apparel-uk	Apparel Site UK	Yes	apparel-ukContentCatalog
electronics	Electronics Site	Yes	electronicsContentCatalog

1 - 3 of 3

Editor - Website

Verification

I can see the sites in the browsers.

