



Product Catalog

Complete AI and HPC Liquid Cooling Solutions
Backed by Global Delivery and Support




305 Foster Street, Suite 201, Littleton, MA 01460 USA
jetcool.com | hello@jetcool.com | 978 449-4600

2026
Edition

JetCool, A Flex Company

As a Flex company, JetCool is scaling its industry-leading liquid cooling technology worldwide. By integrating into Flex's extensive manufacturing ecosystem, JetCool can design, build, and deliver complete liquid-cooled rack solutions in-house—while seamlessly aligning with Flex's power offerings to support full-rack deployments.


This integration brings together JetCool's single-phase, direct-to-chip technology with Flex's unmatched global production capabilities, deep IT and power-infrastructure expertise, and shared commitment to innovation.



End-to-End Data Center Solutions.

From Power to Cooling to IT. Backed by Extensive Manufacturing Expertise.

Overcoming power, heat and scale challenges in the AI era with Flex



flex

Table of Contents



DLC Cooling Architecture

Discover our patented liquid cooling technology built for CPUs, GPUs, ASICs, and other next-gen compute devices.

4



Hybrid Cooling Solutions

Explore SmartPlate System: our self-contained liquid-assisted air cooling solution designed to deliver immediate power savings.

5



Precision Cold Plates

Explore precision cold plates built for the latest chipsets from NVIDIA, Intel, AMD, and more.

10



Coolant Distribution Units

Deploy facility-wide liquid cooling with SmartSense CDU, optimized for high-power racks.

13



Liquid-Cooled Racks

Discover our end-to-end liquid cooling portfolio, supporting liquid-cooled infrastructure and racks.

16



Direct-to-Die Cooling

Experience the ultimate thermal management solution, routing fluid straight to the processor lid for unmatched cooling performance.

17


The Choice is Yours

JetCool delivers both custom and off-the-shelf single-phase, direct-to-chip liquid-cooling architectures built to match your performance, deployment, and sustainability requirements. Our engineering team uses advanced fluid-routing methods, including jet impingement, skived surfaces, and hybrid configurations, to deliver best-in-class cold plate performance.

By standardizing our architectural frameworks and design methodologies, we provide data center operators with reliable, practical solutions that scale easily and support warm water operation, sustainability goals, and high-density environments. This structured approach enables faster integration, predictable performance, and long-term flexibility.


As an engineering-driven organization, we offer customized solutions for unique applications as well as a catalog of proven, ready-to-deploy products. With more than 100 thermal experts, JetCool delivers cooling solutions that align seamlessly with your performance requirements, timeline, and volume needs.

Foundational Cooling Architectures for Design



Microconvective Liquid Cooling®

Microconvective liquid cooling uses targeted, perpendicular jets to directly cool processor hotspots, achieving high convective coefficients. This approach eliminates the need for heat spreading or enhanced surfaces, and can remove thermal interface materials in direct-to-die or package setups, improving heat transfer efficiency.



Microchannel Liquid Cooling

Microchannel liquid cooling relies on parallel, uniform heat spreading via small internal fluid channels. These channels maximize cooling surface area and enhance contact between the coolant and heated surface.

SmartPlate™ System

SmartPlate System is a self-contained liquid cooling solution that makes the shift from air to hybrid cooling effortless. Designed to drop into the existing air-cooled footprint, it replaces stock heat sinks with a plug-and-play upgrade that looks and operates just like a traditional server—no pipes, no plumbing, no retrofits.

By eliminating infrastructure changes, SmartPlate System enables data centers to unlock more compute in power-constrained environments, often achieving up to 15% more performance or meaningful reductions in power consumption.¹

This fully sealed, closed loop design integrates effortlessly into existing air-cooled server footprints, making it ideal for data center, colocation, and edge deployments. Available on Dell servers today and backed by Flex and Dell warranties, SmartPlate System combines the simplicity of air cooling with the performance of liquid cooling—allowing facilities to scale to higher power densities, reduce operational costs, and set a new standard for efficiency, reliability, and low maintenance.

15%

**Average Total IT
Power Savings¹**



¹ Based on analysis conducted with Dell's Office of the CTO



Bridge the Gap from Air to Liquid Cooling

SmartPlate System continues to advance with each server generation, delivering higher performance and even easier serviceability. For 17th generation Dell platforms, JetCool has introduced articulating, hinged metal piping that lifts out of the way so operators can access and service DIMMs with the same ease as an air-cooled system. This preserves familiar workflows while enabling the efficiency and density gains of liquid cooling.

Remove Stock Heat Sinks



Install SmartPlate System



Reduce Fan
Speed by 50%




Reduce Fan
Noise by 13dB



Save an Average
of 15% on Power

Dell PowerEdge R770 Built with SmartPlate System

SmartPlate System, available on select Dell PowerEdge servers, features cold plates, pumps, reservoir, radiator, and hosing, creating a closed-loop system.



- 1 Radiator or Heat Exchanger
- 2 Cold Plates

- 3 Reservoir
- 4 Pumps

35°C+ Ready Environments

Reliable Cooling in High Temperature Environments

Instant 15% Power Savings

Reduce IT Energy Use from Day One

30% Lower Chip Temps

Maximize Performance Immediately



Dell Server Platforms



Dell PowerEdge R770

**Run Compute-Intensive
AI/ML Workloads**

Equipped with dual 6th Gen
Intel Xeon processors (4710)

1,500W TDP rating

2U rack-mount form factor

PG25 coolant

5° to 45°C operational
temperature



Dell PowerEdge R7725

**Designed to be the
backbone of AI compute**

Equipped with dual 5th Gen
AMD EPYC SP5 processors

1,500W TDP rating

2U rack-mount form factor

PG25 coolant


5° to 45°C operational
temperature



Dell OEM Partner

Organizations exploring liquid cooling can now move forward with confidence. As a Dell OEM partner, JetCool delivers a seamless, integrated path to liquid-cooled PowerEdge and XE servers for both hybrid and facility water cooling loops.

End-to-End Liquid Cooling for Dell Servers



Please contact our sales team for quotes or pricing on our Dell liquid cooling solutions.

SmartPlate™ Cold Plates

JetCool cold plates are engineered for each processor family, using fully sealed, single phase, direct liquid cooling technologies, including jet impingement or skived architectures.

SmartPlates help eliminate hotspots and deliver exceptional thermal performance for the industry's highest-power CPUs, GPUs, and AI accelerators, efficiently cooling Superchips above 3,400W² and outperforming microchannel designs by as much as 25% in independent third-party testing.³

Built for leading-edge processors, these custom solutions are designed to maximize thermal efficiency and sustain reliable performance under the most demanding AI and HPC workloads.



These facility-level cold plates offer three to five times better thermal resistance than microchannel technologies, enabling up to 3X denser compute for customers.

3kW+



² Based on testing for the NVIDIA GB200 SmartPlate using a Thermal Test Vehicle simulating the GB200 power profile

³ Based on NVIDIA B200 third-party testing by MV Concept Lab Europe (2024)

Precision Cold Plates



Intel Xeon Processor Family

Available for Intel 4th Gen Sapphire Rapids (4677), 5th Gen Emerald Rapids (4677), and 6th Gen Granite Rapids and Sierra Forest (4710, 7529).



AMD EPYC Processor Family

Available for AMD 4th Gen Genoa (SP5), 5th Gen Turin (SP5), and 6th Gen Venice (SP7) variants.



NVIDIA Blackwell Processor Family

Available for the NVIDIA RTX PRO 6000 series.



Powering the Hottest Devices with Smarter, Sustainable Cooling Solutions



inlet coolant temperatures



cooler operation than other liquid cooling solutions



denser compute than competing microchannels



Sustainable Cooling

Powering a Sustainable Tomorrow


Driving Sustainable, High-Performance Data Centers

JetCool's industry-leading direct liquid cooling (DLC) technology redefines efficiency and sustainability for modern data centers. With ultra-low thermal resistance, our solutions significantly reduce power consumption, enabling PUEs as low as 1.02. This breakthrough in efficiency lowers operational costs, and facilities meet carbon reduction goals.

Techno-Economic Study of a 40 MW AI Data Center in Virginia

In a case study with a hyperscaler, JetCool modeled a 40 MW AI data center deployment using its SmartPlate™ cold plate technology. Compared to microchannel systems, this warm-liquid approach cut annual cooling costs by 47%, dropping from \$5.2 million to \$2.7 million. The savings were achieved without sacrificing cooling performance, while eliminating the need for evaporative cooling in most climates.

Yearly Cost Savings Analysis
Cold plates vs. JetCool SmartPlates



Coolant Distribution Units (CDUs)

SmartSense CDU is a 6U, modular, high-performance, rack-mounted liquid-to-liquid Coolant Distribution Unit designed to meet the rigorous demands of GPU-dense, high-power racks. Capable of cooling up to 300kW per rack or across neighboring racks, it effectively manages heat in power-intensive environments, optimizing data center infrastructure for next-generation compute workloads.



SmartSense Coolant Distribution Unit

Designed for 42-inch+ (1070mm) deep racks in the 19-inch or ORV3 form factors, this is a 6U liquid-to-liquid, rack-mounted coolant distribution with 300kW.

Form Factor	6U
Length	950mm
Weight	105kg
Fluid Temp. Range	10° to 70°C
Secondary Side Fluid	PG25
Electrical Supply	200-250 VAC, Single-Phase
Comm Protocol	TCP / IP, Redfish, SSH, Webserver

Metric	Redundant Mode	Performance Mode*
Cooling Capacity	160kW	300kW
Flow Rate	280 LPM	400 LPM
Available Pressure	28 psi	22 psi
Approach Temperature	4°C	7°C
Power Consumption	2,800W	5,100W
Power Usage (PUE)	1.75%	1.70%

*Performance mode defined as the CDU operating with all pumps running.



Modular Rack-Level CDU

Right-Sized Liquid Cooling for AI, HPC & Hyperscale Growth

The modular rack-level Coolant Distribution Unit (CDU) delivers scalable, high-performance cooling for the fast-evolving demands of AI, HPC, and hyperscale data centers. Developed by JetCool, this rack-level solution expands from 2 to 6 CDUs per rack, providing right-sized cooling up to 1.8 MW.

Built for facilities deploying liquid cooling today and scaling to tomorrow’s ultra-dense compute, the modular rack-level CDU preserves valuable rack space, adapts easily to mixed hardware environments, and optimizes energy use by matching cooling output to real-time demand.



PRODUCT SPECIFICATIONS (six unit configuration)

1.8MW

Depth	950mm*
Width	Compatible with 19" & ORv3
Height	36 RU
Facility & IT Connections	Tri-clamp 4" or 6"
Primary Fluid	Water
Secondary Fluid	25% PGW

*Not including manifolds

	Thermal Load: 1 LPM / kW		Thermal Load: 1.5 LPM / kW	
	Redundant	Performance	Redundant	Performance
Cooling Capacity	1.2 MW	1.8 MW	800 kW	1.2 MW
Approach Temp.	6°C	9°C	5°C	6°C

Liquid-Cooled Racks

Liquid-Ready Rack Systems for AI & HPC Workloads


As power densities rise, sustainability goals intensify, and infrastructure demands grow more localized, data center operators need a trusted partner to simplify and accelerate liquid cooling adoption.

JetCool, a Flex company, delivers a fully integrated liquid cooling portfolio with solutions ranging from precision-engineered cold plates and manifolds to production-ready coolant distribution units (CDUs). JetCool and Flex give operators a single, proven source for deploying high-performance liquid cooling at scale.



Manifolds & Quick Disconnects

Configurable rack manifolds and quick disconnects




Cold Plates

Single-phase, DLC cold plates and cooling modules



Coolant Distribution Units (CDUs)

In-rack, liquid-to-liquid CDUs for high-density compute




Flex commands one of the largest advanced manufacturing footprints in North America, with 17 U.S. facilities spanning seven million square feet and an additional nine million in Mexico. Globally, Flex operates 100+ locations across 30 countries, enabling regionalization through local expertise and global scale.

Direct-to-Die Cooling

SmartLid™ Cooling Modules

SmartLid™ cooling modules utilize our patented microconvective cooling architecture to deliver coolant directly to the processor die, removing both thermal interface materials (TIM). Designed per socket, the solution can route coolant to the integrated heat spreader (IHS) or silicon, supporting over 3,500W TDP with heat transfer coefficients up to 10X higher than traditional cooling approaches.

Target processor hotspots directly with liquid-to-die cooling designed per socket with coolant temperatures over 60°C.



3.5kW+

cooling capacity
with direct-to-die
cooling solutions

From Silicon to Server.

End-to-End Liquid Cooling for Data Centers.



JETCOOL Technologies Inc.
305 Foster Street, Suite 201
Littleton, MA 01460 USA

Phone: +1 978 449 4600
Email: hello@jetcool.com
Website: jetcool.com