

Package ‘appregr’

July 17, 2019

Title Demonstrates Regression Workflow and Diagnostics

Version 0.0.0.9000

Description Wrapper code for regression diagnostics.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Suggests MASS, covr, testthat, knitr, ggplot2, pander, faraway,
rmarkdown

Roxygen list(markdown = TRUE)

RoxygenNote 6.1.1

VignetteBuilder knitr

NeedsCompilation no

Author Bruce Campbell [aut, cre]

Maintainer Bruce Campbell <bruce@aloidia.solutions>

R topics documented:

checkleverage	2
checkoutliers	2
getmodel	3
listavailable	3
modeldesc	4
partialregression	4
Index	5

checkleverage	<i>Gets high leverage elements</i>
---------------	------------------------------------

Description

Gets high leverage elements

Usage

```
checkleverage(lm.fit, df)
```

Arguments

lm.fit	linear model
df	dataframe with training data

Value

data frame with high leverage data points

checkoutliers	<i>Gets outliers</i>
---------------	----------------------

Description

Gets outliers

Usage

```
checkoutliers(lm.fit, df)
```

Arguments

lm.fit	linear model
df	dataframe with training data

Value

list with outliers residual range, and bonferroni corrected t vals

getmodel	Returns a linear model and the dataframe of data
----------	--

Description

Returns a linear model and the dataframe of data

Usage

```
getmodel(modelname)
```

Arguments

modelname	character
-----------	-----------

Value

list(lm.fit,df) an object of type lm and the training data

listavailable	Returns a list of available datasets
---------------	--------------------------------------

Description

Returns a list of available datasets

Usage

```
listavailable()
```

Value

a list with descriptions - use names(returnvalue) to get valid names to pass into getmodel function.

<code>modeldesc</code>	<i>Returns a description of requested dataset</i>
------------------------	---

Description

Returns a description of requested dataset

Usage

```
modeldesc(modelname)
```

Value

String with data description

<code>partialregression</code>	<i>Partial Regression</i>
--------------------------------	---------------------------

Description

Partial Regression

Usage

```
partialregression(lm.fit, df)
```

Arguments

<code>lm.fit</code>	linear model
<code>df</code>	dataframe with training data

Value

data for partial regression plots

Index

checkleverage, [2](#)

checkoutliers, [2](#)

getmodel, [3](#)

listavailable, [3](#)

modeldesc, [4](#)

partialregression, [4](#)