



SCAN-20260115-211931

**DATE:** January 15, 2026

**HOST:** defeb5dd4e3b09e4ac1e73cce5f23c395d3bb5686b9016e710a46cf58ce2e5ef

**PATH:** /Users/brucedombrowski/Security (Security)

**SUBJECT:** Automated Security Scan Attestation

## 1. Purpose

This document attests that automated security scans were executed against **Security** using the Security Verification Toolkit. The scans verify alignment with NIST SP 800-53 security controls.

## 2. Scan Environment

- **Scan Timestamp:** 2026-01-15T21:18:11Z
- **Toolkit Version:** v0.0.0-test.20260115T211333Z-1-ga34385a (a34385a)
- **Toolkit Repository:** <https://github.com/brucedombrowski/Security>

## 3. Host Inventory Reference

A host inventory snapshot was collected at scan time to establish a verifiable system thumbprint. This enables integrity verification while keeping sensitive machine data (MAC addresses, serial numbers) separate from shareable scan results.

<b>Inventory File</b>	host-inventory-2026-01-15-T211811Z.txt
<b>SHA256 Checksum</b>	defeb5dd4e3b09e4...
<b>NIST Control</b>	CM-8 (System Component Inventory)

**Note:** The host inventory contains sensitive information. All scan outputs reference this checksum rather than embedding the actual data, allowing scan results to be shared without exposing machine-specific details.

## 4. NIST Control Mapping

The following NIST SP 800-53 Rev 5 controls were verified:



Control	Family	Verification Method
CM-6	Configuration Management	Host security posture
CM-8	Configuration Management	Host inventory collection
RA-5	Risk Assessment	Vulnerability scanning (Nmap/Lynis)
SA-11	System & Services Acquisition	Secrets and credential scanning
SC-8	System & Comms Protection	MAC address detection
SI-2	System & Info Integrity	Flaw remediation assessment
SI-3	System & Info Integrity	ClamAV malware scanning
SI-4	System & Info Integrity	System monitoring (port scan)
SI-12	System & Info Integrity	PII pattern detection

## 5. Scan Results

Scan	NIST Control	Result	Findings
Host Security	CM-6	<b>PASS</b>	All checks passed
Vulnerability Scan	RA-5	<b>PASS</b>	No critical vulnerabilities
Secrets Scan	SA-11	<b>PASS w/ exceptions</b>	3 reviewed exceptions
MAC Address Scan	SC-8	<b>PASS</b>	No MAC addresses detected
Malware Scan	SI-3	<b>PASS</b>	No malware detected
PII Scan	SI-12	<b>PASS w/ exceptions</b>	13 reviewed exceptions

**Summary:** 6 passed, 0 failed

**Overall Result:** **PASS**

PASS w/ exceptions = reviewed exceptions documented in Section 6

## 6. Reviewed Exceptions

Items flagged by automated scans but reviewed and accepted as non-issues are documented in allowlist files. Each exception includes a SHA256 hash for integrity verification and reviewer justification.

### 6.1 PII Scan Exceptions

Allowlist File	.pii-allowlist
SHA256 (first 16)	f906fbb6db7bc3a8
Total Exceptions	13



#	Justification
1	Documenting localhost quick-accept feature
2	X.509 OID example, not an IP address
3	Version string example, not an IP address
4	Shell command syntax, not PII data
5	X.509 OID documentation note
6	X.509 OID for Email Protection (1.3.6.1.5.5.7.3.4)
7	X.509 OID for Document Signing (1.3.6.1.4.1.311.10.3.12)
8	Historical command log, not active PII
9	Placeholder pattern (build-time substitution)
10	LaTeX template placeholder (replaced at runtime)
11	Example/placeholder data (not real PII)
12	Example/placeholder data (not real PII)
13	Placeholder pattern (build-time substitution)

## 6.2 Secrets Scan Exceptions

<b>Allowlist File</b>	<code>.secrets-allowlist</code>
<b>SHA256 (first 16)</b>	67537c26531da807
<b>Total Exceptions</b>	3

#	Justification
1	Internal controlled variable assignment (safe eval)
2	Internal controlled variable assignment (safe eval)
3	Internal controlled variable assignment (safe eval)

**Note:** Full details including file paths and SHA256 hashes are in the respective allowlist files.

## 7. Scan Output Checksums

The following SHA256 checksums were generated for scan output files:

Scan Output File	SHA256 (first 16)
host-inventory	defeb5dd4e3b09e4...
host-security-scan	3ad7d62a67b1b26e
mac-address-scan	7d1f115683cc5631
malware-scan	46c7d23c9f9c819d
pii-scan	eeb7df47803adb56
secrets-scan	8b0c2683ad1a3136
vulnerability-scan	e2f7f72da9bf0cac
security-scan-report	9cd8daa00d44c2da

### checksums.md SHA256 (full):

705c6ec63be0527e30ba96fb2342c1c2468ed7fcf6363f2f356e4f548d024324

Full file names: \*-2026-01-15-T211811Z.txt. The checksums.md file contains full SHA256 hashes for all scan outputs.



### 8. Verification Chain

This document establishes a chain of trust for verifying scan integrity:

#### Chain of Trust:

1. **Digital Signature** → This PDF is digitally signed, establishing authenticity
2. **checksums.md Hash** → This PDF includes the SHA256 hash of `checksums.md` (Section 7)
3. **Scan File Hashes** → `checksums.md` contains full SHA256 hashes of all scan output files
4. **File Verification** → Any scan file can be verified against `checksums.md`

#### Verification Commands:

```
# 1. Verify PDF signature (platform-dependent)
# 2. Extract checksums.md hash from PDF Section 7
# 3. Verify checksums.md integrity:
shasum -a 256 .scans/checksums.md

# 4. Verify all scan files against checksums.md:
cd .scans && shasum -a 256 -c checksums.md
```

### 9. Attestation

This document certifies that:

- (a) Automated security scans were executed against the target repository
- (b) Scan results are accurately represented in this document
- (c) The Security Verification Toolkit version and commit hash are recorded for traceability
- (d) Detailed scan logs are available in the `.scans/` directory
- (e) The verification chain above enables independent validation of all scan outputs