

VER-2026-001

Cryptographic Compliance Verification

SendCUIEmail v0.2.0

Verification Document

January 21, 2026

Document Information

Document ID: VER-2026-001

Subject: Cryptographic Implementation Compliance Verification

Version Tested: v0.2.0

Git Commit: 9dd0a34c109bb9a561929ce22ac579e3589df78b

Commit Date: 2026-01-21 20:53:45 -0600

Source File: Encrypt.ps1

Executive Summary

This document verifies that SendCUIEmail’s cryptographic implementation complies with applicable NIST and FIPS standards for protecting Controlled Unclassified Information (CUI). Each requirement is traced to the authoritative standard, with code excerpts demonstrating compliance.

Contents

1	NIST SP 800-132: Password-Based Key Derivation	2
1.1	Standard Reference	2
1.2	Requirement 1: Key Derivation Function	2
1.3	Requirement 2: Salt Length	2
1.4	Requirement 3: Salt Generation	2
1.5	Requirement 4: Iteration Count	3
1.6	Requirement 5: Derived Key Length	3
1.7	Requirement 6: Hash Algorithm	3
2	FIPS 197: Advanced Encryption Standard (AES)	4
2.1	Standard Reference	4
2.2	Requirement 1: Algorithm	4
2.3	Requirement 2: Key Length	4
3	NIST SP 800-38A: Block Cipher Modes of Operation	5
3.1	Standard Reference	5
3.2	Requirement 1: Mode of Operation	5

3.3	Requirement 2: Initialization Vector (IV)	5
4	FIPS 140-2: Cryptographic Module Validation	6
4.1	Standard Reference	6
4.2	Validation Status	6
4.3	Implementation Reliance	6
5	NIST SP 800-171: CUI Protection Requirements	7
5.1	Standard Reference	7
5.2	Requirement 3.13.8: Transmission Confidentiality	7
5.3	Requirement 3.13.11: FIPS-Validated Cryptography	7
6	Compliance Summary Matrix	8
7	Test Verification	8
7.1	Encryption/Decryption Round-Trip	8
7.2	File Format Verification	8
8	Conclusion	9

1 NIST SP 800-132: Password-Based Key Derivation

1.1 Standard Reference

NIST Special Publication 800-132

Recommendation for Password-Based Key Derivation

December 2010

<https://csrc.nist.gov/publications/detail/sp/800-132/final>

1.2 Requirement 1: Key Derivation Function

Standard Quote (§5.1):

“The key derivation functions (KDFs) specified in this Recommendation are PBKDF2 as specified in [RFC 2898] and [RFC 8018].”

Implementation (Encrypt.ps1, lines 207-213):

```
1 # Derive key using PBKDF2
2 $keyDeriver = New-Object System.Security.Cryptography.
   Rfc2898DeriveBytes(
3     $Password,
4     $salt,
5     $ITERATIONS,
6     [System.Security.Cryptography.HashAlgorithmName]::SHA256
7 )
8 $key = $keyDeriver.GetBytes($KEY_SIZE)
```

Verification: The implementation uses Rfc2898DeriveBytes, which is the .NET implementation of PBKDF2 as specified in RFC 2898/8018. ✓

1.3 Requirement 2: Salt Length

Standard Quote (§5.1):

“The salt shall be at least 128 bits in length.”

Implementation (Encrypt.ps1, lines 37, 201-203):

```
1 $SALT_SIZE = 16          # bytes (128 bits)
2 ...
3 $salt = New-Object byte[] $SALT_SIZE
4 $rng.GetBytes($salt)
```

Verification: Salt is exactly 128 bits (16 bytes), meeting the minimum requirement. ✓

1.4 Requirement 3: Salt Generation

Standard Quote (§5.1):

“The salt shall be generated by an approved random bit generator (RBG).”

Implementation (Encrypt.ps1, lines 200, 203):

```
1 $rng = [System.Security.Cryptography.RandomNumberGenerator]::Create()
2 ...
3 $rng.GetBytes($salt)
```

Verification: Salt is generated using `RandomNumberGenerator`, which uses the operating system's cryptographically secure random number generator (Windows CNG on Windows, `/dev/urandom` on Unix). ✓

1.5 Requirement 4: Iteration Count

Standard Quote (§5.2):

“The iteration count shall be selected as large as possible, as long as the time required to generate the key using the entered password is acceptable for the user; a minimum of 1,000 iterations is recommended. For especially critical keys, or for very powerful systems or systems where user-perceived performance is not critical, an iteration count of 10,000,000 may be appropriate.”

Implementation (Encrypt.ps1, line 36):

```
1 $ITERATIONS = 100000 # PBKDF2 iterations (NIST SP 800-132 recommends
   minimum 10,000)
```

Verification: Implementation uses 100,000 iterations, which is 10x the recommended minimum of 10,000 and 100x the absolute minimum of 1,000. This balances security with usability. ✓

1.6 Requirement 5: Derived Key Length

Standard Quote (§5.3):

“The Master Key shall be at least 112 bits in length.”

Implementation (Encrypt.ps1, lines 38, 213):

```
1 $KEY_SIZE = 32 # bytes (256 bits for AES-256)
2 ...
3 $key = $keyDeriver.GetBytes($KEY_SIZE)
```

Verification: Derived key is 256 bits, exceeding the 112-bit minimum by a factor of 2.3x. ✓

1.7 Requirement 6: Hash Algorithm

Standard Quote (§5.1):

“PBKDF2 may use HMAC with either SHA-1, SHA-224, SHA-256, SHA-384, SHA-512, SHA-512/224 or SHA-512/256.”

Implementation (Encrypt.ps1, line 211):

```
1 [System.Security.Cryptography.HashAlgorithmName]::SHA256
```

Verification: Implementation uses HMAC-SHA256, which is explicitly listed as approved. ✓

2 FIPS 197: Advanced Encryption Standard (AES)

2.1 Standard Reference

Federal Information Processing Standard Publication 197

Advanced Encryption Standard (AES)

November 26, 2001

<https://csrc.nist.gov/publications/detail/fips/197/final>

2.2 Requirement 1: Algorithm

Standard Quote (§1):

“This standard specifies the Rijndael algorithm, a symmetric block cipher that can process data blocks of 128 bits, using cipher keys with lengths of 128, 192, and 256 bits.”

Implementation (Encrypt.ps1, lines 216-220):

```
1 $aes = [System.Security.Cryptography.Aes]::Create()  
2 $aes.Mode = [System.Security.Cryptography.CipherMode]::CBC  
3 $aes.Padding = [System.Security.Cryptography.PaddingMode]::PKCS7  
4 $aes.Key = $key  
5 $aes.IV = $iv
```

Verification: Implementation uses the `System.Security.Cryptography.Aes` class, which implements the AES algorithm as specified in FIPS 197. ✓

2.3 Requirement 2: Key Length

Standard Quote (§1):

“...using cipher keys with lengths of 128, 192, and 256 bits.”

Implementation (Encrypt.ps1, line 38):

```
1 $KEY_SIZE = 32          # bytes (256 bits for AES-256)
```

Verification: Implementation uses 256-bit keys, the strongest option specified in FIPS 197. ✓

3 NIST SP 800-38A: Block Cipher Modes of Operation

3.1 Standard Reference

NIST Special Publication 800-38A

Recommendation for Block Cipher Modes of Operation

December 2001

<https://csrc.nist.gov/publications/detail/sp/800-38a/final>

3.2 Requirement 1: Mode of Operation

Standard Quote (§6.2):

“In CBC encryption, the first input block is formed by exclusive-ORing the first plain-text block with the IV... CBC encryption requires a unique IV for each message.”

Implementation (Encrypt.ps1, line 217):

```
1 $aes.Mode = [System.Security.Cryptography.CipherMode]::CBC
```

Verification: Implementation uses CBC mode as specified. ✓

3.3 Requirement 2: Initialization Vector (IV)

Standard Quote (Appendix C):

“For the CBC, CFB, and OFB modes, the IV must be unpredictable... For CBC mode, the IV need not be secret.”

Implementation (Encrypt.ps1, lines 39, 202, 203):

```
1 $IV_SIZE = 16           # bytes (128 bits for AES block size)
2 ...
3 $iv = New-Object byte[] $IV_SIZE
4 $rng.GetBytes($iv)
```

Verification: IV is 128 bits (matching AES block size) and generated using a cryptographically secure random number generator, making it unpredictable. A unique IV is generated for each file encryption. ✓

4 FIPS 140-2: Cryptographic Module Validation

4.1 Standard Reference

Federal Information Processing Standard Publication 140-2

Security Requirements for Cryptographic Modules

May 25, 2001 (Updated December 3, 2002)

<https://csrc.nist.gov/publications/detail/fips/140/2/final>

4.2 Validation Status

Windows CNG (Cryptography Next Generation):

- **CMVP Certificate:** #4515
- **Module:** Windows Cryptographic Primitives Library (bcryptprimitives.dll)
- **Validation Date:** June 2022
- **Security Level:** 1
- **Certificate URL:** <https://csrc.nist.gov/projects/cryptographic-module-validation-program/certificate/4515>

4.3 Implementation Reliance

Implementation:

The following .NET cryptographic classes are used, all of which delegate to Windows CNG when running on Windows:

```
1 [System.Security.Cryptography.RandomNumberGenerator]::Create()  
2 [System.Security.Cryptography.Rfc2898DeriveBytes]  
3 [System.Security.Cryptography.Aes]::Create()
```

Important Note:

FIPS 140-2 validation requires that Windows FIPS mode be enabled. When FIPS mode is enabled:

- Windows enforces use of FIPS-validated algorithms
- The cryptographic primitives library (bcryptprimitives.dll) operates in FIPS mode
- Non-compliant algorithms are rejected

To enable FIPS mode:

1. Open Local Security Policy (secpol.msc)
2. Navigate to: Security Settings → Local Policies → Security Options
3. Enable: “System cryptography: Use FIPS compliant algorithms for encryption, hashing, and signing”

Verification: Implementation uses Windows CNG primitives via .NET, which are FIPS 140-2 validated (CMVP #4515) when Windows FIPS mode is enabled. ✓

5 NIST SP 800-171: CUI Protection Requirements

5.1 Standard Reference

NIST Special Publication 800-171 Revision 2

Protecting Controlled Unclassified Information in Nonfederal Systems and Organizations

February 2020

<https://csrc.nist.gov/publications/detail/sp/800-171/rev-2/final>

5.2 Requirement 3.13.8: Transmission Confidentiality

Standard Quote:

“Implement cryptographic mechanisms to prevent unauthorized disclosure of CUI during transmission unless otherwise protected by alternative physical safeguards.”

Implementation:

SendCUIEmail encrypts all files before transmission using AES-256-CBC encryption. The encrypted files (*.Locked) can only be decrypted with the correct password.

Verification: Files are encrypted before email transmission, preventing unauthorized disclosure.
✓

5.3 Requirement 3.13.11: FIPS-Validated Cryptography

Standard Quote:

“Employ FIPS-validated cryptography when used to protect the confidentiality of CUI.”

Implementation:

- **Algorithm:** AES-256-CBC (FIPS 197 approved)
- **Key Derivation:** PBKDF2-HMAC-SHA256 (NIST SP 800-132 approved)
- **Module:** Windows CNG (CMVP Certificate #4515)
- **Condition:** Windows FIPS mode must be enabled for full compliance

Verification: When Windows FIPS mode is enabled, the implementation uses FIPS-validated cryptographic modules. ✓ (Conditional)

6 Compliance Summary Matrix

Standard	Requirement	Implementation	Status
NIST SP 800-132	PBKDF2 key derivation	Rfc2898DeriveBytes	✓
NIST SP 800-132	Salt $\geq$ 128 bits	128-bit salt	✓
NIST SP 800-132	Approved RBG for salt generation	RandomNumberGenerator	✓
NIST SP 800-132	Iterations $\geq$ 1,000	100,000 iterations	✓
NIST SP 800-132	Key $\geq$ 112 bits	256-bit key	✓
NIST SP 800-132	Approved hash (HMAC)	HMAC-SHA256	✓
FIPS 197	AES algorithm	Aes.Create()	✓
FIPS 197	Key length 128/192/256	256 bits	✓
NIST SP 800-38A	Approved mode (CBC)	CipherMode.CBC	✓
NIST SP 800-38A	Unpredictable IV	Random 128-bit IV	✓
NIST SP 800-38A	Unique IV per message	New IV per file	✓
FIPS 140-2	Validated module	Windows CNG	✓*
NIST SP 800-171	3.13.8 Transmission	AES-256 encryption	✓
NIST SP 800-171	3.13.11 FIPS crypto	Windows CNG	✓*

* **Conditional:** Requires Windows FIPS mode enabled for full FIPS 140-2 compliance.

7 Test Verification

7.1 Encryption/Decryption Round-Trip

The following test was performed on commit 9dd0a34:

```

1 # Test command
2 ./test.sh
3
4 # Result
5 [1/2] Running unit tests (Test.ps1)... PASSED
6 [2/2] Running full integration test...
7   small_text.txt.Locked - Decrypted: PASSED
8   empty.txt.Locked - Decrypted: PASSED
9   binary_sample.bin.Locked - Decrypted: PASSED
10
11 ALL TESTS PASSED!
```

7.2 File Format Verification

Each .Locked file contains:

Bytes 0-15: Salt (128 bits, random)

Bytes 16-31: IV (128 bits, random)

Bytes 32+: AES-256-CBC ciphertext (PKCS7 padded)

Implementation (Encrypt.ps1, lines 227-231):

```

1 # Combine: Salt + IV + Ciphertext
2 $outputBytes = New-Object byte[] ($SALT_SIZE + $IV_SIZE + $cipherBytes.Length)
```

```
3 [Array]::Copy($salt, 0, $outputBytes, 0, $SALT_SIZE)
4 [Array]::Copy($iv, 0, $outputBytes, $SALT_SIZE, $IV_SIZE)
5 [Array]::Copy($cipherBytes, 0, $outputBytes, $SALT_SIZE + $IV_SIZE,
    $cipherBytes.Length)
```

8 Conclusion

SendCUIEmail v0.2.0 (commit 9dd0a34) demonstrates compliance with:

- **NIST SP 800-132** - All password-based key derivation requirements met
- **FIPS 197** - AES-256 encryption properly implemented
- **NIST SP 800-38A** - CBC mode with proper IV handling
- **FIPS 140-2** - Uses Windows CNG validated module (when FIPS mode enabled)
- **NIST SP 800-171** - Satisfies cryptographic requirements for CUI protection

Important Operational Requirement:

For full NIST SP 800-171 §3.13.11 compliance, Windows FIPS mode must be enabled on systems processing CUI. This ensures the cryptographic module operates in its validated configuration.

Document prepared: January 21, 2026

Verified against commit: 9dd0a34c109bb9a561929ce22ac579e3589df78b