

Neonatal/Pediatric Videofluoroscopic Swallow Studies (VFSS)

Presented by Marjorie Meyer Palmer, M.A.
Speech Pathologist
Neonatal and Pediatric Feeding Specialist

Considerations for the Neonate:

- 1) Infants under 37 weeks post-conceptual age are not expected to demonstrate a mature (continuous burst) suck pattern
- 2) Premature infants are not usually able to co-ordinate suck and swallow with respiration
- 3) If an infant can't breathe, he/she cannot eat!
- 4) Maintenance of the respiratory system is necessary in order to prevent aspiration
- 5) Premature infants frequently demonstrate esophageal dysmotility
- 6) Allowing additional time for esophageal clearance may prevent aspiration

Considerations for the Pediatric Patient:

- 1) Determine the most efficient consistency during the bedside evaluation
- 2) Begin the VFSS/MBS with this consistency in order to provide a baseline
- 3) If thin liquid is problematic be sure to examine both straw and cup drinking
- 4) If thickened material is used be sure to examine esophageal motility and clearance
- 5) Note during which phase of swallow (oral, pharyngeal, esophageal) solids become problematic.

Three Phases of Swallow: characteristics of normal development

Presented by: Marjorie Meyer Palmer, M.A.
Speech Pathologist
Neonatal and Pediatric Feeding Specialist

Earlier than three months

Later than three months

Oral

*Central tongue groove

*bilabial closure

*Extension-elevation-retraction

*tongue tip elevation

*Anterior-posterior direction

*decreased jaw movement

Pharyngeal

*Pause in valleculae

*smooth passage

Esophageal

*Transient relaxation of the LES

*more competent LES

*Some degree of esophageal dysmotility

*improved motility

*Frequent regurgitation

*less frequent regurgitation

Three Phases of Swallow: When Compromised

Presented by Marjorie Meyer Palmer, M.A.

Speech Pathologist

Neonatal and Pediatric Feeding Specialist

In the Neonate:

Oral phase:

- *central tongue groove not well maintained (poor suction component)
- * inefficient tongue base retraction (bolus propulsion)
- *wide jaw excursions with poor expression

Pharyngeal phase:

- *material remains in valleculae/piriform sinuses after swallow(pooling)
- *naso-pharyngeal reflux
- *laryngeal penetration
- *aspiration

Esophageal phase:

- *UES does not relax (achalasia)
- *compromised downward peristalsis
- *retrograde movement of material
- *regurgitation of material

Clinical signs in the Pediatric Patient:

Oral phase:

- gags before the swallow
- chokes on thin liquids
- manages liquid from straw, not cup
- lack of volitional bolus transfer for chewing

Pharyngeal phase:

- material remains in pharynx after swallow (pooling)
- sneezes with meals (naso-pharyngeal reflux)
- gurgling noises increase as meal progresses

Esophageal phase:

- wet burps
- poor volume intake with premature satiety
- gagging/vomiting after pharyngeal swallow
- holds food/liquid in mouth for long periods
- difficulty with transition onto textures

Neonatal/Pediatric Videofluoroscopic Swallow Studies (VFSS)

Presented by Marjorie Meyer Palmer, M.A.

Speech Pathologist

Neonatal and Pediatric Feeding Specialist

Clinical Signs of Feeding Problems in the Neonate:

- *respiratory difficulty (oxygen desaturation, spells of apnea, color changes, "catch-up" breathing)

- *gagging, coughing, choking

- *nasopharyngeal reflux

- *pharyngeal pooling i.e., gurgling sounds increase as feeding progresses

- *arching backward, crying, obvious discomfort and/or pain with feeding

- *frequent vomiting/regurgitation

When to Refer for VFSS:

When therapeutic intervention has failed to correct the feeding problem

Intervention strategies include the following:

- *regulation of suck/swallow/breathe

- *change to a slow flow nipple

- *change position to side-lying or upright

- *use of external pacing

- *smaller more frequent feedings

- *anti-reflux positioning during and after feedings

- *thickened feedings

Neonatal/Pediatric Swallow Studies: Modified Barium Swallow (MBS)
Studies also known as Videofluoroscopic Swallow Studies (VFSS)

Reference List

Arvedson, JC, and Lefton-Grief, MA. **Pediatric Videofluoroscopic Swallow Studies**. Pearson Education Inc., San Antonio, TX. 2009

Arvedson, JC and Brodsky, L.(eds.) **Pediatric Swallowing and Feeding: Assessment and Management**. Singular Publishing Group, San Diego, CA., 1999.

Cockerill, H., "Infants with swallowing problems," **Paediatrics and Child Health**. Vol. 18, issue 12. December 2008, p 574-575.

Heuschkel, RB, Fletcher, K, et.al., "Isolated neonatal swallowing dysfunction: a case series and review of the literature," **Digestive Diseases and Sciences**, vol. 48. No. 1, January 2003, p. 30-35.

Newman, LA, Keckley, C., et.al., "Swallowing function and medical diagnoses in infants suspected of dysphagia," **Pediatrics**, vol. 108, no. 6, December 2001, p. e106.

Newman, LA., Cleveland, RH, et.al., "Videofluoroscopic analysis of the infant swallow," **Investigative Radiology**, vol. 2, no. 10, October 1991, p. 870-873.

Weir, KA, McMahon, SM, et.al., "Radiation doses to children during modified barium swallow studies," **Pediatric Radiology**, 37, 3, 2007, p. 283-290.

Wolf, LS and Glass, RP. **Feeding and Swallowing Disorders in Infancy: Assessment and Management**. Therapy Skill Builders, Tucson, AZ, 1992.