

Quectel EC600N-CN LTE Standard Module


Introduction

March, 2021



Duty of Confidentiality

The Receiving Party shall keep confidential all documentation and information provided by Quectel, except when the specific permission has been granted by Quectel. The Receiving Party shall not access or use Quectel's documentation and information for any purpose except as expressly provided herein. Furthermore, the Receiving Party shall not disclose any of the Quectel's documentation and information to any third party without the prior written consent by Quectel. For any noncompliance to the above requirements, unauthorized use, or other illegal or malicious use of the documentation and information, Quectel will reserve the right to take legal action.




Page 2 / 11 Version: 1.0 | Status: Released



Module Introduction

Difference & Highlights Applications




Page 3 / 11 Version: 1.0 | Status: Released

EC600N-CN Mechanical Dimensions



LTE Cat 1 Module



Length: 21.9 mm (± 0.15 mm) Width: 22.9 mm (± 0.15 mm) Height: 2.4 mm (± 0.2 mm)

Weight: Approx. 2.0 g


Page 4 / 11 Version: 1.0 | Status: Released

EC600N-CN Timeline



2020		2021							
Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Aug.

Project Schedule



ES: Engineering samples ready. Basic functions are available for customers' simple demo purpose.

CS: Commercial samples ready. Stable hardware design and guite stable software design. New software features can be added upon request.

MP: Hardware and software ready for mass production. For certification status, please refer to the certification schedule below.

Regulatory Certifications

SRRC/ NAL/ CCC




Others

WHQL

Page 5 / 11 Version: 1.0 | Status: Released



Module Introduction Difference & Highlights Applications



Page 6 / 11 Version: 1.0 | Status: Released

EC600N-CN and EC600S-CN Comparison



■ LTE Cat 1 Module

Model	EC600N-CN	EC600S-CN
LTE-FDD	B1/B3/B5/B8	B1/B3/B5/B8
LTE-TDD	B34/B38/B39/B40/B41	B34/B38/B39/B40/B41
GSM	-	B3/B8 (Optional)
QuecLocator®	Supported	Supported
VoLTE	Supported	Supported (Optional)
Wi-Fi Scan	Supported	Supported
DFOTA	Supported	Supported
Form Factor	LCC	LCC
Region	China/India	China/India
Size	21.9 mm \times 22.9 mm \times 2.4 mm	22.9 mm \times 23.9 mm \times 2.4 mm
Certification	Regulatory: SRRC/NAL/CCC	Carrier: China Telecom Regulatory: SRRC/NAL/CCC

Page 7 / 11 Version: 1.0 | Status: Released

EC600N-CN Main Highlights



Compatible

- Pin-to-pin compatible with EC600S-CN module, which can be replaced directly by each other according to customers' needs.
- According to the promotion area, the supported LTE frequency bands of EC600N-CN are the same as that of EC600S-CN.

Performance -Optimized

- Higher integration by using SIP Flash solution.
- While compatible with EC600S-CN, EC600N-CN is smaller in size.
- Highly price-competitive.


Reliable

- Meet the standards of the IoT industry and related regional certifications.
- Conduct detailed internal tests to meet industry standards for industrial-grade products.

Page 8 / 11 Version: 1.0 | Status: Released



Module Introduction Difference & Highlights Applications



Page 9 / 11 Version: 1.0 | Status: Released

Target Applications





Telematics & Transport

- Vehicle TrackingContainer Tracking
- Ship Tracking
- OBD
- Passenger Vehicles, Tourist Vehicles and Hazardous Chemicals Transport Vehicles
- UBI Car Insurance



Energy

- Smart Grid
- Wind Turbines
- Solar Panel
- Charging Pile



Payment

- Wireless POS
- Cash Register
- ATM
- Vending MachineTop-up Machine



Security

- Alarm
- Video Surveillance
- Intrusion Detection
- Smoke Detector
- Motion Sensor
- Asset Protection



Smart City

- Street Lighting
- Sharing Economy
 Traffic Light
- Elevator
- Digital Signage
- Advertisement Display
- LED LightingGarbage Bin MonitoringSmart Parking
- Meter



Gateway

- DTU
- Consumer Router
- Industrial Router
- VoIP Server



Industry

- Industrial PDA
- Rugged Tablet PC
- Pipeline Management IJÁV
- Robot
- Flow Meter
- Refrigerator Industrial Control
- Industrial Monitoring
- Water Valve/Pump Control



Life & Healthcare

- Personal Tracker
- Household Appliances
- Pet Tracker
- Wearables
- Elderly Monitoring Remote Medical Equipment
- Glucometer
- Blood Pressure Monitor
- Gambling MachinePatient Monitoring
- Mobile PC



Agriculture & **Environment**

- Food Traceability
- Farm MachineryFarmland Monitoring
- Irrigation
- Meteorological StationWildlife Tracking
- Environment Monitoring
- Pollution Monitoring

Page 10 / 11 Version: 1.0 | Status: Released





Thank you!

Building 5, Shanghai Business Park Phase III (Area B), No.1016

Tianlin Road, Minhang District, Shanghai 200233, China

Tel: +86-21-5108 6236 Email: info@quectel.com Website: www.quectel.com

https://www.linkedin.com/company/quectel-wireless-solutions

https://www.facebook.com/quectelwireless

https://twitter.com/Quectel_IoT