

YOUR FULL REPORT

Are you carrying unprocessed trauma?

Some protective echoes

Score band: 14–26 points · Relationships

What this report covers

A gentle guide to the survival responses that still echo under stress, without requiring you to revisit memories.

Inside:

1. Your likely protective responses
2. Grounding methods to test
3. How to ask for support at your pace

→ *Full details for each section on page 2*

Your result

Some protective echoes (14–26 points)

A few survival responses may still appear under stress. They can be understandable adaptations rather than personal failures.

Try this next

Notice what helps you return to the present: movement, a steady voice, sensory grounding, or a safe person.

Your practical guide

A gentle guide to the survival responses that still echo under stress, without requiring you to revisit memories.

1 Your likely protective responses

Your protective responses probably have a recognizable shape: maybe you go numb or checked-out under stress, or hyper-alert and scanning; maybe you shut down emotionally, or get irritable and snappy; maybe you avoid reminders, or overwork to outrun feelings. These are not character flaws — they are adaptations your system built because, at some point, they worked. The reframe that changes everything: instead of "what is wrong with me," ask "what is my system trying to protect me from?" Understanding the protection lets you thank the response and then choose a better tool, rather than fighting yourself for having the response at all.

2 Grounding methods to test

Test grounding methods like experiments, not prescriptions — different nervous systems respond to different tools. Try each for two weeks and note what actually shifts: physical grounding (cold water on the face, pressing feet into the floor, progressive muscle tension-and-release), rhythmic movement (walking, rocking, slow breathing with longer exhales), sensory anchoring (naming five things you see, four you hear), or co-regulation (calling a safe person, sitting near someone calm). Rate each 1-5 for effectiveness. You are building a personal toolkit, and the testing itself is therapeutic: it teaches your system that you are paying attention and that states can change.

3 How to ask for support at your pace

Asking for support at your pace means you set the terms — and that is allowed. You do not owe anyone the full story to deserve help; "I have been having a hard time lately and I could use someone to talk to" is complete. Choose one person and one small disclosure first, and notice how they respond — safe people make room without prying or fixing. If professional support feels like a big step, start smaller: a support group, a crisis text line conversation, a single consultation framed as information-gathering. Pace is not avoidance when it is intentional. You get to decide the speed, the depth, and who earns access.