

# OCTS 2026 Post-Event Report

---

Date: Thursday, 9 July 2026 | Venue: Beijing International Hotel, Beijing

Theme: Intelligence Without Limits: Open, Diverse, Scalable

Last updated: 22:30 9 July 2026

\* 智算无界：开放·多元·扩展

## □ Executive Summary

- Samsung participated in OCTS 2026 as the Diamond Partner on July 9, 2026, at Beijing International Hotel. \* Open Compute Tech Summit 2026

- Samsung's main-forum keynote "Solving the Context Explosion: Next-Gen Flash Storage for Agentic AI Era" was delivered by Sunghoon Chun, VP, Solution Product & Development Team, Samsung Electronics. The keynote focused on Agentic AI, context explosion, KV Cache and next-generation flash storage architecture, positioning Samsung flash storage as a key infrastructure layer for the AI Token Factory era.

- Samsung booth showcased PM1763, BM1773 and SOCAMM2. Samsung was also honored with the Open Compute Best Innovation Award, accepted on stage by Kevin Yoon, Vice President and CTO of Memory Business, Samsung Semiconductor China.

### - Keynote & Audience Response

Samsung's main-forum keynote received focused attention from the audience. Photo-taking was especially visible around slides related to PM1763 liquid cooling, BM1773 for Archive KV Cache, AI Token Factory, KV Cache storage architecture, and Samsung's next-generation storage roadmap.

Compared with Samsung's 15-minute keynote slot in 2025, the 2026 keynote was delivered within a 10-minute sponsor slot under the organizer's agenda arrangement. Expert and end-user sessions were generally allocated 15 – 20 minutes, while sponsor presentations were mainly arranged in shorter slots. This format kept Samsung's message highly focused, but also required the speaker to compress a complex technical narrative covering AI Token Factory, Active / Archive KV Cache, PM1763 and BM1773 into a more limited time window.

As a result, while the keynote clearly delivered Samsung's direction around Agentic AI and KV Cache storage, follow-up explanation through booth interaction, social content and technical materials would help strengthen audience understanding of the more complex architecture concepts.

### - Booth & Interaction

Samsung booth combined product display with social interaction. Visitors were encouraged to follow Samsung Semiconductor's official Weibo and Xiaohongshu accounts, engage with designated posts, and participate in Xiaohongshu UGC posting for additional gift redemption.

All 300 prepared gifts were distributed by the end of the event, reflecting strong onsite participation. Samsung's Weibo account gained 33 new followers while the Xiaohongshu account recorded +213 \* +17.0% followers and +432 total likes & saves on the event day. The ISOCELL-linked pinned post also saw a strong engagement uplift, with comments increasing from 16 to 246 and likes from 66 to 284. \* +47.3%

### - PR & Social

As of the report cut-off time, no published media coverage specifically related to Samsung Semiconductor's OCTS 2026 participation had been identified, while onsite media/self-media engagement and stakeholder visits will continue to be monitored.

Social communication covered three phases: pre-event warm-up, event-day content, and post-event recap. The 10 July recap video was planned after the report submission time and was therefore not included in the current result. ISOCELL integration added an additional product-linked communication touchpoint and helped drive stronger Xiaohongshu engagement through onsite interaction and UGC participation.

Samsung's Xiaohongshu account recorded a +17.0% increase in followers and a +47.3% increase in total likes and saves on the event day. The ISOCELL-linked pinned post saw comments surge by +1,437% and likes by +330%, indicating strong onsite-to-online conversion driven by booth interaction and UGC participation.



Samsung Executives Group Photo

## - Highlight / Lowlight

| Highlight                                                                                                                                                                                                                                  | Lowlight / Improvement Point                                                                                                                                                                                                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Keynote:</b><br>Samsung shifted from a broad memory/storage innovation story to a more workload-specific AI infrastructure narrative around Agentic AI and KV Cache.                                                                    | <b>Content:</b><br>The 10-minute sponsor slot limited the time available to explain complex concepts such as AI Token Factory, Active / Archive KV Cache and BM1773.                                                         |
| <b>Technical continuity:</b><br>Samsung's keynote and two breakout sessions successfully drove content-led booth enquiries, with many attendees visiting the Samsung booth after the sessions to ask about related products and solutions. | <b>Audience education:</b><br>Complex architecture topics may require follow-up explanation through booth interaction, social content or technical materials.                                                                |
| <b>Booth:</b><br>PM1763, BM1773 and SOCAMM2 supported Samsung's AI infrastructure story and helped drive content-led booth enquiries.                                                                                                      | <b>Audience relevance:</b><br>Compared with storage-focused events, OCTS audience composition was broader and more infrastructure-oriented, requiring clearer context-setting around Samsung's memory and storage relevance. |
| <b>Social:</b><br>Weibo, Xiaohongshu and ISOCELL-linked UGC mechanisms supported onsite-to-online engagement.                                                                                                                              | <b>Ecosystem shift:</b><br>Compared with storage-related topics, this year's exhibition and sponsor ecosystem leaned more toward power, optical interconnect, connectors and infrastructure components.                      |

## □ Event Overview

### 1. Basic Information

| Item                  | Details                                                                                                                                                                                                           |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Event Name            | OCTS 2026 / Open Compute Tech Summit 2026                                                                                                                                                                         |
| Date & Venue          | 9 July 2026 (Thu), Beijing International Hotel, Beijing                                                                                                                                                           |
| Theme                 | <i>Intelligence Without Limits: Open, Diverse, Scalable</i>                                                                                                                                                       |
| Host / Organizer      | OCP Foundation + OCTC (Open Compute Technology Committee)                                                                                                                                                         |
| Event Positioning     | One of the most influential annual technology summits in China's open compute ecosystem                                                                                                                           |
| Event History         | Successfully held for 7 consecutive years                                                                                                                                                                         |
| Event Structure       | One-day event, including 1 main forum + 6 technical breakout forums                                                                                                                                               |
| Breakout Forum Tracks | Six breakout forums covering Data Center Infrastructure, Computing-Power Synergy, Sustainable Computing Development, Open System Design, GW-Scale Open AIDC, and Intelligent Computing Firmware Industry.         |
| Scale                 | 50+ leading AI innovation companies and IT supply chain players; 60+ technical sessions; 2,200+ expected onsite participants; 2,000 sqm open exhibition area; nearly 100 AI infrastructure products and solutions |
| Samsung Participation | Diamond Partner; Main Forum Keynote; Breakout Forum participation; Booth; PR & Social                                                                                                                             |
| Key Topics            | Open systems, heterogeneous compute, AI high-speed networking, storage, high-power delivery, liquid cooling; Agentic AI, Context Explosion, KV Cache, Next-gen Flash Storage, CXL, AIDC                           |

### - Sponsors / Partners of 2026 OCTS

| Category                | Companies                                                                                                                                                                                                                                            |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Strategic Partners (12) | FTIA (Firmware Technology Innovation Alliance), Alibaba Cloud, Baidu AI Cloud, ByteDance, CXL Consortium, UALink Consortium, UCle Consortium, SPEC, VNET, Inspur/IEIT Systems, 21dianyuan.com, Guangdong Connector Association                       |
| Diamond Partner (1)     | Samsung                                                                                                                                                                                                                                              |
| Platinum Partners (5)   | BPS (Bright Power Semiconductor), Flex, JONHON, LuxshareTech, Qinghong Electronics                                                                                                                                                                   |
| Gold Partners (21)      | Action Power, Alawk, AMI, BPSTC (Bopu Semiconductor), Credo, EVE Energy, Infineon, Innovation Semiconductor, JND Tech, Kehua Data, Lotes, LTK Cable, Murata, Shinhoo, Sitelin, Sungrow, Texas Instruments, TonHe, TÜV Rheinland, Tyson Cooling, VAST |

### - Comparison with the Previous Year

|             | 2025 OCP                                                                                                                                                                                        | 2026 OCTS                                                                                                                                       | Key Change                                                                                                                              |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Event Theme | Open Transformation   Foundation · Expansion · Evolution                                                                                                                                        | Intelligence Without Limits: Open, Diverse, Scalable                                                                                            | The event theme shifted from open transformation and infrastructure evolution to AI infrastructure expansion and scalable intelligence. |
| Event Focus | AI infrastructure and its core industry chain, covering chips, data centers, servers, storage, network connectivity, liquid cooling, high-speed interconnect, green computing and system design | AI infrastructure new frontier, Agentic AI, AI Factory, GW-scale AIDC, context explosion, KV Cache, CXL, high-power delivery and liquid cooling | The agenda became more AI-workload-driven and more focused on system-level collaboration for AI factories.                              |
| Event Scale | 1,000+ sqm exhibition area; 1 main forum + 4-5 sub-forums; 6,000+ attendees; 80+                                                                                                                | 2,000 sqm exhibition area; 1 main forum + 6 breakout forums; 60+ technical sessions; 50+ AI and IT supply chain                                 | The 2026 event showed a more structured technical agenda and broader AI                                                                 |

|                                |                                                                                                                     |                                                                                                                                                                                   |                                                                                                                                                      |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                | community partners; 50+ media analysts                                                                              | companies; nearly 100 products and solutions                                                                                                                                      | infrastructure ecosystem coverage.                                                                                                                   |
| <b>Naming / Positioning</b>    | Communicated more under OCP / OCP China-related positioning                                                         | Open Compute Tech Summit / OCTS, co-hosted by OCP and OCTC                                                                                                                        | The event positioning became more localized and standards-driven, emphasizing global open compute achievements landing in China.                     |
| <b>Ecosystem Coverage</b>      | Open compute organizations and selected supply chain partners                                                       | OCP, OCTC, SPEC, CXL, UALink, UCle, firmware alliance, plus 50+ AI and IT supply chain companies                                                                                  | Broader ecosystem coverage across global open organizations and China's IT supply chain                                                              |
| <b>Technology Scope</b>        | Servers, racks, data center systems, open standards                                                                 | Chips to power grids, single racks to AI factories, isolated breakthroughs to open system collaboration                                                                           | Technology discussion became more full-stack and system-level                                                                                        |
| <b>Samsung Main Keynote</b>    | "Architecting AI Advancement: The Future of Memory and Storage" by Silwan Chang, 15 minutes                         | "Solving the Context Explosion: Next-Gen Flash Storage for Agentic AI Era" by Sunghoon Chun, 10 minutes                                                                           | Samsung's keynote evolved from a broad memory/storage future story to a more specific Agentic AI and KV Cache-driven infrastructure narrative.       |
| <b>Samsung Technical Focus</b> | CMM-D, PM1763, BM1753; CXL memory; storage-driven model and KV Cache offloading                                     | AI Token Factory, Context Explosion, active / archived KV Cache, PM1763, BM1773, CXL memory pooling                                                                               | 2026 showed stronger continuity and escalation from 2025 technical themes, with KV Cache and CXL moving closer to the center of Samsung's narrative. |
| <b>Samsung Booth</b>           | Largest booth at exhibition entrance; approx. 20 sqm; about 900 foot traffic; Product Showcase area; experts onsite | Samsung booth on 1F exhibition floor, showcased PM1763, BM1773 and SOCAMM2; estimated 460 – 500 visitors; added Weibo / Xiaohongshu interaction and ISOCELL-linked UGC activation | Booth operation shifted from product showcase only to product display & more social interaction & content-led booth traffic.                         |
| <b>PR &amp; Social</b>         | Media activity remained relatively low; further monitoring needed                                                   | Event recap + onsite process content + ISOCELL-integrated communication                                                                                                           | Social communication became more dynamic and product-integrated in 2026.                                                                             |

*Note: 2025 and 2026 event scale figures may follow different reporting scopes.*

## 2. OCTS Naming & Positioning

Compared with previous domestic open compute events, OCTS 2026 showed both a naming / hosting evolution and a stronger shift toward AI infrastructure-driven system innovation. Domestic open compute-related events have moved from earlier communication under OCP China Day / Open Compute China Summit toward the current positioning of Open Compute Tech Summit / OCTS, while the current communication more clearly emphasizes the OCP + OCTC co-hosted structure.

This evolution reinforces the alignment between global open compute standards and China's local standardization ecosystem, and reflects the growing importance of China's AIDC market in adopting, localizing and scaling global open compute practices. For Samsung, the updated positioning provides a more relevant platform to communicate its role beyond memory and storage products, connecting



Samsung’s technologies with AI infrastructure, open standards and large-scale data center architecture evolution.

3. Industry Trend

OCTS 2026 reflected the industry’s transition from general open compute infrastructure discussion to AI infrastructure-driven system innovation.

The industry increasingly focused on AI infrastructure as a full-stack system, covering computing architecture, open rack systems, high-speed interconnect, storage architecture, power delivery, liquid cooling, firmware, and sustainable infrastructure.

Key industry trends included:

- AI infrastructure moving from component-level innovation to system-level collaboration
- Agentic AI reshaping infrastructure requirements
- Context explosion and KV Cache becoming critical bottlenecks for AI inference
- CXL, UALink and other open interconnect technologies gaining strategic importance
- Power delivery and liquid cooling becoming core enablers of high-density AI infrastructure
- China’s AIDC ecosystem playing a stronger role in localizing and scaling global open compute innovation

4. Keynote & Breakout Forums

4.1 Main Forum Keynote

- Speaker & Topic:

| Item          | Details                                                                                                   |
|---------------|-----------------------------------------------------------------------------------------------------------|
| Speaker       | Sunghoon Chun / 田成勳                                                                                       |
| Speaker Title | VP, Solution Product & Development Team, Samsung Electronics                                              |
| Topic         | Solving the Context Explosion: Next-Gen Flash Storage for Agentic AI Era<br>破解超长上下文挑战：面向智能体 AI 时代的下一代闪存存储 |
| Time          | 11:05-11:15                                                                                               |
| Duration      | Around 10 minutes                                                                                         |
| Core Topics   | Agentic AI, AI Token Factory, Context Explosion, KV Cache, PM1763, BM1773, Next-generation Flash Storage  |





## - Content Summary

Samsung's main-forum keynote focused on next-generation flash storage technologies designed to address context explosion in the Agentic AI era. The keynote introduced the concept of the AI Token Factory, describing how the industry is shifting from training individual AI models to producing intelligence at factory scale. In this environment, AI systems increasingly operate through persistent agents, multi-step reasoning and long-running sessions.

The core challenge identified by Samsung was the rapid growth of KV Cache. As context length, concurrency and session lifetime increase, KV Cache becomes a major system-level memory consumer. Samsung emphasized that HBM and DRAM alone are no longer sufficient, and that storage needs to participate more actively in AI inference. Samsung proposed a unified KV Cache storage architecture with two domains: TLC-based storage for Active KV Cache and QLC-based storage for Archive KV Cache. In this structure, PM1763 is positioned for high-performance real-time inference, while BM1773 is positioned for large-scale contextual retention. The keynote also linked Samsung's storage roadmap with high-density AI infrastructure trends, including liquid cooling compatibility and future PCIe interface evolution.

## - Audience Response

The keynote received highly attentive engagement from the main forum audience, evidenced by active and frequent photo-taking behavior throughout the presentation. By cross-referencing audience reactions with the specific presentation slides, we identified a strong market appetite for both macro AI infrastructure concepts and specific hardware innovations:

- **Thermal & High-Capacity Storage Solutions (Peak Interest):** The highest spike in audience photo-taking occurred during the "Liquid Cooling Solution of PM1763" slides, confirming the industry's urgent focus on thermal management for data-intensive AI. Similarly, the "BM1773 for Archive KV Cache" slides, which highlighted up to 256TB capacity and a 1.35x density improvement, drew massive interest.
- **Dynamic Wrap-up:** The presentation concluded effectively with a dynamic summary slide ("Samsung Flash Solution for AI Token Factory Era"). This visually engaging pre-wrap-up successfully recaptured the audience's attention, leaving a strong and cohesive final impression of Samsung's dual-product storage architecture narrative.

\* PM1763 + BM1773

## - Main Forum Keynote Analysis Summary

The main forum keynotes at OCTS 2026 collectively highlighted a critical industry transition: AI infrastructure is moving from component-level scaling to highly integrated, system-level co-design to


support the "Megawatt-Scale" and "Agentic AI" eras. Across all presentations, four major consensus areas emerged:

- **Architectural Shift for Agentic AI & Context Handling:** The evolution from traditional LLMs to Agentic AI brings extreme context lengths and complex logical reasoning. Industry leaders emphasized that GPU-heavy architectures must evolve into CPU-GPU collaborative designs. Furthermore, the "Context Explosion" necessitates new memory and storage hierarchies, bringing tiered flash storage directly into the inference workflow to overcome HBM capacity limits and lower token costs. <sup>\* Alibaba Cloud and Samsung</sup>  
<sup>\* like Active and Archived KV Cache</sup>
- **Open Interconnects to Break the "I/O Wall":** To achieve "Open Scaling" (building massive AI supernodes while keeping TCO manageable), proprietary interconnects are being challenged. Presentations from UALink, CXL, NVIDIA, and interconnect vendors underscored a massive shift toward standardized scale-up/scale-out protocols. Physical layer innovations—such as Co-Packaged Optics (CPO), Near-Packaged Optics (NPO), and Advanced Copper Cables—are now mandatory to deliver the 1.6T bandwidth required for GigaScale AI factories while slashing power consumption per bit. <sup>\* LuxshareTech, Qinghong</sup>
- **Megawatt-Scale Power and Thermal Redesign:** With AI cluster power requirements reaching the Megawatt scale and single racks surging past 100kW, legacy facility designs are officially obsolete. Infrastructure providers detailed the urgent, standardized transition to 48V rack power architectures, Vertical Power Delivery (VPD/Vcore) to feed 1000W+ XPU, and rack-level liquid cooling with blind-mate connectors. Power and cooling are no longer afterthoughts; they are core components of chip and system design. <sup>\* ByteDance, Flex, BPS, Jonhon</sup>
- **Global-Local Ecosystem Synergy:** Keynotes from OCP Foundation and OCTC reinforced that no single company can overcome the AI infrastructure bottleneck alone. Solving these challenges requires a unified open-source hardware ecosystem that effectively localizes global open compute standards to meet the massive scale, deployment speed, and regulatory demands of the Chinese AIDC market.

Details in Appendix.

## - Award

During the Global Open Compute Innovation Achievements Release & Open Compute Tech Summit Awards Ceremony, Samsung was honored with the "Open Compute Best Innovation Award". The award was accepted on stage by Kevin Yoon, Vice President and CTO of Memory Business, Samsung Semiconductor China. <sup>\* 开放计算最佳创新奖</sup>





## 4.2 Breakout Sessions

In addition to the morning main-forum keynote, Samsung also participated in two afternoon breakout sessions. These sessions extended the keynote narrative into more focused technical discussions around KV Cache offloading and CXL-based tiered memory architecture.

### 4.2.1 Breakout Session 1: Data Center Infrastructure Forum

| Item    | Details                                                                                                                        |
|---------|--------------------------------------------------------------------------------------------------------------------------------|
| Forum   | Data Center Infrastructure Forum: Intelligent Leap, Accelerating Underlying Architecture Evolution<br>数据中心基础设施论坛：智能跃迁，加速底层架构进化 |
| Time    | 14:05-14:25                                                                                                                    |
| Speaker | Sungup Moon / 文盛業 (Manager, NAND Application Engineering Team, Memory Business, Samsung Electronics)                           |
| Topic   | KV Cache Offloading: Enabling AI Inference Scaling<br>KV 缓存卸载：助力 AI 推理规模扩展                                                     |



#### - Content Summary

This breakout session focused on KV Cache storage offloading as a way to scale long-context AI inference. Samsung explained that in Agentic AI workflows, user context can be reused across inference servers. Without offloading, migrated users may force the destination GPU to rerun the prefill phase. With shared KV Cache storage, the destination node can retrieve existing KV Cache and reduce compute overhead.


Samsung evaluated PM1753 and PM1763 in an 8-GPU server environment using vLLM and LMCache. The session highlighted the performance, power and cost benefits of storage offloading, including faster TTFT, improved performance-per-watt and better performance-per-cost as user volume scales. The session reinforced PM1763’s role as a next-generation PCIe Gen6 storage solution for KV Cache offloading in the Agentic AI era.

#### - Audience Response

Because the afternoon breakout forums ran concurrently, attendees had to actively select their preferred tracks. This self-selection mechanism ensured that the audience was highly targeted and possessed a strong, genuine interest in the topic. The session attracted over 120 attendees, achieving a completely full house. Despite the fast turnover typical of parallel tracks, the audience remained highly concentrated throughout the presentation. Attendees were highly engaged, frequently taking photos of the technical slides, which demonstrated a profound technical appetite for practical solutions addressing KV Cache offloading and AI inference scaling.

## 4.2.2 Breakout Session 2: Open System Design Forum

|                 |                                                                                                                                                                                  |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Forum</b>    | Open System Design Forum: Building High-Efficiency Agent Infra Foundation Through System Innovation<br>开放系统设计论坛：以系统创新构建高效能 Agent Infra 底座                                        |
| <b>Time</b>     | 14:25-14:45                                                                                                                                                                      |
| <b>Speakers</b> | Sinae Hwang / 黄时来 (Manager, NAND Application Engineering Team, Memory Business, Samsung Electronics);<br>Fei Dong / 董飞 (Manager, Intelligent Solution Team, Samsung Electronics) |
| <b>Topic</b>    | Tiered Memory Architecture: CXL Memory Pooling and Compute Offloading in Agentic AI<br>分层内存架构：Agent AI 中的 CXL 内存池化与计算卸载                                                          |



### - Content Summary

This breakout session expanded Samsung's AI infrastructure narrative from flash storage to CXL-based memory architecture. Samsung introduced CMM-D as an L2.5 memory tier between DRAM and SSD, designed to support shared context KV Cache and warm KV Cache. The session covered both direct-attached CMM-D and CXL switch-based memory pooling, showing how CXL can help expand memory capacity while maintaining near-DRAM application performance.

The session also discussed computing offloading using CXL computational memory for RAG workloads. By offloading repeated distance calculations in ANN search, CXL computational memory can reduce CPU pressure and improve system efficiency. Overall, the session positioned CXL memory pooling and computing offloading as important technologies for Agentic AI infrastructure.

### - Audience Response

Driven by the same concurrent session self-selection mechanism, this track witnessed exceptional turnout, drawing an estimated 250+ attendees and resulting in a full house. The proactive choice by such a massive audience to attend this specific session indicates an intense industry interest in CXL and tiered memory architectures. The audience maintained a strong and sustained focus, with attendees actively taking photos of the architectural diagrams and performance data.






## 5. Booth

### - Samsung Booth Overview

Samsung's booth, throughout the event, attracted an estimated foot traffic of 460 to 500 visitors.

- **Physical Product Showcase:** The booth featured physical displays of three key products, including PM1763, BM1773 and SOCAMM2.
- **Highly Attractive Visitor Interaction:** To maximize onsite engagement and online amplification, Samsung implemented a structured, multi-tier interactive mechanism leveraging Xiaohongshu and Weibo.
- **Basic Social Engagement:** With a low barrier to entry, visitors could easily redeem limited event gifts by following Samsung Semiconductor's official accounts and engaging with designated posts (Like, Save, and Comment on Xiaohongshu; Like and Repost on Weibo).
- **UGC "Surprise" Reward:** To encourage deeper engagement, Samsung introduced a User-Generated Content (UGC) incentive. Visitors who took 2-3 photos of the booth and published an onsite experience post on Xiaohongshu (tagging the official Samsung Semiconductor account) were rewarded with a special summer portable fan.



### - Visitor Interaction

Booth traffic showed a clear correlation with the keynote and breakout sessions. Following Samsung's main-forum keynote, a noticeable uplift in visitor flow was observed, with the effect becoming more pronounced after the afternoon breakout sessions.

Visitors who arrived post-session tended to ask targeted, content-driven questions, indicating that Samsung's keynote and breakout sessions had successfully set the context for booth conversations. Common enquiry topics included the overall CXL solution architecture, product performance, pricing, availability timelines, and specific products referenced across both presentations.

## - Booth Benchmark Summary

The exhibition floor at OCTS 2026 showed a clear shift from product-level display to system-level AI infrastructure storytelling. Leading booths no longer focused only on individual components, but connected their exhibits to broader AI Factory challenges, including high-density compute, KV Cache growth, power delivery, liquid cooling, high-speed interconnect, firmware management and energy resilience. For Samsung, the most valuable benchmark is that future booth communication should continue moving from product specification display toward workload-driven and architecture-driven explanation — showing how memory and storage products support real AI inference scaling, system efficiency and data center deployment.

Details in Appendix.

## 6. PR & Social

### - PR / Media Results

- As of the report submission time, no published news coverage specifically related to Samsung Semiconductor's participation at OCTS 2026 has been identified. However, several onsite PR and stakeholder engagement touchpoints were recorded, including self-media booth visits and OCP Foundation leadership interaction.
- On the self-media front, IT 大嘴巴, a technology-focused self-media channel, visited the Samsung booth for onsite editorial coverage. Technical staff provided a product walkthrough and engaged in further discussion with the team. Coverage output will be tracked.
- Separately, George Tchapanian, CEO of OCP Foundation, visited the Samsung booth, engaged with the exhibits and spoke with the team onsite. He expressed appreciation for Samsung's sponsorship of OCTS 2026 and his expectation for continued collaboration.
- On the activation side, all 300 gifts prepared for the booth interaction were fully distributed by the end of the event, reflecting strong and sustained visitor engagement throughout the day.

### - Social Posting Results

Samsung's 2026 social plan included preview content, onsite process content, event highlight content and ISOCELL-integrated communication.

OCTS-related social communication covered three major phases:

1. Pre-event warm-up on 6 July
2. Event-day communication on 9 July, including At-a-Glance Infographic and Event Highlights \* “一图读懂” \* “高光时刻”
3. Post-event recap video planned for 10 July

Since this report is submitted on the event day, the 10 July recap video had not yet been published by the report cut-off time. It is therefore listed as a planned post.

6 July 2026  
OCTS 2026 | Warm-up Poster

## Weibo

SAMSUNG 三星半导体  
昨天 10:00 来自 微博网页版  
#三星半导体# #OCTS2026#

无限智能：开放、高效、可扩展。

7月9日，三星半导体诚邀您共赴 OCTS 2026（2026 开放计算技术大会），相约北京国际饭店。

三星电子解决方案产品与开发团队副总裁田成勳（Sunghoon Chun）将带来“破解超长上下文挑战：面向智能体 AI 时代的下一代闪存存储”主题演讲。

届时将会现场分享三星如何以“AI Token Factory”为蓝图，用下一代闪存存储方案重新定义存储在 AI 算力中的角色，与产业伙伴一同描绘开放、高效、可扩展的智算未来。 [收起](#)

📱 收起 | 🔄 旋转 | 🖼 查看大图

## WeChat



OCTS 2026 | 三星半导体解锁AI算力新存储  
无限智能：开放、高效、可扩展。

7月9日，三星半导体诚邀您共赴 OCTS 2026<sup>Q</sup>  
（2026开放计算技术大会），相约北京国际饭店。

三星电子解决方案产品与开发团队副总裁田成勳（Sunghoon Chun）将带来“破解超长上下文挑战：面向智能体 AI 时代的下一代闪存存储”主题演讲。

届时将会现场分享三星如何以“AI Token Factory”为蓝图，用下一代闪存存储方案重新定义存储在 AI 算力中的角色，与产业伙伴一同描绘开放、高效、可扩展的智算未来。

## Xiaohongshu



SAMSUNG 三星半导体

OCTS 2026 | 三星半导体解锁AI算力新存储

无限智能：开放、高效、可扩展。

7月9日，三星半导体诚邀您共赴 OCTS 2026  
（2026开放计算技术大会），相约北京国际饭店。三星电子解决方案产品与开发团队副总裁田成勳（Sunghoon Chun）将带来“破解超长上下文挑战：面向智能体 AI 时代的下一代闪存存储”主题演讲。

届时将会现场分享三星如何以“AI Token Factory”为蓝图，用下一代闪存存储方案重新定义存储在 AI 算力中的角色，与产业伙伴一同描绘开放、高效、可扩展的智算未来。

#三星半导体 #OCTS2026


<https://weibo.com/7546687857/R7opBn22Q>

<https://mp.weixin.qq.com/s/eHmoFrO6-4OfZGqOrdAcw>

<http://xhslink.com/o/ALx1ZMWWNDp>

9 July 2026  
OCTS 2026 | At-a-Glance Infographic (一图读懂)

## Weibo



## WeChat





<https://weibo.com/7546687857/R7RhCyXCH>

<https://mp.weixin.qq.com/s/N9mYhvffl42HkOpHn-3VZQ>

9 July 2026

## OCTS 2026 | Event Highlights (高光时刻)

Weibo

2026/07/09 18:09

#三星半导体#OCTS2026#

OCTS 2026 (2026 开放计算技术大会) 于今日圆满收官!

当 AI 从"训练时代"迈向"推理与智能体时代", 对存储的性能、容量与能效提出了前所未有的挑战。三星电子解决方案产品与开发团队副总裁田成勳 (Sunghoon Chun) 以「破解超长上下文挑战: 面向智能体 AI 时代的下一代闪存存储」为题, 带来了一场精彩的主题演讲。

深度阐释了三星 "AI Token Factory" 的全新理念——以分层、高效、可无限扩展的下一代闪存存储方案, 重新定义存储在 AI 算力体系中的关键角色, 并与产业伙伴一同擘画开放、高效、可扩展的智算未来。

让我们通过照片回顾, 一起感受今日大会的高光时刻吧! ✨



WeChat



### OCTS 2026 | 三星半导体高光时刻回顾

OCTS 2026 (2026 开放计算技术大会) 于今日圆满收官!

当 AI 从"训练时代"迈向"推理与智能体时代", 对存储的性能、容量与能效提出了前所未有的挑战。三星电子解决方案产品与开发团队副总裁田成勳 (Sunghoon Chun) 以「破解超长上下文挑战: 面向智能体 AI 时代的下一代闪存存储」为题, 带来了一场精彩的主题演讲。

深度阐释了三星 "AI Token Factory" 的全新理念——以分层、高效、可无限扩展的下一代闪存存储方案, 重新定义存储在 AI 算力体系中的关键角色, 并与产业伙伴一同擘画开放、高效、可扩展的智算未来。

让我们通过照片回顾, 一起感受今日大会的高光时刻吧! ✨

Xiaohongshu



SAMSUNG 三星半导体

### OCTS 2026 | 三星半导体高光时刻回顾

2026 (2026 开放计算技术大会) 于今日圆满收官!

当 AI 从"训练时代"迈向"推理与智能体时代", 对存储的性能、容量与能效提出了前所未有的挑战。三星电子解决方案产品与开发团队副总裁田成勳 (Sunghoon Chun) 以「破解超长上下文挑战: 面向智能体 AI 时代的下一代闪存存储」为题, 带来了一场精彩的主题演讲。

深度阐释了三星 "AI Token Factory" 的全新理念——以分层、高效、可无限扩展的下一代闪存存储方案, 重新定义存储在 AI 算力体系中的关键角色, 并与产业伙伴一同擘画开放、高效、可扩展的智算未来。

让我们通过照片回顾, 一起感受今日大会的高光时刻吧! ✨

#三星半导体 #OCTS2026

<https://weibo.com/7546687857/R7TTMrCDO?pagetype=detail>

<https://mp.weixin.qq.com/s/NTE1O0ffmYMeuV6Bc-ddEQ>

<http://xhslink.com/o/1VAGR3MHvvpb>

10 July 2026

## OCTS 2026 | Recap video

Weibo

WeChat

Xiaohongshu

Planned; to be published after report submission

### - Xiaohongshu Engagement

Samsung integrated Xiaohongshu interaction into the OCTS booth experience to connect onsite traffic with online engagement. The booth interaction mechanism included two levels:

- **Xiaohongshu interaction:** visitors were encouraged to follow the official Samsung Semiconductor Xiaohongshu account, and like, favorite and comment on the designated event post.







- **UGC surprise reward:** visitors who took 2–3 photos of the Samsung booth before 17:00, posted their onsite experience on Xiaohongshu, and tagged @Samsung Semiconductor could receive a portable summer fan, while stocks lasted.

In parallel, the ongoing ISOCELL 200MP user experience collection activity served as a product-linked content anchor on Samsung Semiconductor's Xiaohongshu account. Visitors were encouraged to engage with Samsung's Xiaohongshu content and participate in the broader ISOCELL 200MP campaign, helping connect the OCTS booth activation with Samsung's product storytelling.

The mechanism effectively drove account-level growth and post-level engagement on the event day. Samsung's Xiaohongshu account gained +213 followers (+17.0%), while total likes and saves increased by +432 (+47.3%). The pinned ISOCELL-related post also saw a significant engagement uplift, with likes increasing by +218 (+330.3%) and comments increasing by +230 (+1,437.5%).

| Metric                               | Pre-Event (Jul 8) | Post-Event (Jul 9) | Change              |
|--------------------------------------|-------------------|--------------------|---------------------|
| <b>Xiaohongshu Account Followers</b> | 1,253             | <b>1,466</b>       | ▲ +213 (+17.0%)     |
| <b>Total Likes &amp; Saves</b>       | 913               | <b>1,345</b>       | ▲ +432 (+47.3%)     |
| <b>Pinned Post Views</b>             | 6,785             | <b>7,137</b>       | ▲ +352 (+5.2%)      |
| <b>Pinned Post Likes</b>             | 66                | <b>284</b>         | ▲ +218 (+330.3%)    |
| <b>Pinned Post Comments</b>          | 16                | <b>246</b>         | ▲ +230 (+1,437.5%)  |
| <b>Post-attributed New Followers</b> | 68                | <b>71</b>          | ▲ +3                |
| <b>Avg. View Duration</b>            | 42.4 sec          | 32.5 sec           | ▼ -9.9 sec (-23.4%) |



The 23.4% decrease in average view duration likely reflects a high volume of new users rapidly browsing content, consistent with the surge in engagement volume. Content depth and retention should be monitored in post-event follow-up posts.

The primary traffic source remained Xiaohongshu homepage recommendation (89.1%), indicating that the post achieved organic reach beyond Samsung's existing follower base. The homepage recommendation channel recorded 71,970 impressions with an 8.4% click-to-view conversion rate.

## 7. VOC

### - Audience / Visitor Feedback

- Several visitors mentioned they had already come across Samsung Semiconductor's Xiaohongshu interactive campaign before arriving at the booth. This suggests the pre-event social content had successfully reached part of the target audience ahead of the show, helping to build awareness and set expectations before the onsite visit.
- The gift items were well-received and widely considered practical and thoughtful. Samsung's booth stood out as one of the few at the exhibition to feature a structured interaction mechanism alongside gift distribution, which helped draw consistent visitor engagement throughout the day. Participation in the activity was strong, and foot traffic at Samsung's booth was notably higher than most other exhibitors on the floor.

### - Internal Observation

- Overall attendee turnout at this year's event appeared lower compared to previous years, and the audience composition was not always closely aligned with Samsung's core product and technology focus areas.
- The exhibitor and attendee mix was predominantly small and medium-sized domestic enterprises, with relatively limited representation from international companies. The event carried a noticeably more local character than in prior editions.

## □ Appendix

### Appendix 1: Main Forum Keynote Analysis

| Speaker / Company                      | Topic                                                                                                                                              | Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| George Tchaparian, CEO, OCP Foundation | Leading the Future of AI                                                                                                                           | Tchaparian highlighted OCP's 15-year evolution from a small initiative to a massive global ecosystem with over 7,000 members and a \$300 billion market footprint. He emphasized that the future of data centers is intrinsically tied to AI. To support this, OCP is driving open collaboration across critical bottlenecks: power delivery, advanced liquid cooling, optical interconnects, and open chiplets. He stressed that no single company can solve the AI infrastructure challenge alone, making open hardware ecosystems more critical than ever.                                   |
| Chen Hai, Secretary General, OCTC      | Development Trends and Outlook of Open Compute in the Chinese Market<br>开放计算中国市场发展趋势与展望                                                            | Chen provided a macro view of the Open Compute market in China, noting the rapid expansion of OCTC's membership and influence. He identified three core areas of focus for the Chinese market: standardizing AI server architectures, accelerating the adoption of rack-level liquid cooling to meet stringent PUE regulations, and developing robust AI cluster networks. Chen emphasized OCTC's ongoing efforts to align domestic standards with global OCP frameworks while addressing the unique scale and regulatory requirements of Chinese data centers.                                 |
| Chris Petersen, UALINK & CXL           | Flexible XPU Deployment: Open Rack Architecture for Maximum Inference Performance and Minimum Token Cost<br>灵活部署 XPU: 面向最大推理性能与最低 Token 成本的开放机架架构  | Petersen addressed the critical challenge of XPU deployment fragmentation. He detailed the industry's shift toward standardized interconnects to decouple compute and memory, specifically highlighting CXL for memory expansion and the newly formed UALink consortium for scale-up accelerator interconnects. By leveraging OAI (Open Accelerator Infrastructure) and Open Rack architectures, data centers can maximize AI inference throughput while minimizing the cost per token, preventing vendor lock-in in high-speed interconnects.                                                  |
| Zhao Shuai, IEIT Systems (Inspur)      | Open Scaling for Superior Tokens                                                                                                                   | Zhao focused on the economics of AI, specifically the "Token Cost." He argued that optimizing the cost and performance of tokens requires "Open Scaling"—both Scale-Up (creating massive AI supernodes) and Scale-Out (connecting nodes efficiently). He highlighted how proprietary protocols create bottlenecks and inflate costs. IEIT advocates for embracing open standards like UALink and OAM to build high-density, liquid-cooled supernodes that significantly lower the total cost of ownership (TCO) for large model training and inference.                                         |
| Chen Jian, Alibaba Cloud               | Agentic AI Reshaping Computing Architecture: From GPU-Centric to CPU-GPU Collaboration<br>Agentic AI 重塑算力架构: 从 GPU-Centric 到 CPU-GPU 协同            | In one of the most forward-looking architectural talks, Chen discussed the transition from traditional LLMs to Agentic AI. Unlike standard inference, AI Agents require complex logical reasoning, memory recall, and tool utilization—tasks that are highly inefficient on GPUs. Alibaba Cloud proposes a paradigm shift back to a highly collaborative CPU-GPU architecture. By tightly coupling CPUs (handling control, logic, and memory) with GPUs (handling neural network math) at the node level, infrastructure can support the complex workflows of Agentic AI much more efficiently. |
| Gao Xiaojun, ByteDance                 | Computing Power as the Foundation, Intelligent Connectivity for the Future: Practices in Megawatt-Scale Computing Systems<br>算力承基, 智链未来——兆瓦级算力系统实践 | Gao shared ByteDance's practical experiences in building hyperscale AI infrastructure. With single AI clusters now demanding power at the Megawatt scale, traditional data center designs are failing. He emphasized the necessity of system-level co-design, integrating chip design, power delivery, advanced thermal management (liquid cooling), and network topology. ByteDance's approach focuses on standardizing interfaces across these domains to manage the extreme power densities of modern AI supernodes securely and efficiently.                                                |
| Song Qingchun, NVIDIA                  | Network Innovation Driving AI Factories Toward Gigascale<br>网络创新推动 AI 工厂走向 Gigascale 规模                                                            | Song framed modern AI data centers as "AI Factories" where the network is the computer. As models grow, clusters are moving toward "Gigascale." Song highlighted that network congestion and tail latency are the biggest enemies of AI factory efficiency. He discussed how network innovations, particularly in-network computing (such as SHARP technology on InfiniBand and optimizations in Spectrum-X Ethernet), are vital for minimizing latency, accelerating collective communications, and maximizing GPU utilization across tens of thousands of nodes.                              |
| Sunghoon Chun / Samsung                | Solving the Context Explosion: Next-Gen Flash Storage for                                                                                          | Samsung introduced the concept of the AI Token Factory and identified context explosion as a core challenge in the Agentic AI era. The                                                                                                                                                                                                                                                                                                                                                                                                                                                          |



|                                                           |                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                           | <p>Agentic AI Era<br/>破解超长上下文挑战：面向智能体 AI 时代的下一代闪存存储</p>                                                                                                                                                                                                                               | <p>keynote explained that KV Cache grows across context length, concurrency and session lifetime, and that HBM and DRAM alone are no longer sufficient. Samsung proposed a unified KV Cache storage architecture, with TLC-based storage for Active KV Cache and QLC-based storage for Archive KV Cache. PM1763 was positioned as a PCIe Gen6 solution for Active KV Cache, supporting liquid-cooled AI infrastructure, while BM1773 was positioned as a high-capacity SSD solution for Archive KV Cache. The keynote strengthened Samsung's positioning from a memory / storage product supplier to an AI infrastructure technology enabler.</p> |
| <p><b>Peng Xiaowei, LuxshareTech</b></p>                  | <p>Innovation in AI Supernode Interconnect Components: High-Speed Interconnect Practices – Next-Generation AI Passive H-NPO, CPO and XPO<br/>AI 超节点互联组件的创新：高速互连实践——下一代 AI 无源 H-NPO、CPO 与 XPO</p>                                                                                      | <p>As AI supernodes scale, traditional pluggable optical transceivers are becoming a massive power bottleneck. Peng detailed LuxshareTech's roadmap for bringing optics closer to the compute ASIC to drastically reduce power consumption per bit (pJ/bit). He highlighted the transition toward Co-Packaged Optics (CPO), Near-Packaged Optics (NPO), and Half-NPO (H-NPO) solutions. These next-generation passive optical and copper-optical hybrid architectures are critical for breaking the "I/O wall" in 800G and 1.6T networking, ensuring high-density, low-latency data exchange within AI clusters.</p>                              |
| <p><b>Chen Xuanhao, Qinghong Electronics</b></p>          | <p>Innovation in AI Supernode Interconnect Components: High-Speed Interconnect Practices – Practical Experience and Reflections on AI Supernode High-Speed Interconnect System Solutions<br/>AI 超节点互联组件的创新：高速互连实践——AI 超节点高速互连系统方案实践与思考</p>                                            | <p>Building on the interconnect theme, Chen focused on the physical layer and signal integrity challenges inside densely packed AI supernodes. With SerDes rates pushing 112G and 224G, insertion loss and crosstalk in traditional PCBs are severe. Chen shared practical deployment experiences, emphasizing the necessary balance between Advanced Copper Cables (AEC/DAC) for short-reach, intra-rack communication and optical solutions for scale-out. He advocated for standardized interconnect form factors to simplify supply chains and reduce manufacturing friction.</p>                                                             |
| <p><b>Xie Wei, Flex</b></p>                               | <p>AI Computing Power Architecture Innovation: From System-Level Scaling to Chip-Level Practice – Empowering Artificial Intelligence: Expanding Power Architecture<br/>AI 算力供电架构创新：从系统级扩展到芯片级实践——为人工智能赋能——扩展电源架构</p>                                                                  | <p>Xie addressed the escalating power crisis in AI data centers. With individual AI racks now pushing past 100kW, legacy 12V architectures are obsolete due to extreme distribution losses. Flex advocates for the widespread adoption of the OCP-standardized 48V rack power architecture. Xie detailed how system-level scaling requires highly efficient Power Shelves and Intermediate Bus Converters (IBC) to safely step down voltages while maintaining efficiency, thereby empowering the deployment of megawatt-scale AI factories.</p>                                                                                                  |
| <p><b>He Jiajin, BPS (Bright Power Semiconductor)</b></p> | <p>AI Computing Power Architecture Innovation: From System-Level Scaling to Chip-Level Practice – Addressing Computing Power Challenges: Next-Generation Vcore Power Technology Practices Across HPC Scenarios<br/>AI 算力供电架构创新：从系统级扩展到芯片级实践——应对算力挑战：新一代 Vcore 供电技术在 HPC 全场景的实践与实践</p> | <p>Zooming into the "last millimeter" of power delivery, He Jiajin discussed the extreme challenges of feeding modern XPUs. When an AI chip draws 1000W+ at less than 1 volt, it requires delivering over 1,000 amps of current directly to the core (Vcore). He outlined BPS's innovations in multiphase Voltage Regulator Modules (VRMs) and the transition toward Vertical Power Delivery (VPD) (or backside power delivery). By placing the power stages directly underneath the processor, I2R (resistive) losses are minimized, and transient response is significantly improved.</p>                                                       |
| <p><b>Li Jinbao, Jonhon</b></p>                           | <p>Research on Rack-Level Liquid Cooling Technology for Intelligent Computing Centers<br/>智算中心整机柜液冷散热技术研究</p>                                                                                                                                                                         | <p>Li reaffirmed that air cooling has officially reached its physical limit for AI training clusters. He presented Jonhon's latest research on rack-level liquid cooling, focusing heavily on reliability and standardization. The presentation highlighted innovations in blind-mate fluid connectors, Quick Disconnects (QDs), and Coolant Distribution Units (CDUs). Li stressed that for liquid cooling to scale globally, the industry must converge on open standards for manifolds, coolant chemistry, and leak-detection mechanisms to ensure interoperability and zero-downtime reliability.</p>                                         |
| <p><b>Organizer / Main Forum Conclusion</b></p>           | <p>Global Open Compute Innovation Achievements</p>                                                                                                                                                                                                                                    | <p>The morning forum concluded with a celebration of the Open Compute ecosystem's progress over the past year. The OCTC and OCP released</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

|  |                                                                                   |                                                                                                                                                                                                                                                                                    |
|--|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Release & Open Compute Tech Summit Awards Ceremony<br>全球开放计算创新成果发布 & 开放计算技术大会颁奖仪式 | their joint innovation achievements, highlighting new whitepapers and hardware specifications contributed by the community. The Awards Ceremony recognized key member companies and engineering teams who made outstanding open-source contributions in critical bottleneck areas. |
|--|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Appendix 2: Breakout Forums

| Forum   | Theme                                                                                                                                     | Main Focus                                                                              |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| Forum 1 | 数据中心基础设施论坛：智能跃迁，加速底层架构进化<br>Data Center Infrastructure Forum: Intelligent Leap, Accelerating Underlying Architecture Evolution            | Data center infrastructure, AI system architecture, storage, power, cooling, networking |
| Forum 2 | 算电协同发展论坛：电力 Infra 升级，解锁超大规模 AIDC 发展空间<br>Computing-Power Synergy Forum: Power Infra Upgrade Unlocking Ultra-Large-Scale AIDC Growth       | Power infrastructure, high-voltage power supply, AIDC energy system                     |
| Forum 3 | 可持续计算发展论坛：高效稳定增长的智算基建<br>Sustainable Computing Development Forum: Intelligent Computing Infrastructure for Efficient and Stable Growth    | Sustainable computing, energy efficiency, liquid cooling, green infrastructure          |
| Forum 4 | 开放系统设计论坛：以系统创新构建高效能 Agent Infra 底座<br>Open System Design Forum: Building High-Efficiency Agent Infra Foundation Through System Innovation | Open systems, CXL, UALink, agent infrastructure                                         |
| Forum 5 | GW-Scale Open AIDC 论坛：Agentic AI 时代的新基建<br>GW-Scale Open AIDC Forum: New Infrastructure in the Agentic AI Era                             | GW-scale AIDC, AI Factory, open AIDC framework                                          |
| Forum 6 | 智算固件产业发展论坛：以 AI 赋能智能管理基础设施底座<br>Intelligent Computing Firmware Industry Forum: AI-Empowered Intelligent Management Infrastructure         | Firmware, BMC, infrastructure management, AI-enabled system management                  |

## Appendix 3: Booth Analysis

|                 |                                                                                                                                                                                                                                                           |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Company Name    | IEIT Systems                                                                                                                                                                                                                                              |
| Core Highlights | IEIT Systems presented a strong system-level booth narrative around AI infrastructure, open rack architecture, high-density computing and liquid cooling. The booth communicated not only products, but also broader AI data center deployment scenarios. |



|                 |                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Company Name    | Flex                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Core Highlights | <ul style="list-style-type: none"> <li>Flex focused on AI power architecture and high-efficiency power delivery, using its booth to highlight the importance of power systems in high-density AI infrastructure.</li> <li>The booth translated a relatively technical topic into visible hardware and system-level use cases, making power delivery easier to understand as a key infrastructure bottleneck.</li> </ul> |



|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Company Name</b>    | JONHON                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Core Highlights</b> | <ul style="list-style-type: none"> <li>• JONHON's booth emphasized rack-level liquid cooling and high-reliability connection technologies, with a clear focus on deployment readiness and operational reliability.</li> <li>• The booth was effective in showing practical engineering details such as connectors, cooling interfaces and serviceability, rather than only presenting liquid cooling as a broad concept.</li> </ul> |



|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Company Name</b>    | LuxshareTech                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Core Highlights</b> | <ul style="list-style-type: none"> <li>• LuxshareTech highlighted high-speed interconnect components for AI supernodes, including next-generation connectivity solutions related to copper, optical and near-package interconnects.</li> <li>• The booth connected component-level products with AI cluster bandwidth, density and data movement requirements, making the display relevant to the broader AI infrastructure discussion.</li> </ul> |






|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Company Name</b>    | Qinghong Electronics                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Core Highlights</b> | <ul style="list-style-type: none"> <li>• Qinghong Electronics focused on high-speed interconnect system solutions, with an engineering-oriented display around signal integrity, cabling and physical-layer deployment challenges.</li> <li>• The booth was relatively technical, but valuable in showing the practical constraints behind AI supernode connectivity, including routing, loss, form factor and implementation complexity.</li> </ul> |



|                        |                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Company Name</b>    | Murata                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Core Highlights</b> | <ul style="list-style-type: none"> <li>• Murata's booth represented the component layer of AI infrastructure, focusing on passive components, power-related components and reliability in high-density server platforms.</li> <li>• The display reinforced the importance of small but critical components in supporting system stability, power efficiency and miniaturization for AI data center equipment.</li> </ul> |




|                        |                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Company Name</b>    | Credo                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Core Highlights</b> | <ul style="list-style-type: none"> <li>• Credo focused on high-speed connectivity and data transmission solutions for AI and data center networking. The booth was closely aligned with the industry's growing focus on data movement efficiency.</li> <li>• The display helped position interconnect performance, bandwidth and power efficiency as key factors in AI infrastructure scaling.</li> </ul> |







|                        |                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Company Name</b>    | BPS / Bright Power Semiconductor                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Core Highlights</b> | <ul style="list-style-type: none"> <li>• BPS had relatively limited physical exhibits, but used a rich set of acrylic display boards to present product information, technical messages and application scenarios.</li> <li>• This approach created strong information density within a compact booth space and helped compensate for the limited number of physical products on display.</li> </ul> |



|                        |                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Company Name</b>    | Infineon                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Core Highlights</b> | <ul style="list-style-type: none"> <li>• Infineon's booth focused on power semiconductor solutions for data centers and AI infrastructure, highlighting high-efficiency power conversion and energy management.</li> <li>• The booth communicated the role of semiconductor-level innovation in supporting scalable, reliable and energy-efficient AI data center deployment.</li> </ul> |



|                     |            |
|---------------------|------------|
| <b>Company Name</b> | EVE Energy |
|---------------------|------------|

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Core Highlights</b> | <ul style="list-style-type: none"> <li>EVE Energy’s booth was relatively compact, but the setup was practical and complete, with product exhibits such as batteries and a brochure rack for visitors to take materials directly.</li> <li>The self-service material display was a useful onsite detail, allowing visitors to quickly access product information even without a long booth conversation.</li> </ul> |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



|                        |                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Company Name</b>    | AMI                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Core Highlights</b> | <ul style="list-style-type: none"> <li>AMI’s booth had a relatively rich setup, with multiple display elements and a fan-based dynamic demonstration that added movement and visibility to the booth.</li> <li>The booth felt more engaging than a purely static product display, helping draw attention and making the technical content easier to notice in the exhibition area.</li> </ul> |



|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Company Name</b>    | LOTES                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Core Highlights</b> | <ul style="list-style-type: none"> <li>LOTES adopted a “light display, strong explanation” approach. The booth did not rely on large-scale exhibits, but the onsite staff were highly professional and provided clear, detailed explanations.</li> <li>The quality of staff communication was a key highlight, helping visitors better understand the products, use cases and technical value behind the displayed components.</li> </ul> |

