

BUILD PROMPT — WEBSITE FOR DRA. CECÍLIA PORTUGAL

****Paste this entire document into your AI coding tool (Claude Code, Codex, Google AI Studio, Antigravity, Lovable, or equivalent). Build exactly what is specified. Do not summarize, do not simplify, do not substitute the approved Portuguese copy with generic marketing language, and do not invent any fact, number, testimonial, price, phone number, or URL.****

1. PROJECT OVERVIEW

Build a production-ready, bilingual-free (Brazilian Portuguese only) marketing website for ****Dra. Cecília Portugal****, a Brazilian Family and Community Physician (Médica de Família e Comunidade) and Occupational Therapist (Terapeuta Ocupacional) who runs an ****online smoking-cessation care program**** ("Acompanhamento para parar de fumar").

The service: an individual assessment consultation of approximately 50 minutes, followed — for those ready to begin — by a structured three-month program with weekly sessions, delivered either individually or in small groups of up to five participants. Care addresses physical nicotine dependence *and* the emotional, behavioral, routine, habit, trigger, and daily-life dimensions of smoking. Patients receive WhatsApp support during business hours throughout the program. The site must also present her book, *****"Memórias de uma ex-futura fumante,"***** and link out to an external purchase page.

Dra. Cecília is herself a former smoker who stopped 22 years ago with professional help inside a therapeutic group. That lived experience is a central, authentic element of the brand — it must be present without ever becoming a promise of results.

****Deliverable:**** a complete Next.js (App Router) + TypeScript codebase, statically generated, deployable to Vercel, with one serverless route for secure contact-form submission. Six pages at launch. Fully responsive, accessible (WCAG 2.1 AA), SEO-complete, and visually art-directed — editorial, calm, warm, human, clinically credible.

****All visible site copy is in Brazilian Portuguese. All code, comments, file names, component names, README, and commit-level documentation are in English.****

2. BUSINESS OBJECTIVE

****Primary objective:**** present Dra. Cecília and her professional + personal story, explain the smoking-cessation program with clarity, build trust, generate qualified leads, and drive visitors to schedule a 30-minute introductory conversation.

****Primary conversion action (approved CTA label, use verbatim):****

> Agende um bate-papo comigo de 30 minutos, para tirar suas dúvidas.

This CTA must point to a ****configurable destination****: a WhatsApp deep link or an approved booking URL, read from an environment variable. ****Do not invent a phone number, WhatsApp number, or booking URL.**** If the variable is unset, the CTA must gracefully fall back to `/contato`` (the contact page) rather than rendering a dead or fake link.

****Secondary objective:**** present the book "Memórias de uma ex-futura fumante" and send interested readers to its external sales page (also environment-variable driven; falls back to hiding the purchase button if unset, while the book narrative still renders).

****Secondary conversion actions to support in the IA:****

- Learn about Dra. Cecília's professional and personal story.
- Understand how the initial assessment and the three-month journey work.
- Compare individual vs. small-group follow-up.
- Read about the book.
- Open the external book purchase link.
- Submit the contact form (fields: Nome, Email, Mensagem).
- Access professional credentials and registration numbers.

****Success is measured by:**** clarity of understanding before contact, and volume of qualified 30-minute-conversation requests. Not by session length, not by aggressive funnel pressure.

3. AUDIENCE AND CONVERSION LOGIC

Primary audience

People who smoke and want to stop, in three states of readiness:

1. Already ready to begin.
2. Unsure, needing help to find a possible path.
3. Have tried before and failed, now dealing with triggers, cravings, habits, emotions, routine, and situations tied to smoking.

Secondary audience

Physicians and other health professionals who may learn about the work and refer patients. Serve them with visible, factual credentials (titles, CRM/RQE/CREFITO, FIOCRUZ master's, UFRJ/ENSP preceptorship, ten-plus years in the Manguinhos territory) rather than a separate "Referrals" page.

Arrival contexts

While considering quitting; after a failed attempt; after realizing smoking is about more than nicotine; after a referral from a health professional; after encountering Dra. Cecília's content or book.

Emotional state on arrival

Ambivalent, often ashamed, frequently defensive, tired of being lectured. **The site must never moralize, shame, dramatize, or pressure.** Calm, clear, nonjudgmental, and concrete.

Conversion logic — the narrative order every page must respect

1. **Recognition** — "Parar de fumar não depende apenas de força de vontade." The visitor feels understood before being sold anything.
2. **Reframe** — smoking involves nicotine *and* emotions, habits, routine, daily situations; therefore treatment must consider the whole person.
3. **Credibility** — who she is: two professions, a decade in primary care, FIOCRUZ master's, teaching, evidence-based practice, and her own history as an ex-smoker.
4. **Mechanism** — how care actually starts (50-minute assessment), what the three months contain, individual vs. group, WhatsApp support.
5. **Objection handling through clarity** — FAQ answers the real doubts with facts, never with guarantees.
6. **Low-commitment invitation** — a 30-minute conversation to ask questions. The step is explicitly *not* "start treatment."

Objection map (answer through clarity, never through guarantees)

| Objection | Answered by |

|---|---|

| "It's just willpower." | Problem-identification section + FAQ 1 |

| "I should do this alone." | Closing statement: "não precisa ser uma caminhada solitária" |

| "I'm not fully ready." | FAQ 7 + assessment framing |

| "I failed before." | Assessment explicitly examines previous attempts and triggers |

| "It'll be generic / just medication." | Individualized plan; medication is *evaluated*, not the centerpiece |

| "Individual or group — which?" | Dedicated comparison section on the program page |

| "Will my history be respected?" | Person-centered positioning + tone of voice throughout |

| "Can I handle cravings without smoking?" | Three-month journey: preparation → beginning → consolidation |

| "I don't want to expose personal data." | Form asks only Nome/Email/Mensagem + explicit privacy notice |

****Never**** answer an objection with a success rate, a guarantee, a testimonial, or a "método garantido" claim.

CTA placement rule

Repeated but restrained. Primary CTA appears after meaningful explanation — hero, end of the care-journey explanation, end of program page, contact page, and footer. ****Never**** a sticky pop-up, exit-intent modal, countdown, or scarcity banner. On mobile only, a single unobtrusive bottom-anchored CTA bar may appear after the visitor scrolls past the hero; it must be dismissible and must not overlap the footer.

4. BRAND IDENTITY

Logo

Three approved identity assets are supplied by the client and must be placed in `/public/brand/`:

- `logo.jpeg` — simplified mark: hand-drawn fine-line illustration of ****two hands crocheting a heart****, above the name "Dra. Cecília Portugal."
- `logo-crm.jpeg` — logo with professional titles and registrations.
- `logo-crm-tagline.jpeg` — logo with titles, registrations, and the tagline "Ajudo pessoas a se libertarem do cigarro."

Olive/moss-green, fine-line, editorial. The crocheted heart symbolizes care built gradually — by hand, with time, connection, and continuity.

****Logo rules:**** preserve proportions; never redraw, distort, animate, arbitrarily recolor, or recreate with AI. Treat it as a signature asset used sparingly (header, footer, one or two meaningful brand moments) — ****not**** as a repeating pattern or decorative motif.

> ****If the asset files are not present in the repository at build time****, render a text-only fallback lockup — "Dra. Cecília Portugal" in the display serif, with the titles line beneath in the sans — and leave a clearly commented `TODO: replace with approved logo asset`. Do not generate a substitute logo illustration.

Color palette

****Primary****

| Token | Hex | Role |

| ---|---|---|

| `--color-cream` | `#EEE8DA` | Dominant warm background |

| `--color-olive` | `#8A936F` | Primary brand green, accents, rules |
| `--color-moss` | `#6F7758` | Deep green, contrast sections, headings |

****Secondary / neutral****

Token	Hex	Role
`--color-sage`	`#C7D0C4`	Soft blocks, dividers, subtle fills
`--color-mist-rose`	`#E8C1B8`	Restrained warm accent
`--color-burnt-rose`	`#D9A29A`	Restrained accent, hover states
`--color-sand`	`#DDD5C6`	Alternate background band
`--color-graphite`	`#5C5853`	Body text
`--color-white`	`#FFFFFF`	Background

****Distribution rule:**** roughly 70% cream/white backgrounds, 20% sage/sand secondary bands, 8% moss/olive (type, rules, one or two deep contrast sections), 2% rose (accent only). Rose and sage are ****accents, never large competing color fields****. Body text is graphite on cream/white or white on moss. ****Never**** sage text on cream, olive text on sand, or any pairing below 4.5:1.

Typography

Exact brand fonts are not formally defined. Use:

- ****Display / headings:**** Cormorant Garamond (400, 500, 600) — editorial, high-contrast serif. Used at generous sizes only. ****Never**** for long paragraphs, never below 20px.
- ****Body / UI / navigation / labels / forms / buttons:**** Source Sans 3 (400, 600) — humanist, highly legible.

Load via `next/font/google` with `display: 'swap'`, subset `latin-ext` (required for Portuguese diacritics), preloaded, and `adjustFontFallback` enabled to minimize CLS. Do not identify or imitate any proprietary font from the reference site or the logo.

Brand personality

Editorial, intimate, organic, serene, human, thoughtful, evidence-based, authorial, clinically credible without rigidity. Structured without being rigid. Intimate without being informal. Authorial without becoming decorative. Hopeful without promising easy or immediate transformation.

Never: luxurious for its own sake, childish, sentimental, overly feminine, corporate, or sterile-clinical.

Graphic language

- Fine botanical line drawings and delicate flowers as **poetic secondary elements** (inspired by the book's visual universe), used at low opacity, cropped by section edges, never centered as focal decoration.
- The crochet-heart illustration is the **signature** — logo, one or two key dividers, one restrained brand moment. Nothing more.
- Subtle paper texture (a very low-opacity noise/grain overlay, ≤3% opacity) on cream backgrounds.
- Hairline rules (1px, olive at 30% opacity) as section transitions instead of boxed cards everywhere.
- Calm asymmetrical compositions; whitespace and rules carry the rhythm.
- Small heart details only where structurally meaningful — never repeated confetti.
- Thin line icons with organic geometry, only where an icon genuinely aids comprehension. Stroke 1.25px, olive.
- Rectangular editorial image crops; occasional soft organic mask on **one** image maximum per page; corner radius 2px on images, 2px on inputs, 999px never.
- An **original** three-step visual representation of the care journey (preparation → beginning life without cigarettes → consolidation). Must not copy diagrams or badges from the reference site.

Image direction

Approved asset: `foto-cecilia-1.jpeg` (professional portrait) → place in `/public/images/`.

Direction: warm, natural, close, editorial. Real environments, soft daylight, wood, plants, books, paper, textiles, quiet daily-life details. Dra. Cecilia portrayed without excessive medical staging or constant white coat. Future photos may show her reading, writing, holding the book, listening, or inhabiting a calm professional space.

Book: use approved cover/product photography when supplied; pair with a clear external purchase CTA.

Forbidden imagery: 3D as a core visual language; AI-generated patients or fake consultation scenes; stock photos of smoke, ashtrays, diseased lungs, distressed smokers; dramatic before/after; fear-based medical imagery; cigarettes as glamorous props.

> Where a photograph has not been supplied, render a **neutral editorial placeholder**: a flat sand or sage block at the correct aspect ratio with a commented `TODO: approved photography required`. Never generate or source a substitute photo.

Tone of voice

Brazilian Portuguese. Clear, warm, respectful, professionally responsible. First person when Dra. Cecília speaks; direct second person when guiding the visitor. Explain dependence in accessible terms. Balance lived experience with evidence-based care. Calm, concrete

sentences over slogans, urgency, or generic motivational language. Never moralize smoking, shame the visitor, infantilize the audience, or imply relapse is a character failure.

Core brand phrases (verbatim, do not rewrite)

- Signature: **"Uma escolha diária pela vida."**
- Supporting: **"Entre a vontade e a mudança, existe acompanhamento."**
- Supporting: **"Parar de fumar é uma decisão pessoal, mas não precisa ser uma caminhada solitária."**
- Personal quote: **"Vencer o cigarro me deu a certeza de que também sou capaz de atravessar outros momentos difíceis da vida."**
- Logo tagline asset: **"Ajudo pessoas a se libertarem do cigarro."**
- Titles: **"Médica de Família e Comunidade | Terapeuta Ocupacional"**
- Registrations: **"CRM 5299913-0/RJ | RQE 26980 | CREFITO-2 nº 8154-TO"**

5. REFERENCE ANALYSIS

Primary external reference: <https://www.angelabainpsychology.com/> — a Squarespace site for a Perth-based clinical psychologist. It is a source of **structural and atmospheric principles only**.

5.1 Overall visual concept and emotional tone

A calm, sophisticated therapeutic editorial atmosphere. Warm neutral palette (driftwood, sand, muted gold), soft natural light photography, generous silence between elements. The emotional promise is safety and unhurried competence. It reads as a considered magazine feature rather than a service landing page — that is the quality to inherit.

5.2 Layout, grid, container width, alignment

Wide desktop canvas with generous outer margins and a restrained inner content column (roughly 1200px max, with text blocks narrower still, ~640–720px). Alternates centered single-column statements with asymmetric two-column text+image blocks. Full-bleed image bands break the rhythm at intervals.

5.3 Visual hierarchy and reading order

Consistent three-tier hierarchy: small uppercase sans-serif eyebrow → large serif headline → sans-serif body paragraph → text link CTA. The eyebrow does the categorizing work so the headline can stay purely emotional. Reading order is strictly vertical and narrative; nothing competes for attention within a section.

5.4 Section proportions and page rhythm

Long vertical rhythm with large section padding (approx. 120–160px desktop). Alternation: statement → image → explanation → services triad → image → resources → final CTA. Sections vary in height and density deliberately; there is no uniform block repetition.

5.5 Typography style, scale, weight, contrast, line length

High-contrast serif display at large sizes with tight-ish leading; light-weight sans body at comfortable size with generous leading (~1.7); short measure (65–75 characters). Small caps/uppercase micro-labels with wide letter-spacing. Weight contrast, not color contrast, creates hierarchy.

5.6 Color distribution and contrast strategy

Overwhelmingly warm neutral, with one or two darker/earthier contrast sections used as punctuation. Accent color appears only in the mark, small labels, and link states. Contrast is achieved with value (light vs. dark bands), not with saturated hues.

5.7 Spacing and negative space

Negative space is the primary design device. Text blocks float in large fields of background. Nothing is boxed unless it must be. Vertical spacing is more generous than most templates would allow — this is what makes it feel art-directed.

5.8 Image positioning, cropping, masking, layering, treatment

Large rectangular crops, some full-bleed, some inset with wide margins. Warm, low-contrast, natural-light color grading — consistent across every photo, which is what makes the set feel like one brand. Occasional overlap of an image edge with a text column. No heavy filters, no drop shadows, no floating cards.

5.9 Navigation structure and behavior

Simple horizontal top nav, centered logo, six-to-seven text links, no dropdowns, no mega-menu. Social icons in a top utility strip. Mobile collapses to a hamburger with a full-screen overlay menu. Navigation is quiet and stays out of the content's way.

5.10 CTA placement and emphasis

CTAs are text links or minimal outline buttons, placed ****after**** an explanation rather than shouted in isolation. Repeated four to six times down the page, never aggressive, never sticky, never modal.

5.11 Card, button, input, form, component styles

Minimal: nearly borderless service blocks (image + heading + paragraph + link), simple underline-style inputs or lightly bordered fields, and low-key buttons. No shadows, no glassmorphism, no gradients.

5.12 Background treatments and section transitions

Transitions come from background value shifts (white → warm neutral → dark band) and from full-bleed imagery, not from dividers, waves, or shape overlays.

5.13 Motion and interaction possibilities

Restrained: gentle fade/rise on scroll entry, soft hover on links and images. Nothing competes with reading. No parallax spectacle, no cursor effects.

5.14 Desktop, tablet, mobile adaptation

Two-column blocks become stacked image-above-text; full-bleed imagery is preserved rather than shrunk into thumbnails; type scale steps down but the serif remains large enough to keep its editorial character; section padding compresses but stays generous.

5.15 Distinctive, intentionally art-directed elements worth learning from

- The eyebrow/headline/body triad used with total consistency.
- Photography treated as content, not decoration.
- Whitespace budgeted as generously as content.
- CTAs earned by explanation.
- One consistent photographic grade across the entire site.

5.16 Generic or decorative elements NOT to carry over

- The circular "healing / self growth / wellness" word-badge submark.
- The three-column service triad rendered as near-identical cards with stock photos.
- Repetition of the word "Welcome" as a decorative typographic block.
- Duplicated navigation markup (the reference renders its nav three times in DOM).
- Generic stock photography that does not depict the actual practitioner or practice.

5.17 Accessibility and usability problems present in the reference

- Low-contrast light-neutral text on light-neutral backgrounds in several places.
- Very small, wide-letter-spaced uppercase micro-labels that are hard to read.
- Decorative headings marked up as `

`/`<h2>` out of logical order.
- Image-based logo and image-based text graphics without adequate alternative text.

- Text links styled identically to body copy with weak affordance.
- Duplicated nav and repeated link text harm screen-reader and keyboard navigation.

****All of these must be corrected, not inherited.****

5.18 Elements that depend on the original brand and cannot transfer

The AB monogram and double-oval mark; the gold/driftwood color system; the practitioner's own photography and interiors; the child/adolescent/adult service taxonomy; the Australian regulatory badges (APS, AHPRA); the crisis/emergency resources block; the Perth clinic addresses; every line of written copy.

6. REFERENCE ADAPTATION RULES

Borrow conceptually

| Aspect | What to take |

|---|---|

| Hero composition | Full-width warm image band + eyebrow/headline/CTA stack, generous height |

| Editorial rhythm | Alternating centered statements and asymmetric two-column blocks |

| Grid structure | Wide canvas, restrained content column, narrow measure for prose |

| Image prominence | Photography as content; at least one full-bleed band per long page |

| Typography scale | Large serif display, small spaced sans eyebrow, comfortable sans body |

| Whitespace | Generous vertical section padding; nothing crowded |

| Section sequencing | Recognition → reframe → practitioner → mechanism → resource → final invitation |

| Product presentation | The book gets an editorial spread (image + narrative + one external CTA), not a shop card |

| Navigation logic | Simple flat top nav, no dropdowns, full-screen mobile overlay |

| Conversion structure | Repeated restrained CTAs placed after explanation |

| Component behavior | Minimal borders, no shadows, quiet hover/focus |

| Mobile behavior | Preserve narrative order and image impact; never degrade to a card stack |

| Interaction style | Subtle fade-and-rise entrances, respect `prefers-reduced-motion` |

Never transfer

- The AB monogram or oval logo.
- Circular healing/self-growth/wellness badge compositions.
- Any original photograph, family imagery, illustration, proprietary icon, or graphic asset.
- Any written copy, service name, CTA label, or hero wording.
- The exact menu, page count, or section-by-section composition.

- The emergency/crisis services block.
- Any low-contrast text, tiny decorative label, or accessibility weakness.

Substitution map

- Reference's driftwood/gold/terracotta system → Cecília's cream, sage, olive, moss, rose, sand, graphite.
- Reference's psychology language → the approved smoking-cessation copy below, unchanged.
- Reference's AB submark and badges → Cecilia's crochet-heart signature, used sparingly, plus a factual credentials strip (titles + CRM/RQE/CREFITO, as text).
- Reference's three service cards → **two** care formats (individual / small group) presented as a comparison, plus the **original** three-step care-journey graphic.
- Reference's Resources page → the book, presented as the bridge between lived experience and professional work.
- Reference's seven-page architecture → **six** pages at launch. Do not add pages to imitate the reference.

The final result must feel inspired by the reference's editorial confidence and whitespace, but unmistakably belong to Dra. Cecília Portugal.

7. TECHNICAL ARCHITECTURE

Architecture decision

This is a **static marketing website with one server-side endpoint**.

- No authentication.
- No database.
- No payments (the book sells on an external site).
- No CMS at launch (content lives in typed TypeScript content modules).
- No protected APIs.
- **One server-side requirement:** contact-form submission. It cannot be done safely in the browser, because delivering an email requires a provider API key that must never be exposed to the client, and because spam/rate-limit protection must happen server-side. Implement it as a Next.js Route Handler (`app/api/contact/route.ts`) running on the server, reading credentials from server-only environment variables.

Everything else — all six pages — is statically generated at build time.

Stack

- **Next.js (App Router)**, latest stable, **TypeScript**, strict mode.

- **Node.js** runtime, **npm** as package manager. **Do not use pnpm or Yarn.** Commit `package-lock.json`.
- Styling: **CSS Modules** + a global CSS custom-property design-token layer. **No Tailwind**, no heavy UI component library, no CSS-in-JS runtime.
- `next/image` for all photography.
- `next/font/google` for Cormorant Garamond and Source Sans 3.
- Form validation: **Zod** (shared schema, client and server).
- Email delivery: **Resend** (or Nodemailer with SMTP) behind a thin adapter in `lib/mailer.ts` so the provider can be swapped without touching the route handler.
- No animation library required. Use CSS transitions plus a small `IntersectionObserver` hook (~30 lines) for entrance reveals.

Total production dependencies should be roughly: `next`, `react`, `react-dom`, `zod`, and one mail SDK. Do not add anything else without a clear, stated reason.

Folder structure

...

```

.
├── app/
│   ├── layout.tsx          # html lang="pt-BR", fonts, Header, Footer, skip link
│   ├── page.tsx           # Home
│   ├── sobre/page.tsx
│   ├── acompanhamento/page.tsx
│   ├── livro/page.tsx
│   ├── contato/page.tsx
│   ├── politica-de-privacidade/page.tsx
│   ├── api/contact/route.ts # server-only form handler
│   ├── sitemap.ts
│   ├── robots.ts
│   ├── not-found.tsx
│   ├── error.tsx
│   └── globals.css         # tokens, reset, base type, utilities
├── components/
│   ├── layout/ Header.tsx Nav.tsx MobileMenu.tsx Footer.tsx SkipLink.tsx
│   ├── sections/ Hero.tsx SectionHeading.tsx StatementSection.tsx
│   │           TextImageSection.tsx CareJourney.tsx FormatComparison.tsx
│   │           CredentialsStrip.tsx BookSpread.tsx Faq.tsx FinalCta.tsx
│   ├── ui/    Button.tsx TextLink.tsx Eyebrow.tsx Rule.tsx
│   │         BotanicalMark.tsx PaperTexture.tsx Field.tsx FormStatus.tsx
│   └── forms/ ContactForm.tsx
├── content/
│   ├── site.ts             # brand constants, nav, titles, registrations
│   └── home.ts about.ts program.ts book.ts contact.ts privacy.ts

```

```

|   └─ faq.ts
|   └─ lib/
|       └─ schema.ts    # Zod contact schema (shared)
|       └─ mailer.ts    # provider adapter
|       └─ rateLimit.ts # in-memory/IP throttle for the route handler
|       └─ links.ts     # env-driven CTA destinations + safe fallbacks
|       └─ seo.ts       # metadata + JSON-LD builders
|       └─ useReveal.ts # IntersectionObserver hook
|   └─ public/
|       └─ brand/ logo.jpeg logo-crm.jpeg logo-crm-tagline.jpeg
|       └─ images/ foto-cecilia-1.jpeg (book photography when supplied)
|       └─ og/    og-default.jpg
|       └─ favicon.ico icon.svg apple-touch-icon.png
|   └─ .env.example
|   └─ .gitignore
|   └─ next.config.mjs
|   └─ tsconfig.json
|   └─ package.json
|   └─ README.md
|   ...

```

Content layer

****All Portuguese copy lives in `/content/\*.ts` as typed, exported constants.**** No hard-coded strings inside components. This lets the client edit text without touching layout, and makes a future CMS migration trivial. Type every content module with an explicit interface.

Link resolution (`lib/links.ts`)

...

getPrimaryCtaHref():

```

  if NEXT_PUBLIC_WHATSAPP_URL is set → return it
  else if NEXT_PUBLIC_BOOKING_URL set → return it
  else                               → return "/contato"

```

getBookPurchaseHref():

```

  if NEXT_PUBLIC_BOOK_PURCHASE_URL set → return it
  else                               → return null (hide the purchase button; keep the narrative)

```

getInstagramHref():

```

  if NEXT_PUBLIC_INSTAGRAM_URL set → return it
  else                             → return null (omit the icon entirely)

```

...

****Never render a fake, placeholder, or `#` link. Never print an invented phone number, email address, or URL anywhere in the UI, metadata, or structured data.****

8. COMPLETE PAGE AND SECTION STRUCTURE

****Launch architecture — six pages, exactly these routes:****

Route	Page	Nav label
---	---	---
`/`	Home	Início
`/sobre`	Sobre a Dra. Cecília	Sobre
`/acompanhamento`	Acompanhamento para parar de fumar	Acompanhamento
`/livro`	Memórias de uma ex-futura fumante	Livro
`/contato`	Vamos conversar?	Contato
`/politica-de-privacidade`	Política de Privacidade	(footer only)

Optional phase two, ****build only when approved content exists**** — do not scaffold it now: ``/conteudos`` (Conteúdos / Recursos).

Individual and group modalities live ****inside**** ``/acompanhamento``. Do not split them into separate pages.

****Every section below specifies: purpose, layout, copy, CTA, visuals, background, spacing, alignment, behavior, responsive adaptation, animation, states, accessibility. Implement all of it.****

GLOBAL — Header

- ****Purpose:**** quiet wayfinding + persistent access to the primary action.
- ****Layout:**** full-width, inner container 1200px. Desktop: logo left, nav links right, primary CTA as the last item styled as a subtle outline button. Height 88px, transparent over the hero on Home, cream elsewhere; becomes cream with a 1px olive-30% bottom rule after 24px of scroll.
- ****Nav:**** Início · Sobre · Acompanhamento · Livro · Contato. Flat, no dropdowns.
- ****Visuals:**** ``logo.jpeg`` at 40px height (text fallback if absent), ``alt="Dra. Cecília Portugal"``.
- ****Behavior:**** current route link marked with ``aria-current="page"`` and a 1px olive underline. Hover: color shifts graphite → moss plus underline grow from left, 180ms.
- ****Mobile (<900px):**** hamburger button (44×44px min) opening a ****full-screen cream overlay**** — links stacked, 28px serif, generous 32px gaps, CTA button at the bottom, close button top-right. Trap focus inside the overlay, close on ``Escape``, restore focus to the trigger, set ``aria-expanded``, and lock body scroll while open.

- **Accessibility:** `<header>` + `<nav aria-label="Principal">`; skip-link (`Pular para o conteúdo`) as first focusable element, visually hidden until focused.
- **Animation:** header background/border cross-fade only. No hide-on-scroll.

GLOBAL — Footer

- **Purpose:** credibility, secondary navigation, legal, last conversion opportunity.
- **Layout:** moss background, cream text. Three columns desktop (logo + tagline / nav links / contact & legal), stacked mobile. Padding 80px top, 48px bottom.
- **Content:** `logo-crm.jpeg` (or text fallback), the titles line "Médica de Família e Comunidade | Terapeuta Ocupacional", the registrations line "CRM 5299913-0/RJ | RQE 26980 | CREFITO-2 nº 8154-TO", nav links, link to Política de Privacidade, primary CTA as a text link, Instagram icon **only if** `NEXT_PUBLIC_INSTAGRAM_URL` is set, and a copyright line "© {ano} Dra. Cecília Portugal".
- **Do not** print a phone number, email, or address. None have been approved.
- **Accessibility:** `<footer>` + `<nav aria-label="Rodapé">`; cream on moss must clear 4.5:1 (verify and darken moss if needed).

PAGE 1 — HOME ('/')

Purpose: in one scroll, make the visitor feel understood, understand what is offered, trust who offers it, and take a low-commitment step.

H1 appears exactly once: the hero headline. Every other section heading is `<h2>`; sub-items `<h3>`.

1.1 Hero

- **Purpose:** immediate value proposition + primary action.
- **Layout:** full-bleed warm image band, min-height 78vh (desktop) / 72svh (mobile), content in a left-aligned column occupying the left 52% on desktop, centered on mobile. Not vertically centered — set the text block at ~58% of the height for editorial asymmetry.
- **Eyebrow:** `ACOMPANHAMENTO PARA PARAR DE FUMAR` — Source Sans 3, 12px, letter-spacing 0.14em, uppercase, olive.
- **H1:** `Uma escolha diária pela vida.` — Cormorant Garamond, clamp(2.75rem, 6vw, 4.75rem), line-height 1.05, moss.
- **Support:** `Atendimentos online, individual ou em grupo, com acompanhamento semanal durante 3 meses.` — 18px, graphite, max-width 34em.
- **Primary CTA** (button, solid moss): `Agende um bate-papo comigo de 30 minutos, para tirar suas dúvidas.`
- **Secondary CTA** (text link with arrow): `Saiba mais sobre o acompanhamento → /acompanhamento`.

- **Visual:** `foto-cecilia-1.jpeg`, warm natural crop, positioned right; on desktop a cream-to-transparent horizontal scrim (left 45%) guarantees text contrast — verify the computed contrast, do not assume it.
- **Background:** cream base with $\leq 3\%$ paper-grain overlay.
- **Spacing:** 0 top (sits under transparent header, add 88px internal offset), 0 bottom — the next section provides its own padding.
- **Animation:** eyebrow $\rightarrow$ headline $\rightarrow$ support $\rightarrow$ CTA fade-and-rise, 500ms, 80ms stagger, on mount only. Image: 1.02 $\rightarrow$ 1 scale over 900ms, ease-out. All suppressed under `prefers-reduced-motion`.
- **Priority:** hero image `priority`, everything else lazy. This image is the LCP element — serve responsive sizes and AVIF/WebP.
- **Mobile:** image becomes a 4:5 block above the text; text on solid cream below it. Do not overlay text on the photo at small sizes.

1.2 Positioning statement

- **Purpose:** state her purpose in her own voice, immediately after the hero.
- **Layout:** centered single column, max-width 720px, cream background.
- **Copy** (no heading, rendered as a lead paragraph at 21px, moss): `Meu propósito é ajudar pessoas a se libertarem do vício do cigarro, com uma abordagem voltada para a dependência física, emocional e comportamental.`
- **Spacing:** 120px vertical desktop / 72px mobile.
- **Visual:** one hairline rule, 64px wide, olive-40%, centered above the paragraph.

1.3 Problem identification

- **Purpose:** recognition — the visitor sees their own experience described without judgment.
- **Layout:** two columns, 5/7 split, sand background band, full-bleed.
- **H2 (left):** `Parar de fumar não depende apenas de força de vontade.`
- **Body (right):** `O cigarro pode estar ligado à dependência física da nicotina, mas também às emoções, aos hábitos, à rotina e às situações vividas no dia a dia. Por isso, o tratamento precisa considerar a pessoa por inteiro.`
- **Visual:** a single fine botanical line drawing, olive at 12% opacity, cropped by the right edge, `aria-hidden`.
- **Spacing:** 140px / 80px. **No CTA here** — recognition must not be interrupted by a sell.
- **Mobile:** stacks, heading then body, 32px gap.

1.4 Professional introduction

- **Purpose:** trust — who is speaking.
- **Layout:** asymmetric two-column, image left (5 cols, 4:5 crop, 2px radius), text right (6 cols, offset 1). Cream background.
- **Eyebrow:** `SOBRE A DRA. CECÍLIA`

- **H2:** `Eu sou Cecília Portugal` *(heading derived from the approved sentence; the full approved sentence follows verbatim as body copy)*
- **Body paragraph 1:** `Eu sou Cecília Portugal, médica de família e comunidade e terapeuta ocupacional, com grande experiência no cuidado centrado na pessoa, compreendendo seus contextos de vida e valorizando seus repertórios de atividades significativas.`
- **Body paragraph 2:** `Como Médica de Família e Comunidade e Terapeuta Ocupacional, ofereço um acompanhamento clínico, emocional e comportamental, construído a partir da história, das necessidades e do momento de cada pessoa.`
- **CTA (text link):** `Conheça minha história` → `/sobre`
- **Spacing:** 140px / 80px. **Animation:** image reveal (clip-path wipe bottom→top, 700ms) + text fade-rise on scroll entry, once.

1.5 Credentials strip

- **Purpose:** factual authority for both audiences, including referring professionals.
- **Layout:** full-width sage band, single row of four to six short factual items separated by hairline vertical rules; wraps to two rows on tablet, stacks on mobile.
- **Items (facts only, no adjectives, no icons-as-decoration):** `Médica de Família e Comunidade` · `Terapeuta Ocupacional` · `Mestrado em Saúde da Família — FIOCRUZ` · `Mais de 10 anos no território de Manguinhos` · `Preceptora do programa de residência UFRJ/ENSP` · `Autora de "Memórias de uma ex-futura fumante"`. Below the row, in 13px graphite: `CRM 5299913-0/RJ | RQE 26980 | CREFITO-2 nº 8154-TO`
- **Spacing:** 56px vertical. **No animation.** This section must read as plain, verifiable fact.

1.6 Care journey summary

- **Purpose:** mechanism — what the three months actually are.
 - **Layout:** centered heading + intro paragraph (max 720px), then the **original three-step journey graphic** below, full container width.
 - **Eyebrow:** `COMO FUNCIONA`
 - **H2:** `Um percurso de três meses`
 - **Body:** `Para quem está pronto para parar de fumar, o tratamento é estruturado ao longo de três meses, com encontros semanais. Nesse percurso, trabalhamos a preparação para a mudança, o início da vida sem o cigarro e a consolidação de novas estratégias para lidar com a fissura, os hábitos, as emoções e as situações de risco. Mais do que retirar o cigarro, o objetivo é ajudar cada pessoa a construir uma nova forma de viver sem ele.`
 - **Journey graphic (original design, must not resemble the reference's badges):** a horizontal hairline olive path across three nodes. Each node is a small hand-drawn-feeling circle (2px olive stroke, cream fill) containing a numeral in the display serif. Beneath each node: the label in serif 22px, and a one-line clarifier in sans 15px graphite. The connecting line is a single continuous 1px olive-40% rule that passes *behind* the nodes; give it a very slight hand-drawn irregularity (a subtle SVG path, not a straight `

`).
1. `Preparação para a mudança`
 2. `Início da vida sem o cigarro`

3. `Consolidação de novas estratégias`

- **Mobile:** the path rotates to vertical, nodes left-aligned with labels to the right, connecting line vertical. **Do not** turn it into three stacked cards.
- **Animation:** the connecting path draws in (`stroke-dashoffset`, 900ms) then nodes fade in with 120ms stagger, on scroll entry, once. Under reduced motion the path renders fully drawn immediately.
- **Accessibility:** implement as an ordered list (`<ol>`) so the sequence is conveyed without vision; SVG decorative parts `aria-hidden`.
- **Background:** cream. **Spacing:** 140px / 80px.

1.7 Formats summary (individual vs. group)

- **Purpose:** resolve the "which one is for me?" objection.
- **Layout:** two columns of equal width separated by a single vertical hairline rule — **not cards**. No borders, no shadows, no background fills on the columns themselves. Section background: white.
- **H2:** `Atendimento individual ou em grupo`
- **Body** (full width above the columns): `O acompanhamento pode ser realizado de forma individual ou em grupos pequenos, com até cinco participantes. No atendimento individual, o processo é direcionado às necessidades particulares de cada pessoa. No grupo, os participantes encontram espaço para compartilhar experiências, dificuldades e conquistas com outras pessoas que vivem um processo semelhante, além de contar com uma modalidade de investimento mais acessível. Em ambos os formatos, o tratamento segue a mesma proposta de cuidado e acompanhamento ao longo dos três meses.`
- **Columns:** `Individual` / `Em grupo (até cinco participantes)` as `

` , each followed by the corresponding sentence extracted from the approved paragraph above — **do not write new descriptive copy**; use only the approved sentences, split, without rewording.
- **Do not** state or imply prices. The approved phrase "modalidade de investimento mais acessível" is the only permitted reference to cost.
- **Mobile:** stacks; the vertical rule becomes a horizontal one between the two blocks.

1.8 Support during treatment

- **Purpose:** answer "what happens between sessions?"
- **Layout:** narrow centered column (max 640px) on a sand band.
- **H2:** `Suporte durante o tratamento`
- **Body:** `Durante o acompanhamento, os pacientes também contam com suporte pelo WhatsApp, em horário comercial, para orientações relacionadas ao processo e aos momentos de maior dificuldade.`
- **Spacing:** 110px / 72px. One thin line icon (organic geometry, olive, 24px) may appear above the heading — this is one of the few places an icon is justified.

1.9 Closing statement (brand moment)

- **Purpose:** emotional consolidation before the invitation.
- **Layout:** full-bleed **moss** contrast band — the page's single dark punctuation. Centered, max-width 780px, cream text.
- **Copy, set in the display serif at clamp(1.75rem, 3.4vw, 2.5rem), line-height 1.25:** `Parar de fumar é uma decisão pessoal, mas não precisa ser uma caminhada solitária. Entre a vontade e a mudança, existe acompanhamento.`
- **Visual:** the crochet-heart signature illustration, small (48px), centered above the text, at reduced opacity — **this is one of the two permitted uses of the signature illustration on the site.**
- **CTA below (button, cream background / moss text):** `Agende um bate-papo comigo de 30 minutos, para tirar suas dúvidas.`
- **Spacing:** 150px / 88px. **Animation:** fade only, no movement — this section should feel still.

1.10 Book teaser

- **Purpose:** open the second narrative track.
- **Layout:** asymmetric, book image right (or sand placeholder block at 3:4), text left, cream background.
- **Eyebrow:** `O LIVRO`
- **H2:** `Parar de fumar me fez reaprender uma nova vida.`
- **Body:** `"Memórias de uma ex-futura fumante" é um livro sobre minha relação com o cigarro, a luta contra ele e tudo que eu tive que ressignificar sem sua presença.`
- **CTA (text link):** `Conheça o livro` → `/livro` *(internal — the external purchase link lives on the book page)*
- **Spacing:** 140px / 80px.

1.11 FAQ (condensed)

- **Purpose:** remove doubt immediately before the final CTA.
- **Layout:** centered, max-width 780px, white background. Accordion. On Home render **questions 1, 2, 3, 4** only, followed by a text link `Ver todas as perguntas` → `/acompanhamento#perguntas`. The program page renders all seven.
- **Component:** native `/` styled, or a button-based accordion with `aria-expanded` + `aria-controls`. Hairline olive-30% rule between items, no boxes. Chevron: 1.25px stroke, rotates 180° in 200ms. First item **closed** by default.
- **Accessibility:** keyboard operable, visible focus ring, question text is the accessible name, heading level `

` inside each summary.

1.12 Final CTA

- **Purpose:** the page's last, calm invitation.
- **Layout:** centered, cream, max-width 680px.
- **H2:** `Vamos conversar?`

- **Body:** `Agende um bate-papo comigo de 30 minutos, para tirar suas dúvidas.`
- **Primary CTA button** → configured destination. **Secondary text link:** `Prefere escrever? Envie uma mensagem` → `/contato`.
- **Spacing:** 130px / 80px.

PAGE 2 — SOBRE A DRA. CECÍLIA (`/sobre`)

- Page header** — cream, centered. Eyebrow `SOBRE`. **H1:** `Sobre a Dra. Cecília`. Below: the titles line. Spacing 120px top / 64px bottom. No image band above it; let the portrait arrive in the next section for a quieter entry.
- Portrait + opening** — two-column, portrait left (`foto-cecilia-1.jpeg`, 4:5), right column carries the first approved biography paragraph:
`Tenho a Terapia Ocupacional como minha primeira graduação e minha primeira experiência de cuidado com o outro. Trabalhei em Juiz de Fora, no atendimento de crianças e adultos com problemas neurológicos.`
- Biography continued** — single narrow column (max 680px), sand background, paragraphs two and three verbatim:
`Posteriormente, fiz minha graduação em medicina, finalizando em 2013. Me mudei para o Rio de Janeiro para fazer residência em medicina de família e comunidade, área em que encontrei muito sentido no meu dia a dia. Atuando por mais de dez anos no território de Manguinhos, pude cuidar das pessoas e famílias ao longo do tempo. Neste período fiz o mestrado em Saúde da Família, pela FIOCRUZ, e também exerci a função de preceptora do programa de residência da UFRJ/ENSP, participando do processo de ensino e aprendizagem de médicos que também tinham o propósito de acolher e serem comprometidos com os usuários.`
`Mas sempre senti falta da Terapia Ocupacional. E agora, depois de anos dedicada à medicina de família, consegui conciliar a medicina e a terapia ocupacional com este novo projeto para o cuidado das pessoas que desejam parar de fumar. É uma grande realização pessoal poder unir essas duas paixões, que se relacionam também com minha própria experiência de parar de fumar e lutar há tantos anos contra esse vício.`
- Pull quote** — full-bleed moss band, display serif, cream, centered, max 760px: `Vencer o cigarro me deu a certeza de que também sou capaz de atravessar outros momentos difíceis da vida.` Attribution beneath in 13px sans: `Dra. Cecília Portugal`. Fade-in only.
- Identity and differentiation** — cream. **H2:** `O que orienta o meu cuidado`. A two-column list of the nine approved points, presented as an unordered list with hairline separators and **no icons, no cards, no numbers**, in a plain factual register:
`Médica de Família e Comunidade` · `Terapeuta Ocupacional` · `Ex-fumante` · `Autora de "Memórias de uma ex-futura fumante"` · `Experiência com grupos terapêuticos` · `Conhecimento baseado em evidências científicas` · `Abordagem centrada na pessoa` · `Integração entre conhecimento técnico, experiência prática e acolhimento humano` · `Olhar para a dependência física, emocional, comportamental, cotidiana e relacional`
- Credentials strip** — reuse the Home component (registrations line included).

7. **Final CTA** — **H2:** `Vamos conversar?`; body uses the approved about-page CTA copy verbatim: `Se você se sente pronto para parar de fumar ou precisa de ajuda para encontrar esse caminho, agende uma consulta comigo.` Primary CTA button below.

PAGE 3 — ACOMPANHAMENTO (`/acompanhamento`)

The most important page for conversion. Long, calm, complete.

- Page header** — cream. Eyebrow `ACOMPANHAMENTO PARA PARAR DE FUMAR`. **H1:** `Acompanhamento para parar de fumar`. Signature line in display serif beneath: `Uma escolha diária pela vida.` Summary: `Atendimentos online, individual ou em grupo, com acompanhamento semanal durante 3 meses.`
- Core explanation** — narrow column, three approved paragraphs verbatim:
`Parar de fumar não depende apenas de força de vontade. O cigarro pode estar ligado à dependência física da nicotina, mas também às emoções, aos hábitos, à rotina e às situações vividas no dia a dia. Por isso, o tratamento precisa considerar a pessoa por inteiro.`
`Como Médica de Família e Comunidade e Terapeuta Ocupacional, ofereço um acompanhamento clínico, emocional e comportamental, construído a partir da história, das necessidades e do momento de cada pessoa.`
`A minha proposta são atendimentos online, individual ou em grupo, com acompanhamento semanal durante 3 meses.`
- How it starts** — two-column text+image, sand band. **H2:** `Como começa o acompanhamento?` Body: `O primeiro passo é uma consulta individual de avaliação, com duração aproximada de 50 minutos. Nesse encontro, busco compreender a relação da pessoa com o cigarro, seu estado de saúde, suas tentativas anteriores, seus gatilhos e sua motivação para a mudança. A partir dessa avaliação, construímos um plano de tratamento individualizado e verificamos a necessidade de recursos medicamentosos.` **Do not add clinical protocol detail beyond this.**
- Three-month journey** — **H2:** `Um percurso de três meses`, the approved paragraph, and the full three-step journey graphic (same component as Home, larger scale, with the three approved labels).
- Mid-page CTA** — a single centered primary CTA button on cream, no heading, 96px vertical padding. It appears here because the visitor has now understood the mechanism.
- Individual or group** — **H2:** `Atendimento individual ou em grupo` + the approved paragraph + the two-column comparison (same component as Home).
- Support during treatment** — **H2:** `Suporte durante o tratamento` + the approved paragraph.
- Closing** — moss band, display serif: `Parar de fumar é uma decisão pessoal, mas não precisa ser uma caminhada solitária. Entre a vontade e a mudança, existe acompanhamento.`
- FAQ** (`id="perguntas"`) — all seven approved Q&As, accordion, **H2:** `Perguntas frequentes`.

10. **Final CTA** — primary CTA button: `Agende um bate-papo comigo de 30 minutos, para tirar suas dúvidas.`

PAGE 4 — LIVRO (`/livro`)

Treat as an editorial spread, not a product page.

1. **Page header** — cream. Eyebrow `O LIVRO`. **H1**: `Memórias de uma ex-futura fumante`. Opening line in display serif: `Parar de fumar me fez reaprender uma nova vida.`

2. **Book spread** — asymmetric: book cover image left (3:4, or sand placeholder), narrative right. Approved copy verbatim, as separate paragraphs:

`"Memórias de uma ex-futura fumante" é um livro sobre minha relação com o cigarro. A luta contra ele e tudo que eu tive que ressignificar sem sua presença.`

`Foram anos de pequenos momentos de escrita, desabafos, sobre minha relação com a dependência do tabaco.`

`Este livro é sobre o início da minha dependência, lá na época da adolescência. Divido toda a dificuldade que foi parar de fumar, com ajuda profissional, em um grupo terapêutico, e todos esses anos de reafirmação sobre minha escolha pela vida, lutando contra recaídas.`

`Quem me conhece sabe o quanto o cigarro me acompanha, mesmo tendo parado há 22 anos. E eu ainda tenho que reafirmar diariamente que não posso fumar.`

`E como parar de fumar me trouxe tantas coisas boas. É muito bom poder dividir minha história com você!`

3. **Purchase CTA** — button labelled `Comprar o livro`, opening `NEXT\_PUBLIC\_BOOK\_PURCHASE\_URL` in a new tab with `rel="noopener noreferrer"` and an accessible "(abre em nova aba)" hint for screen readers. **If the variable is unset, hide the button entirely** and render a short neutral line in graphite: `Em breve, informações sobre onde adquirir o livro.` Build no checkout, no cart, no payment.

4. **Botanical moment** — a restrained full-width band of fine botanical line art on sand, 12% opacity, 120px tall, `aria-hidden`. Purely a breath between the book and the bridge back to care.

5. **Bridge to care** — cream, narrow column. **H2**: `Do livro ao acompanhamento`. Body must use only approved material — reuse: `Parar de fumar é uma decisão pessoal, mas não precisa ser uma caminhada solitária. Entre a vontade e a mudança, existe acompanhamento.` Then the primary CTA button.

> **Optional author narrative** (the 2006 first-person passage supplied as source material) — **do not publish it.** Include it in `/content/book.ts` as an exported but unused constant, clearly commented: `// APPROVAL PENDING — do not render until the client authorizes publication.`

PAGE 5 — CONTATO (`/contato`)

1. **Page header** — cream, centered. **H1:** `Vamos conversar?` Body: `Agende um bate-papo comigo de 30 minutos, para tirar suas dúvidas.` Primary CTA button (WhatsApp/booking destination) immediately below — the fastest path first.
2. **Divider** — hairline rule with the word `ou` centered in 13px uppercase graphite.
3. **Form section** — **H2:** `Alguma dúvida?` Two-column on desktop: form left (7 cols), right column (4 cols, offset 1) holding a short reassurance block built only from approved material — the titles line, the registrations line, and the sentence `Entre a vontade e a mudança, existe acompanhamento.` Full details in §15.
4. **Privacy note** — directly under the submit button, 14px graphite: a short notice that the data sent is used only to reply to the message, plus a link to `/politica-de-privacidade`, plus the explicit line: `Por favor, não envie informações de saúde detalhadas por este formulário.`
5. **No map, no address, no phone number, no email address** is displayed — none has been approved.

PAGE 6 — POLÍTICA DE PRIVACIDADE (`/politica-de-privacidade`)

Single narrow column (max 720px), cream, standard prose styling, **H1:** `Política de Privacidade`, `Última atualização: {data}`.

Sections to include, written in plain Brazilian Portuguese, LGPD-aware and **generic where facts are unknown**: which data is collected (nome, email, mensagem, and analytics data only if enabled), purpose (responder à mensagem enviada), legal basis, retention, sharing (only with the email delivery provider), data-subject rights under the LGPD, cookies/analytics (state that analytics is used only if enabled and consented), a clear statement that the form must not be used to send sensitive health data, and a contact method for privacy requests.

> **The controller's contact email, business address, and CNPJ/CPF are unknown.** Render an inline `TODO` comment in the source and a visible neutral placeholder sentence instructing the client to supply it — e.g. `Para exercer seus direitos, entre em contato pelo canal informado nesta página. [PENDENTE: e-mail de contato a ser fornecido pela cliente]`. **Do not invent one.** Add a README note that this page requires legal review before launch.

TESTIMONIALS — DO NOT BUILD

No approved testimonials exist. **Do not render** a testimonial carousel, star ratings, quote cards, avatars, or placeholder social proof anywhere. Do not scaffold an empty testimonial component. The client intends to request testimonials from Del and Vanessa; the section will be added only after written approval and final text are supplied. Note this as a phase-two item in the README.

9. APPROVED COPY (VERBATIM — DO NOT REWRITE)

All strings below are client-approved Brazilian Portuguese. Reproduce them ****exactly****, including punctuation and accents. Only obvious spelling, punctuation, capitalization, or agreement errors may be corrected — never claims, never meaning, never by adding promises. Store them in `/content/\*.ts`.

Global

...

Marca: Dra. Cecília Portugal

Títulos: Médica de Família e Comunidade | Terapeuta Ocupacional

Registros: CRM 5299913-0/RJ | RQE 26980 | CREFITO-2 nº 8154-TO

Serviço: Acompanhamento para parar de fumar

Assinatura: Uma escolha diária pela vida.

CTA principal: Agende um bate-papo comigo de 30 minutos, para tirar suas dúvidas.

Apoio: Entre a vontade e a mudança, existe acompanhamento.

Apoio: Parar de fumar é uma decisão pessoal, mas não precisa ser uma caminhada solitária.

Citação pessoal: Vencer o cigarro me deu a certeza de que também sou capaz de atravessar outros momentos difíceis da vida.

Tagline do logo: Ajudo pessoas a se libertarem do cigarro.

...

Home

...

Eyebrow do hero: ACOMPANHAMENTO PARA PARAR DE FUMAR

Título do hero: Uma escolha diária pela vida.

Apoio do hero: atendimentos online, individual ou em grupo, com acompanhamento semanal durante 3 meses.

Posicionamento: Meu propósito é ajudar pessoas a se libertarem do vício do cigarro, com uma abordagem voltada para a dependência física, emocional e comportamental.

CTA principal: Agende um bate-papo comigo de 30 minutos, para tirar suas dúvidas.

CTA secundário: Saiba mais sobre o acompanhamento

Título do problema: Parar de fumar não depende apenas de força de vontade.

Texto do problema: O cigarro pode estar ligado à dependência física da nicotina, mas também às emoções, aos hábitos, à rotina e às situações vividas no dia a dia. Por isso, o tratamento precisa considerar a pessoa por inteiro.

Apresentação: Eu sou Cecília Portugal, médica de família e comunidade e terapeuta ocupacional, com grande experiência no cuidado centrado na pessoa, compreendendo seus contextos de vida e valorizando seus repertórios de atividades significativas.

Abordagem: Como Médica de Família e Comunidade e Terapeuta Ocupacional, ofereço um acompanhamento clínico, emocional e comportamental, construído a partir da história, das necessidades e do momento de cada pessoa.

Título do percurso: Um percurso de três meses

Texto do percurso: Para quem está pronto para parar de fumar, o tratamento é estruturado ao longo de três meses, com encontros semanais. Nesse percurso, trabalhamos a preparação para a mudança, o início da vida sem o cigarro e a consolidação de novas estratégias para lidar com a fissura, os hábitos, as emoções e as situações de risco. Mais do que retirar o cigarro, o objetivo é ajudar cada pessoa a construir uma nova forma de viver sem ele.

Título dos formatos: Atendimento individual ou em grupo

Texto dos formatos: O acompanhamento pode ser realizado de forma individual ou em grupos pequenos, com até cinco participantes. No atendimento individual, o processo é direcionado às necessidades particulares de cada pessoa. No grupo, os participantes encontram espaço para compartilhar experiências, dificuldades e conquistas com outras pessoas que vivem um processo semelhante, além de contar com uma modalidade de investimento mais acessível. Em ambos os formatos, o tratamento segue a mesma proposta de cuidado e acompanhamento ao longo dos três meses.

Título do suporte: Suporte durante o tratamento

Texto do suporte: Durante o acompanhamento, os pacientes também contam com suporte pelo WhatsApp, em horário comercial, para orientações relacionadas ao processo e aos momentos de maior dificuldade.

Fechamento: Parar de fumar é uma decisão pessoal, mas não precisa ser uma caminhada solitária. Entre a vontade e a mudança, existe acompanhamento.

Título do livro: Parar de fumar me fez reaprender uma nova vida.

Texto do livro: "Memórias de uma ex-futura fumante" é um livro sobre minha relação com o cigarro, a luta contra ele e tudo que eu tive que ressignificar sem sua presença.

CTA do livro: Conheça o livro

...

Sobre

...

Título: Sobre a Dra. Cecília

Parágrafo 1: Tenho a Terapia Ocupacional como minha primeira graduação e minha primeira experiência de cuidado com o outro. Trabalhei em Juiz de Fora, no atendimento de crianças e adultos com problemas neurológicos.

Parágrafo 2: Posteriormente, fiz minha graduação em medicina, finalizando em 2013. Me mudei para o Rio de Janeiro para fazer residência em medicina de família e comunidade, área em que encontrei muito sentido no meu dia a dia. Atuando por mais de dez anos no território de Manguinhos, pude cuidar das pessoas e famílias ao longo do tempo. Neste período fiz o mestrado em Saúde da Família, pela FIOCRUZ, e também exerci a função de preceptora do programa de residência da UFRJ/ENSP, participando do processo de ensino e aprendizagem

de médicos que também tinham o propósito de acolher e serem comprometidos com os usuários.

Parágrafo 3: Mas sempre senti falta da Terapia Ocupacional. E agora, depois de anos dedicada à medicina de família, consegui conciliar a medicina e a terapia ocupacional com este novo projeto para o cuidado das pessoas que desejam parar de fumar. É uma grande realização pessoal poder unir essas duas paixões, que se relacionam também com minha própria experiência de parar de fumar e lutar há tantos anos contra esse vício.

CTA: Se você se sente pronto para parar de fumar ou precisa de ajuda para encontrar esse caminho, agende uma consulta comigo.

Pontos de identidade:

- Médica de Família e Comunidade.
- Terapeuta Ocupacional.
- Ex-fumante.
- Autora de "Memórias de uma ex-futura fumante."
- Experiência com grupos terapêuticos.
- Conhecimento baseado em evidências científicas.
- Abordagem centrada na pessoa.
- Integração entre conhecimento técnico, experiência prática e acolhimento humano.
- Olhar para a dependência física, emocional, comportamental, cotidiana e relacional.

...

Acompanhamento

...

Título: Acompanhamento para parar de fumar

Assinatura: Uma escolha diária pela vida.

Resumo: atendimentos online, individual ou em grupo, com acompanhamento semanal durante 3 meses.

Explicação 1: Parar de fumar não depende apenas de força de vontade. O cigarro pode estar ligado à dependência física da nicotina, mas também às emoções, aos hábitos, à rotina e às situações vividas no dia a dia. Por isso, o tratamento precisa considerar a pessoa por inteiro.

Explicação 2: Como Médica de Família e Comunidade e Terapeuta Ocupacional, ofereço um acompanhamento clínico, emocional e comportamental, construído a partir da história, das necessidades e do momento de cada pessoa.

Explicação 3: A minha proposta são atendimentos online, individual ou em grupo, com acompanhamento semanal durante 3 meses.

Seção: Como começa o acompanhamento?

Texto: O primeiro passo é uma consulta individual de avaliação, com duração aproximada de 50 minutos. Nesse encontro, busco compreender a relação da pessoa com o cigarro, seu

estado de saúde, suas tentativas anteriores, seus gatilhos e sua motivação para a mudança. A partir dessa avaliação, construímos um plano de tratamento individualizado e verificamos a necessidade de recursos medicamentosos.

Seção: Um percurso de três meses

Texto: Para quem está pronto para parar de fumar, o tratamento é estruturado ao longo de três meses, com encontros semanais. Nesse percurso, trabalhamos a preparação para a mudança, o início da vida sem o cigarro e a consolidação de novas estratégias para lidar com a fissura, os hábitos, as emoções e as situações de risco. Mais do que retirar o cigarro, o objetivo é ajudar cada pessoa a construir uma nova forma de viver sem ele.

Etapas do percurso:

1. Preparação para a mudança
2. Início da vida sem o cigarro
3. Consolidação de novas estratégias

Seção: Atendimento individual ou em grupo

Texto: O acompanhamento pode ser realizado de forma individual ou em grupos pequenos, com até cinco participantes. No atendimento individual, o processo é direcionado às necessidades particulares de cada pessoa. No grupo, os participantes encontram espaço para compartilhar experiências, dificuldades e conquistas com outras pessoas que vivem um processo semelhante, além de contar com uma modalidade de investimento mais acessível. Em ambos os formatos, o tratamento segue a mesma proposta de cuidado e acompanhamento ao longo dos três meses.

Seção: Suporte durante o tratamento

Texto: Durante o acompanhamento, os pacientes também contam com suporte pelo WhatsApp, em horário comercial, para orientações relacionadas ao processo e aos momentos de maior dificuldade.

Fechamento: Parar de fumar é uma decisão pessoal, mas não precisa ser uma caminhada solitária. Entre a vontade e a mudança, existe acompanhamento.

CTA: Agende um bate-papo comigo de 30 minutos, para tirar suas dúvidas.

...

Livro

...

Título: Memórias de uma ex-futura fumante

Abertura: Parar de fumar me fez reaprender uma nova vida.

"Memórias de uma ex-futura fumante" é um livro sobre minha relação com o cigarro. A luta contra ele e tudo que eu tive que ressignificar sem sua presença.

Foram anos de pequenos momentos de escrita, desabafos, sobre minha relação com a dependência do tabaco.

Este livro é sobre o início da minha dependência, lá na época da adolescência. Divido toda a dificuldade que foi parar de fumar, com ajuda profissional, em um grupo terapêutico, e todos esses anos de reafirmação sobre minha escolha pela vida, lutando contra recaídas.

Quem me conhece sabe o quanto o cigarro me acompanha, mesmo tendo parado há 22 anos. E eu ainda tenho que reafirmar diariamente que não posso fumar.

E como parar de fumar me trouxe tantas coisas boas. É muito bom poder dividir minha história com você!

CTA: Comprar o livro

...

Contato

...

Título: Vamos conversar?

Texto: Agende um bate-papo comigo de 30 minutos, para tirar suas dúvidas.

Título do formulário: Alguma dúvida?

Campos: Nome | Email | Mensagem

...

FAQ — use only these seven, verbatim

...

1. Parar de fumar depende apenas de força de vontade?

Não. O cigarro pode estar ligado à dependência física da nicotina, mas também às emoções, aos hábitos, à rotina e às situações vividas no dia a dia. Por isso, o tratamento precisa considerar a pessoa por inteiro.

2. Como começa o acompanhamento?

O primeiro passo é uma consulta individual de avaliação, com duração aproximada de 50 minutos. Nesse encontro, busco compreender a relação da pessoa com o cigarro, seu estado de saúde, suas tentativas anteriores, seus gatilhos e sua motivação para a mudança.

3. Quanto tempo dura o acompanhamento?

Para quem está pronto para parar de fumar, o tratamento é estruturado ao longo de três meses, com encontros semanais.

4. O acompanhamento é individual ou em grupo?

Pode ser realizado de forma individual ou em grupos pequenos, com até cinco participantes. Em ambos os formatos, o tratamento segue a mesma proposta de cuidado e acompanhamento ao longo dos três meses.

5. O acompanhamento avalia a necessidade de medicamentos?

A partir da consulta individual, construímos um plano de tratamento individualizado e verificamos a necessidade de recursos medicamentosos.

6. Existe suporte entre os encontros?

Durante o acompanhamento, os pacientes contam com suporte pelo WhatsApp, em horário comercial, para orientações relacionadas ao processo e aos momentos de maior dificuldade.

7. Preciso já estar totalmente pronto para parar?

A avaliação individual busca compreender a motivação e o momento de cada pessoa. Algumas pessoas já estão prontas para iniciar o processo; outras podem precisar compreender melhor sua relação com o cigarro e fortalecer a motivação antes de seguir adiante.

...

CONTENT THAT MUST NEVER BE INVENTED

Prices or payment conditions · appointment availability · phone, WhatsApp number, email, address, Instagram profile, or book URL · patient outcomes, success rates, patient counts, guarantees, or timelines beyond the approved three months · clinical protocol detail beyond the approved copy · testimonials or case studies · claims of permanent cure or relapse prevention · emergency/crisis services copied from the reference site · awards, partnerships, certifications, or statistics.

If a needed value is unknown, use an environment variable with a safe fallback, or omit the element. ****Never fabricate.****

10. DETAILED VISUAL DIRECTION

****The site should read as a quiet editorial publication about a person's work — not as a landing page.****

- ****Composition:**** calm asymmetry. Most sections use an off-center content column or an uneven two-column split (5/7, 6/5+1, 7/4+1). Avoid perfectly symmetrical 6/6 splits except in the individual-vs-group comparison, where symmetry carries meaning.
- ****Rhythm:**** vary section density deliberately — a dense explanatory section should be followed by a spare one. Never place three structurally identical sections in a row.
- ****Backgrounds:**** alternate cream → white → sand → cream, with ****exactly two**** full-bleed moss contrast bands on Home (the closing statement) and one per inner page maximum.

Transitions between bands are flat color changes or full-bleed imagery. **No wave dividers, no angled shapes, no gradient meshes.**

- **Paper texture:** a single tiling SVG/PNG grain applied via a `::before` overlay at ≤3% opacity on cream sections only. It should be felt, not seen.
- **Rules:** 1px hairlines in olive at 30–40% opacity, used to separate FAQ items, list items, footer columns, and the individual/group comparison. Rules replace cards as the primary separation device.
- **Cards:** almost none. Card-like treatment is permitted **nowhere** on this site. If a group of items needs separation, use whitespace and hairlines.
- **Shadows:** none. Zero `box-shadow` in the entire codebase except the focus ring.
- **Corner radius:** 2px on images and inputs, 2px on buttons. Nothing else is rounded. No pills, no circles except the three journey nodes and the mobile menu button hit area.
- **Botanical line art:** at most one instance per page, always cropped by a section edge, always ≤14% opacity, always `aria-hidden`. Never centered, never animated, never repeated as a pattern.
- **Crochet-heart signature:** maximum two appearances beyond the header/footer logo across the entire site — the Home closing statement and (optionally) one divider on the book page. Never animated.
- **Icons:** at most four icons in the whole site. Thin 1.25px stroke, organic geometry, olive, 24px. Permitted at: support-during-treatment section, form success state, external-link indicator, mobile menu toggle.
- **Photography grade:** apply one consistent warm, soft, low-contrast look to every photograph so the set reads as a single brand. If images arrive with mismatched grading, note it in the README rather than applying heavy CSS filters.
- **Image crops:** rectangular, 4:5 for portraits, 3:4 for the book, 16:9 or wider for full-bleed bands. One soft organic mask maximum per page, and only on a portrait.
- **Type color:** headings in moss on light backgrounds, cream on moss. Body in graphite. Eyebrows in olive. Links in moss with an olive underline. **Never** sage or mist-rose as a text color on a light background.
- **Editorial detail that makes it art-directed:** the consistent eyebrow/serif-headline/sans-body triad; the hand-drawn irregularity of the journey path; generous, almost uncomfortable, whitespace; the single dark moss band as punctuation; and the restraint of never repeating the signature illustration.

11. DESIGN-SYSTEM RULES

Define all of the following as CSS custom properties in `globals.css` under `:root`. **No hard-coded hex values, font sizes, or spacing values anywhere in component styles.**

Color tokens

```css

```

--color-cream: #EEE8DA;
--color-olive: #8A936F;
--color-moss: #6F7758;
--color-sage: #C7D0C4;
--color-mist-rose: #E8C1B8;
--color-burnt-rose: #D9A29A;
--color-sand: #DDD5C6;
--color-graphite: #5C5853;
--color-white: #FFFFFF;

/* semantic */
--bg-default: var(--color-cream);
--bg-alt: var(--color-white);
--bg-muted: var(--color-sand);
--bg-soft: var(--color-sage);
--bg-contrast: var(--color-moss);
--text-body: var(--color-graphite);
--text-heading: var(--color-moss);
--text-on-contrast: var(--color-cream);
--accent: var(--color-olive);
--accent-warm: var(--color-burnt-rose);
--rule: color-mix(in srgb, var(--color-olive) 35%, transparent);
--focus-ring: var(--color-moss);
--error: #8C4A3F; /* accessible warm red, harmonized with the palette */
--success: var(--color-moss);
```

```

****Contrast requirements — verify with a checker, do not assume:**** body text $\geq 4.5:1$; headings $\geq 4.5:1$; large display type $\geq 3:1$; cream on moss $\geq 4.5:1$ (darken `--color-moss` for the footer/contrast bands if it fails); focus ring $\geq 3:1$ against both adjacent colors. If any approved brand pairing fails, ****adjust the foreground darkness rather than abandoning the palette****, and document the adjustment in the README.

Typography scale (fluid, `clamp()`)

```

```css
--font-display: 'Cormorant Garamond', Georgia, serif;
--font-body: 'Source Sans 3', system-ui, -apple-system, sans-serif;

--fs-eyebrow: 0.75rem; /* 12px, ls .14em, uppercase */
--fs-body-sm: 0.875rem; /* 14px */
--fs-body: clamp(1rem, 0.97rem + 0.15vw, 1.0625rem); /* 16–17px */
--fs-body-lg: clamp(1.0625rem, 1rem + 0.3vw, 1.1875rem); /* 17–19px */
--fs-lead: clamp(1.1875rem, 1.1rem + 0.4vw, 1.3125rem);

```

```

--fs-h4: clamp(1.125rem, 1.05rem + 0.4vw, 1.375rem);
--fs-h3: clamp(1.375rem, 1.25rem + 0.6vw, 1.75rem);
--fs-h2: clamp(1.875rem, 1.5rem + 1.6vw, 2.875rem);
--fs-h1: clamp(2.25rem, 1.7rem + 2.6vw, 3.5rem);
--fs-hero: clamp(2.75rem, 2rem + 3.4vw, 4.75rem);

--lh-tight: 1.05; --lh-heading: 1.18; --lh-body: 1.7; --lh-lead: 1.55;
--ls-eyebrow: 0.14em; --ls-display: -0.01em;
...

```

**\*\*Rules:\*\*** serif for `h1`–`h3`, lead paragraphs, and pull quotes only. Sans for everything else.  
**\*\*Serif never below 20px.\*\*** Body measure capped at `65ch`; lead at `34em`. No all-caps paragraphs — uppercase only for eyebrows and micro-labels, always with letter-spacing and never below 12px.

### ### Spacing system (8px base)

```

```css
--sp-1: 4px; --sp-2: 8px; --sp-3: 12px; --sp-4: 16px;
--sp-5: 24px; --sp-6: 32px; --sp-7: 48px; --sp-8: 64px;
--sp-9: 88px; --sp-10: 120px; --sp-11: 160px;

--section-y:    clamp(72px, 9vw, 140px); /* standard section padding */
--section-y-lg: clamp(88px, 11vw, 160px); /* hero-adjacent, contrast bands */
--section-y-sm: clamp(56px, 6vw, 96px); /* strips, dividers */
...

```

Containers and grid

```

```css
--container-max: 1200px;
--container-wide: 1440px; /* full-bleed image bands */
--container-text: 720px; /* prose */
--container-narrow: 640px; /* short centered statements */
--gutter: clamp(20px, 4vw, 48px);
...

```

12-column CSS Grid at  $\geq 1024\text{px}$ , `column-gap: clamp(20px, 2.5vw, 40px)`. 8-column at 768–1023px. Single column below 768px. Full-bleed sections break out with a `.bleed` utility; their inner content still respects `--container-max`.

### ### Borders, radius, shadow

```

```css

```

```
--border-hairline: 1px solid var(--rule);
--radius-sm: 2px; /* inputs, buttons, images */
--radius-none: 0;
--shadow: none; /* the only permitted shadow is the focus ring */
...
```

Button hierarchy

- **Primary:** solid `--color-moss`, cream text, 2px radius, padding 16px 28px, sans 16px weight 600, no shadow, no uppercase. Hover: background darkens ~6% + 1px upward translate (120ms). Active: translate 0, background darkens ~10%. Focus-visible: 2px `--focus-ring` outline with 2px offset. Disabled: 45% opacity, `cursor: not-allowed`, `aria-disabled`.
 - **On moss backgrounds**, invert: cream background, moss text.
 - The primary CTA label is long; allow it to wrap to two lines on mobile with `text-wrap: balance`, and never truncate it.
- **Secondary:** 1px olive outline, transparent background, moss text. Hover: background `color-mix(olive 10%)`.
- **Text link CTA:** moss text, 1px olive underline offset 4px; hover underline thickens to 2px and color shifts to burnt-rose. Arrow glyph translates 3px right on hover.
- **Minimum touch target 44×44px** on all interactive elements.

Form styling

Inputs: transparent background, 1px `--rule` bottom-and-full border, 2px radius, 14px 16px padding, sans 16px (**never below 16px — prevents iOS zoom**), graphite text. Labels always visible above the field (**no placeholder-only labels**), 14px sans, graphite, `margin-bottom: 8px`. Focus: 2px moss outline, offset 2px, plus border color → moss. Error: border `--error`, message below in `--error` at 14px with a small icon, tied via `aria-describedby`, and `aria-invalid="true"`. Textarea min-height 160px, vertical resize only.

Section spacing rules

Every top-level section uses `padding-block: var(--section-y)`. Adjacent sections with the same background collapse to a single `--section-y` between them. Contrast bands use `--section-y-lg`. Never fewer than 56px of vertical padding at any breakpoint.

Breakpoints

...

xs < 480px sm 480–767px md 768–1023px lg 1024–1279px
xl 1280–1599px 2xl ≥1600px

...

Mobile-first CSS: base styles target the smallest screen; add complexity upward with `min-width` media queries.

12. COMPONENTS AND STATES

Build each of these as a typed, reusable component with explicit props. Every interactive component must define **default**, **hover**, **focus-visible**, **active**, **disabled**, **loading**, **error**, and **success** states where applicable.

Component	Purpose	Required states / behavior
`Header`	Nav + CTA	transparent → solid on scroll; active route; mobile overlay open/closed
`MobileMenu`	Full-screen nav	open/closed; focus trap; `Escape` to close; scroll lock; focus restore
`Button`	Primary/secondary	default, hover, active, focus-visible, disabled, loading (spinner + `aria-busy`)
`TextLink`	Inline/CTA links	default, hover, focus-visible, visited neutral, external variant with new-tab hint
`Eyebrow`	Section label	static, `

` or `` — **never** a heading element |
`SectionHeading`	Eyebrow + h2 + lead	configurable heading level; enforces correct order
`Hero`	Page opener	mount animation; reduced-motion variant; image priority loading
`StatementSection`	Centered statement	light and contrast (moss) variants
`TextImageSection`	Asymmetric block	image-left / image-right; reveal on scroll; placeholder variant when image absent
`CareJourney`	3-step graphic	horizontal (≥768px) / vertical (<768px); path draw animation; reduced-motion static; renders as `

` |
`FormatComparison`	Individual vs group	2-col with vertical rule → stacked with horizontal rule
`CredentialsStrip`	Facts + registrations	static, wraps gracefully, no animation
`BookSpread`	Book editorial block	purchase button present / hidden depending on env var
`Faq`	Accordion	collapsed/expanded, `aria-expanded`, `aria-controls`, keyboard operable, configurable item subset
`FinalCta`	Closing invitation	light / contrast variants
`ContactForm`	Lead capture	idle, validating, invalid (per-field), submitting, success, error, rate-limited
`FormStatus`	Submission feedback	`role="status"` (success) / `role="alert"` (error), focus moved to the message
`Field`	Label + input + error	default, focus, error, disabled; `id` / `htmlFor` / `aria-describedby` wired
`BotanicalMark`	Decorative line art	`aria-hidden="true"`, no interactivity
`PaperTexture`	Grain overlay	`pointer-events: none`, `aria-hidden`, ≤3% opacity
`SkipLink`	A11y	visually hidden until focused, first in tab order

| `Rule` | Hairline divider | horizontal / vertical variants |

****Not-found (`not-found.tsx`)** and ****error (`error.tsx`)**** pages must exist, styled in-brand, in Portuguese, each with a link back to `/` and to `/contato`. Error page copy must be calm and non-alarming.**

13. RESPONSIVE BEHAVIOR

****Principle: preserve hierarchy, rhythm, readability, image impact, and conversion priority. Do not simply stack everything vertically.****

Large desktop (≥1600px)

Container caps at 1200px (1440px for bleed bands) and centers; margins grow rather than content. Hero image extends to the viewport edge. Type scale reaches its `clamp()` maximum. Section padding at 160px. Journey graphic at full horizontal scale.

Standard desktop (1024–1599px)

12-column grid, asymmetric splits as specified. Full nav visible with the CTA button. Section padding 120–140px. Two-column text+image blocks retain their offsets.

Tablet (768–1023px)

8-column grid. Asymmetric two-column blocks become 4/4 or stack, depending on content: ****text+image blocks stack (image first, text below)****; the individual/group comparison stays two-column; the credentials strip wraps to two rows. Journey graphic stays horizontal but nodes shrink and clarifier lines wrap. Nav collapses to the hamburger at <900px. Section padding 88–104px. Hero min-height 64vh.

Mobile (<768px)

- ****Grids:**** single column, `--gutter` 20–24px.
- ****Typography:**** hero 2.75rem max; `h2` 1.875rem; body 16px minimum; line-height stays 1.7; measure naturally short — do not reduce line-height to fit.
- ****Images:**** hero photo becomes a 4:5 block ****above**** the text (never a text overlay on the photo). Full-bleed bands remain full-bleed with a taller aspect (3:4) so they retain impact instead of becoming thin strips. `next/image` `sizes="100vw"`.
- ****Navigation:**** hamburger → full-screen cream overlay; links at 28px serif; CTA button at the bottom of the overlay.
- ****Buttons:**** full-width on mobile, min-height 52px, label allowed to wrap to two lines.
- ****Forms:**** single column, 16px inputs, 48px min-height, submit full-width, labels above fields.

- **Tables:** the only tabular content is the individual/group comparison — it becomes two stacked blocks separated by a hairline, not a scrolling table.
- **Cards/galleries:** none exist by design; nothing to collapse.
- **Section spacing:** `--section-y` bottoms out at 72px (56px for small strips). Never compress below this — crowding destroys the editorial character.
- **Decorative elements:** botanical line art hidden below 768px (it competes for space); paper texture retained; journey path rotates to vertical.
- **Animations:** entrance reveals retained but shortened to 350ms; the journey path draw is retained; no parallax at any size.
- **Optional mobile CTA bar:** appears after the hero leaves the viewport, cream background with a top hairline, single primary button, dismissible, never covering the footer, respects safe-area insets.

Test at 320px, 375px, 414px, 768px, 1024px, 1440px, and 1920px. No horizontal scroll at any width. No text smaller than 14px anywhere, and no body text smaller than 16px.

14. INTERACTIONS AND ANIMATIONS

All motion is subtle, purposeful, and cheap. Animate **only** `opacity` and `transform`. Never animate layout properties.

- **Entrance reveals:** `opacity 0 → 1`, `translateY(16px) → 0`, 500ms
`cubic-bezier(.22,.61,.36,1)`, triggered by `IntersectionObserver` at 15% visibility, **-fired once** (unobserve after reveal). Stagger children by 80ms, maximum four staggered items.
- **Hero:** mount-only stagger (eyebrow → headline → support → CTA); hero image scales 1.02 → 1 over 900ms.
- **Image reveal:** `clip-path: inset(100% 0 0 0) → inset(0)` over 700ms, on scroll entry.
- **Journey path:** SVG `stroke-dashoffset` draw, 900ms ease-out, then node fade-in at 120ms stagger.
- **Links:** underline grows from left, 180ms; color transition 180ms; arrow translates 3px.
- **Buttons:** 120ms background + 1px lift on hover; instant press feedback on active.
- **Header:** background and border-bottom cross-fade over 200ms after 24px of scroll.
- **Accordion:** height transition 220ms ease with chevron rotation; content is `hidden` (not just visually collapsed) when closed so it is skipped by screen readers and `Ctrl+F`.
- **Mobile menu:** overlay fades in 220ms, links stagger 40ms; body scroll locked; focus trapped.
- **Form:** submit button enters loading state with an inline spinner and `aria-busy="true"`; success message fades in and receives focus; error message appears with `role="alert"`.
- **Focus-visible:** always a 2px solid `--focus-ring` outline with 2px offset — **never** removed, never replaced by a color change alone.

Reduced motion — mandatory

```

```css
@media (prefers-reduced-motion: reduce) {
 *, *::before, *::after {
 animation-duration: .01ms !important;
 animation-iteration-count: 1 !important;
 transition-duration: .01ms !important;
 scroll-behavior: auto !important;
 }
}
```

```

Additionally, the reveal hook must check ``window.matchMedia('(prefers-reduced-motion: reduce)')`` and render all content **fully visible immediately** — content must never be trapped at ``opacity: 0`` if JavaScript or the observer fails. Apply reveal classes only after hydration, or default to visible in CSS and let JS add the "hidden then reveal" state.

Forbidden: parallax, constant floating/pulsing loops, cursor followers, scroll-jacking, marquees, auto-playing carousels, counters, typewriter effects, page-load spinners, and any motion added to make the site look more complex.

15. FORM AND INTEGRATION REQUIREMENTS

Contact form — the only form on the site

Fields (exactly these, no others):

| Field | Label | Type | Required | Validation |
|-------------------------|--------------------|----------|----------|--|
| <code>`nome`</code> | Nome | text | yes | 2–80 chars, trimmed |
| <code>`email`</code> | Email | email | yes | valid email, ≤120 chars |
| <code>`mensagem`</code> | Mensagem | textarea | yes | 10–2000 chars |
| <code>`consent`</code> | (privacy checkbox) | checkbox | yes | must be <code>`true`</code> |
| <code>`website`</code> | — | honeypot | no | must be empty (hidden from users and AT) |

Do not add phone, birth date, "how many cigarettes per day," smoking history, medications, diagnoses, or any health field. The privacy notice must explicitly state: ``Por favor, não envie informações de saúde detalhadas por este formulário.``

Consent checkbox label: a short line in Portuguese stating that the visitor agrees to have their data used solely to receive a reply, with an inline link to ``/politica-de-privacidade``.

****Validation:**** one Zod schema in `lib/schema.ts`, imported by both the client component and the route handler. Client validation runs `onBlur` and again on submit; server validation is authoritative and never trusts the client.

****States:****

- `*idle*` — submit enabled.
- `*invalid*` — per-field message below the field, `aria-invalid="true"`, `aria-describedby` pointing at the message; focus moves to the first invalid field on submit; no browser-native validation bubbles (`noValidate` on the form).
- `*submitting*` — button disabled, `aria-busy="true"`, label swaps to `Enviando...`, spinner shown.
- `*success*` — form replaced by a confirmation block: heading `Mensagem enviada.` plus a short line saying she will reply as soon as possible, with a link to the primary CTA destination. `role="status"`, focus moved to the heading.
- `*error*` — `role="alert"` message in Portuguese, form values ****preserved****, retry possible.
- `*rate-limited*` — a distinct, calm message asking the visitor to try again in a few minutes.

****Submission destination:**** `POST /api/contact` → validate → rate-limit → send email via `lib/mailer.ts` to `CONTACT_TO_EMAIL`. Respond `200 {ok:true}` / `400 {ok:false, errors}` / `429` / `500`. Never echo submitted content back in an error response. Log failures server-side without logging the message body.

****Spam protection:**** honeypot field (`aria-hidden`, `tabindex="-1"`, off-screen, `autocomplete="off"`) + a minimum time-to-submit check (reject submissions faster than ~3 seconds) + IP-based rate limit (5 requests / 10 minutes). ****Do not add a CAPTCHA**** — it harms accessibility and adds a third-party dependency; note in the README that Cloudflare Turnstile can be added later if spam becomes a problem.

****Privacy:**** store nothing. The route handler forwards the message by email and retains no data. Do not add a database.

Integrations

| Integration | Service | Frontend-safe? | Env var | Notes |
|----------------------|-----------------------------------|----------------|---|---|
| Primary CTA | WhatsApp deep link or booking URL | Yes | <code>NEXT_PUBLIC_WHATSAPP_URL</code> / <code>NEXT_PUBLIC_BOOKING_URL</code> | Client must supply. Fallback <code>/contato</code> . |
| Form delivery | Resend (or SMTP) | **No** | <code>RESEND_API_KEY</code> , <code>CONTACT_TO_EMAIL</code> , <code>CONTACT_FROM_EMAIL</code> | Server-only. Requires the route handler. |
| Book purchase | External retailer | Yes | <code>NEXT_PUBLIC_BOOK_PURCHASE_URL</code> | Client must supply. Hide button if unset. |
| Analytics (optional) | GA4 | Yes | <code>NEXT_PUBLIC_GA_ID</code> | Load **only** if set **and** consent given. Anonymize IP. Off by default. |

| Search Console | Meta verification | Yes | `NEXT\_PUBLIC\_GSC\_VERIFICATION` | Optional meta tag only. |
| Instagram (optional) | Profile link | Yes | `NEXT\_PUBLIC\_INSTAGRAM\_URL` | Omit the icon entirely if unset. |

****No form may exist without a working destination.**** If `RESEND\_API\_KEY` is missing in development, the mailer must log the payload to the server console and return success ****with a clear console warning****, so the UI can be tested — but the README must state that production deployment requires the real key.

****Do not fabricate**** contact details, social profiles, purchase URLs, or scheduling links anywhere in code, content, metadata, or structured data.

16. SEO REQUIREMENTS

- ``<html lang="pt-BR">``.
- ****Unique `title` and `description` per page**** via the Next.js Metadata API. Titles follow `{Página} | Dra. Cecília Portugal`, except Home: `Dra. Cecília Portugal | Acompanhamento para parar de fumar`. Descriptions 140–160 characters, written from the approved copy, never keyword-stuffed.
- ****Semantic heading hierarchy****: exactly one ``<h1>`` per page, no skipped levels, headings never chosen for size.
- ****Descriptive URLs**** in Portuguese, lowercase, hyphenated: `/sobre`, `/acompanhamento`, `/livro`, `/contato`, `/politica-de-privacidade`.
- ****Canonical URLs**** via `metadataBase` driven by `NEXT\_PUBLIC\_SITE\_URL`. ****Do not assume a final domain**** — read it from the env var and document it.
- ****Open Graph + Twitter Card**** on every page: `og:type`, `og:title`, `og:description`, `og:url`, `og:image` (1200×630), `og:locale="pt\_BR"`, `twitter:card="summary\_large\_image"`. Provide `/public/og/og-default.jpg`; if no approved image exists, generate a ****typographic-only**** OG image (cream background, logo or name in the display serif, the signature line) — never a stock photo.
- ****Favicon set****: `favicon.ico`, `icon.svg`, `apple-touch-icon.png`, plus a `manifest` with theme color `#6F7758`.
- ****`robots.ts`**** — allow all, reference the sitemap. ****`sitemap.ts`**** — all six routes with `lastModified` and sensible priorities (Home 1.0, Acompanhamento 0.9, Sobre 0.8, Livro 0.8, Contato 0.7, Política 0.3).
- ****Structured data (JSON-LD)****, injected as a script tag, containing ****only verifiable facts****:
 - `Physician` (or `MedicalBusiness`) + `Person` for Dra. Cecília: `name`, `jobTitle` ("Médica de Família e Comunidade", "Terapeuta Ocupacional"), `medicalSpecialty`, `url`, `image`, `alumniOf` (FIOCRUZ), and `identifier` entries for CRM/RQE/CREFITO.
 - `WebSite` with `inLanguage: "pt-BR"`.
 - `FAQPage` on `/acompanhamento` using the seven approved Q&As, verbatim.

- `Book` on `/livro`: `name`, `author`, and `url` **only if** the purchase URL is configured.
- **Omit** `telephone`, `address`, `email`, `aggregateRating`, `review`, `priceRange`, and `openingHours` — none is approved. **Never** emit `aggregateRating` or `review` without real, approved reviews.
- **Descriptive `alt` text in Portuguese** on every meaningful image; `alt=""` on decorative ones.
- Do not sacrifice clarity or UX to insert keywords. Write for the reader first.

17. ACCESSIBILITY REQUIREMENTS

Target **WCAG 2.1 level AA**.

- Semantic HTML throughout: `header`, `nav`, `main`, `section`, `article`, `footer`, `ol`, `ul`, `dl`. Never a `div` where an element with meaning exists.
- One `- Correct heading order; a single `h1`; no heading used purely for styling.
- Full keyboard operability: every interactive element reachable and operable by keyboard, in a logical tab order. Mobile menu and accordions fully keyboard-accessible.
- **Visible focus indicator everywhere** — 2px `--focus-ring` outline, 2px offset, ≥3:1 contrast. Never `outline: none` without an equivalent replacement.
- Focus management: focus trapped in the mobile overlay and restored to the trigger on close; focus moved to form status messages on submit; focus moved to the first invalid field on validation failure.
- Accessible forms: visible `` bound with `htmlFor`/`id`; errors linked by `aria-describedby`; `aria-invalid`; `aria-required`; fieldset/legend where grouping applies; no placeholder-as-label.
- Live regions: `role="status"` (`aria-live="polite"`) for success, `role="alert"` (`aria-live="assertive"`) for errors.
- Color contrast: ≥4.5:1 for body text, ≥3:1 for large text and UI boundaries. **Verify every brand pairing** — several look correct but are not.
- Never convey information by color alone (error states also carry text and an icon).
- `alt` text: descriptive in Portuguese for content images; empty for decorative; `aria-hidden` on all botanical art, texture overlays, and decorative SVG paths.
- Reduced-motion support as specified in §14; content never depends on animation to become visible.
- Readable sizes: body ≥16px, no text below 14px, line-height 1.7 for body, measure ≤65ch.
- Touch targets ≥44×44px with ≥8px spacing.
- Links describe their destination out of context (avoid bare "clique aqui"); external links carry a visually hidden "(abre em nova aba)".
- Accordion pattern follows the ARIA disclosure pattern; the mobile menu follows the dialog pattern (`role="dialog",` `aria-modal="true",` accessible name).
- Zoom to 200% without loss of content or horizontal scrolling.

- **Run axe DevTools (or `@axe-core/cli`) on all six pages and fix every violation before delivery.**

18. PERFORMANCE REQUIREMENTS

Targets: **Lighthouse ≥95 Performance, ≥95 Accessibility, ≥95 Best Practices, ≥100 SEO on mobile.** LCP <2.0s, CLS <0.05, INP <200ms, total JS <100KB gzipped on first load.

- All pages statically generated. No client-side data fetching on marketing pages.
- `next/image` everywhere: AVIF + WebP, correct `sizes`, explicit `width`/`height` or `fill` with an aspect-ratio wrapper to reserve space (**zero layout shift**). Hero image `priority`; everything below the fold lazy.
- Fonts via `next/font/google`, self-hosted output, `display: 'swap'`, preloaded, `adjustFontFallback: true`, subsets `['latin','latin-ext']`, and **only the weights actually used** (Cormorant 400/600, Source Sans 400/600).
- Server Components by default. `'use client'` only on `Header`/`MobileMenu`, `Faq`, `ContactForm`, and the reveal hook's consumer wrapper. Keep client bundles small and leaf-level.
- CSS Modules only; no runtime CSS-in-JS; no unused global CSS.
- Minimal dependencies (see §7). No icon library — inline the four SVGs used.
- Analytics, if enabled, loaded with `next/script` `strategy="afterInteractive"` and only after consent.
- SVG assets optimized (SVGO); raster assets compressed; the paper-texture tile ≤8KB and tiled via CSS.
- No render-blocking third-party requests. No web fonts from a third-party CDN at runtime.
- `IntersectionObserver` observers disconnected after firing.
- Verify with `npm run build` output that no route ships unexpected JS, and record the bundle sizes in the README.

19. SECURITY AND ENVIRONMENT VARIABLES

Never place private keys, tokens, credentials, passwords, or secrets in frontend source code, in `NEXT_PUBLIC_*` variables, or in the repository.

`.env.example` (committed; `.env.local` git-ignored):

```
``bash
# Public — safe in the browser
NEXT_PUBLIC_SITE_URL=https://
```

NEXT_PUBLIC_WHATSAPP_URL= # e.g. https://wa.me/<number>?text=<message> —
CLIENT MUST SUPPLY
NEXT_PUBLIC_BOOKING_URL= # optional alternative to WhatsApp
NEXT_PUBLIC_BOOK_PURCHASE_URL= # external retailer — CLIENT MUST SUPPLY
NEXT_PUBLIC_INSTAGRAM_URL= # optional
NEXT_PUBLIC_GA_ID= # optional, analytics disabled when empty
NEXT_PUBLIC_GSC_VERIFICATION= # optional

Server-only — NEVER prefixed with NEXT_PUBLIC

RESEND_API_KEY=
CONTACT_TO_EMAIL= # CLIENT MUST SUPPLY
CONTACT_FROM_EMAIL= # verified sender on the mail provider
...

Additional requirements:

- The route handler runs server-side only; the API key is read from `process.env` inside it and never imported into a client component.
- Validate and sanitize all input server-side with Zod; strip HTML from message content before composing the email; set the reply-to to the submitted address but never spoof the From address.
- Rate limit by IP in `lib/rateLimit.ts`; return `429` beyond the threshold.
- Security headers in `next.config.mjs`: `X-Content-Type-Options: nosniff`, `Referrer-Policy: strict-origin-when-cross-origin`, `X-Frame-Options: DENY`, `Permissions-Policy: camera=(), microphone=(), geolocation=()`, `Strict-Transport-Security` in production, and a Content-Security-Policy that permits only self, the mail provider endpoint, and (if enabled) the analytics domain.
- All external links: `target="\_blank" rel="noopener noreferrer"`.
- `.gitignore` covers `node\_modules`, `.next`, `out`, `.env` (except `.env.example`), `.DS\_Store`, `\*.log`, `.vercel`.
- No personal data is stored, logged, or persisted. Do not log the message body.
- This is a **health-adjacent** site: do not add any third-party pixel, session-recording, or heatmap script.

20. TESTING AND ACCEPTANCE CRITERIA

Do not consider the project complete until every item passes.

****Structure and content****

- [] All six pages exist at the specified routes and are reachable from the navigation.
- [] Every section listed in §8 is implemented, in the specified order.

- [] Every approved string in §9 appears verbatim, with correct accents and punctuation.
- [] No invented price, phone, email, address, URL, statistic, testimonial, guarantee, or outcome appears anywhere — including metadata and JSON-LD.
- [] No testimonial, rating, or social-proof component exists in the codebase.
- [] The optional author narrative is present in `/content/book.ts` but not rendered.
- [] All copy lives in `/content/\*.ts`; no hard-coded Portuguese strings in components.

****Function****

- [] Every internal link resolves; no 404s; `not-found.tsx` and `error.tsx` render in-brand.
- [] Every CTA resolves to its configured destination, and falls back safely when the env var is unset (no `#`, no dead links).
- [] The book purchase button is hidden — not broken — when the URL is unset.
- [] The contact form validates, submits, and delivers; success, error, invalid, and rate-limited states all render correctly.
- [] Honeypot and time-check reject automated submissions.
- [] Mobile menu opens, traps focus, closes on `Escape`, restores focus, and locks body scroll.
- [] FAQ accordion works with mouse, keyboard, and screen reader.

****Design and responsiveness****

- [] Layout verified at 320, 375, 414, 768, 1024, 1440, 1920px — no horizontal scroll at any width.
- [] Typography, spacing, and color are consistent and driven exclusively by tokens; no stray hex values or magic numbers.
- [] No shadows, no gradients, no glassmorphism, no cards, no rounded pills.
- [] The signature crochet-heart illustration appears at most twice beyond header/footer.
- [] The care-journey graphic is original and works in both horizontal and vertical orientations.

****Accessibility****

- [] axe reports zero violations on all six pages.
- [] Full keyboard traversal of every page with a visible focus indicator at all times.
- [] Contrast verified for every text/background pairing actually used.
- [] Screen-reader pass (VoiceOver or NVDA) on Home, Acompanhamento, and Contato: headings, landmarks, form, and accordion all announce correctly.
- [] Content is fully visible with JavaScript disabled and with reduced motion enabled.
- [] 200% zoom loses no content.

****Technical****

- [] `npm install && npm run dev` runs cleanly on a fresh clone.
- [] `npm run build` completes with ****zero errors and zero TypeScript errors****; `npm run start` serves the production build correctly.

- [] `npm run lint` passes.
- [] No relevant browser console errors or warnings on any page.
- [] No broken images, no missing assets; every unsupplied asset renders its documented placeholder with a `TODO` comment.
- [] No secret appears in client bundles (`grep` the `.next/static` output for the key names to confirm).
- [] Lighthouse mobile: Performance ≥95, Accessibility ≥95, Best Practices ≥95, SEO 100.
- [] `sitemap.xml` and `robots.txt` are generated and correct; JSON-LD validates in the Rich Results Test.
- [] README is accurate and complete.

21. ELEMENTS TO AVOID

****Visual****

Generic AI landing-page aesthetics · random gradients · glassmorphism · floating cards · repetitive three-column card sections · excessive rounded corners · generic stock imagery · decorative elements without function · exaggerated animation · weak contrast · weak typographic hierarchy · excessive shadows · inconsistent spacing · components that do not match the brand · effects that reduce readability · a page that reads as a collection of unrelated sections.

****Brand-specific prohibitions****

- Do not copy Angela Bain's AB monogram, oval logo, circular healing/self-growth badges, photographs, copy, exact layouts, or proprietary assets.
- Do not reproduce the reference site section by section.
- Do not use hospital green, corporate blue, sterile all-white medical layouts, or aggressive black/red anti-smoking palettes.
- Do not use smoke, cigarettes, ashtrays, diseased lungs, shock imagery, or fear-based visual rhetoric as decoration.
- Do not use generic AI portraits, fabricated patient scenes, fake testimonials, invented statistics, success rates, guarantees, or medical outcomes.
- Do not use excessive pink, romantic clichés, crochet/craft clichés, or a handmade aesthetic that weakens clinical credibility.
- Do not overuse the heart, flowers, logo illustration, gradients, rounded cards, shadows, icons, or floating elements.
- Do not use tiny serif body text, low-contrast sage-on-cream text, all-caps paragraphs, or decorative type that reduces readability.
- Do not create urgency through countdowns, scarcity, pop-ups, exit-intent modals, or claims such as "para sempre" or "método garantido."
- Do not ask visitors to disclose sensitive medical information in the public form.

- Do not moralize, shame, infantilize, or imply that relapse is a personal failure.

****Technical****

pnpm or Yarn · Tailwind or a heavy UI kit · runtime CSS-in-JS · animation libraries · icon libraries · a CMS, database, auth, or payments · CAPTCHAs · third-party trackers, heatmaps, or session recorders · npm scripts referencing uninstalled tools · dependencies added without a stated reason · secrets in client code.

22. SETUP, BUILD, AND DEPLOYMENT

package.json scripts (exactly these — no script may reference an uninstalled tool)

```
``json
{
  "scripts": {
    "dev": "next dev",
    "build": "next build",
    "start": "next start",
    "lint": "next lint",
    "typecheck": "tsc --noEmit"
  }
}
```

Local setup

```
``bash
npm install
cp .env.example .env.local # fill in the values the client supplies
npm run dev # http://localhost:3000
``
```

Production

```
``bash
npm run build
npm run start
``
```

Deployment

Hosting has not been chosen by the client. Build for **any modern Node-compatible platform**; recommend **Vercel** for the smoothest Next.js path.

- Vercel: import the repository, framework preset Next.js, build `npm run build`, install `npm install`, then add every variable from `.env.example` to Project Settings → Environment Variables (server-only keys must **not** carry the `NEXT\_PUBLIC\_` prefix). Attach the custom domain once the client provides it and set `NEXT\_PUBLIC\_SITE\_URL` accordingly.
- Alternative Node hosts (Netlify with the Next runtime, Render, Railway, a Node VPS behind Nginx): same build and start commands; the `/api/contact` route requires a Node server or an equivalent serverless function — **a purely static export will break the form.**
- Do not hard-code any domain. Everything canonical flows from `NEXT\_PUBLIC\_SITE\_URL`.

README must contain

1. Project summary and stack.
2. Prerequisites (Node LTS, npm).
3. Setup, dev, build, start, lint, typecheck commands.
4. **A table of every environment variable**, whether it is public or server-only, and what happens when it is unset.
5. **An explicit "Pending from the client" checklist:** WhatsApp/booking URL · destination email for the form · external book purchase URL · Instagram profile (optional) · approved brand assets (`logo.jpeg`, `logo-crm.jpeg`, `logo-crm-tagline.jpeg`, `foto-cecilia-1.jpeg`, book photography) · privacy-policy controller contact and legal review · approved testimonials (phase two) · final domain.
6. Content-editing guide: where each page's copy lives in `/content/`, and a warning that approved copy must not be rewritten.
7. Where placeholders appear and how to replace them.
8. Deployment instructions for Vercel plus notes for alternative Node hosts.
9. Accessibility and performance notes, including any color adjustment made to satisfy contrast.
10. Phase-two backlog: `/conteudos` page, testimonials section, optional analytics activation with consent.

FINAL INSTRUCTION TO THE BUILDING AI

Build the complete project as specified. Preserve every approved Portuguese string exactly. Invent nothing — no phone number, email, price, URL, statistic, testimonial, or outcome. Where a fact or asset is missing, use an environment variable with a safe fallback or a clearly commented placeholder, and list it in the README's pending checklist.

Prioritize, in this order: **truthfulness of content → accessibility → clarity of the narrative → editorial visual quality → performance → technical elegance.**

The finished site must feel like a calm, confident, human editorial publication about one physician's work — inspired by the reference's whitespace and restraint, but unmistakably Dra. Cecília Portugal's own.