R&D Publication 20 Remedial Targets Worksheet, Release 3.2

Level 3 - Groundwater

See Note

Input Parameters (using pull down menu)

	Variable	Value	Unit	Source
Contaminant		Naphthalene		from Level 1
Target Concentration	C_T	5.00E-05	mg/l	from Level 1

Select analytical solution (click on brown cell below, then on pull-down menu)

Domenico - Steady state — Equations in HRA publication

Approach for simulating vertical dispersion: Simulate vertical dispersion in 1 direction

Select nature of decay rate (click on brown cell below, then on pull-down menu)

Approach for simulating degradation of pollutants: Apply degradation rate to dissolved pollutants only

				Source of parameter value
Initial contaminant concentration in groundwater at plume core	C_0	2.80E-04	mg/l	*Max conc recorded within BH01B/RBH01B*
Half life for degradation of contaminant in water	$t_{1/2}$	2.58E+02	days	*Howard et al*
Calculated decay rate		2.69E-03	$days^{-1}$	
Width of plume in aquifer at source (perpendicular to flow)	Sz	1.75E+01	m	*Area of influence around BH01B/RBH01B*
Plume thickness at source	Sy	3.38E+00	m	*25% saturated aquifer thickness*
Saturated aquifer thickness	da	1.35E+01	m	*Max groundwater thickness encountered*
Bulk density of aquifer materials		2.51E+00	g/cm^3	*structx.com*
Effective porosity of aquifer	n	5.20E-01	fraction	*geotechdata.info*
Hydraulic gradient	i	1.79E-02	fraction	*Calculated between BH01B/RBH01B and BH02A/RBH02A*
Hydraulic conductivity of aquifer	K	8.64E+01	m/d	*Freeze and Cherry (1979)*
Distance to compliance point	x	2.50E+02	m	*WAT-PS-10-01 (August 2014)*
Distance (lateral) to compliance point perpendicular to flow direction	z		m	
Distance (depth) to compliance point perpendicular to flow direction	y		m	
Time since pollutant entered groundwater	t	1.00E+100	days	*time variant options only*
Parameters values determined from options				
Partition coefficient	Kd	1.81E+00	l/kg	*see options*
Longitudinal dispersivity	ax	2.50E+01	m	*see options*
Transverse dispersivity	az	2.50E+00	m	*see options*
Vertical dispersivity	ay	2.50E-01	m	*see options*

Select Method for deriving Partition Co-efficient (using pull down menu)

Calculate for non-polar organic chemicals

Entry if specify partition coefficient (option)			
Soil water partition coefficient	Kd		l/kg
Entry for non-polar organic chemicals (option)			
Fraction of organic carbon in aquifer	foc	3.62E-02	fraction
Organic carbon partition coefficient	Koc	4.99E+01	l/kg
Entry for ionic organic chemicals (option)			
Sorption coefficient for related species	$K_{oc,n}$		l/kg
Sorption coefficient for ionised species	$K_{oc,i}$		l/kg
pH value	pH		
acid dissociation constant	pKa		
Fraction of organic carbon in aquifer	foc		fraction
Soil water partition coefficient	Kd	1.81E+00	l/kg

Define dispersivity (click brown cell and use pull down list)

Dispersivities 10%, 1%, 0.1% of pathway length

		Enter value	Calc value	Xu & Eckstein	
Longitudinal dispersivity	**ax**	0.00E+00	2.50E+01	6.86E+00	m
Transverse dispersivity	**az**	0.00E+00	2.50E+00	6.86E-01	m
Vertical dispersivity	**ay**	0.00E+00	2.50E-01	6.86E-02	

Note values of dispersivity must be > 0

For calculated value, assumes ax = 0.1 *x, az = 0.01 * x, ay = 0.001 * x

Xu & Eckstein (1995) report ax = $0.83(\log_{10}x)^{2.414}$; az = ax/10, ay = ax/100 are assumed


Calculated Parameters

	Variable		
Groundwater flow velocity	v	2.97E+00	m/d
Retardation factor	Rf	9.70E+00	fraction
Decay rate used		2.77E-04	d^{-1}
Rate of contaminant flow due to retardation	u	3.07E-01	m/d
Contaminant concentration at distance x, assuming one-way vertical dispersion	C_{ED}	1.04E-05	mg/l
Attenuation factor (one way vertical dispersion, CO/CED)	**AF**	**2.69E+01**	

Remedial Targets

Remedial Target		**1.34E-03**	**mg/l**	For comparison with measured groundwater concentration.
Domenico - Steady state				
Distance to compliance point		**250**	**m**	
Concentration of contaminant at compliance point	**C_{ED}/C_0**	**1.04E-05**	**mg/l**	Domenico - Steady state

Care should be used when calculating remedial targets using the time variant options as this may result in an overestimate of the remedial target.
The recommended value for time when calculating the remedial target is 9.9E+99.



Note graph assumes plume disperses vertically in one direction only. An alternative solution assuming the centre of the plume is located at the mid-depth of the aquifer is presented in the calculation sheets.

Note

This sheet calculates the Level 3 remedial target for groundwater, based on the distance to the receptor or compliance located down hydraulic gradient of the source Three solution methods are included, the preferred option is Ogata Banks.

By setting a long travel time it will give the steady state solution, which should be used to calculate remedial targets.

The measured groundwater concentration should be compared with the Level 3 remedial target to determine the need for further action.
Note if contaminant is not subject to first order degradation, then set half life as 9.0E+99.

This worksheet should be used if pollutant transport and degradation is best described by a first order reaction. If degradation is best desribed by an electron limited degradation such as oxidation by O2, NO3, SO4 etc than an alternative solution should be used

Site being assessed:	Causewayside,
Completed by:	LR
Date:	21.07.23
Version:	3.2

Calculated concentrations for distance-concentration graph

Domenico - Steady state
From calculation sheet

Distance	Concentration
	mg/l
0	2.8E-04
12.5	1.67E-04
25.0	1.02E-04
37.5	7.29E-05
50.0	5.63E-05
62.5	4.56E-05
75.0	3.82E-05
87.5	3.28E-05
100.0	2.86E-05
112.5	2.53E-05
125.0	2.27E-05
137.5	2.05E-05
150.0	1.86E-05
162.5	1.71E-05
175.0	1.57E-05
187.5	1.45E-05
200.0	1.35E-05
212.5	1.26E-05
225.0	1.18E-05
237.5	1.11E-05
250.0	1.04E-05

Hydrogeological risk assessment for land contamination

Remedial Targets Worksheet , Release 3.2

First released: 2006. Version 3.2: January 2013

This worksheet has been produced in combination with the document 'Remedial Targets Methodology: Hydrogeological risk assessment for land contamination (Environment Agency 2006).

Users of this worksheet should always refer to the User Manual to the Remedial Targets Methodology and to relevant guidance on UK legislation and policy, in order to understand how this procedure should be applied in an appropriate context.

© Environment Agency, 2006. (Produced by the Environment Agency's Science Group)

The calculation of equations in this worksheet has been independently checked by Entec (UK) Ltd on behalf of the Environment Agency.

All rights reserved. You will not modify, reverse compile or otherwise dis-assemble the worksheet.

Liability: The Environment Agency does not promise that the worksheet will provide any particular facilities or functions. You must ensure that the worksheet meets your needs and you remain solely responsible for the competent use of the worksheet. You are entirely responsible for the consequences of any use of the worksheet and the Agency provides no warranty about the fitness for purpose or performance of any part of the worksheet. We do not promise that the media will always be free from defects, computer viruses, software locks or other similar code or that the operation of the worksheet will be uninterrupted or error free. You should carry out all necessary virus checks prior to installing on your computing system.

IMPORTANT: To enable MS Excel worksheet, click Tools, Add -Ins, Analysis Tool Pak and Analysis Tool Pak-VBA (to calculate error functions

Details to be completed for each assessment				
Site Name:	**Causewayside,**			
Site Address:	**Edinburgh**			
Completed by:	**LR**			
Date:	**21.07.23**		**Version:**	**3.2**
Contaminant	**Phenanthrene**			
Target Concentration (C_T)	**0.00001**	**mg/l**	**Origin of C_T:**	**Laboratory Limit of Detection (LoD)**

This worksheet can be used to determine remedial targets for soils (Worksheets Level 1 Soil, Level 2 and Level 3 Soil) or to determine remedial targets for groundwater (Level 3 Groundwater). For Level 3, parameter values must be entered separately dependent on whether the assessment is for soil or groundwater. For soil, remedial targets are calculated as either mg/kg (for comparision with soil measurements) or mg/l (for comparison with leaching tests or pore water concentrations).
Site details entered on this page are automatically copied to Level 1, 2 and 3 Worksheets.
Worksheet options are identified by brown background and employ a pull-down menus. Data entry are identified as blue background.
Data origin / justification should be noted in cells coloured yellow and fully documented in subsequent reports.
Data carried forward from an earlier worksheet are identified by a light green background
It is recommended that a copy of the original worksheet is saved (all data fields in the original copy are blank).

The spreadsheet also includes a porosity calculation worksheet, a soil impact calculation worksheet and a worksheet that performs some simple hydrogeological calculations.

R&D Publication 20 Remedial Targets Worksheet, Release 3.2

Level 3 - Groundwater

See Note

Input Parameters (using pull down menu)	Variable	Value	Unit	Source
Contaminant		Phenanthrene		from Level 1
Target Concentration	C_T	1.00E-05	mg/l	from Level 1

Select analytical solution (click on brown cell below, then on pull-down menu)

Domenico - Steady state — Equations in HRA publication

Approach for simulating vertical dispersion: Simulate vertical dispersion in 1 direction

Select nature of decay rate (click on brown cell below, then on pull-down menu)

Approach for simulating degradation of pollutants: Apply degradation rate to dissolved pollutants only

				Source of parameter value
Initial contaminant concentration in groundwater at plume core	C_0	1.74E-04	mg/l	*Average concentration from across site*
Half life for degradation of contaminant in water	$t_{1/2}$	4.02E+02	days	*Howard et al*
Calculated decay rate		1.73E-03	$days^{-1}$	
Width of plume in aquifer at source (perpendicular to flow)	Sz	3.50E+01	m	*Width of site*
Plume thickness at source	Sy	3.38E+00	m	*25% saturated aquifer thickness*
Saturated aquifer thickness	da	1.35E+01	m	*Max groundwater thickness encountered*
Bulk density of aquifer materials		2.51E+00	g/cm^3	*structx.com*
Effective porosity of aquifer	n	5.20E-01	fraction	*geotechdata.info*
Hydraulic gradient	i	1.79E-02	fraction	*Calculated between BH01B/RBH01B and BH02A/RBH02A*
Hydraulic conductivity of aquifer	K	8.64E+01	m/d	*Freeze and Cherry (1979)*
Distance to compliance point	x	2.50E+02	m	*WAT-PS-10-01 (August 2014)*
Distance (lateral) to compliance point perpendicular to flow direction	z		m	
Distance (depth) to compliance point perpendicular to flow direction	y		m	
Time since pollutant entered groundwater	t	1.00E+100	days	*time variant options only*
Parameters values determined from options				
Partition coefficient	Kd	1.65E+01	l/kg	*see options*
Longitudinal dispersivity	ax	2.50E+01	m	*see options*
Transverse dispersivity	az	2.50E+00	m	*see options*
Vertical dispersivity	ay	2.50E-01	m	*see options*

Select Method for deriving Partition Co-efficient (using pull down menu)

Calculate for non-polar organic chemicals

Entry if specify partition coefficient (option)			
Soil water partition coefficient	Kd		l/kg
Entry for non-polar organic chemicals (option)			
Fraction of organic carbon in aquifer	foc	3.62E-02	fraction
Organic carbon partition coefficient	Koc	4.55E+02	l/kg
Entry for ionic organic chemicals (option)			
Sorption coefficient for related species	$K_{oc,n}$		l/kg
Sorption coefficient for ionised species	$K_{oc,i}$		l/kg
pH value	pH		
acid dissociation constant	pKa		
Fraction of organic carbon in aquifer	foc		fraction
Soil water partition coefficient	Kd	1.65E+01	l/kg

Define dispersivity (click brown cell and use pull down list)

Dispersivities 10%, 1%, 0.1% of pathway length

		Enter value	Calc value	Xu & Eckstein	
Longitudinal dispersivity	**ax**	0.00E+00	2.50E+01	6.86E+00	m
Transverse dispersivity	**az**	0.00E+00	2.50E+00	6.86E-01	m
Vertical dispersivity	**ay**	0.00E+00	2.50E-01	6.86E-02	

Note values of dispersivity must be > 0

For calculated value, assumes ax = 0.1 *x, az = 0.01 * x, ay = 0.001 * x


Xu & Eckstein (1995) report ax = $0.83(\log_{10}x)^{2.414}$; az = ax/10, ay = ax/100 are assumed

Calculated Parameters	Variable		
Groundwater flow velocity	v	2.97E+00	m/d
Retardation factor	Rf	8.03E+01	fraction
Decay rate used		2.15E-05	d^{-1}
Rate of contaminant flow due to retardation	u	3.70E-02	m/d
Contaminant concentration at distance x, assuming one-way vertical dispersion	C_{ED}	1.36E-05	mg/l
Attenuation factor (one way vertical dispersion, CO/CED)	**AF**	**1.28E+01**	

Remedial Targets

Remedial Target		**1.28E-04**	**mg/l**	For comparison with measured groundwater concentration.
Domenico - Steady state				
Distance to compliance point		**250**	**m**	
Concentration of contaminant at compliance point	**C_{ED}/C_0**	**1.36E-05**	**mg/l**	Domenico - Steady state

Care should be used when calculating remedial targets using the time variant options as this may result in an overestimate of the remedial target.
The recommended value for time when calculating the remedial target is 9.9E+99.



Note graph assumes plume disperses vertically in one direction only. An alternative solution assuming the centre of the plume is located at the mid-depth of the aquifer is presented in the calculation sheets.

Note

This sheet calculates the Level 3 remedial target for groundwater, based on the distance to the receptor or compliance located down hydraulic gradient of the source Three solution methods are included, the preferred option is Ogata Banks.

By setting a long travel time it will give the steady state solution, which should be used to calculate remedial targets.

The measured groundwater concentration should be compared with the Level 3 remedial target to determine the need for further action.
Note if contaminant is not subject to first order degradation, then set half life as 9.0E+99.

This worksheet should be used if pollutant transport and degradation is best described by a first order reaction. If degradation is best desribed by an electron limited degradation such as oxidation by O2, NO3, SO4 etc than an alternative solution should be used

Site being assessed:	Causewayside,
Completed by:	LR
Date:	21.07.23
Version:	3.2

Calculated concentrations for distance-concentration graph

Domenico - Steady state
From calculation sheet

Distance	Concentration
	mg/l
0	1.7E-04
12.5	1.38E-04
25.0	9.99E-05
37.5	7.68E-05
50.0	6.19E-05
62.5	5.17E-05
75.0	4.42E-05
87.5	3.86E-05
100.0	3.41E-05
112.5	3.06E-05
125.0	2.76E-05
137.5	2.52E-05
150.0	2.31E-05
162.5	2.13E-05
175.0	1.98E-05
187.5	1.84E-05
200.0	1.72E-05
212.5	1.62E-05
225.0	1.52E-05
237.5	1.43E-05
250.0	1.36E-05

Hydrogeological risk assessment for land contamination

Remedial Targets Worksheet , Release 3.2

First released: 2006. Version 3.2: January 2013

This worksheet has been produced in combination with the document 'Remedial Targets Methodology: Hydrogeological risk assessment for land contamination (Environment Agency 2006).

Users of this worksheet should always refer to the User Manual to the Remedial Targets Methodology and to relevant guidance on UK legislation and policy, in order to understand how this procedure should be applied in an appropriate context.

© Environment Agency, 2006. (Produced by the Environment Agency's Science Group)

The calculation of equations in this worksheet has been independently checked by Entec (UK) Ltd on behalf of the Environment Agency.

All rights reserved. You will not modify, reverse compile or otherwise dis-assemble the worksheet.

Liability: The Environment Agency does not promise that the worksheet will provide any particular facilities or functions. You must ensure that the worksheet meets your needs and you remain solely responsible for the competent use of the worksheet. You are entirely responsible for the consequences of any use of the worksheet and the Agency provides no warranty about the fitness for purpose or performance of any part of the worksheet. We do not promise that the media will always be free from defects, computer viruses, software locks or other similar code or that the operation of the worksheet will be uninterrupted or error free. You should carry out all necessary virus checks prior to installing on your computing system.

IMPORTANT: To enable MS Excel worksheet, click Tools, Add -Ins, Analysis Tool Pak and Analysis Tool Pak-VBA (to calculate error functions

Details to be completed for each assessment

Site Name:	**Causewayside,**			
Site Address:	**Edinburgh**			
Completed by:	**LR**			
Date:	**21.07.23**		**Version:**	**3.2**
Contaminant	**Pyrene**			
Target Concentration (C_T)	**0.00001**	**mg/l**	**Origin of C_T:**	**Laboratory Limit of Detection (LoD)**

This worksheet can be used to determine remedial targets for soils (Worksheets Level 1 Soil, Level 2 and Level 3 Soil) or to determine remedial targets for groundwater (Level 3 Groundwater). For Level 3, parameter values must be entered separately dependent on whether the assessment is for soil or groundwater. For soil, remedial targets are calculated as either mg/kg (for comparision with soil measurements) or mg/l (for comparison with leaching tests or pore water concentrations).
Site details entered on this page are automatically copied to Level 1, 2 and 3 Worksheets.
Worksheet options are identified by brown background and employ a pull-down menus. Data entry are identified as blue background.
Data origin / justification should be noted in cells coloured yellow and fully documented in subsequent reports.
Data carried forward from an earlier worksheet are identified by a light green background
It is recommended that a copy of the original worksheet is saved (all data fields in the original copy are blank).

The spreadsheet also includes a porosity calculation worksheet, a soil impact calculation worksheet and a worksheet that performs some simple hydrogeological calculations.

R&D Publication 20 Remedial Targets Worksheet, Release 3.2

Level 3 - Groundwater

See Note

Input Parameters (using pull down menu)

	Variable	Value	Unit	Source
Contaminant		Pyrene		from Level 1
Target Concentration	C_T	1.00E-05	mg/l	from Level 1

Select analytical solution (click on brown cell below, then on pull-down menu)

Domenico - Steady state — Equations in HRA publication

Approach for simulating vertical dispersion: Simulate vertical dispersion in 1 direction

Select nature of decay rate (click on brown cell below, then on pull-down menu)

Approach for simulating degradation of pollutants: Apply degradation rate to dissolved pollutants only

				Source of parameter value
Initial contaminant concentration in groundwater at plume core	C_0	1.10E-04	mg/l	*Average concentration from across site*
Half life for degradation of contaminant in water	$t_{1/2}$	3.80E+03	days	*Howard et al*
Calculated decay rate		1.83E-04	$days^{-1}$	
Width of plume in aquifer at source (perpendicular to flow)	Sz	3.50E+01	m	*Width of site*
Plume thickness at source	Sy	3.38E+00	m	*25% saturated aquifer thickness*
Saturated aquifer thickness	da	1.35E+01	m	*Max groundwater thickness encountered*
Bulk density of aquifer materials		2.51E+00	g/cm^3	*structx.com*
Effective porosity of aquifer	n	5.20E-01	fraction	*geotechdata.info*
Hydraulic gradient	i	1.79E-02	fraction	*Calculated between BH01B/RBH01B and BH02A/RBH02A*
Hydraulic conductivity of aquifer	K	8.64E+01	m/d	*Freeze and Cherry (1979)*
Distance to compliance point	x	2.50E+02	m	*WAT-PS-10-01 (August 2014)*
Distance (lateral) to compliance point perpendicular to flow direction	z		m	
Distance (depth) to compliance point perpendicular to flow direction	y		m	
Time since pollutant entered groundwater	t	1.00E+100	days	*time variant options only*
Parameters values determined from options				
Partition coefficient	Kd	2.43E+01	l/kg	*see options*
Longitudinal dispersivity	ax	2.50E+01	m	*see options*
Transverse dispersivity	az	2.50E+00	m	*see options*
Vertical dispersivity	ay	2.50E-01	m	*see options*

Calculated Parameters

	Variable		
Groundwater flow velocity	v	2.97E+00	m/d
Retardation factor	Rf	1.18E+02	fraction
Decay rate used		1.55E-06	d^{-1}
Rate of contaminant flow due to retardation	u	2.52E-02	m/d
Contaminant concentration at distance x, assuming one-way vertical dispersion	C_{ED}	9.75E-06	mg/l
Attenuation factor (one way vertical dispersion, CO/CED)	**AF**	**1.13E+01**	

Remedial Targets

Remedial Target		**1.13E-04**	**mg/l**	For comparison with measured groundwater concentration.
Domenico - Steady state				
Distance to compliance point		**250**	**m**	
Concentration of contaminant at compliance point	**C_{ED}/C_0**	**9.75E-06**	**mg/l**	Domenico - Steady state

Care should be used when calculating remedial targets using the time variant options as this may result in an overestimate of the remedial target.
The recommended value for time when calculating the remedial target is 9.9E+99.

Select Method for deriving Partition Co-efficient (using pull down menu)

Calculate for non-polar organic chemicals

Entry if specify partition coefficient (option)			
Soil water partition coefficient	Kd		l/kg
Entry for non-polar organic chemicals (option)			
Fraction of organic carbon in aquifer	foc	3.62E-02	fraction
Organic carbon partition coefficient	Koc	6.72E+02	l/kg
Entry for ionic organic chemicals (option)			
Sorption coefficient for related species	$K_{oc,n}$		l/kg
Sorption coefficient for ionised species	$K_{oc,i}$		l/kg
pH value	pH		
acid dissociation constant	pKa		
Fraction of organic carbon in aquifer	foc		fraction
Soil water partition coefficient	Kd	2.43E+01	l/kg

Define dispersivity (click brown cell and use pull down list)


Dispersivities 10%, 1%, 0.1% of pathway length

		Enter value	Calc value	Xu & Eckstein	
Longitudinal dispersivity	**ax**	0.00E+00	2.50E+01	6.86E+00	m
Transverse dispersivity	**az**	0.00E+00	2.50E+00	6.86E-01	m
Vertical dispersivity	**ay**	0.00E+00	2.50E-01	6.86E-02	

Note values of dispersivity must be > 0

For calculated value, assumes ax = 0.1 *x, az = 0.01 * x, ay = 0.001 * x

Xu & Eckstein (1995) report ax = $0.83(\log_{10}x)^{2.414}$; az = ax/10, ay = ax/100 are assumed



Note graph assumes plume disperses vertically in one direction only. An alternative solution assuming the centre of the plume is located at the mid-depth of the aquifer is presented in the calculation sheets.

Note

This sheet calculates the Level 3 remedial target for groundwater, based on the distance to the receptor or compliance located down hydraulic gradient of the source Three solution methods are included, the preferred option is Ogata Banks.

By setting a long travel time it will give the steady state solution, which should be used to calculate remedial targets.

The measured groundwater concentration should be compared with the Level 3 remedial target to determine the need for further action.
Note if contaminant is not subject to first order degradation, then set half life as 9.0E+99.

This worksheet should be used if pollutant transport and degradation is best described by a first order reaction. If degradation is best desribed by an electron limited degradation such as oxidation by O2, NO3, SO4 etc than an alternative solution should be used

Site being assessed:	Causewayside,
Completed by:	LR
Date:	21.07.23
Version:	3.2

Calculated concentrations for distance-concentration graph

Domenico - Steady state
From calculation sheet

Distance	Concentration
	mg/l
0	1.1E-04
12.5	8.80E-05
25.0	6.40E-05
37.5	4.95E-05
50.0	4.01E-05
62.5	3.37E-05
75.0	2.90E-05
87.5	2.55E-05
100.0	2.27E-05
112.5	2.05E-05
125.0	1.86E-05
137.5	1.71E-05
150.0	1.58E-05
162.5	1.46E-05
175.0	1.37E-05
187.5	1.28E-05
200.0	1.21E-05
212.5	1.14E-05
225.0	1.08E-05
237.5	1.02E-05
250.0	9.75E-06

Appendix 10

Waste Classification Report (HazWaste Online, May 2023)

HazWasteOnline™

Waste Classification Report

HazWasteOnline™ classifies waste as either **hazardous** or **non-hazardous** based on its chemical composition, related legislation and the rules and data defined in the current UK or EU technical guidance (Appendix C) (note that HP 9 Infectious is not assessed). It is the responsibility of the classifier named below to:

a) understand the origin of the waste
b) select the correct List of Waste code(s)
c) confirm that the list of determinands, results and sampling plan are fit for purpose
d) select and justify the chosen metal species (Appendix B)
e) correctly apply moisture correction and other available corrections
f) add the meta data for their user-defined substances (Appendix A)
g) check that the classification engine is suitable with respect to the national destination of the waste (Appendix C)

To aid the reviewer, the laboratory results, assumptions and justifications managed by the classifier are highlighted in pale yellow.

G0LS5-6DVQG-ACS6T

Job name

Causewayside, Edinburgh

Description/Comments

Project

P23-075

Site

Causewayside, Edinburgh

Classified by

Name:
Aisling Lee
Date:
17 May 2023 13:35 GMT
Telephone:
0141 420 2025

Company:
Mason Evans
The Piazza
95 Morrison Street
Glasgow
G5 8BE

HazWasteOnline™ provides a two day, hazardous waste classification course that covers the use of the software and both basic and advanced waste classification techniques. Certification has to be renewed every 3 years.

HazWasteOnline™ Certification: **CERTIFIED**

Course	Date
Hazardous Waste Classification	21 Apr 2022

Next 3 year Refresher due by Apr 2025

Purpose of classification

1 - Back Office

Address of the waste

Post Code

SIC for the process giving rise to the waste

Description of industry/producer giving rise to the waste

Description of the specific process, sub-process and/or activity that created the waste

Description of the waste

Job summary

#	Sample name	Depth [m]	Classification Result	Hazard properties	Page
1	BH01	0.25	Non Hazardous		3
2	BH01[2]	1	Non Hazardous		5
3	BH02	0.5	Non Hazardous		7
4	BH02[2]	2	Non Hazardous		9
5	BH02[3]	3	Non Hazardous		11
6	BH03	0.5	Non Hazardous		13
7	BH03[2]	1	Non Hazardous		16
8	BH03[3]	2	Non Hazardous		18
9	BH5	1	Non Hazardous		20
10	BH6	0.25	Non Hazardous		22
11	BH6[2]	1	Non Hazardous		24

Related documents

#	Name	Description
1	Glasgow DETS	waste stream template used to create this Job

Report

Created by: Aisling Lee

Created date: 17 May 2023 13:35 GMT

Appendices	Page
Appendix A: Classifier defined and non GB MCL determinands	26
Appendix B: Rationale for selection of metal species	27
Appendix C: Version	28

EVALUATION VERSION
EVALUATION VERSION

Classification of sample: BH01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
BH01
Sample Depth:
0.25 m
Moisture content:
5.9%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 5.9% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic pentoxide }	033-004-00-6	215-116-9	1303-28-2		2.8	mg/kg	1.534	4.295	mg/kg	0.000429 %		
2	boron { boron tribromide }	005-003-00-0	233-657-9	10294-33-4		0.4	mg/kg	23.173	9.269	mg/kg	0.000927 %		
3	cadmium { cadmium sulfate }	048-009-00-9	233-331-6	10124-36-4		0.1	mg/kg	1.855	0.185	mg/kg	0.0000185 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		12	mg/kg	1.462	17.539	mg/kg	0.00175 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<1	mg/kg	1.923	<1.923	mg/kg	<0.000192 %		**<LOD**
6	copper { copper sulphate pentahydrate }	029-023-00-4	231-847-6	7758-99-8		56	mg/kg	3.929	220.027	mg/kg	0.022 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	26	mg/kg	1.56	40.555	mg/kg	0.0026 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.19	mg/kg	1.353	0.257	mg/kg	0.0000257 %		
9	nickel { nickel sulfide }	028-006-00-9	240-841-2 [1] 234-349-7 [2] - [3]	16812-54-7 [1] 11113-75-0 [2] 1314-04-1 [3]		25	mg/kg	1.546	38.658	mg/kg	0.00387 %		
10	selenium { selenium }	034-001-00-2	231-957-4	7782-49-2		<0.5	mg/kg		<0.5	mg/kg	<0.00005 %		**<LOD**
11	zinc { zinc oxide }	030-013-00-7	215-222-5	1314-13-2		73	mg/kg	1.245	90.864	mg/kg	0.00909 %		
12	pH			PH		8.2	pH		8.2	pH	8.2 pH		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.2	mg/kg	1.884	0.377	mg/kg	0.0000377 %		
14	TPH (C6 to C40) petroleum group			TPH		200	mg/kg		200	mg/kg	0.02 %		

EVALUATION VERSION

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-695-5	86-73-7									
19		phenanthrene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			204-371-1	120-12-7									
21		fluoranthene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
			205-912-4	206-44-0									
22		pyrene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-883-8	191-24-2									
31		PAHs (total)				2.1	mg/kg		2.1	mg/kg	0.00021 %		
32		Phenols, C9-11; Distillate Phenols			H, J, M	<0.3	mg/kg		<0.3	mg/kg	<0.00003 %		<**LOD**
		648-127-00-6	293-435-2	91079-47-9									
										Total:	0.0615 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because The hazard phase HP3(i) refers to flammable liquids however as the material is a solid this is not applicable and has been discounted

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.02%)

EVALUATION VERSION

Classification of sample: BH01[2]

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
BH01[2]
Sample Depth:
1 m
Moisture content:
14%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 14% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic pentoxide }	033-004-00-6	215-116-9	1303-28-2		7.5	mg/kg	1.534	11.504	mg/kg	0.00115 %		
2	boron { boron tribromide }	005-003-00-0	233-657-9	10294-33-4		0.4	mg/kg	23.173	9.269	mg/kg	0.000927 %		
3	cadmium { cadmium sulfate }	048-009-00-9	233-331-6	10124-36-4		0.2	mg/kg	1.855	0.371	mg/kg	0.0000371 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		21	mg/kg	1.462	30.693	mg/kg	0.00307 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<1	mg/kg	1.923	<1.923	mg/kg	<0.000192 %		<**LOD**
6	copper { copper sulphate pentahydrate }	029-023-00-4	231-847-6	7758-99-8		21	mg/kg	3.929	82.51	mg/kg	0.00825 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	16	mg/kg	1.56	24.957	mg/kg	0.0016 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.35	mg/kg	1.353	0.474	mg/kg	0.0000474 %		
9	nickel { nickel sulfide }	028-006-00-9	240-841-2 [1] 234-349-7 [2] - [3]	16812-54-7 [1] 11113-75-0 [2] 1314-04-1 [3]		27	mg/kg	1.546	41.75	mg/kg	0.00418 %		
10	selenium { selenium }	034-001-00-2	231-957-4	7782-49-2		<0.5	mg/kg		<0.5	mg/kg	<0.00005 %		<**LOD**
11	zinc { zinc oxide }	030-013-00-7	215-222-5	1314-13-2		58	mg/kg	1.245	72.193	mg/kg	0.00722 %		
12	pH			PH		8.1	pH		8.1	pH	8.1 pH		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.1	mg/kg	1.884	0.188	mg/kg	0.0000188 %		
14	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<**LOD**

EVALUATION VERSION

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		PAHs (total)				<1.6	mg/kg		<1.6	mg/kg	<0.00016 %		<LOD
32		Phenols, C9-11; Distillate Phenols			H, J, M	<0.3	mg/kg		<0.3	mg/kg	<0.00003 %		<LOD
		648-127-00-6	293-435-2	91079-47-9									
										Total:	0.0281 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

EVALUATION VERSION

Classification of sample: BH02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
BH02
Sample Depth:
0.5 m
Moisture content:
13%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 13% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic pentoxide }	033-004-00-6	215-116-9	1303-28-2		5.2	mg/kg	1.534	7.976	mg/kg	0.000798 %		
2	boron { boron tribromide }	005-003-00-0	233-657-9	10294-33-4		1.1	mg/kg	23.173	25.49	mg/kg	0.00255 %		
3	cadmium { cadmium sulfate }	048-009-00-9	233-331-6	10124-36-4		<0.1	mg/kg	1.855	<0.185	mg/kg	<0.0000185 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		21	mg/kg	1.462	30.693	mg/kg	0.00307 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<1	mg/kg	1.923	<1.923	mg/kg	<0.000192 %		<**LOD**
6	copper { copper sulphate pentahydrate }	029-023-00-4	231-847-6	7758-99-8		22	mg/kg	3.929	86.439	mg/kg	0.00864 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	23	mg/kg	1.56	35.876	mg/kg	0.0023 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.49	mg/kg	1.353	0.663	mg/kg	0.0000663 %		
9	nickel { nickel sulfide }	028-006-00-9	240-841-2 [1] 234-349-7 [2] - [3]	16812-54-7 [1] 11113-75-0 [2] 1314-04-1 [3]		26	mg/kg	1.546	40.204	mg/kg	0.00402 %		
10	selenium { selenium }	034-001-00-2	231-957-4	7782-49-2		<0.5	mg/kg		<0.5	mg/kg	<0.00005 %		<**LOD**
11	zinc { zinc oxide }	030-013-00-7	215-222-5	1314-13-2		51	mg/kg	1.245	63.48	mg/kg	0.00635 %		
12	pH			PH		9	pH		9	pH	9pH		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.1	mg/kg	1.884	0.188	mg/kg	0.0000188 %		
14	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<**LOD**

EVALUATION VERSION

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.4	mg/kg		0.4	mg/kg	0.00004 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				0.8	mg/kg		0.8	mg/kg	0.00008 %		
			201-469-6	83-32-9									
18		fluorene				0.7	mg/kg		0.7	mg/kg	0.00007 %		
			201-695-5	86-73-7									
19		phenanthrene				2.1	mg/kg		2.1	mg/kg	0.00021 %		
			201-581-5	85-01-8									
20		anthracene				0.6	mg/kg		0.6	mg/kg	0.00006 %		
			204-371-1	120-12-7									
21		fluoranthene				1.6	mg/kg		1.6	mg/kg	0.00016 %		
			205-912-4	206-44-0									
22		pyrene				2	mg/kg		2	mg/kg	0.0002 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				1.1	mg/kg		1.1	mg/kg	0.00011 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.9	mg/kg		0.9	mg/kg	0.00009 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.5	mg/kg		0.5	mg/kg	0.00005 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.9	mg/kg		0.9	mg/kg	0.00009 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.6	mg/kg		0.6	mg/kg	0.00006 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.4	mg/kg		0.4	mg/kg	0.00004 %		
			205-883-8	191-24-2									
31		PAHs (total)				13	mg/kg		13	mg/kg	0.0013 %		
32		Phenols, C9-11; Distillate Phenols			H, J, M	<0.3	mg/kg		<0.3	mg/kg	<0.00003 %		<LOD
		648-127-00-6	293-435-2	91079-47-9									
33		asbestos				0.002	mg/kg		0.002	mg/kg	0.0000002 %		
		650-013-00-6	- - - - - - -	12001-28-4 132207-32-0 12172-73-5 77536-66-4 77536-68-6 77536-67-5 12001-29-5									
										Total:	0.0317 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

EVALUATION VERSION

Classification of sample: BH02[2]

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
BH02[2]
Sample Depth:
2 m
Moisture content:
15%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 15% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic pentoxide }	033-004-00-6	215-116-9	1303-28-2		5.3 mg/kg	1.534	8.13 mg/kg	0.000813 %		
2	boron { boron tribromide }	005-003-00-0	233-657-9	10294-33-4		0.5 mg/kg	23.173	11.586 mg/kg	0.00116 %		
3	cadmium { cadmium sulfate }	048-009-00-9	233-331-6	10124-36-4		<0.1 mg/kg	1.855	<0.185 mg/kg	<0.0000185 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		26 mg/kg	1.462	38 mg/kg	0.0038 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<1 mg/kg	1.923	<1.923 mg/kg	<0.000192 %		<LOD
6	copper { copper sulphate pentahydrate }	029-023-00-4	231-847-6	7758-99-8		63 mg/kg	3.929	247.53 mg/kg	0.0248 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	14 mg/kg	1.56	21.837 mg/kg	0.0014 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.16 mg/kg	1.353	0.217 mg/kg	0.0000217 %		
9	nickel { nickel sulfide }	028-006-00-9	240-841-2 [1] 234-349-7 [2] - [3]	16812-54-7 [1] 11113-75-0 [2] 1314-04-1 [3]		32 mg/kg	1.546	49.482 mg/kg	0.00495 %		
10	selenium { selenium }	034-001-00-2	231-957-4	7782-49-2		<0.5 mg/kg		<0.5 mg/kg	<0.00005 %		<LOD
11	zinc { zinc oxide }	030-013-00-7	215-222-5	1314-13-2		63 mg/kg	1.245	78.417 mg/kg	0.00784 %		
12	pH			PH		8.6 pH		8.6 pH	8.6 pH		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.1 mg/kg	1.884	<0.188 mg/kg	<0.0000188 %		<LOD
14	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<LOD

EVALUATION VERSION

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16	•	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17	•	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18	•	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19	•	phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20	•	anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21	•	fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22	•	pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28	•	indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30	•	benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31	•	PAHs (total)				<1.6	mg/kg		<1.6	mg/kg	<0.00016 %		<LOD
32		Phenols, C9-11; Distillate Phenols			H, J, M	<0.3	mg/kg		<0.3	mg/kg	<0.00003 %		<LOD
		648-127-00-6	293-435-2	91079-47-9									
										Total:	0.0464 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
•	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

EVALUATION VERSION

Classification of sample: BH02[3]

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
BH02[3]
Sample Depth:
3 m
Moisture content:
13%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 13% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic pentoxide }	033-004-00-6	215-116-9	1303-28-2		5.6	mg/kg	1.534	8.59	mg/kg	0.000859 %		
2	boron { boron tribromide }	005-003-00-0	233-657-9	10294-33-4		0.5	mg/kg	23.173	11.586	mg/kg	0.00116 %		
3	cadmium { cadmium sulfate }	048-009-00-9	233-331-6	10124-36-4		0.1	mg/kg	1.855	0.185	mg/kg	0.0000185 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		26	mg/kg	1.462	38	mg/kg	0.0038 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<1	mg/kg	1.923	<1.923	mg/kg	<0.000192 %		<**LOD**
6	copper { copper sulphate pentahydrate }	029-023-00-4	231-847-6	7758-99-8		26	mg/kg	3.929	102.155	mg/kg	0.0102 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	14	mg/kg	1.56	21.837	mg/kg	0.0014 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.7	mg/kg	1.353	0.947	mg/kg	0.0000947 %		
9	nickel { nickel sulfide }	028-006-00-9	240-841-2 [1] 234-349-7 [2] - [3]	16812-54-7 [1] 11113-75-0 [2] 1314-04-1 [3]		34	mg/kg	1.546	52.575	mg/kg	0.00526 %		
10	selenium { selenium }	034-001-00-2	231-957-4	7782-49-2		<0.5	mg/kg		<0.5	mg/kg	<0.00005 %		<**LOD**
11	zinc { zinc oxide }	030-013-00-7	215-222-5	1314-13-2		66	mg/kg	1.245	82.151	mg/kg	0.00822 %		
12	pH			PH		8.5	pH		8.5	pH	8.5 pH		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.1	mg/kg	1.884	<0.188	mg/kg	<0.0000188 %		<**LOD**
14	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<**LOD**

EVALUATION VERSION

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16	•	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17	•	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18	•	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19	•	phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20	•	anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21	•	fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22	•	pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28	•	indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30	•	benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31	•	PAHs (total)				<1.6	mg/kg		<1.6	mg/kg	<0.00016 %		<LOD
32		Phenols, C9-11; Distillate Phenols			H, J, M	<0.3	mg/kg		<0.3	mg/kg	<0.00003 %		<LOD
		648-127-00-6	293-435-2	91079-47-9									
										Total:	0.0326 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
•	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

EVALUATION VERSION

Classification of sample: BH03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
BH03
Sample Depth:
0.5 m
Moisture content:
14%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 14% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic pentoxide }	033-004-00-6	215-116-9	1303-28-2		7.1	mg/kg	1.534	10.891	mg/kg	0.00109 %		
2	boron { boron tribromide }	005-003-00-0	233-657-9	10294-33-4		1.1	mg/kg	23.173	25.49	mg/kg	0.00255 %		
3	cadmium { cadmium sulfate }	048-009-00-9	233-331-6	10124-36-4		0.2	mg/kg	1.855	0.371	mg/kg	0.0000371 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		25	mg/kg	1.462	36.539	mg/kg	0.00365 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<1	mg/kg	1.923	<1.923	mg/kg	<0.000192 %		<LOD
6	copper { copper sulphate pentahydrate }	029-023-00-4	231-847-6	7758-99-8		31	mg/kg	3.929	121.801	mg/kg	0.0122 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	40	mg/kg	1.56	62.393	mg/kg	0.004 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.79	mg/kg	1.353	1.069	mg/kg	0.000107 %		
9	nickel { nickel sulfide }	028-006-00-9	240-841-2 [1] 234-349-7 [2] - [3]	16812-54-7 [1] 11113-75-0 [2] 1314-04-1 [3]		31	mg/kg	1.546	47.936	mg/kg	0.00479 %		
10	selenium { selenium }	034-001-00-2	231-957-4	7782-49-2		<0.5	mg/kg		<0.5	mg/kg	<0.00005 %		<LOD
11	zinc { zinc oxide }	030-013-00-7	215-222-5	1314-13-2		94	mg/kg	1.245	117.003	mg/kg	0.0117 %		
12	pH			PH		9.7	pH		9.7	pH	9.7 pH		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.1	mg/kg	1.884	<0.188	mg/kg	<0.0000188 %		<LOD
14	TPH (C6 to C40) petroleum group			TPH		19	mg/kg		19	mg/kg	0.0019 %		

EVALUATION VERSION

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				1	mg/kg		1	mg/kg	0.0001 %		
			205-917-1	208-96-8									
17		acenaphthene				1.5	mg/kg		1.5	mg/kg	0.00015 %		
			201-469-6	83-32-9									
18		fluorene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
			201-695-5	86-73-7									
19		phenanthrene				0.6	mg/kg		0.6	mg/kg	0.00006 %		
			201-581-5	85-01-8									
20		anthracene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
			204-371-1	120-12-7									
21		fluoranthene				0.7	mg/kg		0.7	mg/kg	0.00007 %		
			205-912-4	206-44-0									
22		pyrene				0.8	mg/kg		0.8	mg/kg	0.00008 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.5	mg/kg		0.5	mg/kg	0.00005 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.4	mg/kg		0.4	mg/kg	0.00004 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.4	mg/kg		0.4	mg/kg	0.00004 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.4	mg/kg		0.4	mg/kg	0.00004 %		
			205-883-8	191-24-2									
31		PAHs (total)				7.6	mg/kg		7.6	mg/kg	0.00076 %		
32		Phenols, C9-11; Distillate Phenols			H, J, M	<0.3	mg/kg		<0.3	mg/kg	<0.00003 %		<LOD
		648-127-00-6	293-435-2	91079-47-9									
33		asbestos				0.01	mg/kg		0.01	mg/kg	0.000001 %		
		650-013-00-6	- - - - - - -	12001-28-4 132207-32-0 12172-73-5 77536-66-4 77536-68-6 77536-67-5 12001-29-5									
										Total:	0.0439 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

EVALUATION VERSION

Force this Hazardous property to non hazardous because The hazard phase HP3(i) refers to flammable liquids however as the material is a solid this is not applicable and has been discounted

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.0019%)

EVALUATION VERSION

EVALUATION VERSION

Classification of sample: BH03[2]

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

EVALUATION VERSION

Sample details

Sample name:
BH03[2]
Sample Depth:
1 m
Moisture content:
13%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 13% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic pentoxide }	033-004-00-6	215-116-9	1303-28-2		6.4 mg/kg	1.534	9.817 mg/kg	0.000982 %		
2	boron { boron tribromide }	005-003-00-0	233-657-9	10294-33-4		1.2 mg/kg	23.173	27.808 mg/kg	0.00278 %		
3	cadmium { cadmium sulfate }	048-009-00-9	233-331-6	10124-36-4		0.2 mg/kg	1.855	0.371 mg/kg	0.0000371 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		19 mg/kg	1.462	27.77 mg/kg	0.00278 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<1 mg/kg	1.923	<1.923 mg/kg	<0.000192 %		<LOD
6	copper { copper sulphate pentahydrate }	029-023-00-4	231-847-6	7758-99-8		27 mg/kg	3.929	106.084 mg/kg	0.0106 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	34 mg/kg	1.56	53.034 mg/kg	0.0034 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.28 mg/kg	1.353	0.379 mg/kg	0.0000379 %		
9	nickel { nickel sulfide }	028-006-00-9	240-841-2 [1] 234-349-7 [2] - [3]	16812-54-7 [1] 11113-75-0 [2] 1314-04-1 [3]		24 mg/kg	1.546	37.112 mg/kg	0.00371 %		
10	selenium { selenium }	034-001-00-2	231-957-4	7782-49-2		<0.5 mg/kg		<0.5 mg/kg	<0.00005 %		<LOD
11	zinc { zinc oxide }	030-013-00-7	215-222-5	1314-13-2		78 mg/kg	1.245	97.088 mg/kg	0.00971 %		
12	pH			PH		9.5 pH		9.5 pH	9.5 pH		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.1 mg/kg	1.884	<0.188 mg/kg	<0.0000188 %		<LOD
14	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<LOD

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16	•	acenaphthylene				0.8	mg/kg		0.8	mg/kg	0.00008 %		
			205-917-1	208-96-8									
17	•	acenaphthene				1.1	mg/kg		1.1	mg/kg	0.00011 %		
			201-469-6	83-32-9									
18	•	fluorene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
			201-695-5	86-73-7									
19	•	phenanthrene				0.4	mg/kg		0.4	mg/kg	0.00004 %		
			201-581-5	85-01-8									
20	•	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	•	fluoranthene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
			205-912-4	206-44-0									
22	•	pyrene				0.4	mg/kg		0.4	mg/kg	0.00004 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
		601-032-00-3	200-028-5	50-32-8									
28	•	indeno[123-cd]pyrene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		**<LOD**
		601-041-00-2	200-181-8	53-70-3									
30	•	benzo[ghi]perylene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
			205-883-8	191-24-2									
31	•	PAHs (total)				4.6	mg/kg		4.6	mg/kg	0.00046 %		
32		Phenols, C9-11; Distillate Phenols			H, J, M	<0.3	mg/kg		<0.3	mg/kg	<0.00003 %		**<LOD**
		648-127-00-6	293-435-2	91079-47-9									
33		asbestos				0.02	mg/kg		0.02	mg/kg	0.000002 %		
		650-013-00-6	- - - - - - -	12001-28-4 132207-32-0 12172-73-5 77536-66-4 77536-68-6 77536-67-5 12001-29-5									
										Total:	0.0363 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
•	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

EVALUATION VERSION

Classification of sample: BH03[3]

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

EVALUATION VERSION

Sample details

Sample name:
BH03[3]
Sample Depth:
2 m
Moisture content:
13%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 13% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic pentoxide }	033-004-00-6	215-116-9	1303-28-2		5.4 mg/kg	1.534	8.283 mg/kg	0.000828 %		
2	boron { boron tribromide }	005-003-00-0	233-657-9	10294-33-4		0.3 mg/kg	23.173	6.952 mg/kg	0.000695 %		
3	cadmium { cadmium sulfate }	048-009-00-9	233-331-6	10124-36-4		0.2 mg/kg	1.855	0.371 mg/kg	0.0000371 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		12 mg/kg	1.462	17.539 mg/kg	0.00175 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<1 mg/kg	1.923	<1.923 mg/kg	<0.000192 %		<LOD
6	copper { copper sulphate pentahydrate }	029-023-00-4	231-847-6	7758-99-8		28 mg/kg	3.929	110.013 mg/kg	0.011 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	8.8 mg/kg	1.56	13.726 mg/kg	0.00088 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.07 mg/kg	1.353	0.0947 mg/kg	0.00000947 %		
9	nickel { nickel sulfide }	028-006-00-9	240-841-2 [1] 234-349-7 [2] - [3]	16812-54-7 [1] 11113-75-0 [2] 1314-04-1 [3]		17 mg/kg	1.546	26.287 mg/kg	0.00263 %		
10	selenium { selenium }	034-001-00-2	231-957-4	7782-49-2		0.5 mg/kg		0.5 mg/kg	0.00005 %		
11	zinc { zinc oxide }	030-013-00-7	215-222-5	1314-13-2		29 mg/kg	1.245	36.097 mg/kg	0.00361 %		
12	pH			PH		8.6 pH		8.6 pH	8.6 pH		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.1 mg/kg	1.884	<0.188 mg/kg	<0.0000188 %		<LOD
14	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<LOD

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
			205-917-1	208-96-8									
17		acenaphthene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-883-8	191-24-2									
31		PAHs (total)				<1.6	mg/kg		<1.6	mg/kg	<0.00016 %		<**LOD**
32		Phenols, C9-11; Distillate Phenols			H, J, M	<0.3	mg/kg		<0.3	mg/kg	<0.00003 %		<**LOD**
		648-127-00-6	293-435-2	91079-47-9									
										Total:	0.0231 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

EVALUATION VERSION

Classification of sample: BH5

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

EVALUATION VERSION

Sample details

Sample name:
BH5
Sample Depth:
1 m
Moisture content:
15%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 15% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic pentoxide }	033-004-00-6	215-116-9	1303-28-2		6.9 mg/kg	1.534	10.584 mg/kg	0.00106 %		
2	boron { boron tribromide }	005-003-00-0	233-657-9	10294-33-4		0.2 mg/kg	23.173	4.635 mg/kg	0.000463 %		
3	cadmium { cadmium sulfate }	048-009-00-9	233-331-6	10124-36-4		0.1 mg/kg	1.855	0.185 mg/kg	0.0000185 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		19 mg/kg	1.462	27.77 mg/kg	0.00278 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<1 mg/kg	1.923	<1.923 mg/kg	<0.000192 %		<LOD
6	copper { copper sulphate pentahydrate }	029-023-00-4	231-847-6	7758-99-8		23 mg/kg	3.929	90.368 mg/kg	0.00904 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	25 mg/kg	1.56	38.995 mg/kg	0.0025 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.08 mg/kg	1.353	0.108 mg/kg	0.0000108 %		
9	nickel { nickel sulfide }	028-006-00-9	240-841-2 [1] 234-349-7 [2] - [3]	16812-54-7 [1] 11113-75-0 [2] 1314-04-1 [3]		22 mg/kg	1.546	34.019 mg/kg	0.0034 %		
10	selenium { selenium }	034-001-00-2	231-957-4	7782-49-2		<0.5 mg/kg		<0.5 mg/kg	<0.00005 %		<LOD
11	zinc { zinc oxide }	030-013-00-7	215-222-5	1314-13-2		70 mg/kg	1.245	87.13 mg/kg	0.00871 %		
12	pH			PH		8.1 pH		8.1 pH	8.1 pH		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.1 mg/kg	1.884	<0.188 mg/kg	<0.0000188 %		<LOD
14	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<LOD

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		PAHs (total)				<1.6	mg/kg		<1.6	mg/kg	<0.00016 %		<LOD
32		Phenols, C9-11; Distillate Phenols			H, J, M	<0.3	mg/kg		<0.3	mg/kg	<0.00003 %		<LOD
		648-127-00-6	293-435-2	91079-47-9									
										Total:	0.0296 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

EVALUATION VERSION

Classification of sample: BH6

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

EVALUATION VERSION

Sample details

Sample name:
BH6
Sample Depth:
0.25 m
Moisture content:
5.1%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 5.1% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic pentoxide }	033-004-00-6	215-116-9	1303-28-2		2.7 mg/kg	1.534	4.141 mg/kg	0.000414 %		
2	boron { boron tribromide }	005-003-00-0	233-657-9	10294-33-4		0.3 mg/kg	23.173	6.952 mg/kg	0.000695 %		
3	cadmium { cadmium sulfate }	048-009-00-9	233-331-6	10124-36-4		<0.1 mg/kg	1.855	<0.185 mg/kg	<0.0000185 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		15 mg/kg	1.462	21.923 mg/kg	0.00219 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<1 mg/kg	1.923	<1.923 mg/kg	<0.000192 %		<LOD
6	copper { copper sulphate pentahydrate }	029-023-00-4	231-847-6	7758-99-8		41 mg/kg	3.929	161.091 mg/kg	0.0161 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	12 mg/kg	1.56	18.718 mg/kg	0.0012 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel sulfide }	028-006-00-9	240-841-2 [1] 234-349-7 [2] - [3]	16812-54-7 [1] 11113-75-0 [2] 1314-04-1 [3]		25 mg/kg	1.546	38.658 mg/kg	0.00387 %		
10	selenium { selenium }	034-001-00-2	231-957-4	7782-49-2		<0.5 mg/kg		<0.5 mg/kg	<0.00005 %		<LOD
11	zinc { zinc oxide }	030-013-00-7	215-222-5	1314-13-2		84 mg/kg	1.245	104.556 mg/kg	0.0105 %		
12	pH			PH		10.1 pH		10.1 pH	10.1 pH		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.1 mg/kg	1.884	<0.188 mg/kg	<0.0000188 %		<LOD
14	TPH (C6 to C40) petroleum group			TPH		490 mg/kg		490 mg/kg	0.049 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.6	mg/kg		0.6	mg/kg	0.00006 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.4	mg/kg		0.4	mg/kg	0.00004 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		PAHs (total)				2.2	mg/kg		2.2	mg/kg	0.00022 %		
32		Phenols, C9-11; Distillate Phenols			H, J, M	<0.3	mg/kg		<0.3	mg/kg	<0.00003 %		<LOD
		648-127-00-6	293-435-2	91079-47-9									
										Total:	0.0848 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because The hazard phase HP3(i) refers to flammable liquids however as the material is a solid this is not applicable and has been discounted

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.049%)

EVALUATION VERSION

Classification of sample: BH6[2]

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

EVALUATION VERSION

Sample details

Sample name:
BH6[2]
Sample Depth:
1 m
Moisture content:
11%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 11% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic pentoxide }	033-004-00-6	215-116-9	1303-28-2		6.8 mg/kg	1.534	10.43 mg/kg	0.00104 %		
2	boron { boron tribromide }	005-003-00-0	233-657-9	10294-33-4		0.5 mg/kg	23.173	11.586 mg/kg	0.00116 %		
3	cadmium { cadmium sulfate }	048-009-00-9	233-331-6	10124-36-4		0.1 mg/kg	1.855	0.185 mg/kg	0.0000185 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		20 mg/kg	1.462	29.231 mg/kg	0.00292 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<1 mg/kg	1.923	<1.923 mg/kg	<0.000192 %		<LOD
6	copper { copper sulphate pentahydrate }	029-023-00-4	231-847-6	7758-99-8		31 mg/kg	3.929	121.801 mg/kg	0.0122 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	38 mg/kg	1.56	59.273 mg/kg	0.0038 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
9	nickel { nickel sulfide }	028-006-00-9	240-841-2 [1] 234-349-7 [2] - [3]	16812-54-7 [1] 11113-75-0 [2] 1314-04-1 [3]		26 mg/kg	1.546	40.204 mg/kg	0.00402 %		
10	selenium { selenium }	034-001-00-2	231-957-4	7782-49-2		<0.5 mg/kg		<0.5 mg/kg	<0.00005 %		<LOD
11	zinc { zinc oxide }	030-013-00-7	215-222-5	1314-13-2		73 mg/kg	1.245	90.864 mg/kg	0.00909 %		
12	pH			PH		10.1 pH		10.1 pH	10.1 pH		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.4 mg/kg	1.884	0.754 mg/kg	0.0000754 %		
14	TPH (C6 to C40) petroleum group			TPH		60 mg/kg		60 mg/kg	0.006 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
			205-917-1	208-96-8									
17		acenaphthene				0.4	mg/kg		0.4	mg/kg	0.00004 %		
			201-469-6	83-32-9									
18		fluorene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
			201-695-5	86-73-7									
19		phenanthrene				0.8	mg/kg		0.8	mg/kg	0.00008 %		
			201-581-5	85-01-8									
20		anthracene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
			204-371-1	120-12-7									
21		fluoranthene				1.1	mg/kg		1.1	mg/kg	0.00011 %		
			205-912-4	206-44-0									
22		pyrene				1.6	mg/kg		1.6	mg/kg	0.00016 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.6	mg/kg		0.6	mg/kg	0.00006 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.6	mg/kg		0.6	mg/kg	0.00006 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.5	mg/kg		0.5	mg/kg	0.00005 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.7	mg/kg		0.7	mg/kg	0.00007 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.5	mg/kg		0.5	mg/kg	0.00005 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.5	mg/kg		0.5	mg/kg	0.00005 %		
			205-883-8	191-24-2									
31		PAHs (total)				8.6	mg/kg		8.6	mg/kg	0.00086 %		
32		Phenols, C9-11; Distillate Phenols			H, J, M	<0.3	mg/kg		<0.3	mg/kg	<0.00003 %		<LOD
		648-127-00-6	293-435-2	91079-47-9									
										Total:	0.0423 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because The hazard phase HP3(i) refers to flammable liquids however as the material is a solid this is not applicable and has been discounted

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.006%)

EVALUATION VERSION

Appendix A: Classifier defined and non GB MCL determinands

- **chromium(III) oxide (worst case)** (EC Number: 215-160-9, CAS Number: 1308-38-9)

Description/Comments: Data from C&L Inventory Database
Data source: https://echa.europa.eu/information-on-chemicals/cl-inventory-database/-/discli/details/33806
Data source date: 17 Jul 2015
Hazard Statements: Acute Tox. 4; H332 , Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Resp. Sens. 1; H334 , Skin Sens. 1; H317 , Repr. 1B; H360FD , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **pH** (CAS Number: PH)

Description/Comments: Appendix C4
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: None.

- **salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex**

GB MCL index number: 006-007-00-5
Description/Comments: Conversion factor based on a worst case compound: sodium cyanide
Additional Hazard Statement(s): EUH032 >= 0.2 %
Reason for additional Hazards Statement(s):
20 Nov 2021 - EUH032 >= 0.2 % hazard statement sourced from: WM3, Table C12.2

- **TPH (C6 to C40) petroleum group** (CAS Number: TPH)

Description/Comments: Hazard statements taken from WM3 1st Edition 2015; Risk phrases: WM2 3rd Edition 2013
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: Flam. Liq. 3; H226 , Asp. Tox. 1; H304 , STOT RE 2; H373 , Muta. 1B; H340 , Carc. 1B; H350 , Repr. 2; H361d , Aquatic Chronic 2; H411

- **acenaphthylene** (EC Number: 205-917-1, CAS Number: 208-96-8)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Acute Tox. 4; H302 , Acute Tox. 1; H330 , Acute Tox. 1; H310 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315

- **acenaphthene** (EC Number: 201-469-6, CAS Number: 83-32-9)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Aquatic Chronic 2; H411

- **fluorene** (EC Number: 201-695-5, CAS Number: 86-73-7)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **phenanthrene** (EC Number: 201-581-5, CAS Number: 85-01-8)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Carc. 2; H351 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Skin Irrit. 2; H315

- **anthracene** (EC Number: 204-371-1, CAS Number: 120-12-7)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **fluoranthene** (EC Number: 205-912-4, CAS Number: 206-44-0)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 21 Aug 2015
Hazard Statements: Acute Tox. 4; H302 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

EVALUATION VERSION

- **pyrene** (EC Number: 204-927-3, CAS Number: 129-00-0)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 2014
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 21 Aug 2015
Hazard Statements: Skin Irrit. 2; H315 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **indeno[123-cd]pyrene** (EC Number: 205-893-2, CAS Number: 193-39-5)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Carc. 2; H351

- **benzo[ghi]perylene** (EC Number: 205-883-8, CAS Number: 191-24-2)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 28/02/2015
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 23 Jul 2015
Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **PAHs (total)**

Description/Comments: Worst case scenario combining risk phrases and substance specific thresholds from benzo[a]pyrene (CLP# 601-032-00-3) and benzo[a]anthracene (CLP# 601-033-00-9)
Data source: 2008/1272/EC – Table 3.2 of Annex VI of regulation 1272/2008/EC - Classification, labelling and packaging of substances and mixtures and 2009/790/EC Annex IV – Annex IV of regulation 2009/790/EC - 1st Adaptation to Technical Progress for European Regulation 1272/2008
Data source date: 16 Dec 2008
Hazard Statements: Skin Sens. 1; H317 , Carc. 1B; H350 , Carc. 1B; H350 >= 0.01 % , Muta. 1B; H340 , Aquatic Acute 1; H400 (M=100) , Aquatic Chronic 1; H410 (M=100) , Repr. 1B; H360FD

Appendix B: Rationale for selection of metal species

arsenic {arsenic pentoxide}

Worst case species

boron {boron tribromide}

Worst Case Selected

cadmium {cadmium sulfate}

Assumed worst case based on likely contaminants

chromium in chromium(III) compounds {chromium(III) oxide (worst case)}

Worst case species

chromium in chromium(VI) compounds {chromium(VI) oxide}

Worst case species

copper {copper sulphate pentahydrate}

Assumed worst case based on expected contaminants

lead {lead chromate}

Worst case species

mercury {mercury dichloride}

Assumed likely form of mercury compound

nickel {nickel sulfide}

Assumed likely form of contaminant

selenium {selenium}

Worst case species

zinc {zinc oxide}

Worst case species

cyanides {salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex}

Worst Case Selected

EVALUATION VERSION

Appendix C: Version

HazWasteOnline Classification Engine: WM3 1st Edition v1.2.GB - Oct 2021
HazWasteOnline Classification Engine Version: 2023.111.5569.10274 (22 Apr 2023)
HazWasteOnline Database: 2023.111.5569.10274 (22 Apr 2023)

This classification utilises the following guidance and legislation:
WM3 v1.2.GB - Waste Classification - 1stEditionv1.2.GB-Oct2021
CLP Regulation - Regulation1272/2008/ECof16December2008
1st ATP - Regulation790/2009/ECof10August2009
2nd ATP - Regulation286/2011/ECof10March2011
3rd ATP - Regulation618/2012/EUof10July2012
4th ATP - Regulation487/2013/EUof8May2013
Correction to 1st ATP - Regulation758/2013/EUof7August2013
5th ATP - Regulation944/2013/EUof2October2013
6th ATP - Regulation605/2014/EUof5June2014
WFD Annex III replacement - Regulation1357/2014/EUof18December2014
Revised List of Waste 2014 - Decision2014/955/EUof18December2014
7th ATP - Regulation2015/1221/EUof24July2015
8th ATP - Regulation(EU)2016/918of19May2016
9th ATP - Regulation(EU)2016/1179of19July2016
10th ATP - Regulation(EU)2017/776of4May2017
HP14 amendment - Regulation(EU)2017/997of8June2017
13th ATP - Regulation(EU)2018/1480of4October2018
14th ATP - Regulation(EU)2020/217of4October2019
15th ATP - Regulation(EU)2020/1182of19May2020
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)(Amendment etc.) (EU Exit) Regulations 2020 - UK:2020No.1567of16thDecember2020
The Waste and Environmental Permitting etc. (Legislative Functions and Amendment etc.) (EU Exit) Regulations 2020 - UK: 2020 No. 1540 of 16th December 2020
GB MCL List - version1.1of09June2021

EVALUATION VERSION

Appendix 11

Geotechnical Laboratory Analysis Results

LABORATORY TEST CERTIFICATE

MATtest Limited
materials testing & consultancy

10 Queenslie Point
Queenslie Industrial Estate
120 Stepps Road
Glasgow
G33 3NQ

Tel: 0141 774 4032

email: info@mattest.org
Website: www.mattest.org

Certificate No : **23/541 - 01-1**

To : **Lindsay Reid**

Client : **Mason Evans Partnership**
The Piazza
95 Morrison Street
Glasgow
G5 8BE

LABORATORY TESTING OF SOIL & ROCK

Introduction

We refer to samples taken from Causewayside, Edinburgh and delivered to our laboratory on 02nd May 2023.

Material & Source

Sample Reference	:	See Report Plates
Sampled By	:	Client
Sampling Certificate	:	Not Supplied
Location	:	See Report Plates
Description	:	See Page 2
Date Sampled	:	Not Supplied
Date Tested	:	02nd May 2023 Onwards
Source	:	P23/075 - Causewayside, Edinburgh

Test Results

As Detailed On Page 2 to Page 10 inclusive

Comments

The results contained in this report relate to the sample(s) as received
Opinions and interpretations expressed herein are outside the scope of UKAS accreditation
This report should not be reproduced except in full without the written approval of the laboratory
All remaining samples for this project will be disposed of 28 days after issue of this test certificate

Remarks

[redacted]

Date 23/05/2023

T McLelland (Director)

UKAS TESTING
2643


BOREHOLE	SAMPLE	DEPTH (m)	SAMPLE DESCRIPTION
BH01	C	4.00-5.00	Brown gravelly sandy CLAY. Gravel is fine to coarse.
BH01	C	8.50-8.80	Brown gravelly sandy CLAY. Gravel is fine to coarse.
BH01	C	11.50-11.70	Brown gravelly sandy CLAY. Gravel is fine to coarse.

SUMMARY OF SAMPLE DESCRIPTIONS

BOREHOLE	SAMPLE	DEPTH (m)	WATER CONTENT (%)
BH01	C	4.40	1.5
BH01	C	8.55	0.8
BH01	C	11.50	1.0

Tested in accordance with BS 1377 - 2 : 2022 : Clause 4.1


SUMMARY OF WATER CONTENT TEST RESULTS




Symbol	Borehole	Sample	Depth	Water Content (%)	Liquid Limit (%)	Plastic Limit (%)	Plasticity Index (%)	% Passing 0.425mm Sieve	Remarks
■	BH01	C	4.50	1.5	27	14	13	63	Clay with low plasticity
◆									
▲									
●									
□									
◇									
△									
○									
×									
✳									

All samples were tested in accordance with BS 1377 - 2 : 2022 : Clause 5.2 and 6
All samples were washed on a 0.425mm test sieve prior to test.

SUMMARY OF ATTERBERG LIMITS TEST RESULTS





Failure Conditions				
Cell pressure	kPa	50	100	200
Membrane correction	kPa	0.2	0.3	0.5
Strain at failure	%	2.5	4.5	7.0
Failure Type		Brittle	Brittle	Brittle
Corrected deviator stress	kPa	1078	1188	1298
Undrained shear stress	kPa	539	594	649

Cohesion	kPa	325.3	Friction Angle ^{o}	24.7


Initial Conditions						
Sample length	mm	143.24	Rate of strain	%/min	2.0	Borehole BH01
Sample diameter	mm	70.53	Bulk Density	Mg/m^3	2.14	Sample C
Membrane type		Latex	Dry Density	Mg/m^3	2.08	Depth (m) 4.60
Membrane thickness	mm	0.20	Moisture Content	%	3.1	

Undisturbed sample, taken directly from the sample tube and retaining axial orientation

DETERMINATION OF MULTI STAGE UNDRAINED SHEAR STRENGTH IN TRIAXIAL COMPRESSION


Tested in accordance with BS 1377 : Part 7 : 9.0 : 1990

BOREHOLE		**BH02**
SAMPLE		**C**
DEPTH	m	**16.05**
SAMPLE DIAMETER	mm	**72.28**
SAMPLE HEIGHT	mm	**110.49**
TEST CONDITION		**As Received**
RATE OF LOADING	kN/s	**0.5**
TEST DURATION	min.sec	**10.42**
DATE OF TESTING		**23/05/2023**
LOAD FRAME USED		**2000kN**
LOAD DIRECTION WITH RESPECT TO LITHOLOGY		**Unknown**
FAILURE LOAD	kN	**329.1**
UNCONFINED COMPRESSIVE STRENGTH	MPa	**80.2**
WATER CONTENT (ISRM Suggested Methods)	%	**0.8**
BULK DENSITY (ISRM Suggested Methods)	Mg/m^3	**2.54**
DRY DENSITY (ISRM Suggested Methods)	Mg/m^3	**2.52**




Test specimen does not meet specified length / diameter ratio requirements

BOREHOLE		**BH02**
SAMPLE		**C**
DEPTH	m	**22.60**
SAMPLE DIAMETER	mm	**71.04**
SAMPLE HEIGHT	mm	**128.22**
TEST CONDITION		**As Received**
RATE OF LOADING	kN/s	**0.5**
TEST DURATION	min.sec	**4.15**
DATE OF TESTING		**23/05/2023**
LOAD FRAME USED		**2000kN**
LOAD DIRECTION WITH RESPECT TO LITHOLOGY		**Unknown**
FAILURE LOAD	kN	**134.8**
UNCONFINED COMPRESSIVE STRENGTH	MPa	**34.0**
WATER CONTENT (ISRM Suggested Methods)	%	**0.5**
BULK DENSITY (ISRM Suggested Methods)	Mg/m^3	**2.62**
DRY DENSITY (ISRM Suggested Methods)	Mg/m^3	**2.61**



Test specimen does not meet specified length / diameter ratio requirements


BOREHOLE		
SAMPLE		
DEPTH	m	
SAMPLE DIAMETER	mm	
SAMPLE HEIGHT	mm	
TEST CONDITION		
RATE OF LOADING	kN/s	
TEST DURATION	min.sec	
DATE OF TESTING		
LOAD FRAME USED		
LOAD DIRECTION WITH RESPECT TO LITHOLOGY		
FAILURE LOAD	kN	
UNCONFINED COMPRESSIVE STRENGTH	MPa	
WATER CONTENT (ISRM Suggested Methods)	%	
BULK DENSITY (ISRM Suggested Methods)	Mg/m^3	
DRY DENSITY (ISRM Suggested Methods)	Mg/m^3	



Tested in accordance with ASTM D7012 - 14


SUMMARY OF UNCONFINED COMPRESSIVE STRENGTH

BOREHOLE		**BH03**
SAMPLE		**C**
DEPTH	m	**21.60**
SAMPLE DIAMETER	mm	**71.73**
SAMPLE HEIGHT	mm	**128.80**
TEST CONDITION		**As Received**
RATE OF LOADING	kN/s	**0.6**
TEST DURATION	min.sec	**3.51**
DATE OF TESTING		**23/05/2023**
LOAD FRAME USED		**2000kN**
LOAD DIRECTION WITH RESPECT TO LITHOLOGY		**Unknown**
FAILURE LOAD	kN	**118.6**
UNCONFINED COMPRESSIVE STRENGTH	MPa	**29.4**
WATER CONTENT (ISRM Suggested Methods)	%	**0.4**
BULK DENSITY (ISRM Suggested Methods)	Mg/m^3	**2.50**
DRY DENSITY (ISRM Suggested Methods)	Mg/m^3	**2.49**




Test specimen does not meet specified length / diameter ratio requirements

BOREHOLE		**BH03**
SAMPLE		**C**
DEPTH	m	**24.50**
SAMPLE DIAMETER	mm	**72.23**
SAMPLE HEIGHT	mm	**150.94**
TEST CONDITION		**As Received**
RATE OF LOADING	kN/s	**0.6**
TEST DURATION	min.sec	**14.45**
DATE OF TESTING		**23/05/2023**
LOAD FRAME USED		**2000kN**
LOAD DIRECTION WITH RESPECT TO LITHOLOGY		**Unknown**
FAILURE LOAD	kN	**497.9**
UNCONFINED COMPRESSIVE STRENGTH	MPa	**121.5**
WATER CONTENT (ISRM Suggested Methods)	%	**0.2**
BULK DENSITY (ISRM Suggested Methods)	Mg/m^3	**2.67**
DRY DENSITY (ISRM Suggested Methods)	Mg/m^3	**2.67**



BOREHOLE		
SAMPLE		
DEPTH	m	
SAMPLE DIAMETER	mm	
SAMPLE HEIGHT	mm	
TEST CONDITION		
RATE OF LOADING	kN/s	
TEST DURATION	min.sec	
DATE OF TESTING		
LOAD FRAME USED		
LOAD DIRECTION WITH RESPECT TO LITHOLOGY		
FAILURE LOAD	kN	
UNCONFINED COMPRESSIVE STRENGTH	MPa	
WATER CONTENT (ISRM Suggested Methods)	%	
BULK DENSITY (ISRM Suggested Methods)	Mg/m^3	
DRY DENSITY (ISRM Suggested Methods)	Mg/m^3	



Tested in accordance with ASTM D7012 - 14

SUMMARY OF UNCONFINED COMPRESSIVE STRENGTH

BOREHOLE	SAMPLE	DEPTH (m)	MOISTURE CONTENT (%)	TYPE OF TEST * (see below)	CORE DIAMETER (mm)	EQUIVALENT DIAMETER (mm)	PLATEN SEPARATION (mm)	FAILURE LOAD (kN)	Is (MPa)	Is(50) (MPa)
BH01	C	16.50	As Received	I	66.25	57.70	39.47	1.30	0.39	0.42
				I	54.76	47.00	31.68	0.91	0.41	0.40
				I	57.62	50.83	35.21	1.36	0.53	0.53
	C	17.50	As Received	I	57.82	42.25	24.25	1.27	0.71	0.66
				I	48.64	41.86	28.29	4.30	2.46	2.27
				I	69.71	56.45	35.90	2.29	0.72	0.76
	C	20.05	As Received	D	71.15	71.15	71.15	0.75	0.15	0.17
				A	71.15	56.93	35.78	1.74	0.54	0.57
				A	71.15	47.35	24.75	3.65	1.63	1.59
	C	20.65	As Received	D	71.57	71.57	71.57	0.80	0.16	0.18
				A	71.57	54.62	32.74	1.25	0.42	0.44
				A	71.57	53.08	30.92	1.68	0.60	0.61

NOTE: N/M - Not measured
NOTE: A dash (-) signifies that scale did not register a reading

* I = IRREGULAR TEST
D = DIAMETRAL TEST
A = AXIAL TEST

Mean Is(50) - Axial tests	0.80
Mean Is(50) - Diametrical tests	0.18
Ia(50)	4.47

Tested in accordance with ISRM (2007)

SUMMARY OF POINT LOAD TEST RESULTS

BOREHOLE	SAMPLE	DEPTH (m)	MOISTURE CONTENT (%)	TYPE OF TEST * (see below)	CORE DIAMETER (mm)	EQUIVALENT DIAMETER (mm)	PLATEN SEPARATION (mm)	FAILURE LOAD (kN)	Is (MPa)	Is(50) (MPa)
BH02	C	15.65	As Received	D	72.60	72.60	72.60	30.70	5.82	6.89
				A	72.60	72.16	56.33	37.38	7.18	8.47
				A	72.60	66.78	48.24	30.84	6.92	7.88
	C	18.80	As Received	D	71.58	71.58	71.58	11.97	2.34	2.75
				A	71.58	50.09	27.53	14.58	5.81	5.82
				A	71.58	49.37	26.74	13.11	5.38	5.35

NOTE: N/M - Not measured
NOTE: A dash (-) signifies that scale did not register a reading

* I = IRREGULAR TEST
D = DIAMETRAL TEST
A = AXIAL TEST

Mean Is(50) - Axial tests	6.88
Mean Is(50) - Diametrical tests	4.82
Ia(50)	1.43

Tested in accordance with ISRM (2007)

SUMMARY OF POINT LOAD TEST RESULTS

BOREHOLE	SAMPLE	DEPTH (m)	MOISTURE CONTENT (%)	TYPE OF TEST * (see below)	CORE DIAMETER (mm)	EQUIVALENT DIAMETER (mm)	PLATEN SEPARATION (mm)	FAILURE LOAD (kN)	Is (MPa)	Is(50) (MPa)
BH03	C	21.90	As Received	D	72.10	72.10	72.10	1.71	0.33	0.39
				A	72.10	67.00	48.90	22.52	5.02	5.72
				A	72.10	54.26	32.07	8.94	3.04	3.15
	C	23.70	As Received	D	71.93	71.93	71.93	8.10	1.57	1.84
				A	71.93	55.71	33.89	6.32	2.04	2.14
				A	71.93	54.22	32.10	6.15	2.09	2.17

NOTE: N/M - Not measured
NOTE: A dash (-) signifies that scale did not register a reading

* I = IRREGULAR TEST
D = DIAMETRAL TEST
A = AXIAL TEST

Mean Is(50) - Axial tests	3.30
Mean Is(50) - Diametrical tests	1.12
Ia(50)	2.95

Tested in accordance with ISRM (2007)

SUMMARY OF POINT LOAD TEST RESULTS