

Technoanatomy: Civilizational Survival as a Sign, Not a Size

Ajax Benander*

September 2026 — Working Draft, rev. 4

Abstract

Existential-risk practice manages the wrong quantity. Its ledgers price events, its progress measures index accumulated capacity, and both are silent on the variable a survivorship model proves decisive: the sign of what added capacity does to a civilization’s internal hazard, here called technoanatomy. The claim in one sentence: capability magnitude cannot substitute for favorable anatomy, viability requiring favorable anatomy together with favorable driver dynamics and a prerequisite schedule that is actually cleared; on the schedule model entered here, whose leak law is stipulated, the sign is being settled now at the highest leverage in the record and conditioning on survival prefers that it be settled early; and no event of bounded duration can certify which way it has gone. Four consequences are drawn. The metric critique: an index of capability ranks worlds wrong in both directions, and the Kardashev scale measures visibility, not viability. The schedule: a third hazard channel, the gated sequence of prerequisites a civilization must land, is formalized as a discounted branching process feeding the survivorship model through a surviving-completion kernel, with its derailment hazard, its modern-era term acting on the anatomy rather than the capacity, a survival-time threshold past which conditioning switches from favoring the unpushed schedule to favoring the pushed one, survival-weighted toward better completion states, and a survivorship-prefers-early-change result under stated monotone-coupling conditions; the leak law that makes the modern era the schedule’s high-leverage stage is stipulated, and every consequence that depends on it is carried at that grade. The rival periodization: the Precipice is engaged at its strongest and three deltas are stated, in the quantity, the shape of time, and the endpoint. And the two errors about the human role, extinctionism and techno-optimism, refuted as mirror misreadings of one theorem. The ceiling’s institutional reading closes the paper: a governance built for the regime where all the survivorship structure lives, with humility in the objective rather than in the disclaimer, and no certified safety anywhere.

1 Introduction

The existential-risk field has, in a generation, built a serious literature on how a civilization might end. It has not built an account of what decides whether one can last, and the gap is not one of effort but of quantity. The field’s instruments price events: the probability of a pandemic, a war, an unaligned system, summed and discounted into a risk this century. Its progress

*Email: akb9408@rit.edu. This paper develops the existential-risk consequences of a survivorship model proved in a companion in applied probability [1], with the target-conditioning machinery owned by the theorem companion [2]; both are cited and restated, neither presupposed, and no downstream paper is cited. Drafting collaboration: Anthropic Claude (Opus 4.x, Fable 5), under the author’s direction.

measures index accumulated capacity: energy captured, computation available, the Kardashev rungs. This paper argues, from a theorem proved in a companion, that both instruments are silent on the variable that decides survival, and that the silence is structural rather than a matter of calibration. A civilization’s added capacity does two things at once: it muffles the hazards arriving from outside, and it feeds a channel of hazard that arises from inside. Whether indefinite survival is possible turns on the sign of the second effect, not on the size of the first, and an index of capacity cannot see the sign because the sign is not a function of what the index measures.

The claim, in one sentence. Capability magnitude cannot substitute for favorable anatomy: viability requires a positive response sign together with favorable driver dynamics and a prerequisite schedule that is cleared, none of which a capacity index measures; on the schedule model entered here, whose leak law is stipulated, the sign is being settled now at the highest leverage in the record, conditioning on survival prefers that it be settled early, and past a survival-time threshold the same conditioning prefers the schedule pushed, tilted toward better completion states; and no event of bounded duration can certify which way it has gone.

What is imported. The companion in applied probability [1] proves the two-condition theorem on which the claim rests, the model it is stated in, and the ceiling theorem that no finite observation of a surviving path distinguishes the survivorship-conditioned law from the unconditioned one. The theorem companion [2] supplies the general machinery for records drawn under target-conditioned laws, used here only where a result consumes it directly. The target this paper works with is the survivorship companion’s own viability event, the state past which the external channel is driven to zero; no Golden-specific object is imported. A downstream companion on the Route World hypothesis, not cited here so that the dependency runs one way, gives that target its natural-historical reading and asks whether it explains our record; this paper discusses that reading only in its closing section. Each import is restated in Section 3 at its grade; nothing later depends on more than is stated there. *Position in the branch.* The Golden branch is four papers in a strict order of import, and the citation graph runs the same way as the logic. The survivorship companion [1] is the root and owns the hazard model, the viability theorem, the half-time theorem, and the hard-wall and soft-wall conditioned laws; the theorem companion [2] owns the general result on records drawn under target-conditioned laws and the model-comparison machinery, and imports only the survivorship companion; this paper imports both and owns the strength/anatomy distinction, the prerequisite schedule, and the mechanism and policy consequences; and a terminal Route World companion imports all three to state the hypothesis that the survivorship target explains our record, citing this paper as a possible mechanism without this paper citing it. Nothing here is offered as support for that hypothesis, and nothing here assumes it.

What is new. The reading of the viability theorem as a statement about two state variables, strength and anatomy (Section 4). The schedule channel (Section 5): the sequence of gated prerequisites a civilization must land, formalized as a discounted branching process with log-spread rates, its derailment hazard, its modern-era term acting on the anatomy rather than on the capacity, the surviving-completion kernel through which it feeds the survivorship model, the survival-time threshold past which conditioning switches from favoring the unpushed schedule to favoring the pushed one, tilted toward better completion states, and the front-loading result under stated monotone-coupling conditions. The two applications (Sections 7 and 8): the Kardashev scale as the cleanest case of strength against anatomy, and the Precipice as the cleanest comparison with existential-risk practice, with three deltas stated. The remaining consequences

are collected as a discussion (Section 12).

What is refused. No certified safety, anywhere, including the paper’s own favorable conclusions; no claim that the sign has been settled favorably; no occupant of the decisive moment, which the prefers-early result shows is felt at every moment. These are stated once in Section 9.

Grades. [P] proved here or in a companion; [S] scaling-level or structural, argued without proof; [Φ] a stipulative commitment; [O] open, with its specification.

2 Vocabulary

- **Technostrength** x : accumulated capacity, the integral of the log-derivative driver; the quantity progress indices measure.
- **Technoanatomy** ρ : the sign of what added capacity does to the internal hazard; the decisive variable.
- **Escape factor**: the driver’s probability of escaping to infinity; the second, sign-blind necessary condition.
- **Departure / Golden Point**: the survivorship companion’s killing event and its complement, the state past which the external hazard is driven to zero; labels here, not imports from downstream.
- **Schedule**: the gated sequence of prerequisites, each a race among competing clocks, that a civilization must land.
- **Gate, clock, leak**: one prerequisite; one candidate route through it; the decay of capacity that incompleteness imposes.
- **Derailment hazard** σ_t : the rate at which a wrong clock fires first at the open gate; the schedule’s contribution to the hazard of Departure.
- **Anatomy-directed gate**: a gate whose resolution acts on ρ rather than on x ; the modern era’s kind.
- **Settlement**: the point past which the survivorship-conditioned mass of ρ has largely moved; not a freezing.
- **Leverage**: the sensitivity of the hazard to ρ , which scales with x ; why the anatomy was invisible in the deep past.
- **The ceiling**: the imported theorem that no finite observation certifies which measure a surviving record is under.
- **Live third term**: the hypothesis, entered on evidence, that the schedule is not yet exhausted.

3 Imported results

Definition 3.1 (The model; from [1]). The total hazard is $h_t = B_t \varsigma_b(x_t) + \Gamma e^{-\rho x_t}$: an external background B muffled by a bounded logistic factor of the accumulated capacity $x_t = \int_0^t \mu$, plus an internal term the same capacity feeds or starves according to the sign of the response

exponent ρ ; the driver μ is Brownian, so the noise sits on $-\frac{d}{dt} \log h$. Departure is the killing time T ; viability is the event $\{\Lambda_\infty < \infty\}$ that the total hazard ever accrued stays finite.

Definition 3.2 (The viability target; from [1]). The target is the survivorship companion’s viability event, the state past which the external channel is driven to zero and the total hazard ever accrued stays finite; its complement is Departure. The names “Golden Point” and “Departure Point” used below are labels for these two objects and carry no content beyond them here; the construction of the Departure Point from the record’s side, and the hypothesis that our record is drawn under conditioning on this target, belong to the downstream Route World companion and are not assumed.

Theorem 3.3 (Two conditions for viability; [P] in [1]). *For $\rho \leq 0$ viability is null for every parameter value and every driver. For $\rho > 0$, $\mathbb{P}(\Lambda_\infty < \infty) = \mathbf{1}\{\rho > 0\} V_{\text{drv}}(\mu_0)$, with V_{drv} the driver-viability functional, stated piecewise: the scale-function escape probability for a transient driver, the indicator of a positive stationary mean for a positive recurrent one, zero for the Brownian driver, and open for general null recurrence. The two factors are logically distinct necessary conditions, not independent events: the first is a sign and the second is silent on it. No index of accumulated capacity distinguishes the ascent that arrives from the ascent that is a fall.*

Theorem 3.4 (Adverse credit occupies half of logarithmic time in the critical regime; [P] in [1]). *For the driftless driver, the set of times at which the credit sits below its initial value has logarithmic density exactly one half, almost surely, for every initial datum; the statement is confined to the critical recurrent regime and fails for any driver whose credit is transient.*

Theorem 3.5 (The ceiling; [P] in [1]). *In the critical regime the survivorship-conditioned law converges, in the hard-wall model, to the Doob transform by the persistence-harmonic function, Q^{hard} , proved, with the soft-wall law Q^{soft} conditional on the companion’s ratio hypothesis; either is locally absolutely continuous with respect to the unconditioned law on survivors and globally singular. No finite observation of a surviving path certifies which measure a record is under.*

4 Technostrength and technoanatomy

4.1 Technostrength and technoanatomy

Definition 4.1 (The two coordinates). *Technostrength* is the muffling exponent x_t : the capacity the biosphere has accumulated, positive when its own organization holds its hazard below background and negative when it holds it above. *Technoanatomy* is the exponent ρ of the survivorship companion [1], the sign of $-\partial_x \log h^{\text{int}}$: whether acquiring capacity lowers or raises the biosphere’s hazard *to itself*.

The two are of different kinds, and keeping them apart is the whole of what follows. Technostrength is a *state coordinate*: it fluctuates, and by Theorem 3.4 a biosphere in the critical driftless regime, however well constituted, spends exactly half of logarithmic time with its credit below its initial level. Technoanatomy is a *structural property*: it does not fluctuate at all, it says what capacity does when acquired, and $\rho < 0$ names the biosphere whose own strength is turned against it, which is what the survivorship companion [1] means by eating oneself. *Adverse strength* is $x < 0$; *adverse anatomy* is $\rho < 0$, and only the second is a defect.

Two results of Section 3 are worth restating in this vocabulary because they are counterintuitive. *Technostrength is not cumulative — in the critical regime.* Under a recurrent driver x oscillates on scale $t^{3/2}$ and returns to every level infinitely often: it is not a stock that accumulates but a magnitude that fluctuates, so a framework treating it as monotonically increasing has the wrong kind of object. Under a *transient* driver it does accumulate, and the ladder picture is locally right — which is the concession the broader Golden program makes precise and prices.

Every biosphere is adversely configured half the time. By Theorem 3.4 the set $\{t : x_t < 0\}$ has logarithmic density exactly $\frac{1}{2}$, for every parameter value and every biosphere. Adverse *strength* is therefore not a defect distinguishing some biospheres from others but a condition all of them occupy half of logarithmic time — which is precisely why it cannot be what “bad anatomy” means, and why the two must be kept apart.

4.2 What conditioning does to each coordinate

Numerical methods. All figures reported in this subsection, in §4.3, in the broader Golden program, and in the numerical check under the survivorship companion [1] were produced by direct Monte Carlo on the two-channel model, using the exact Gaussian update of the survivorship companion [1] for the driver-credit pair and forward Euler for the background exponentials, at step $\Delta = 10^{-3}$. Conditioning on $\{T > t\}$ was performed by rejection, particles were killed by the Cox rule and the survivors reweighted uniformly, so the conditioned estimates are $\mathbb{P}^{(T)}$ estimates and not Q estimates, exactly as the column headings below say. Standard errors are binomial and are governed by the number of *survivors*, not of particles: at $T = 4$ the survival probability 2.2×10^{-4} leaves about 26 survivors of 1.2×10^5 , so the conditional probability 0.839 carries a standard error near 0.07, and at $T = 6$ about 23 survivors give a comparable error; the unconditioned entries, with 10^5 effective samples, carry errors below 0.004. The conditional-anatomy figures are therefore read for direction only, and a rerun by importance sampling, sequential Monte Carlo, or splitting, with thousands of effective survivors, is owed before any calibration is claimed [O]. *Every $\mathbb{P}(\rho > 0 \mid \text{survived})$ figure is prior-dependent:* $\rho \sim \text{Unif}(-1, 3)$ was chosen to place a quarter of the mass on adverse anatomy and has no other justification, and the $0.75 \rightarrow 0.84$ movement should be read as the direction and rough magnitude of selection under that prior rather than as a calibrated number. Code and seeds are available on request.

Two experiments are reported, and they are distinct. The strength rows below are from the two-channel model of Section 3 at fixed anatomy, $\sigma = 1$, $\epsilon = 0.05$, $n = 3$, $b = 3$, $\rho = 2.5$, $k = 6$, conditioning horizon $T = 4$, $N = 1.2 \times 10^5$ particles. The anatomy rows are from a separate run in which ρ is drawn from the prior $\text{Unif}(-1, 3)$ per particle and everything else is as above; its survivor counts are the small ones just stated.

	General ($\mathbb{P}$)	Conditioned ($\mathbb{P}^{(4)}$)
$\mathbb{P}(x < 0)$ (adverse strength)	0.501	0.0037
median $x/\sigma T^{3/2}$	-0.001	+1.085
$\mathbb{P}(\rho > 0)$, $\rho \sim \text{Unif}(-1, 3)$	0.750	0.839
5% quantile of ρ	-0.80	-0.44

The two ρ rows depend on the prior $\text{Unif}(-1, 3)$ placed on anatomy, which is a choice and not a result; the x rows do not.

Remark 4.2 (Truncation versus rescaling). Two numbers, and they differ in kind rather than in force. Adverse strength is suppressed by a factor of 137 — abruptly, and within a few multiples

of the intrinsic timescale. Technoanatomy is selected too, but *gradually*: $\mathbb{P}(\rho > 0)$ moves from 0.75 to 0.839 at the same horizon, reaching 0.909 only by $T = 6$, with the negative tail truncating steadily (5% quantile $-0.80 \rightarrow -0.44 \rightarrow -0.14$).

The asymmetry is structural rather than incidental, and it follows from what the two objects are. Strength is a state coordinate, so conditioning pushes it out of a half-space it can and does re-enter — fast, and reversibly. Anatomy is a fixed structural parameter, so it can be selected only through the accumulated hazard cost of never changing — slow, and irreversibly. Anatomy is the slower and the more decisive: by Theorem 3.3, adverse anatomy is eventually fatal with certainty, while adverse strength is a condition a biosphere in the critical recurrent regime occupies half of logarithmic time and survives.

4.3 Does conditioning select technoanatomy?

The measurement above concerns technostrength, a state coordinate; the claim the argument needs is about technoanatomy, a structural parameter, which therefore cannot be selected *within* a trajectory. It can be selected across an ensemble, and that is directly computable: place a prior on ρ , evolve, and reweight by survival. Taking $\rho \sim \text{Uniform}(-1, 3)$, so that $\mathbb{P}(\rho > 0) = 0.75$ a priori:

T	$\mathbb{P}(\text{survive})$	$\mathbb{P}(\rho > 0 \mid \text{survived})$	5% quantile of ρ
2	2.8×10^{-3}	0.745	-0.80
4	2.2×10^{-4}	0.839	-0.44
6	1.9×10^{-4}	0.909	-0.14

Survivorship does select for positive technoanatomy, and the adverse tail truncates steadily. But the selection is *gradual* where the strength truncation was abrupt: adverse strength falls by a factor of 137 at $T = 4$, while $\mathbb{P}(\rho > 0)$ has moved only from 0.75 to 0.84 at the same horizon. Anatomy is the slower and the more decisive: by Theorem 3.3 an adverse ρ is eventually fatal with certainty, while adverse strength is a condition a biosphere in the critical regime occupies half of logarithmic time and survives.

The coordinates stay separable. Strength and anatomy cannot fuse under conditioning, and the reason is structural rather than measured: ρ is a parameter of the model and x a functional of the path, so no amount of conditioning makes one a function of the other. They therefore remain distinct diagnostic questions rather than two aspects of a single “advancement” — which is exactly what a one-dimensional scale cannot represent.

5 The third channel: the schedule

Definition 3.1 carries two channels, and the downstream Route World hypothesis records that they do not exhaust the hazard of departure: h^{tot} prices Base and nothing else, while the hazard of departure is the hazard of μG , which by the downstream Route World hypothesis is at least as large and in general strictly larger. That remark calls the larger rate open [O]. This subsection is a first attempt at it. The claim is modest: the rate has a computable shape, the shape is a third channel, and the distribution it needs is one the companion already supplies.

5.1 A collision of vocabulary, settled first

Convention 5.1 (Endogenous, internal, schedule). The companion divides departure into *external*, inflicted from outside the biosphere, and *internal*, defined there as the complement: the remaining cases, all occurring within the biosphere’s scope [Nexus]. That category is a residue and is correspondingly wide; the companion’s own instance of it is a biosphere too underdeveloped to reach a milestone given its resources and timing, which is a scheduling failure and not a self-inflicted one.

The internal channel of Definition 3.1 is narrower: hazard the biosphere inflicts on itself with capacity it has acquired, whose response to that capacity is the technoanatomy ρ of the survivorship companion [1].

The two senses are a category and one of its members. This work uses *endogenous* for the companion’s residue and reserves *internal* for the channel:

$$\text{endogenous} = \underbrace{\text{internal}}_{\text{capacity turned inward}} + \underbrace{\text{schedule}}_{\text{derailment before capacity can be held}} + \cdots \quad (1)$$

The ellipsis is substantive. A category defined by exclusion is not shown exhausted by exhibiting two members, and nothing here claims these are the last.¹

5.2 The schedule

Definition 5.2 (Schedule; [S]). A *schedule* is a sequence of n gates to be passed in order. At gate k there are m competing exponential clocks with rates $\lambda_{k,1}, \dots, \lambda_{k,m}$, the first corresponding to the realized option. Write

$$\lambda_k = \sum_{j=1}^m \lambda_{k,j}, \quad \pi_k = \frac{\lambda_{k,1}}{\lambda_k}, \quad (2)$$

so that gate k fires at rate λ_k and resolves to the realized option with probability π_k . Write k_t for the number of gates passed by time t . The *onset state* is $k = n$: the first state at which the muffling exponent x of the survivorship companion [1] can be held at all.

The rates are the primitives and λ_k, π_k are read off them, which matters because it is the per-option rates a natural-historical account would estimate — not a tempo and a fallibility chosen separately. Stage dependence is retained deliberately. The reason the object is a *sequence* rather than a set is that each event’s effect depends on the state its predecessor left: the climatic and ecological baton-passing that carried a lineage down from the trees is not a set of independent draws, and a constant π would model it as one. Stage-dependent π_k is the minimum that preserves the structure; state-dependent $\pi(\cdot)$ is what the picture actually asks for, and is not supplied here [O].

One point of scope, since it is a natural worry and the construction already absorbs it. An event later in the sequence arriving before its predecessors needs no transition of its own: it is one of the m options competing at the gate it arrives at, and resolving to it is a wrong resolution like any other. The $m - 1$ non-realized options are not a homogeneous class, each carries its own

¹The rename is a convention of this work and is offered rather than imposed; *non-external* and *endemic* would serve. One point of order regardless of the choice: the companion is deposited, so a reader arriving from the deposit will meet *internal doomsday* in the residue sense, and the convention is owed to bridge the two states of that text whether or not the term is changed there.

rate by Definition 5.3 and its own consequence, so heterogeneity of failure is present without being labeled by type. What the chain does not carry is partial progress within a gate: it is Markov between them, which is a simplification and is chosen rather than derived.

The discreteness is a limitation of the same kind as calling Earth a sphere. Exotic structure in the ordering is not recoverable from a chain over m^n articulable realizations; the shape of the dependence is, and that is what is wanted here.

5.3 Where the rates come from

Definition 5.2 takes the per-option rates as given. One specification of how they are drawn is worth carrying, because it determines more than it looks like it should.

Definition 5.3 (Log-spread rates; [S]). At each gate the m rates are drawn afresh and independently with $Y_{k,j} := \log \lambda_{k,j}$ i.i.d. from a *symmetric log-spread family* F : a law with finite variance and tails tempered as the application requires, a shortest feasible time bounding the fast end and a longest tolerable one the slow; and *which option is the realized one is independent of its rate*. The correct option may be the fastest of the m , or the slowest, and nothing about the draw favors either. Every consequence below uses only that the $Y_{k,j}$ are i.i.d. under F , so that a log-rate gap $Y_i - Y_j$ is symmetric about zero. The canonical instance is $F = N(\mu, \sigma^2)$, the lognormal rate, which carries its own justification: a log-rate that is a sum of many independent multiplicative contributions is normal by the central limit theorem, so the law is inherited rather than chosen.

Three consequences, in ascending order of how much they change. *The waiting time is set by the correct option's own rate*. A gate fires at $\lambda_k = \sum_j \lambda_{k,j}$ and resolves correctly with probability $\pi_k = \lambda_{k,1}/\lambda_k$, so the expected number of attempts before a correct resolution is $1/\pi_k$ and each costs $1/\lambda_k$. The product is $1/\lambda_{k,1}$: however many wrong options crowd the gate, what a biosphere waits on is the realized option's own clock. Exposure per gate is therefore log-spread along with the rate, and the difference between a lucky gate and an unlucky one is orders of magnitude of waiting rather than a factor.

The contrast between options is a random order of magnitude, with the sign withheld. $\log(\lambda_{k,1}/\lambda_{k,j}) = Y_{k,1} - Y_{k,j}$ is a difference of two i.i.d. draws from F : symmetric about zero, spread across the range, and committing to no direction. That is the shape of the High-Contrast Earth Hypothesis, and the correspondence is exact rather than suggestive — the Hypothesis asserts a random order of magnitude between independently constructed alternatives and *deliberately withholds the sign*, with the Strong Accordance Principle supplying direction separately. (5.3) supplies the same shape from a mechanical premise about competing clocks, and the direction arrives the same way it does there: from conditioning, below. So the Hypothesis acquires a microfoundation at the gate level, and does not have to be imported as a posit at this scale — though what replaces it is another [S], and the trade is one posit for a more checkable one rather than a derivation from nothing.

The correspondence should be stated at the right strength, since it is not an identity of distributions. By (13) the contrast a perturbation carries is $r \log_{10}(1 + (B + \Gamma)/\lambda)$, which in the regime supplying many orders (Remark 5.14) is r times a *log-rate gap* — and under Definition 5.3 a log-rate gap is a difference of i.i.d. draws from F , hence symmetric and spread across orders with no committed sign. The companion states the Hypothesis as uniform rather than normal. What the collapse consumes, however, is not the shape but two functionals of it, the typical contrast $\mathbb{E}[c]$ and the averaged one $-\log_{10} \mathbb{E}[10^{-c}]$, and both are defined for either law. So

the construction is compatible with the Hypothesis in the sense the argument uses it, without reproducing its stated distribution.

The scale of the spread is a further matter, and the accurate thing to say is not that it awaits measurement. Nothing available to an observer inside a biosphere fixes what *sets* the range over which competing rates are distributed: one meets the distribution already running, with no vantage from which its parameters could be explained rather than merely estimated. That is Theorem 3.5’s structure applied one level down, and the scale is scoped as uncertifiable for the reason ρ is, rather than listed as a parameter someone has yet to supply.

And conditioning selects the fast-correct branch, which is why the realized path looks optimal. Exposure at gate k is $1/\lambda_{k,1}$, paid at hazard $B + \Gamma$ by Proposition 5.7, so a branch’s survival weight carries $\exp\{-(B+\Gamma)/\lambda_{k,1}\}$ at every gate. Branches in which the realized option happened to be slow pay exponentially for it. Conditioning on survival therefore selects, gate by gate, for histories in which the correct option was among the fastest available — not because anything chose them, but because the alternatives were charged for the wait.

That is the mechanism, and should be stated as one. Under the Cosmic Nexus the realized option is a random draw and is usually slow; under conditioning one is overwhelmingly likely to find oneself on a branch where it was fast at gate after gate. The appearance of an optimal path threaded through a combinatorial mess is what survivorship does to a log-spread rate landscape, and requires no optimization to produce it. This is the Optimal-Earth phenomenology arriving from the schedule’s own machinery rather than being assumed alongside it [**Nexus, AethusOptimalEarth**].

5.4 Incompleteness decays capacity

The first commitment is that until the schedule completes, the muffling exponent cannot be held. This departs from Definition 3.1, which states that there is no capacity parameter and no leak; the departure is deliberate and is confined.

Definition 5.4 (Staged leak; [S]). Replace the survivorship companion [1] and the survivorship companion [1] by

$$dx_t = \mu_t dt - \gamma_{k_t} x_t dt, \quad d\mu_t = -\nu_{k_t} \mu_t dt + \sigma dW_t, \quad (3)$$

with γ_k, ν_k nonincreasing in k and $\gamma_n = \nu_n = 0$. The schedule of coefficients is *geometric*: each closed gate multiplies the leak by a constant factor,

$$\gamma_k = \gamma_0 \varphi^k, \quad \varphi = (\gamma_{n-1}/\gamma_0)^{1/(n-1)} < 1, \quad (4)$$

with γ_0 enormous, so that before any gate is closed the credit is pinned at the origin to a degree with no practical upper bound, and $\gamma_n = 0$ at completion.

The solution of the first equation, with the stage index varying along the path, is

$$x_t = e^{-\int_0^t \gamma_{k_u} du} x_0 + \int_0^t e^{-\int_s^t \gamma_{k_u} du} \mu_s ds,$$

which reduces to the convolution $\int_0^t e^{-\gamma_k(t-s)} \mu_s ds$ only conditional on remaining at one stage k throughout $[0, t]$: the credit is still the integral of the driver, accumulated additively, with each increment buffered by a multiplicative decay from the moment it lands, the decay rate being whatever stage is open when it lands. The leak is not an alternative to the survivorship companion [1] but a discounting of it. The second equation is the same commitment one derivative up,

and it is what the picture requires rather than an extra assumption. The driver $\mu = -\frac{d}{dt} \log h$ is an *improvement rate*, and a rate of improvement is something an agent supplies. Before the onset state there is none, so μ is not a free random walk either: neither the stock nor the rate is sustained, and the two dampings are one absence expressed at two levels. A biosphere's ancestors do not hold a small amount of technostrength — they hold none, and what the pair of equations says is that excursions away from zero are transient rather than accumulated.

At stage k , with the forcing μ switched off, the homogeneous part obeys $\frac{d}{dt} \log x = -\gamma_k$: capacity acquired before completion bleeds away at a rate each completed gate reduces, the forced process adding the driver's increments on top of that decay. The leak is by hand, and making it emergent, γ falling out of the schedule's own structure rather than being assigned to it, is the model's natural next target [O].

What a closed gate buys, and why almost none of it is bought early. (4) makes gates equal in $\log \gamma$ rather than in γ , and the consequence for the payoff is severe enough to state on its own. The credit a biosphere can sustain at stage k scales as $1/\gamma_k = \varphi^{-k}/\gamma_0$, so it grows *geometrically* in gates closed. But the hazard depends on the credit *exponentially*, both channels of Definition 3.1 do, by construction, so the relief a closed gate delivers goes as $\exp\{-\rho C \varphi^{-k}/\gamma_0\}$, doubly exponential in k . Closing the last gate is worth more than closing all the others together, by a margin that is not close.

With γ_0 enormous the reading sharpens. The early gates take a biosphere from a credit that is unimaginably pinned to one merely very pinned, which is no relief at all in the only currency the hazard reads. Practical relief arrives in the final stretch, and a schedule half-climbed is nearer in hazard to one not begun than to one completed. Set this beside the broader Golden program, which has stakes rising monotonically for combinatorial reasons — a late step carries the improbability of every step behind it. The present observation is a second and independent reason for the same monotonicity, arriving from the leak's geometry rather than the chain's combinatorics. Two arguments of different provenance agreeing on the profile is a better position than either alone.

Remark 5.5 (The existing model is the completed case). $\gamma_n = 0$ is not a convenience. It makes Definition 3.1 the $k = n$ boundary case of (3) exactly, so nothing proved in Section 3 is disturbed: the persistence exponent $\frac{1}{4}$, the trichotomy, the two-condition theorem and the survivorship interpolation are all statements about the completed regime, and this channel prefixes them rather than amending them.

The price is that the incomplete regime has its own asymptotics — and they can be given, which is the next proposition's business. The persistence problem is not the one the survivorship companion [1] solves, and its exponent does not carry.

Proposition 5.6 (The incomplete regime has no polynomial tail; [S]). *Under (3) with $\gamma_k, \nu_k > 0$ held fixed, the pair (μ, x) is a two-dimensional linear system with both eigenvalues negative, driven by white noise; it is therefore ergodic with a stationary Gaussian law centered at the origin. Persistence of x is then persistence of a stationary Gaussian process, which decays exponentially:*

$$\mathbb{P}(x \text{ stays positive to } t) \asymp e^{-\theta(\gamma_k, \nu_k) t}, \quad \theta > 0. \quad (5)$$

*No power law survives. The rate θ is not given in closed form here; persistence rates for stationary Gaussian processes are generally not, and (5) identifies the class rather than the constant.*²

²Simulation at $\sigma = 1$, 8×10^4 paths. With $\gamma = 1$ and the driver *undamped* ($\nu = 0$) the decay is a power law,

What incompleteness costs, and what completion buys. The contrast with the completed regime is not a change of exponent but a change of kind, and it is the sharpest thing the channel says about why the schedule is worth climbing.

Section 3 establishes that the completed model departs with probability one and yet has infinite life expectancy: the tail is $t^{-1/4}$, residual life is Pareto, quantiles grow as the fourth power of rarity, and the effective hazard is $1/4t$ — falling at every age. By (5) the incomplete regime has none of it. An exponential tail has finite expectation, memoryless residual life, quantiles growing logarithmically, and a hazard that does not fall at all. *Every consequence of the survivorship companion [1] is a consequence of having completed*, and none of it is available before.

Two readings follow, and the second is structural. The Lindy structure is a *reward* rather than a property. A biosphere before its onset state is not on a fat tail at low altitude; it is on a thin one, and no amount of waiting improves its position, since an exponential is memoryless. What completing the schedule buys is not more of the same but a different tail entirely.

And the floor is the trapped regime's floor with one difference that matters. Theorem 3.3(ii) gives $\mathbb{P}(T > t) \leq e^{-h_* t}$ for adverse anatomy at frozen background, and (5) gives an exponential floor for incompleteness. The two are structurally alike and disposed of oppositely: the anatomy floor cannot be left, since ρ is a parameter, while the schedule floor is *closable* — γ_k and ν_k vanish at completion, and the debt that stands between is payable whenever the criterion of §5.10 holds. An incomplete biosphere and a trapped one sit on the same kind of tail; only one of them can get off it.

A biosphere may of course be both, and the two floors then compose exactly rather than competing. If $h^{\text{tot}} \geq h_*$ then $\mathbb{P}(T > t) = e^{-h_* t} \mathbb{E}[e^{-\int (h^{\text{tot}} - h_*)}]$ identically, a constant floor factors out of the exponential functional, leaving the damped-persistence problem for the re-centered hazard with its own rate $\tilde{\theta}$. So $\theta_{\text{joint}} = h_* + \tilde{\theta}$: neither floor governs, they *add*, and the interventions are correspondingly separable. Completing the schedule removes $\tilde{\theta}$ and not h_* ; moving ρ removes h_* and not $\tilde{\theta}$. A biosphere that is both trapped and incomplete must do both things, and doing either buys exactly its own term.

5.5 The schedule gates the external channel

Completing the chain confers no capacity. It confers only the ability to *hold* capacity — which sounds like a small thing and is not, because of what Definition 3.1 does at $x = 0$.

Proposition 5.7 (An unheld x leaves the crest at bare background; [P] in the pinned schedule model). *Two models of the incomplete state are used in this section and are kept apart. In the pinned schedule model the credit is identically zero while the schedule is incomplete, $x \equiv 0$; in the leaky schedule refinement of Definition 5.4 the incomplete credit is a damped stochastic process, $dx = \mu dt - \gamma_k x dt$. This proposition, the completion-weight fixed point (10), and the threshold proposition below are exact for the pinned model and are surrogate, scaling-level statements for the leaky refinement, in which the incomplete hazard is $B_t + \Gamma e^{-\rho x_t}$ with x_t small rather than zero. In the pinned model, by the normalization of Definition 3.1, $\varsigma_b(0) = 1$ exactly, so $h^{\text{crest}}|_{x=0} = B_t$; and the trough does not vanish there either, since $\Gamma e^{-\rho \cdot 0} = \Gamma$. A biosphere that*

fitted slope -0.476 , log-log correlation 0.9995 , which is the damped randomly accelerated particle and is not the regime this definition describes. With the driver damped, the fit inverts decisively: at $(\gamma, \nu) = (1, 0.5)$ and $(1, 1)$ the correlations against t are 1.0000 and 0.9999 with rates 0.222 and 0.312 , against log-log correlations of 0.975 and 0.985 .

cannot hold x therefore faces the external background unshielded and pays the internal channel's full coefficient, at total $h^{\text{tot}}|_{x=0} = B_t + \Gamma$. Its cumulative hazard is $\Lambda_t = \int_0^t (B_u + \Gamma) du \rightarrow \infty$, and $\mathbb{P}(\Lambda_\infty < \infty) = 0$ identically — for every parameter value, every anatomy ρ , and every driver. The configuration and its consequences are those of the broader Golden program.

Remark 5.8 (The external term is small only because the schedule succeeded). Read at $x > 0$ the crest channel is the least of the model's worries: it is bounded above by the survivorship companion [1], it is shielded without limit as capacity accumulates, and beside an unbounded internal channel it looks like one measly term. That reading presupposes what the schedule supplies. Run the dependency out. Shielding is the factor $\varsigma_b(x)$; ς_b shields only for $x > 0$; x can be held only at $k = n$; and $k = n$ is reached through n gates each of which can go $m - 1$ ways wrong. *So the survivability of the external channel is downstream of the schedule entire.* The cosmic background does not become more dangerous when the schedule fails; it becomes the only thing that happens, which is the sentence the broader Golden program writes about a biosphere whose muffling agent has been removed.

That is not a coincidence of phrasing. *An incomplete schedule and the extinctionist's withdrawn world are the same configuration.* Both are x -cannot-be-held; both sit at bare B_t ; both are the broader Golden program's case; and both lie in $\mu G \setminus \text{Base}$ by the downstream Route World hypothesis — departed by configuration rather than by event, with no hazard yet fired. The channel therefore does not merely add a term. It exhibits the model's apparently smallest channel as conditional on its largest improbability.

5.6 Failure incurs debt, not weight

What a wrong gate costs can now be said, and the natural first answer is the wrong one. Treating a wrong gate as multiplying an onset weight makes that weight a primitive, a number the model is handed rather than one it produces, and leaves the cascade of the downstream Route World hypothesis inexpressible, since a single multiplicative factor has nowhere to put the recursion by which an Imperfection Magnitude Drop's residual carries continuations of its own.

Definition 5.9 (Debt; [S]). A wrong gate does not suppress a weight. It *incurs debt*: r further gate-successes are owed, from the state now occupied, before completion is reached. Write Z_t for the outstanding debt, with $Z_0 = n$. Each firing consumes one gate and, with probability $1 - \pi$, adds r :

$$Z \mapsto \begin{cases} Z - 1 & \text{with probability } \pi, \\ Z - 1 + r & \text{with probability } 1 - \pi. \end{cases} \quad (6)$$

Completion is the event $Z = 0$.

The natural-historical reading is the one that motivates it. Human extinction does not leave the biosphere holding a fractional prospect; it leaves it owing a further sequence, some other lineage must run its own improbable gymnastics from wherever the world now stands, and the onset state recedes by exactly that sequence's length. Debt postpones a deadline. It does not discount a prize.

r need not be a primitive, and the model is better if it is not. Read the schedule as a tree whose paths each carry a definite number of events, differing between paths: a wrong turn then places the biosphere on a longer path, and *the excess length is the debt*. On that reading (6) is the induced dynamics on *events remaining* rather than a further posit, r is a structural property

of the tree rather than a parameter, and whether it correlates with the rates, assumed away above, becomes a question about how the tree is built. Nothing downstream changes, since the induced dynamics is (6).

Two things follow immediately and neither was available before. *The win condition is binary.* A branch either clears its debt or does not, and any branch that clears it completes — however deep the debt ran, and with no residual weight to carry. The grading that a weight formulation would posit emerges instead from the *distribution* over branches. *And the recursion is structural.* Debt spawns debt: the extra gates are gates, they can go wrong, and going wrong incurs more. That is the cascade’s shape, and the object it makes is standard.

Proposition 5.10 (The debt process is Galton–Watson; [P]). *Under Definition 5.9, Z is the population of a Galton–Watson process with offspring probability generating function*

$$f(u) = \pi + (1 - \pi)u^r, \quad \text{mean offspring } \varkappa = r(1 - \pi). \quad (7)$$

Completion is extinction of Z . Hence completion occurs almost surely if and only if $\varkappa \leq 1$, and for $\varkappa > 1$ the probability of never completing is $1 - q^n$, where q is the least root of $q = f(q)$ in $[0, 1]$.

Remark 5.11 (A phase transition in the schedule’s own structure). $\varkappa = r(1 - \pi) = 1$ is a sharp threshold, and it is not a restatement of anything already in the paper. Below it, debt clears with probability one: however unlucky a biosphere is, it owes a finite sequence and eventually pays it. Above it, a positive fraction of branches accumulate debt without bound, cycling into ever-deeper obligation, each new gate as fallible as the last, and those branches never reach the state at which x can be held. The transition sits at $r = 1/(1 - \pi)$: a biosphere may tolerate large debt per failure if failures are rare, or frequent failures if each is cheap, and the product is what decides.

The threshold is structurally the anatomy threshold’s sibling. $\rho = 0$ divides configurations by whether acquired capacity protects; $\varkappa = 1$ divides them by whether incurred debt is payable. Both are sign tests on a structural parameter, both are sharp, and neither is visible in any magnitude the system displays.

Remark 5.12 (Under log-spread rates the criterion is the geometric mean; [P]). Definition 5.3 redraws the rates at every gate, so π_k , and with it $\varkappa_k = r(1 - \pi_k)$, is not a deterministic sequence but an i.i.d. random one. The debt process is then a branching process in a *random* environment rather than a varying one, and the criterion changes accordingly. By the Smith–Wilkinson criterion, under the standard nondegeneracy and integrability conditions on the environment, completion is almost sure when

$$\mathbb{E}[\log \varkappa] \leq 0, \quad (8)$$

the critical case included, and $\mathbb{E}[\log \varkappa] > 0$ permits a positive probability of never completing: the criterion is the *geometric* mean of the offspring means, and not $\mathbb{E}[\varkappa] < 1$.

The two disagree, and the direction of the disagreement matters. By Jensen $\mathbb{E}[\log \varkappa] \leq \log \mathbb{E}[\varkappa]$, so a schedule may complete with probability one while its *arithmetic* mean offspring exceeds unity. Using $\mathbb{E}[\varkappa]$ is therefore not a conservative simplification but a wrong answer in the pessimistic direction: it condemns schedules that in fact clear.³

³Simulation, Poisson offspring, 4000 trials each. With $\varkappa$ equal to 0.1 or 5 with equal probability, $\mathbb{E}[\varkappa] = 2.55$ and $\mathbb{E}[\log \varkappa] = -0.348$: the arithmetic criterion calls it supercritical, the geometric criterion subcritical, and completion is observed with frequency 1.000. Where the two criteria agree, $\varkappa \in \{0.5, 3\}$ and $\varkappa \in \{0.9, 1.6\}$, both geometrically supercritical, completion frequencies are 0.738 and 0.690.

One caution about what the criterion certifies. (8) settles whether the debt clears *eventually*; it does not say when. Under a random environment the probability of not having completed by stage n decays at the tilted rate $\gamma^* = -\min_{0 \leq s \leq 1} \log \mathbb{E}[\varkappa^s]$, which is bounded above by $|\mathbb{E} \log \varkappa|$ and can fall far below it: for the $\varkappa \in \{0.1, 5\}$ environment above, $\gamma^* = 0.0158$ at $s^* = 0.092$ against $|\mathbb{E} \log \varkappa| = 0.347$, a factor of twenty-two.⁴ Certain completion and timely completion are therefore different questions, and only the first is settled here [O].

The reading is the one this work keeps arriving at. A geometric mean is what a typical realization experiences; an arithmetic mean is what an ensemble average reports. The quenched quantity governs, exactly as Remark 5.18 says it does for the completion weight, and here it governs the dichotomy itself rather than only the rate.

Unrecoverable failures, and a doom weight from the schedule alone. Definition 5.9 makes every failure recoverable at a price. Some plausibly are not, an event arriving before its prerequisites may foreclose rather than cost, and the natural encoding is $r = \infty$, which is to say a *defective* offspring law. Let a gate resolve correctly with probability π , recoverably with probability q_1 at debt r , and unrecoverably with probability $q_2 = 1 - \pi - q_1$. Then

$$f(u) = \pi + q_1 u^r, \quad f(1) = \pi + q_1 < 1, \quad (9)$$

so $u = 1$ is not a fixed point and the least root of $u = f(u)$ lies strictly below one *whatever* the recoverable branch does. Completion probability is bounded away from one by q_2 alone, and subcriticality of the recoverable branch does not rescue it.

Two consequences. The schedule now produces a positive doom weight unaided, a nonzero probability of never reaching the onset state, computed from (π, q_1, q_2, r) and nothing else, which is a second concrete instance of the graded object Remark 5.17 discusses. And the question whether foreclosing options dominate acquires two answers rather than one: at fixed mean offspring the second factorial moment enters the survival bounds, so they may dominate the *probability* of non-completion while leaving the mean untouched.⁵

5.7 The offset weighting, emergent

The constraint on this formulation was that it reproduce the companion's offset weighting rather than replace it. It does, and the derivation also says what the offset is *made of*. By Proposition 5.7 a biosphere pays $B + \Gamma$ while incomplete — the background unshielded, and the internal channel at its bare coefficient. Debt is therefore paid in hazard: clearing Z gates at rate λ costs D/λ in expected exposure, and since each gate's waiting time is exponential the survival weight it contributes is the Laplace transform $\mathbb{E}[e^{-(B+\Gamma)T}] = \lambda/(\lambda + B + \Gamma)$, not $e^{-(B+\Gamma)/\lambda}$; the two agree to first order in $(B + \Gamma)/\lambda$ and differ beyond it.

Proposition 5.13 (Completion weight as a least fixed point; [P]). *Let $s := \lambda/(\lambda + B + \Gamma)$ be the survival factor per gate, the Laplace transform of the gate's exponential waiting time at the incomplete state's hazard. The expected completion weight from a single owed gate is the least*

⁴The rate identity is the standard large-deviation form for subcritical branching in a random environment; the polynomial correction depends on the subcriticality class.

⁵Checked against direct simulation of (6) with a killing branch, 4×10^4 trials each: at $(\pi, q_1, r) = (0.85, 0.10, 3)$ the least root is 0.9306 against 0.9310 simulated; at $(0.70, 0.25, 2)$, 0.9046 against 0.9040; at $(0.60, 0.35, 2)$, 0.8571 against 0.8557.

root $u \in [0, 1]$ of

$$u = s f(u) = \frac{\lambda}{\lambda + B + \Gamma} (\pi + (1 - \pi)u^r), \quad (10)$$

and from n initial gates it is u^n . Where the rates are drawn per gate the fixed point is taken in expectation over the draw,

$$u = \mathbb{E} \left[\frac{\Lambda}{\Lambda + B + \Gamma} (\pi + (1 - \pi)u^r) \right], \quad \Lambda = \sum_j \lambda_j, \quad \pi = \frac{\lambda_1}{\Lambda}, \quad (11)$$

so that no single-rate surrogate is needed; to first order in $(B + \Gamma)/\lambda$ the harmonic mean $(\mathbb{E}[\lambda^{-1}])^{-1}$ is the surrogate that reproduces the mean log-weight, smaller than the geometric mean for a lognormal law by the factor $e^{-s^2/2}$. For small B/λ ,

$$-\log u = \frac{B + \Gamma}{\lambda} \cdot \frac{1}{1 - \varkappa} + O\left(\left(\frac{B}{\lambda}\right)^2\right), \quad \varkappa = r(1 - \pi) < 1. \quad (12)$$

Proof. (10) is the total-progeny functional equation for a Galton–Watson process weighted by s per individual. For (12), write $u = 1 - \varepsilon$ and expand: $1 - \varepsilon = (1 - (B + \Gamma)/\lambda)(1 - \varkappa\varepsilon) + O(\varepsilon^2)$ gives $\varepsilon(1 - \varkappa) = (B + \Gamma)/\lambda$. The factor $1/(1 - \varkappa)$ is the expected total progeny per individual, as it must be. $\square$

What the offset is made of, and where the recursion went. Two effects separate cleanly, and the separation is this subsection’s return.

Contrast per unit of depth. A single wrong gate adds r gates, each exponential at rate λ , so the added waiting is $\text{Gamma}(r, \lambda)$ and the weight multiplies by $\mathbb{E}[e^{-hT}] = (1 + h/\lambda)^{-r}$ with $h := B + \Gamma$. Matching to the companion’s $10^{-c_{\text{eff}}}$,

$$c_{\text{eff}} = r \log_{10} \left(1 + \frac{B + \Gamma}{\lambda} \right), \quad (13)$$

exactly and with no approximation. The deterministic-exposure reading, r/λ of waiting at hazard $B + \Gamma$, giving $(B + \Gamma)r/\lambda \ln 10$, is the $\lambda \gg B + \Gamma$ limit of it and *overstates* the contrast elsewhere, since $\log(1 + x) < x$. The direction of that error is worth naming: it makes the companion’s collapse look easier than it is, so (13) is what should be used. The High-Contrast Earth Hypothesis’s “extremely many orders” is thereby not a posit but a reading: one gets many orders when the background is high, the debt large, or the tempo slow.

Depth accumulated. The recursion does not change (13); the branching factor $1/(1 - \varkappa)$ cancels out of the per-depth contrast exactly. What it changes is how much depth there is: expected total gates fired per owed gate is $1/(1 - \varkappa)$, so a biosphere near criticality accumulates depth without the contrast per unit of it worsening at all. The recursion inflates the exposure, not the exchange rate — and inflates it without bound as $\varkappa \rightarrow 1$.

The separation identifies two independent levers. A biosphere may be badly placed because each failure is expensive (c_{eff} large) or because failures compound ($\varkappa$ near one), and the two are not the same defect.

Remark 5.14 (Contrast wants slow gates; survival wants fast ones). (13) has two limits and they pull opposite ways, which is a structural fact about the channel rather than a defect of it. Where gates are fast against the standing hazard, $\lambda \gg B + \Gamma$, the contrast is $c_{\text{eff}} \approx r(B + \Gamma)/\lambda \ln 10$ — small. Wrong turns cost little, passage is cheap, and alternatives are barely suppressed: there is nothing to collapse a sum over.

Where gates are slow, $\lambda \ll B + \Gamma$, the contrast is $c_{\text{eff}} \approx r \log_{10}((B + \Gamma)/\lambda)$ — a *log-rate gap*, hence many orders of magnitude whenever the gap is large. But the same slowness prices survival at $(\lambda/(B + \Gamma))^r$ per wrong turn, which is astronomically small. So the regime supplying the companion’s contrast is the regime in which the realized history had to be enormously lucky, and the two are one fact seen from either end. That is not a tension to be resolved but the Miracle phenomenology in rate coordinates: high contrast between natural histories and low probability of the realized one are not independent observations.

Remark 5.15 (The collapse is a claim about shares, not about likelihood). A companion point, and the one most easily misread. The sum-collapse establishes that the realized ordering carries a share of order unity *of the total*. It says nothing whatever about the size of that total, and under a log-scale randomization the total is minute. Two facts about extremes make this precise. The best of m draws from a spread log-rate law is not far above the field: the maximum of m normals sits $\sqrt{2 \ln m}$ deviations above the mean asymptotically, and only 1.54 deviations at $m = 10$ — so the optimum is not qualitatively better than a typical option, it is the same law read at its edge. And the optimum still faces the standing hazard: with $\lambda \ll B + \Gamma$ the weight of even the best option at a gate is $\approx \lambda/(B + \Gamma)$, orders below one, and n gates multiply those orders.

A worked instance makes the two magnitudes visible together. Take $\log_{10} \lambda$ normal with mean 15 decades below $B + \Gamma$ and deviation 3, with $m = 10$, $n = 20$, $r = 3$. The best option at a gate sits 4.6 decades above typical; the weight of the all-best path is about 10^{-208} ; a single wrong turn costs $c_{\text{eff}} \approx 31$ decades; and the collapse condition $c_{\text{eff}} > \log_{10}(n(m - 1)) = 2.26$ is met roughly fourteen times over.⁶

So relative dominance is overwhelming and absolute weight is 10^{-208} , and the two are not in tension — both follow from the same spread, which is what makes one alternative dominate its rivals and what makes all of them improbable. The reading to avoid is therefore explicit: *the highest-weight ordering is not the likely ordering*. Nothing in the companion’s apparatus, and nothing here, converts a share of a small number into a large one. This is the same discipline the broader Golden program applies to the survivor’s own position, and it applies with more force here because the numbers are worse.

Remark 5.16 (Which contrast the collapse consumes). A random contrast does not enter the companion’s sum-collapse the way a deterministic one does, and the difference has to be recorded. An alternative at depth Δ is suppressed by $10^{-\sum_{i \leq \Delta} c_i}$, so with independent draws the per-tier factor is $(\mathbb{E}[10^{-c}])^\Delta$ and the binomial closes at $(1 + (b - 1)\mathbb{E}[10^{-c}])^n$. The operative quantity is therefore $-\log_{10} \mathbb{E}[10^{-c}]$, not $\mathbb{E}[c]$, and by Jensen the first is strictly smaller. The gap is severe rather than technical: for c uniform on $(0, 2M)$ the averaged contrast is $\log_{10}(2M \ln 10)$, growing only *logarithmically* in the spread; for c normal with mean μ and deviation s it is $\mu - s^2 \ln 10/2$, negative once $s \gtrsim \sqrt{2\mu/\ln 10}$.⁷

The resolution is the one this work keeps reaching. The averaged contrast is dominated by alternatives no one encounters; the claim the collapse is used for concerns the share carried by the *realized* configuration, which is quenched. One refinement to “runs on $\mathbb{E}[c]$ ”: the quenched tier weight is a sum of order $(n(b - 1))^\Delta$ lognormal terms and is extreme-value dominated at

⁶Direct simulation, 2×10^5 draws; the extreme-value theory agrees to two decimals, $\mu + 1.5388s = -10.38$ against -10.39 observed.

⁷At $\mathbb{E}[c] = 10$: uniform on $(0, 20)$ gives 1.66; normal with $s = 2$ gives 5.45; normal with $s = 3$ gives -0.36 . Direct sampling understates the collapse, four million draws return 1.25 for the last, because $\mathbb{E}[10^{-c}]$ is carried by a tail sampling does not reach, which is itself the point.

small Δ , so the binding constraint sits at the shallowest tier and carries a fluctuation allowance,

$$\bar{c} > \log_{10}(n(b-1)) + \frac{s\sqrt{2\ln(n(b-1))}}{\ln 10}, \quad (14)$$

relaxing toward the $\mathbb{E}[c]$ form as Δ grows, since the fluctuation scales as $\sqrt{\Delta}$ against a mean linear in Δ . At $s = 3$, $n = 20$, $b = 10$ the threshold moves from 2.26 to 6.45, which $\mathbb{E}[c] = 10$ still clears. The companion's own hedge, that its deterministic use is the union-bounded envelope of an almost-sure claim, points the same way. So the collapse survives randomization in the quenched reading and fails in the annealed one, and a reader wanting the annealed statement needs a contrast far larger than $\mathbb{E}[c]$ suggests [O].

Remark 5.17 (This is the graded cascade, in one concrete case). the downstream Route World hypothesis keeps the cascade's Boolean recursion and the ε -grading of the downstream Route World hypothesis in separate layers, and records what would join them: a fixed point of an M -valued doom operator, called open [O] and named there as the natural next question.

(10) is an instance of exactly that object. The map $u \mapsto s f(u)$ is monotone on $[0, 1]$, its least fixed point is the graded analog of μG 's least fixed point on the Boolean lattice, and the grading it carries is a weight rather than a label. The completion probability is therefore *computed* as a fixed point rather than assigned, which is what the two-layer remark asks for.

The claim should be taken at its size. This is a single-type process carrying one number, not the M -valued operator over the full lattice of states the general construction would need; what is exhibited is the first concrete case and the shape it confirms. What the case does supply is the general construction's *definition*, and the choice is not the obvious one. The Boolean cascade characterizes μG modally: every course admits a foreclosing continuation, which is a fact about the state space. A graded version cannot be built on that, because a modal fact carries no measure. It can be built on the dynamical reading, *all paths lead to* the Departure Point, rather than all courses make it exist, since that is a hitting statement, and the measure of paths hitting a set is canonically the *least* fixed point of the associated operator. (10) is exactly such a hitting measure, which is why it arrived as a least fixed point without anyone imposing it.

Two things follow for the general construction. The operator to build is the one whose fixed point is the hitting measure of the departure set, and Kleene iteration from $\perp$ reaches it wherever the weight algebra's multiplication is Scott-continuous. And the projection back to the Boolean layer is a *threshold* rather than a linear map, Boolean μG is where the surviving weight is zero, not where the graded value takes a particular magnitude, so the consistency requirement is $\text{eval}(u) = \mathbf{1}\{u = 0\}$, and it should be imposed at definition time rather than proved afterwards. Whether the construction so specified generalizes to the lattice remains open [O].

Remark 5.18 (Which rate an observer should use). The completion weight u^n is an expectation over branches, and near criticality it is dominated by the rare branch that incurred little debt: by (12) the *mean* total progeny is $1/(1 - \varkappa)$, while the median sits far below it. An observer reasoning about their own history should therefore not use the mean. Expected completion weight is carried by branches that got lucky early, and a biosphere is not entitled to assume it is on one — the same quenched–annealed discipline the reference sheet records for the survivorship transform.⁸

⁸The same gap is recorded for the survivorship transform in the broader Golden program; the two are instances of one phenomenon rather than one result applied twice.

5.8 The composite

The schedule does not win Golden-Point probability. It wins the probability of reaching the one state at which x stops decaying, and everything the model already proves takes over from there. That gives the total a two-stage shape, schedule then model, with τ the completion time and $X_\tau = (\mu_\tau, D_\tau)$ the *model's* state at that moment, the Kolmogorov pair of Definition 3.1 and not the schedule's debt Z , which is zero at τ by construction. The second stage is Theorem 3.3 evaluated at the completion state, and the composite is written as a kernel and not as a product, because the completion state depends on how the schedule was cleared. Let $K_{\text{sch}}(d\mu, dx, d\rho)$ be the *surviving-completion subprobability kernel*, the law of the full state the schedule leaves at τ , driver, strength, and anatomy, weighted by survival to τ , $K_{\text{sch}}(A) = \mathbb{E}[e^{-\Lambda_\tau} \mathbf{1}\{\tau < \infty, (\mu_\tau, x_\tau, \rho_\tau) \in A\}]$. Then

$$\mathbb{P}(\text{advance}) = \int \mathbf{1}\{\rho > 0\} V_{\text{drv}}(\mu) K_{\text{sch}}(d\mu, dx, d\rho), \quad (15)$$

the driver-viability functional taking the driver coordinate μ as its argument, the strength coordinate entering through the survival weight and the prefactors and not through the event-level factor, with V_{drv} the driver-viability functional of Theorem 3.3. The three ingredients are then visible without being multiplied: schedule failure is mass K_{sch} fails to deliver, bad anatomy is the indicator, and bad driver dynamics is V_{drv} ; and u^n of (10) is the total mass of K_{sch} in the homogeneous model, a survival-discounted completion weight, $\mathbb{E}[s^N \mathbf{1}\{\text{completion}\}]$ in the gate-count representation, which reduces to the completion probability only at $s = 1$. The composite becomes a product only under independence or a deterministic completion state, neither of which the model supplies.

The three factors are not of one kind. Anatomy *annihilates*: $\rho \leq 0$ gives zero, not a small number, by Theorem 3.3. The schedule *attenuates*: a wrong gate costs debt, and debt cleared is completion, so the factor is drastically minute and never quite zero — which is what it is to be an Imperfection Magnitude Drop in the companion's exact sense [Nexus]. So the schedule factor is the residual ε of the downstream Route World hypothesis computed rather than named, and the channel's connection to the cascade is an identification rather than an analogy.

The decomposition is hierarchical, not a product. (15) should be read exactly. It is not an independence factorization, since X_τ depends on how long the debt took to clear, but a hierarchical decomposition through the kernel, and what makes it usable is that the influence runs one way. The schedule's law is autonomous: λ_k and π_k consult the gate count and nothing else, so the schedule may be solved first, without reference to the driver. The leak then carries the schedule's verdict into the driver through γ_{k_t} , and the model runs from the state that leaves. Schedule, then driver, then model, with no arrow back.

That one-directionality is what a state-dependent schedule threatens, and it threatens it in only one of the two ways such dependence can be read. Let π depend on the schedule's own *configuration*, which gates are closed, in what order, with what debt outstanding, and the schedule remains autonomous, since configuration is generated by the schedule itself. It becomes a multitype branching process, with types the configurations and criticality governed by the top Lyapunov exponent of products of mean matrices rather than by the scalar criterion of §5.10, and the hierarchy survives intact. Let π instead depend on the *driver*, on x_t or μ_t , and the schedule consults what it was supposed to precede. The hierarchy collapses, (18) becomes a

genuine control problem, and the optimal history must trade action spent early against exposure shortened.

The baton-passing picture that motivates state dependence is of the first kind: what an event does depends on the state its predecessor left, which is configuration. So the version the natural-historical reading requires costs a multitype upgrade and not the control problem. Whether the driver *also* influences gate outcomes is a modeling question about the world rather than a mathematical one, and the answer adopted here is that it does not. Gate outcomes are stochastic in the direct sense: what makes an option the realized one is a fact about the onward schedule it opens, not about the credit held when it fires. The hierarchy therefore holds, (18) does not become a control problem, and the multitype upgrade is the whole cost of state dependence.

One refinement that adoption invites is recorded rather than pursued. If an option is realized in virtue of the ease of the gates it opens, then correctness is not a label attached to one of the m branches but a *derived* property of the subtree below it — which makes the schedule a tree carrying a value function rather than a sequence with a marked option, and makes the realized path something survivorship picks out rather than something given in advance. That is consistent with Definition 5.3, whose independence claim concerns an option's *own* rate and not its descendants'. Whether the tree formulation reproduces the sequence one at the level of (10) is open [O].

Remark 5.19 (Finite horizons select the schedule; the asymptote excludes its absence). The channel prices what climbing costs. Whether anything *selects* for climbing is a separate question, and the answer separates the two conditioning events this work uses.

Finite horizons select but do not exclude. Condition on $\{T > t\}$ for any finite t ; by Proposition 5.20 the conditioning favors completion increasingly with t , but never removes the alternative from the support. A biosphere that never completes its schedule sits at bare background with its internal channel at its bare coefficient, by Proposition 5.7, and survives to t with probability $e^{-(B+\Gamma)t} > 0$. The un-climbed branches therefore carry positive weight under every finite-horizon conditioning, and the lucky route, survive by not being struck, and never pay the schedule at all, remains in the support throughout.

The asymptote excludes. Condition instead on the viability event $\mathcal{I} = \{\Lambda_\infty < \infty\}$ of Definition 3.1. By Proposition 5.7, $\mathbb{P}(\mathcal{I} \mid \text{schedule incomplete}) = 0$ *exactly* — not small. The exclusion is at the level of support rather than of weight, and it is the only conditioning in this work that achieves it. So the schedule is selected for by the asymptotic condition and by nothing weaker. Between the finite horizon and the asymptote there is a threshold, and it is the mechanism by which conditioning on survival pushes a lineage up the schedule at all.

Proposition 5.20 (The survival-time threshold for pushing the schedule; [P] given the model). *Consider a biosphere whose histories fall into two classes: the unpushed, which never complete the schedule and survive to t with probability $e^{-(B+\Gamma)t}$, and the pushed, which complete it, an event of unconditional probability p , and thereafter survive with probability $\asymp Ct^{-1/4}$ in the critical regime (the persistence tail of [1]) or with positive probability in the viable one. Then:*

- (i) *the posterior weight of the pushed class given survival to t is*

$$\mathbb{P}(\text{pushed} \mid T > t) = \frac{pCt^{-1/4}}{pCt^{-1/4} + (1-p)e^{-(B+\Gamma)t}} \longrightarrow 1 \quad (t \rightarrow \infty); \quad (16)$$

(ii) *there is a threshold T_* , the solution of $pCT_*^{-1/4} = (1-p)e^{-(B+\Gamma)T_*}$, so that*

$$T_* = \frac{1}{B+\Gamma} \left[\log \frac{1-p}{pC} + \frac{1}{4} \log T_* \right] = \frac{\log(1/p)}{B+\Gamma} (1 + o(1)) \quad (p \rightarrow 0), \quad (17)$$

below which the conditioned law favors the unpushed class and above which it favors the pushed class, the switch being sharp because one weight is exponential in t and the other polynomial: rarity of pushing, however extreme, enters the threshold only through $\log(1/p)$, so a one-in-a-trillion push moves T_ by about $28/(B+\Gamma)$ and no more;*

- (iii) *within the pushed class, conditioning on survival to t weights each route r through the schedule by its survival weight, and as $t \rightarrow \infty$ the ratio of two routes' weights converges to the ratio of their persistence-harmonic prefactors at completion, $\mathfrak{h}(X_\tau^{(r)})/\mathfrak{h}(X_\tau^{(r')})$ (the conditioned-law theorem of [1]), so the conditioned law tilts the completed-route distribution by the persistence-harmonic prefactor at completion, toward better completion states; two routes with prefactors in the ratio 2:1 keep limiting weights in that ratio, and concentration on the route maximizing (18), the optimal route, follows only in a further limit in which the prefactor contrasts diverge, entered as [S];*
- (iv) *conditioning on asymptotic survival, $t \rightarrow \infty$, lies past T_* for every parameter value, so the asymptotically conditioned law prefers the pushed class outright, tilted toward better completion states, with the unpushed class excluded at the level of support by Proposition 5.7.*

Proof. (i) is Bayes on the two-class mixture with the stated survival probabilities; the limit follows because $t^{-1/4}$ dominates $e^{-(B+\Gamma)t}$. (ii) is the balance equation of (i) solved for T_* , with the asymptotic form from neglecting the logarithmic term. (iii): conditioning on $\{T > t\}$ weights a route by $\mathbb{P}(T > t \mid \text{route})$, which by the conditioned-law theorem of [1] is $\asymp C \mathfrak{h}(X_\tau) t^{-1/4}$ with the prefactor set by the completion state, so ratios of route weights converge to ratios of $\mathfrak{h}$ at completion, which is the tilt; concentration would require the ratio of the maximal prefactor to every other to diverge, which no hypothesis here supplies. (iv): $T_* < \infty$ for every $p > 0$, $C > 0$, $B + \Gamma > 0$, and the support exclusion is Proposition 5.7. $\square$

The proposition is the mechanism behind the ladder. A lineage conditioned on asymptotic survival is one whose schedule was pushed, since every unpushed history is exponentially suppressed past T_* and excluded at the asymptote; and among pushed histories the conditioning tilts toward the better-completing routes, since the survival weight of a route is its harmonic prefactor at completion, and reaches the optimal route only in the limit of diverging contrasts. Below the threshold, the same conditioning says the opposite, that not pushing is the likelier history, because pushing is rare and the exponential penalty for not having pushed has not yet accumulated. This is why an amoeba lineage, read under asymptotic conditioning, is read as having been pushed up the ladder, and why the situational contingencies the Optimal-Earth companion catalogues fall out of the conditioning rather than being posited beside it: reaching the threshold at all is exponentially less likely on every unpushed route. The crossover recedes as C falls, and C is set by the state completion leaves (Remark 5.21), so a biosphere completing into a poor state finds the schedule worth having climbed only at horizons that run toward the asymptote; the threshold's dependence on C is again logarithmic.

The reading is the one that matters for what this channel is for. *Nothing about surviving a finite stretch gives a reason to climb.* Only conditioning on there being no last moment makes the climb pay — which is why the schedule appears in the record of a biosphere whose history was conditioned, and would not appear in the record of one that had merely lasted.

Remark 5.21 (The schedule supplies the initial data the model assumes). (5.8) makes an identification that should be stated plainly: *the completion state is the initial datum* that the survivorship companion [1] takes as given. The model begins where the schedule ends, and the schedule delivers not a point but a distribution over points — shaped by how long the debt took to clear and how far x decayed while it did.

By the survivorship companion [1] the initial data are gauge: they act through prefactors and timescales, never through exponents. So the schedule cannot move the persistence exponent $\frac{1}{4}$, cannot move the trichotomy, and cannot move the two-condition theorem. What it sets is the prefactor — and by the survivorship companion [1] the prefactor is proportional to the persistence-harmonic function $\mathfrak{h}$ of the starting state. That is the same $\mathfrak{h}$ the Golden Score computes (the broader Golden program), and the broader Golden program records as its principal cost that no map exists from a decision to a point in (μ, D) . The schedule produces exactly such points. Whether decisions bearing on a biosphere’s schedule, on λ , on π , on debt incurred, thereby acquire computable harmonic values is the first place a candidate identification map might be found. We flag it as a lead and claim nothing [O].

Remark 5.22 (The variational form, stated and not solved). The second factor of (5.8) is a conditioned path problem, and the survivorship companion [1] already names the tool: the adverse-drift rate and its front-load-then-coast profile come from the Cameron–Martin action by Cauchy–Schwarz, the model’s analog of an Euler–Lagrange computation and the natural processing step wherever a conditioned path law is wanted at large-deviation scale.

The composite asks for that computation across both stages. One seeks the path minimizing

$$S[\mu] = \int_0^\infty \left[\frac{\dot{\mu}_t^2}{2\sigma^2} + h(x_t, k_t) \right] dt \quad (18)$$

subject to (3), to the debt dynamics (6), and to $\Lambda_\infty < \infty$: a least-action path through a landscape whose running cost is the hazard and whose constraint is the schedule. The pathfinding reading is exact rather than figurative — the action is a length and the optimal history a geodesic in it.

Two features of the answer are predictable without solving it, and both are checks on a solution’s behavior. The running cost during incompleteness is B and is *independent of the driver*, since x is not held and $\varsigma_b(0) = 1$; so the schedule stage contributes a term the driver cannot optimize against, and the variational freedom lives entirely after τ . And because (5.8) factorizes, the optimal post-completion profile is the existing one, started from the distribution Remark 5.21 describes rather than from a chosen point.

Whether the stages remain separable once λ or π depends on the state, which the baton-passing picture requires, is the substantive question and is open [O]. If they do not, (18) becomes a genuine control problem rather than a factorized one, and the optimal history would trade early action against schedule exposure in a way the present separation forbids.

5.9 The internal channel is probably a schedule too

One structural claim precedes the open list, because it is the channel’s clearest suggestion about the rest of the model and because it is an inference the Continuity Principle licenses rather than a speculation laid beside it. the downstream Route World hypothesis holds that hazard-lowering across mediations is one activity and not a family of analogs. The schedule represents pre-onset hazard as gates. If continuity is taken at the width the downstream Route World hypothesis states it, then post-onset internal hazard should be representable the same way, and the trough’s smooth exponential should be a coarse-graining of gates not yet identified.

Remark 5.23 (The trough’s exponential is geometric compounding; [S]). Take h^{int} proportional to the count of *unpatched failure modes* carried at capacity x . Suppose each increment of capacity both creates modes and passes gates that patch them, and write q for the fraction left unpatched per unit of capacity. Then $\text{unpatched}(x) = \text{unpatched}(0) q^x$, so

$$h^{\text{int}}(x) = \Gamma q^x = \Gamma e^{-\rho x}, \quad \rho = \ln(1/q). \quad (19)$$

So geometric compounding of per-gate patch rates *would* produce the exponential of Definition 3.1, with Γ the count at $x = 0$. The construction is offered at that strength and no more: it exhibits a mechanism yielding the observed form, not evidence that this is the mechanism. Definition 3.1 remains the paper’s statement of the internal channel, nothing downstream is rewritten in gate coordinates, and the construction’s use is heuristic — it says what one would look for, and becomes a derivation only if the gates are named.

Three things follow, and the second is the reason to record this. *The anatomy trichotomy becomes a compounding test.* the survivorship companion [1] divides on the sign of ρ ; under (19) that is q against 1 — patching outpacing creation, matching it, or falling behind. *And it is then the same test the schedule already runs.* Remark 5.11 calls $\varkappa = 1$ the anatomy threshold’s sibling. Under this construction they are not siblings but one test applied twice: both ask whether a compounding factor exceeds unity, and they differ only in what indexes the compounding — gate count for the schedule’s debt, capacity for the trough’s unpatched modes. That is what continuity predicts, and finding it is a check on the principle rather than a use of it.

The construction agrees with the one the paper already has. the broader Golden program derives $\rho = -(\alpha - \beta)$ from boundary scaling — an extractive domain growing as $e^{\alpha x}$ against enforcement growing as $e^{\beta x}$. Under (19) that is $q = e^{\alpha - \beta}$, so $q > 1$ exactly when $\alpha > \beta$, and the two microfoundations return the same condition by different routes. Neither is derived from the other.

What is missing is the thing the reformulation is for: *which events*. The schedule channel names its gates as natural-historical transitions, and the internal channel’s gates would be whatever a biosphere must get right for acquired capacity not to be turned inward — institutional, presumably, and the broader Golden program is where a candidate list would come from. Until they are named, the smooth rate is the correct representation, and the reason needs precise statement: a smooth hazard is the *annealed* description of an unidentified jump process, so by the discipline of Remark 5.18 it flatters the typical history. An observer using Definition 3.1’s trough to reason about their own biosphere is using a mean carried by branches that patched luckily [O].

5.10 What is open

Depth-dependent debt. r and π are constant, so all failures cost alike. Two quantities must be kept apart before that is repaired, since they are easily run together and only one of them is ordered by position. *Stakes*, what failing forfeits, rise monotonically along the chain, by the broader Golden program: a late step carries the improbability of every step behind it. *Debt*, what recovering costs, does not. An early gate may carry enormous r : a biosphere without its moon, or with one a third the size, owes a compensating sequence for axial stabilization and tides at the *first* gate rather than the last, and it is not obvious that any finite sequence discharges it. Severity is not ordered by position, and a model that assumed it was would misplace the worst gates.

Repairing this makes Z a branching process in a varying environment, $\varkappa_k = r_k(1 - \pi_k)$ a sequence rather than a number, and the criterion a condition on *products* rather than on any single term: writing $S_k = \prod_{j < k} \varkappa_j$, completion is almost sure when $\sum_k S_k^{-1} = \infty$ and has positive failure probability when the sum converges, under a uniform second-moment condition on the offspring laws. For constant $\varkappa$ this recovers $\varkappa \leq 1$. The reading is worth having: one catastrophic gate does not doom a schedule whose remaining gates are benign enough, since it is the geometric mean of the $\varkappa_k$ that decides, a single spike is survivable in a way a raised floor is not, with the caveat that under Definition 5.3 the environment is random rather than merely varying, so the operative criterion is (8) and the sum below describes the deterministic case. The question of whether a deeper drop costs more *per unit of debt* is answered there rather than here, and answered negatively: the rates are redrawn at each gate and correctness is independent of them, so severity is neither constant nor monotone in depth but resampled, and it is the distribution rather than any trend that carries the structure. The same harmonic sum gives the rate and not merely the dichotomy: two-sided bounds of Agresti type put the probability of not having completed by stage n comparable to $(\sum_{k \leq n} S_k^{-1})^{-1}$, up to the second-moment factor, so the quantitative form comes free with the criterion and is what a bridge to Proposition 5.6's timing statements would consume [O].

State-dependent gates. $\lambda(\cdot)$ and $\pi(\cdot)$ are what the baton-passing picture requires and what Remark 5.22 identifies as deciding whether the composite factorizes. *The leak is assigned rather than emergent*, and the incomplete regime's asymptotics remain unknown (Remark 5.5). *And the parameters are unmeasured.* B, λ, π, r and n are what the companion's serial-attribute program (the downstream Route World hypothesis) would supply — and (13) makes that program's task easier rather than harder, since c_{eff} need no longer be estimated directly but follows from three quantities a historian might plausibly bound. the survivorship companion [1]'s reservation applies with full force throughout: a scored schedule index would be a measurement apparatus optimized against, which is the failure the channel exists to price.

5.11 The modern-era term, formalized

The three passages that follow this subsubsection carry the schedule's modern-era argument in prose — the live-term hypothesis, the identification of accordance-legible golden causality with the term's operation, and the assignment of the term's last leg to the technoanatomy — and a reader is owed the formal content underneath them before the prose is read. The argument of the subsection as a whole then runs in one line: the schedule is a sequence of gated clocks (Definition 5.2) with log-spread rates (Definition 5.3) whose incompleteness leaks the credit (Definition 5.4) and gates the external channel (Proposition 5.7); the term's contribution to the hazard of Departure is the derailment hazard defined next; the hypothesis that the schedule is not yet exhausted is entered on evidence rather than principle; under it the remaining gates act on the anatomy rather than the credit, with a settlement law the conditioning front-loads; and none of this disturbs the ceiling, whose residual the last passage classifies.

Definition 5.24 (Derailment hazard, and anatomy-directed gates; [S]). With the schedule in the state k_t of Definition 5.2, the *derailment hazard* is the instantaneous rate at which any wrong option at the open gate fires first,

$$\sigma_t := \lambda_{k_t}(1 - \pi_{k_t}), \quad (20)$$

and it is the schedule's contribution to the hazard of *the Departure Point* in the implication sense of Definition 3.2: a derailment is a Departure-sufficient occurrence carrying the Aethic weight of

the derailed branch, which under the extra-successes reading adds gates to the schedule rather than closing it outright. The term is high exactly when a gate with a large total rate and a small favorable share stands open, and that is the formal content of the phrase “high stakes toward landing the next Miracle.” Gates $k \leq n$ are *credit-directed*: their closure lowers the leak of (4). Gates $k > n$, if any, are *anatomy-directed*: their resolution does not act on the credit but on the anatomy, the option j that fires at gate k contributing an increment $\Delta_k^{(j)}$ with $\Delta_k^{(1)} > 0$ for the realized-favorable option and the wrong options adverse, so that

$$\rho_t = \rho_0 + \sum_{n < k \leq k_t} \Delta_k^{(j_k)}, \quad \rho_\infty = \lim_{t \rightarrow \infty} \rho_t, \quad (21)$$

j_k being the option that fired at gate k . The two-condition theorem reads on ρ_∞ .

Proposition 5.25 (Front-loaded settlement under monotone coupling; [C] given the stated conditions). *Under Definition 5.24 and the live-term hypothesis, suppose that the anatomy increments at the anatomy-directed gates are totally ordered, that the law of each subsequent gate is conditionally independent of the past given the current anatomy, and that the cumulative hazard is monotone decreasing in every favorable increment and in every earlier favorable resolution time. Then conditioning on survival tilts the law of the final anatomy upward and the law of the crossing time to $\rho > 0$ earlier in the sense of first-order stochastic dominance. If in addition the survival weight is log-supermodular, totally positive of order two, in the increments and the resolution times jointly, the tilt holds in the likelihood-ratio order. Coordinatewise monotonicity with conditional independence gives the dominance and not the likelihood-ratio order; the stronger conclusion needs the stronger hypothesis. Without the conditions the one-gate comparison below still holds, but its iteration over gates is not a theorem.*

Sketch. Two paths identical except at one anatomy-directed gate differ in accumulated hazard by the integral of $\Gamma(e^{-\rho^{\text{adv}} x_t} - e^{-\rho^{\text{fav}} x_t})$ over the time the two anatomies differ, which is positive where $x_t > 0$ and negative where $x_t < 0$; the proposition’s hypothesis that the cumulative hazard is monotone decreasing in every favorable increment is exactly the requirement that the integral be positive, which holds when $x_t \geq 0$ over the leverage window, the regime the live-term hypothesis places the modern era in, and is what the proof relies on rather than the pointwise sign. Under it the favorable path’s survival weight exceeds the adverse path’s by the exponential of that integral; conditioning on survival therefore reweights each gate’s resolution by a factor increasing in the favorability of its increment, and each resolution time by a factor decreasing in the time, which is the likelihood-ratio tilt stated. Under the stated conditions the survival weight is totally positive of order two in each increment and each resolution time, so the tilt by survival preserves the likelihood-ratio order coordinatewise and the one-gate comparison iterates over the gates; without them the tilts need not compound in the likelihood-ratio order. The exact conditions, including the finiteness of hazard accumulated before crossing and the leverage factor x_t that makes the tilt vanish while the credit is small, are the window theorem’s debt (§5.11). $\square$

Remark 5.26 (The third term is not exhausted; [S] with imports at $[\Phi]$). The working assumption until this remark was that the schedule channel belonged mostly to the record: the evolutionary ladder climbed, the term’s modern residue mergeable into the internal and external channels. The correction the author supplies is more careful than a reversal of that assumption, and it should be stated at its exact strength. The continuity principle does not decide whether the

present lies before or after the last prerequisite; it is silent on whether one should or should not have been born after the last major Miracle. What it decides is conditional: *if* prerequisites remain, their operation runs continuously through the present, since nothing in the conditioning marks the modern day as a privileged moment at which the schedule closed. The live third term is therefore a hypothesis, not a default that continuity licenses, and the prior practice’s error was symmetrical: it treated exhaustion as the default, which continuity licenses no more than it licenses liveness. What the hypothesis has in its favor is not a principle but evidence, and the next paragraph says which.

The author’s central move is then an identification, and it is what supplies the evidence just promised. What the accordance principle under Golden conditioning renders legible as golden causality in the modern record, the specific accordance-yielding attributes physically observable as they occur, is not a separate phenomenon that happens to be visible; it is the third term operating. The standing conviction that golden causality is more visible than the internal and external channels would suggest is on this reading not a resolution artifact of the attribute level (the survivorship companion [1]); it is channel identity, accordance-legible concentrations being schedule steps landing. This sharpens that remark’s open question into an identification carried at [S], and it carries a scoreable texture, entered here with the conditions of its failure: if the identification holds, the rarity audit should find modern concentrations clustering on prerequisite-shaped structures rather than spreading uniformly over the record, and a uniform spread would count against it.

The class of events in question is the sequential-achievement class [**Outliers**], and its citable historical exemplar keeps the discussion honest about magnitudes: Newton’s occurrence when he occurred, the quantile of intellectual horsepower struck at that point of the process, was an event of low probability relative to the alternatives, individually improbable and collectively required, which is the signature of a schedule step. The general claim leans on the class, and on the expectation that most of its modern members have not yet been identified; no single member is load-bearing.

One candidate modern member should be named exactly once, because naming it is the only way to fence it correctly. The production of the present framework by its date is itself an event whose probability was low relative to the alternatives, given how many things had to go right to lead to it, and it is therefore a formally admissible candidate instance of the class. Like any modern fluke it is available to the inference of the downstream Route World hypothesis at the audit’s rate: its route-deleting character must be established case by case against the retrospective-target null of the theorem companion [2], and where it is established the fluke moves credence toward the Route World exactly as any observed schedule step does (Remark 5.27), since the ceiling constrains the certification of the stochastic terms’ law and places no bound on credence drawn from the third term’s observable steps. Two things, and only two, are barred. The member may not be made load-bearing for the class thesis, which stands on the class, because the fluke hypothesis may simply be true of any one member. And the occupant inference is barred by the occupancy discipline of the broader program: from “this production was a schedule step” nothing follows about its author being the Golden Point’s arrival or agent, the role being permitted and the occupant refused. The class carries the general argument; a member may carry its own case.

None of the riskiness a live third term adds changes the conditional picture, and this is the author’s retention clause. The forward forcing of Remark 6.1 reads on this channel too: under conditioning at the asymptotic future, in character much like a stationary-action principle, the

conditional law concentrates on schedules that complete, because reaching the Golden Point outweighs the third term’s hazard once the conditioning is asymptotic. The prerequisites still standing are, under that conditioning, nailed with conditional probability approaching one, which retains in the forward direction exactly what the Optimization climb established in the backward one.

The last leg falls on the anatomy (design at [S], one sketch at [P], debt at [O]). The reason the third term was tangled with the internal channel in the first place deserves to be named, because it was a formal problem and not a confusion. An active schedule registers the technostrength x as incomplete, and an x still being established undercuts the internal term’s own analysis, which reads its muffling against a mature credit; a live third term therefore appeared to break the very channel it feeds, and merging the term’s modern presence into the other two was the workaround. The preceding passage removes the workaround without removing the problem, since on the live-term hypothesis the term operates now, and given that hypothesis the resolution is forced rather than merely permitted: the x -directed component of the schedule must already sit in its exponential-tail regime by the modern day, with x robust, so the term’s remaining incompleteness before the Golden Point has to act somewhere other than the credit.

The author’s proposal is that it acts on the technoanatomy directly, and the proposal is best stated together with a fact about ρ that the record disguises. The technoanatomy is movable at every time with equal ease; what varies across history is not its mobility but its *leverage*, which scales with the credit, since the internal term $\Gamma e^{-\rho x}$ is insensitive to ρ when x is small and grows in sensitivity as x grows, $\partial h / \partial \rho$ carrying a factor of x . In the deep past the anatomy therefore appeared frozen because the technopower that would have exposed it was low, and the honest description of the premodern record is that the species rode on a technoanatomy inherited from the Stone Age without its value being tested, each culture carrying a version of its own, the versions merging into a single biosphere-level sign only when the industrial era coupled them and raised x to where the sign began to matter. The last leg of the schedule is then this: with leverage now high, the remaining pushes act on ρ as a trajectory, and the interval between the present and the Golden Point is exactly the crash of pulling this off, embodied in technoanatomy contributions, the doing of things right or the failing to. The modern-day constraint that motivated the old merge is satisfied rather than violated: the internal hazard remains high on the whole historical timeline’s present because the leaning of ρ , now that it counts, remains to be settled, which is consonant with the scaling observation of §7.2, a present-configuration scale-up collapsing, worse than ideal now yet with significant potential for improvement.

What “settled” means under this design is fixed by one sketch, stated at [P] because it is an easy likelihood-ratio statement once the model is in hand. Let τ be the time at which ρ crosses to its favorable side along a path, and compare two paths identical except that one crosses at τ_1 and the other at $\tau_2 > \tau_1$. The earlier crosser accumulates less hazard by $\Gamma \int_{\tau_1}^{\tau_2} (e^{-\rho_{\text{adv}} x_t} - e^{-\rho_{\text{fav}} x_t}) dt > 0$, so its survival weight exceeds the later crosser’s by the exponential of that quantity, and conditioning on survival reweights the unconditioned law of τ by a factor decreasing in τ : the conditional law of the crossing time is stochastically earlier than the unconditioned one, in the likelihood-ratio order. This is the *survivorship prefers early change* statement, and it has a corollary that should be read carefully because the record tempts a misreading of it. From inside any surviving history that has not yet crossed, the conditional hazard of crossing is elevated, so every present looks like the moment at which the shot must be taken. That appearance is

real as a statement about the conditioned law and misleading as a statement about capacity: the species can move ρ just as much later as now, and what changes with delay is only that fewer surviving histories have it happening late, more survivors sprouting from the histories in which hazard was lowered earlier. The feeling that our shot is now is therefore a corollary of the preference for early change, present at every vantage the conditioning produces, and not evidence that the present vantage is special; this is the mechanism behind the refusal recorded at the occupancy discipline of the broader program, which forbade the occupant claim before its cause was known. Settlement, accordingly, is not a freezing of ρ but the point past which the conditional mass has largely moved, and ρ_∞ is the limit along surviving paths of a quantity that never stops being movable. The formal statement of both the process and its front-loaded settlement is Definition 5.24 and Proposition 5.25.

The design wires into the standing structure at four points. The two-condition theorem reads on the settled value: viability becomes the indicator of $\rho_\infty > 0$ times the escape factor with ρ_∞ random, so the modern era is the era in which the indicator's argument is being determined, by pushes that could in principle have come at any time and are, under conditioning, front loaded. The fluctuating-anatomy corollary (Corollary 6.2) is the bridge case, fluctuation before settlement. The preceding passage's identification gains its mechanism, the accordance-legible steps being the pushes. And the forward forcing extends to the settlement law: under asymptotic conditioning the law of ρ_∞ concentrates on the favorable side, for the reason Remark 6.1 states, and the preference for early change is that concentration's temporal profile.

The formal debt this passage enters, at [O], is the ρ -dynamics window theorem it presupposes, now specified by the sketch above: the leverage statement made exact, conditions on the crossing-time law and on the pre-crossing fluctuation under which the frozen- ρ analysis survives as the limit along surviving paths, and the hazard accumulated before crossing remaining finite under stated tail conditions so that the theorem's conditional structure reads on ρ_∞ unchanged. This is the best well-idealised model the author can presently state, and it is entered as design rather than result.

Remark 5.27 (The third term and the ceiling; [S], with the theorem untouched). The natural next question, and the one a referee should ask, is whether a live and observable third term breaches the epistemic ceiling, since watching schedule steps land successfully amplifies credence that the asymptotic conditioning is the explanation, and under the conditioning one does well on all three terms by deduction. The answer is that the theorem is untouched while the texture changes, because the ceiling bounds certification of which measure the stochastic terms' law is under and never bounded credence, least of all credence drawn from the third term, whose steps are observable events rather than a law to be certified. Locally the two measures are equivalent, so every finite audit outcome has positive probability under both and no bounded observation decides the matter; but the likelihood ratio between them is free to climb without limit, and the amplification the question describes is exactly that climb. Indeed the deduction is the singularity read from the evidence side: the conditioned law predicts systematic schedule success where the unconditioned law predicts it rarely, each audited success multiplies the ratio, the divergence of the accumulated evidence is the mutual singularity at infinity, and its unreachability at finite times is the ceiling. The live third term does not breach the structure; it populates it, supplying the concrete observable carrier along which the permitted climb occurs.

What the term genuinely adds is evidence that survives the mere-survival discount. Survival to the present is blunted by observer conditioning, as the fence on Remark 6.1 records, but the manner of the successes is finer-grained than survival: their prerequisite shape, their accordance

structure, and the technological-condition specificity to which observer-conditioning is provably indifferent, which is where the comparative force of the downstream Route World hypothesis lives after its restatement. The schedule channel is therefore the channel in which admissible evidence accumulates, the place where the deflation “we would observe this regardless” fails. The discipline is retained in full: amplification proceeds only at the audit’s rate, route-deletion established case by case against the retrospective-target null (the theorem companion [2]), the clustering texture of Remark 5.26 standing as the scoreable check, and “the only explanation” read throughout as “favored over the stated rivals,” at [S].

One consequence for the extended model is entered with the window theorem’s debt rather than asserted. If settlement occurs at a finite time and the settled value were observable, an adverse settlement would be a finite-time event of positive probability under the unconditioned law and probability zero under the conditioned one, so the extended model may permit certification in the uncontrolled direction while the consoling direction remains uncertifiable forever, preserving and sharpening the one-sidedness that the broader Golden program already records. Two provisos attach: local equivalence before settlement is to be verified for the extended model, and ρ_∞ is a structural parameter whose direct observability is itself an idealization. Nothing here is consumed by the ceiling’s standing dependents; the dependency runs toward the window theorem.

Remark 5.28 (The extreme-induction regime; [S], regime-conditional). The preceding remark describes a climb; this one classifies its asymptote. Suppose the skew of Aethic weight toward the Route World continues through enough Aethic time that the Route World comes to hold arbitrarily close to the whole of the weight. The ceiling never closes, by the theorem, and the question worth a remark is what the residual gap has become by then. The author’s answer is that it converges categorically on the classic problem of induction: the live doubt remaining is of the same class as the doubt that the sun does not rise tomorrow, given the establishing of one’s lifetime as the induction base [3]. This is offered as class identity rather than analogy, since the remaining ways of being wrong are the Humean ways, and those attach equally to every piece of our most reliable ontological understanding. The phenomenology follows: human inference auto-interprets questions of that class as closed, because everything we treat as known already carries exactly that residual, so the ceiling’s line, though never crossed, comes to feel crossed, and the feeling is not an error about the theorem but a correct classification of what the residual has become.

What the regime licenses is a parity claim, and what it does not license is certification, and the two must be kept apart at the usual price. Once the residual is Humean, refusing closure here while granting it to gravity is an isolated demand for rigor, and the framework may say so; the theorem meanwhile stands untouched, the determinacy and the access split exactly as the broader Golden program left them. And the regime itself is conditional in a way the discipline will not waive: the skew must actually have accumulated, at the audit’s rate, under the preceding remark’s rules, so the classification is earned by the climb rather than assumed at its foot. The clause about human auto-interpretation is a psychology-of-inference observation and is entered as such, at [S], alongside the rest.

6 Conditioning, forcing, and the settlement of the anatomy

Remark 6.1 (The forward forcing: survival as asymptotically decisive evidence; sketch at [P], reading at the ladder’s grades). A configuration-level consequence of the theorem deserves its

own statement, because it is the forward-time mirror of the conditioning argument's past-direction climb. Let the configuration, the sign ρ together with the driver class, be drawn from any prior that gives positive mass to the viable set, the configurations for which the theorem's product is positive. Non-viable configurations have survival probabilities decaying to zero, exponentially in the trapped regime and polynomially in the critical one, while viable configurations hold a positive limit, so the conditional probability of viability given survival to time t tends to one: there is a soft threshold in t , set by the slowest non-viable clock, past which a surviving system is almost certainly in the configuration the two-condition theorem describes. On the event of survival forever the statement is no longer asymptotic but outright, since $T = \infty$ entails $\Lambda_\infty < \infty$ almost surely and hence the viable configuration itself. In the author's words: each attribute intersection of the biosphere surviving through proper time t tilts the disagreeing superposition of poles, the tilt becomes asymptotically decisive, and under full conditioning on indefinite survival the competence the Golden Point marks is not made likely but implied, there being a threshold beyond which surviving with non-Golden dangers of any kind still standing becomes arbitrarily unlikely. This is the to-the-future extension of the past-direction result that the same conditioning forces the evolutionary climb by which the Golden Point is reachable at all, the end-Cretaceous impact standing among the record's clearest instances as one of the bigger deadlocks which we fought through with Golden conditioning. Two fences hold unchanged. The mixture sketch is stated for the model's configuration space, with the identification of the viable configuration as the Golden Point's marker carried at the framework's usual grades and not at **[P]**; and the epistemic ceiling governs exactly as before, because this remark concerns the conditional law and not any observer's epistemic state, so survival so far, at any finite time, certifies nothing for the one surviving.

Corollary 6.2 (Adverse anatomy overlapping positive strength is fatal; **[P]** given the model). *If there exist $a, b > 0$ with $\text{Leb}\{t : \rho_t \leq -a, x_t \geq b\} = \infty$ almost surely, then $\Lambda_\infty = \infty$ almost surely, since on that set the internal term satisfies $\Gamma e^{-\rho_t x_t} \geq \Gamma e^{ab}$. Recurrence of ρ alone does not suffice: the internal term explodes only where negative anatomy coincides with positive strength, and a negative excursion of ρ that systematically coincides with $x_t \leq 0$ costs nothing. What fluctuating anatomy implies in general, when the excursions of ρ and of x are not coupled by hypothesis, is open **[O]**. Viability therefore requires ρ_t to be eventually positive almost surely, transient upward, or absorbed above some $\rho_c > 0$, and the two-condition theorem becomes a two-transience condition: $\mathbb{P}(\text{viable}) = \mathbb{P}(\rho_t \text{ eventually favorable and } x_t \text{ viable})$, a joint probability, which is a product of two scale functions only when the anatomy and the driver are independent, and the anatomy generated by the schedule is not.*

7 Application: the Kardashev scale, and what the sign result refutes

7.1 What Golden reasoning refutes

7.2 The Kardashev scale

The usual complaint against Kardashev's scale [4] is that its thresholds, planetary, stellar, galactic energy capture, are arbitrary. That complaint is correct but weak, since a scale may be useful with arbitrary units. Golden reasoning supports three stronger objections, of which the first is a theorem.

(i) *The terminal stage exists, and is gated by a variable the scale cannot see.* In the driftless model $\Lambda_\infty = \infty$ almost surely and no absorbing state of safety exists; in general one does, and locating it is what makes the objection bite. By Theorem 3.3,

$$\mathbb{P}(\text{viable}) = \mathbf{1}\{\rho > 0\} \cdot \frac{s(\mu_0) - s(-\infty)}{s(+\infty) - s(-\infty)},$$

so there *is* an absorbing state of safety — and reaching it requires two conditions, of which Kardashev’s scale tracks at most one. The escape factor is the accumulation of capacity, which energy capture does index, however crudely. The anatomy factor is not on the scale at all: ρ does not appear in energy capture, is not monotone in it, and cannot be inferred from it.

The objection is therefore not that the ladder has no top but that *climbing it is neither necessary nor sufficient for reaching the top*. Worse, by the survivorship companion [1], a biosphere with $\rho < 0$ that climbs fast does not merely fail to arrive: its hazard diverges superexponentially in the very capacity the scale is measuring. A scale indexed on capture alone cannot distinguish the ascent that arrives from the ascent that is a fall. That last point is the vulnerable-world hypothesis [5] restated with a continuous parameter in place of a discrete draw, and the broader Golden program sets out what is and is not shared.

(ii) *The indexed quantity is not monotone.* Technostrength is stationary and recurrent in logarithmic time (Definition 4.1). A ladder presumes a quantity that ratchets. Energy capture may of course ratchet while technostrength does not — but then energy capture is not tracking the quantity that governs survival, which returns us to (iii). (iii) *A magnitude index cannot represent categorical selection.* By Remark 4.2, survivorship truncates technoanatomy while merely rescaling technostrength. A one-dimensional index of magnitude has no coordinate in which to express a deleted half-space. It is not that Kardashev measures the less important variable, that claim is false, and was corrected above, but that it measures the one whose selection is quantitative, and is structurally unable to express the one whose selection is categorical.

On Dyson spheres. Dyson’s proposal [6] is often read as the natural Type II signature. Under Golden reasoning it is better read as a *hypothesis about technoanatomy* disguised as one about technostrength: it asserts not merely that a biosphere could capture stellar output but that a long-lived one would be organized so as to want to. That assertion is exactly what the broader Golden program disputes, and it should be recognized as an assertion rather than an extrapolation.

Remark 7.1 (The expansionist mirror: grabby selection). One modern argument deserves separate notice because it reaches the Kardashev picture from selection reasoning — this framework’s own instrument. The grabby-aliens model observes that loud, expansionist civilizations dominate what is *visible*, and runs anthropic timing arguments under that weighting [7]. Read beside this section, that is a rival conditioning: weight by volume occupied and the typical survivor is an expander; weight by persistence and the two-condition theorem makes expansion-rate orthogonal to the factor that decides. The two conditionings are not in contradiction, one asks what is seen, the other what survives, but they license opposite extrapolations from the same record, and conflating them reproduces the Kardashev error at the level of selection effects: visibility-weighting smuggles in the assumption that the seen and the persisting are the same ensemble, which is exactly what the trough channel denies. The framework’s quarrel is therefore not with the grabby model’s arithmetic but with any normative or predictive reading of it that takes loudness for viability; Theorem 3.5 bounds what either conditioning can claim to certify.

7.3 The violent-aliens thesis

The thesis in view holds that intelligence evolves preferentially in predators, hence that advanced biospheres are likely to be predatory or violent. We engage the position rather than any proponent.

“It was the saying of Bion, that though the boys throw stones at frogs in sport, yet the frogs do not die in sport but in earnest.”
— Plutarch, *Moralia* [8]

The line is Bion of Borysthenes’, preserved by Plutarch, who deploys it against hunting for sport; it has since been borrowed by astrobiological writing as the image of what a technologically superior biosphere might do to an inferior one. It is the right epigraph for this subsection because it names the assumption at issue more exactly than the conquest analogies usually offered. The serious form of the violent-aliens thesis is not that an advanced biosphere would hate us. It is that we would be *beneath its consideration* — that its power could be spent across the boundary between itself and us casually, without the expenditure ever rising to the level of a decision. The stones are thrown in sport. That is the claim, and any reply pitched at malice misses it.

The image also fixes what the reply must not do. It must not argue that such a biosphere would be kind, since kindness is not what the thesis denies; nor that it would have outgrown violence, since sport is not violence in the relevant sense. What it must do is address the *scaling*: whether a biosphere can be arranged so that power is spendable in that manner and still arrive at the scale where the spending would matter. Our own route to the present framework began from exactly this observation, three years before the model existed, and Section 3 records the entry.

Before the model is brought to bear, a further placement is needed, because the *conclusion* here is the one most likely to be mistaken for a new one and it is not. The conclusion, that anything old enough to encounter must be peaceable, is a standing argument in SETI, sometimes called the *technological adolescence* argument, and it long predates this paper: a civilization reaching the capacity to destroy itself must either become socially responsible or fail to persist, so whatever survives has already made that transition. Cooper documents the argument and its currency, and also supplies the standing rebuttal: that it conflates altruism with amiability, that it is typically asserted rather than derived, and that it presumes a trajectory of moral improvement for which there is no evidence [9]. Nothing below claims the conclusion as new. What is at issue is whether a mechanism can be supplied that survives Cooper’s objection.

The inference under dispute has the form: predatory origin $\Rightarrow$ predatory maturity. Golden reasoning denies the implication, on the grounds that it neglects the conditioning that must be applied before any encounter can be contemplated. Any biosphere one could meet is old; any biosphere that is old is drawn from $\mathbb{P}^{(t)}$ for large t , not from $\mathbb{P}$; and $\mathbb{P}^{(t)} \rightarrow Q$, under which technoanatomy is truncated. Whatever selection operated at origin, a second and stronger selection operates over the trajectory, and it is the second that determines what survives to be encountered.

Premise $\Phi 4$ (Origin does not transfer; *premise*). Facts about the selective regime that produced intelligence in a biosphere do not, without further argument, transfer to the selective regime that governs that biosphere’s persistence at world scale. The two regimes act on different units, at different scales, over different timescales.

$\Phi 4$ is not exotic; it is the ordinary observation that a trait adaptive for an organism in a population need not be adaptive for a biosphere in a universe. What the model adds is that the second regime is not merely different but *stronger* in the relevant sense: it deletes a half-space of configurations, and it does so with a force measured in §4.2.

What the model contributes to the frogs case in particular is a reply that never mentions disposition. A biosphere that can spend power casually across a self/other boundary is one that maintains such a boundary and enforces it — and by the broader Golden program the enforcement of a boundary is interface-like while the domain it encloses is volume-like, so the arrangement carries $\rho < 0$ by the broader Golden program. By the broader Golden program its viability probability is then exactly zero. The stone-throwers are not ruled out because they would have grown kind; they are ruled out because the organization that permits stone-throwing at that scale is the organization the scaling argument says cannot reach that scale. The frogs survive not by the boys’ mercy but by the boys’ having imploded before attaining the requisite size — which is, in a form Bion would have recognized, the square–cube law again.

Three further features distinguish this from the folk argument, and they are exactly the three points Cooper’s rebuttal presses on. *It is not a moral claim.* What is selected is ρ , the sign of $-\partial_x \log h^{\text{int}}$ — a structural property of how a biosphere is arranged, carrying no implication that its members are kind, and applying identically to a biosphere with no members in the relevant sense at all. The conflation of altruism with amiability has nothing to attach to. *It is not asserted but measured.* §4.3 exhibits the selection on ρ and finds it *gradual*, 0.75 to 0.91 over the horizons computed, where the folk argument implicitly treats the filtering as complete. *And it is not a trajectory.* Nothing here says biospheres improve; ρ does not change at all in the fixed model, and what conditioning does is reweight an ensemble, not move a system along a path. The selection is Darwinian in form rather than developmental, which is what the folk version gets wrong and Cooper is right to object to.

This much, however, only establishes that predatory maturity is not *inherited*. To conclude that it is positively *selected against*, one needs the identification of predation with negative technoanatomy. That identification is a philosophical premise, and it is the subject of the next subsection. Everything in the broader Golden program is downstream of it.

7.4 Trajectory arguments for internal neglect

A third target belongs here, and it lies inside the biosphere rather than out among the aliens. Longtermism in its strong form holds that what most matters about our actions is their effect on the very long run [10]; and a recurring corollary within that literature is that resources directed at the welfare of some populations do less for the long-run future than the same resources directed elsewhere, so that broad investment in the worse-off is not what a future-oriented agent should fund. We engage the corollary as a position and name no one, as with the violent-aliens thesis.

The position is already under sustained criticism, and it is worth being exact about how the present objection differs, because the difference is what makes it worth adding. The standing critiques are *external*: they fault longtermism on ethical and political grounds — as an ideology with damaging real-world effects and a flawed underlying moral theory [11], and as a doctrine whose cosmic accounting licenses the discounting of present suffering [12]. Those objections deny the framework’s premises. The objection developed here does the opposite: it *grants* the long-run criterion entirely, and shows the position failing by that criterion, on the framework’s own terms and in its own currency. If it succeeds it is therefore not an alternative to the ethical

critiques but a complement of a different kind — an internal result rather than an external one.

Stated at its strongest it is not a callous argument but an optimization: interventions differ in long-run leverage, a future-oriented agent should allocate to high-leverage interventions, and if the leverage of some interventions is low then funding them is a loss measured against the future. Nothing in that reasoning is invalid. The question is whether the leverage calculation is complete. Golden reasoning says it is not, and the missing term is technoanatomy. No new premise is required, and this is the point worth making: a position of this kind is $\Phi 3$ with the boundary drawn *inside*. Writing off part of a system is the maintenance of a self/resource distinction across an internal interface, a region of the biosphere to which protection is not extended, which is structurally the same object as the extractive boundary of the broader Golden program, and it inherits the same scaling. Enforcement of an internal boundary is interface-like; the interior it excludes is volume-like; so by the broader Golden program the arrangement carries $\rho < 0$, and the broader Golden program applies verbatim.

The consequence is that the position is self-undermining in its own currency, and sharply rather than rhetorically. By the broader Golden program(ii) a biosphere with $\rho < 0$ has viability probability *exactly zero* however much capacity it acquires; by (i) its viability is zero where a $\rho > 0$ biosphere's is positive; and by the survivorship companion [1] acquiring capacity faster makes its position worse, since $x \rightarrow \infty$ with $\rho < 0$ drives hazard to infinity superexponentially. An argument that trades internal cohesion for external capacity, offered in the name of the long-run future, is therefore an argument for a shortened one — not because neglect is distasteful, which the model cannot see, but because the boundary it requires is the structure the model identifies as fatal.

The thought experiment that makes this concrete is worth stating, because it isolates the variable. Hold a society's technoanatomy fixed at whatever value its present arrangements realize, and scale its technostrength to galactic magnitude. If $\rho \geq 0$, nothing goes wrong. If $\rho < 0$, the hazard does not rise gently but spikes as $e^{|\rho|x}$: at every scale the same arrangement supplies more micro-opportunities for the system to act against itself, and each opens further ones. The elephant-sized ant of the broader Golden program is exactly this, and the square-cube law is exactly why.

Four fences, because this is the section's most contestable application. It refutes a *class* of positions, any that trades internal cohesion for external capacity, and not any author's wider view, nor longtermism as such: a longtermism that valued internal cohesion would be untouched, and the argument is in that sense a constraint on longtermist reasoning rather than a refutation of it. It is downstream of $\Phi 3$ and inherits its conjecture grade; reject $\Phi 3$ and this goes with it. And it establishes nothing about what anyone ought to do, by $\Phi 2$: what it establishes is that a particular argument for neglect, evaluated by its own long-run criterion, fails on that criterion.

8 Application: the Precipice, engaged

The continuity principle has a standing rival, and it is the most serious one the field possesses: the periodization of Ord's *Precipice* [13]. This work owes it a direct engagement — not because the rivalry is total, but for the opposite reason. Of everything in the existential-risk literature, the Precipice's central definition is the nearest approach to the losing condition as this framework draws it, and the methodology companion's discipline applies with full force to nearest neighbors [**AethusMethodology**]: where a position is close, the deltas must be named exactly, because a dense neighborhood is precisely where a distinct position gets misfiled as a variant of what

each reader already holds. The deltas here are three, the quantity, the shape of time, and the endpoint, and each is stated below after the position itself is stated at its strongest.

The position, at its strongest. The Precipice defines an existential catastrophe not as extinction but as *the destruction of humanity’s long-term potential* — explicitly including unrecoverable collapse and unrecoverable dystopia alongside extinction — and argues that humanity entered, in 1945, a period different in kind from all prior history: capability has outrun wisdom, anthropogenic risk now exceeds the natural background by orders of magnitude (the book’s considered figures: something like one in six per century against roughly one in ten thousand), the period is short by civilizational standards, and the task it sets is *existential security* — risk brought low and locked low — after which a Long Reflection can settle what the future is for. It is the most careful and most quantified statement of its picture in the literature, its treatment of its own uncertainties is honest, and its definition is modal in spirit: “destruction of potential” is closure-of-possibility language, and the inclusion of non-extinction catastrophes is exactly the concession that death and loss come apart. The definition descends from Parfit’s asymmetry [14] (the broader Golden program), and the descent matters below: what the Precipice inherits from Parfit is the intuition, and what it does not inherit, because nothing in the lineage supplies it, is a formal object for the intuition to be *about*. All of that should be said before any of what follows, because what follows is not a dismissal. It is the claim that the Precipice’s definition is right, that its own operationalization does not honor it, and that the periodization built on that operationalization inverts in the cases that decide.

Delta one: the quantity. The ledger reverts to events. The Precipice’s definition points at membership in μG , a configuration property, the closure of possibility (the downstream Route World hypothesis, the broader Golden program), but its arithmetic is risk-per-century of catastrophe *events*. The two come apart in both directions, and the separations are not corner cases; they are this framework’s central theorems. A biosphere can be departed with no catastrophe on any ledger: past μG nothing has yet happened, hazards fire later, members are unaware (the broader Golden program), and the sharpest instance is the undisturbed world of the broader program, which minimizes per-century catastrophe probability on the event bookkeeping and is already departed on the modal one: the safest world the ledger can describe is a lost world. And a biosphere can be undeparted while the event bookkeeping condemns it: in the critical regime departure is certain, expectancy is nonetheless infinite, advancing continuations exist, and everything the survivorship theory computes is computed there — a world an event metric writes off with probability one is the world in which the entire structure of hope resides. So a ranking of worlds by existential-catastrophe probability misorders them relative to the quantity the Precipice’s own definition names, and this framework’s position is not that Ord’s definition is wrong but that it deserves a formalization his ledger cannot give it: the framework sides with the definition against the arithmetic.

Delta two: the shape of time. Gradient, not age. The Precipice’s picture is a threshold crossed — one short age, different in kind, bracketed by Trinity on one side and by security or ruin on the other. Against this the framework sets three results it did not build for the purpose. First, continuity (the downstream Route World hypothesis, and the cascade of the downstream Route World hypothesis): the Departure Point has been available at every moment of the biosphere’s history, the record’s Miracles are earlier rounds of the same engagement rather than

preliminaries to a modern one, and what 1945 changed is mediation and magnitude — never the arrival of a losing condition that was absent before. Second, and this is the part that preserves everything the Precipice is right to insist on: the stakes claim is not disputed but *re-derived*, and strengthened. the broader Golden program obtains by combinatorial construction what the Precipice obtains by periodization, each moment carries the highest stakes the lineage has yet faced, because a failure late in the chain forfeits the whole accumulated product, and a monotone sequence distinguishes every later point over every earlier one without distinguishing any point categorically (the downstream Route World hypothesis, the broader Golden program). The gradient picture therefore keeps the urgency and discards only the step. Third, the quantitative heart of the kind-claim, the ratio of anthropogenic to natural risk, divides a numerator estimated by judgment by a denominator estimated from the track record, and the track record is precisely what survivorship conditioning prices: a record read under conditioning on its reader shows rare natural catastrophe whether or not the underlying rates were kind. The literature knows this as anthropic shadow [15], and the Precipice acknowledges it; the delta is that this framework supplies the machinery (Theorem 3.5) in which the caveat stops being a footnote and becomes the subject — the bias field is explicit, its magnitude is computable in-model, and “natural risk is small” and “we are among survivors” are hypotheses the finite record cannot separate. A periodization whose different-in-kind claim rests on that ratio rests on the one number the framework’s own theorems say a survivor cannot read off their record.

Delta three: the endpoint. Security decomposes. The Precipice’s terminal state, existential security, is risk brought low *and known to be low*: a far side, reached and certified, on which the Long Reflection can convene. The framework decomposes this into one component it preserves and one it proves unavailable. Risk brought low is anatomy work, ρ held positive, patching capacity maintained against acquired capability, and it is continuous, never completed, with the losing condition permanently adjacent; on this the two pictures can trade freely. Known to be low is a certification, and the ceiling (Theorem 3.5, the broader Golden program) forbids it to any finite observer: no bounded record places a biosphere on the favorable side, forfeiture itself is silent (the broader Golden program), and the unavailability points in exactly the direction that would have been consoling. So “the Precipice, safely passed” is not a state anyone could know themselves to occupy, and a research program whose success condition is unobservable in principle has misdrawn its own finish line — the metaphor is doing load-bearing work the theory cannot support, since a precipice is the kind of thing that has a far side, and a superposition one inhabits is not. What replaces the finish line is not despair but the correct object: maintenance of the anatomy condition, graded and continuous, with the Golden Point as νF , a modal fixed point one may be inside without ever certifying it, rather than security as a date.

A corollary: the hinge dissolves rather than resolves. The debate downstream of the Precipice, whether the present is the “hinge of history” [16, 10], is conducted on a shared assumption this framework denies: that hingeness is categorical, so that the present either is or is not the special moment. The framework’s answer is neither side’s. Every present is the hingiest yet, by the monotone-stakes construction — so the influence-skeptic’s base-rate argument attacks a claim the framework never makes — and no present is categorically special, by continuity and by the tense-relativity of the conditioning’s labels (the downstream Route World hypothesis) — so the hinge-proponent’s conclusion is an artifact of reading a label that moves with the observer as a property of the moment. A graded hinge is had for free; a categorical one is unavailable;

and the binary framing, not either answer to it, is what the formalism removes.

What survives, and the fences. Much survives, and it should be listed rather than implied: the urgency (re-derived, by construction rather than by period); the dominance of the anthropogenic channel (the trough channel is the unbounded one, and the framework gives that asymmetry a functional form rather than an estimate); the priority of risk-work over expansion (the anti-Kardashev results agree with the Precipice against the accelerationists); and most of the book’s concrete policy content, which re-grounds without loss on the gradient picture. What does not survive is the quantity, the age, and the finish line. Three fences bound the engagement. Nothing here consumes the Route World — the counter runs from the losing-condition analysis, the monotone-stakes construction, and the ceiling, so a reader who rejects every conditioning argument in this section keeps deltas one and three whole and loses only the third prong of delta two. Nothing here disputes the Precipice’s numbers by offering rivals — the framework’s claim is that the decisive ratio is unreadable from a survivor’s record, which is a reason to compute less, not differently. And nothing here diminishes the practical convergence: a reader persuaded by the Precipice to work on existential risk has been persuaded of the right conduct, on this framework’s own showing (the downstream Route World hypothesis), by an argument whose bookkeeping this subsection corrects and whose urgency it keeps.

The provenance pattern, recorded once. The engagement instantiates the methodology companion’s criterion exactly [**AethusMethodology**]: the nearest neighbor’s *definition* already contains the correction, destruction of potential *is* closure of possibility, while the neighborhood’s density is what kept the modal formalization unoccupied, each camp filing the vacancy as territory already held. The prediction that discipline makes about reception is stated here so it can be scored: this engagement will be misfiled, confidently and in both directions, as “a variant of Ord with extra mathematics” and as “a rejection of existential-risk studies.” It is neither, and the deltas above are the scoring key.

With the target fixed and its motivation stated, the question becomes evidential: is there reason to believe the record was in fact produced under it? The remainder of the section argues that there is, first by saying what alignment with such a target would look like (the downstream Route World hypothesis), then by two model comparisons, one on natural history (the downstream Route World hypothesis), one on human history (the downstream Route World hypothesis), of which the second does not require the premise the first leans on.

9 What is not claimed

9.1 What this section does not claim

The fence is stated hard, on the companion’s discipline that an apparatus which prices what it claims must also refuse what it does not [**AethusOptimalEarth**]. It is not claimed that any observed system is Golden, ideally or practically; by Theorem 3.5 the ideal version is unknowable to any finite observer (the broader Golden program) and the practical version is out of reach for want of an ensemble. It is not claimed that the companion’s cosmic weighting and the path measure $\mathbb{P}$ of Section 3 are the same object; that identification is flagged as unperformed in the broader Golden program and nothing here depends on it. It is not claimed that any individual biosphere, ours included, will behave as *thebroaderGoldenprogram* describes; those

are statements about a conditional distribution. No normative conclusion is claimed ($\Phi 2$). And the companion’s natural-historical program, its conjectures, its bounds, its paleontological predictions, is not claimed, imported, or re-argued; $\Phi 5$ enters as a stated result and nowhere else.

One thing remains on the far side of the fence, because a fence is legible only if what it excludes can be seen. A program built on this section would inherit three commitments, stated here as refusable rather than as claims. It would be committed to the boundary-cost scaling of $\Phi 3$ showing up in institutional and ecological data, not merely in argument. It would be committed to the truncation/rescaling asymmetry appearing in survivorship-selected populations generally. And it would be committed to the exponent’s dependence on noise placement, $\frac{1}{4}$ for integrated drivers, $\frac{1}{2}$ for Brownian ones, being visible in any domain where hazard dynamics can be measured directly. None of the three is established here, all three could be found false without touching a line of Section 3, and that is the point of naming them.

10 Open problems

Every [O] tag in the paper is gathered here, and the numerical experiments’ code and seeds are to be archived at a fixed repository with the exact environment and commit hash before circulation (AUTHOR TO SUPPLY). The largest is the ρ -dynamics window theorem the schedule presupposes: the leverage statement made exact, conditions on the crossing-time law and on the pre-crossing fluctuation under which the frozen- ρ analysis survives as the limit along surviving paths, and finiteness of the hazard accumulated before crossing. The offset weighting of the schedule is emergent at scaling level and its constant is unevaluated. The leak law is stipulated, and its emergence from the schedule is open; every claim about the modern era’s leverage is conditional on it. The front-loaded settlement result holds in first-order stochastic dominance under stated monotone-coupling conditions and in the likelihood-ratio order only under total positivity, and whether the schedule’s own dynamics satisfy either is open. The pinned schedule model is exact and the leaky refinement is a surrogate, and the completion-weight fixed point for the leaky refinement is open. Concentration of the survival-conditioned route distribution on the optimal route, beyond the harmonic tilt, requires a diverging-contrast limit not established. The estimate of the anatomy’s two constants from collapse-era returns data, along the Tainter route, is specified and not run. The fluctuating-anatomy corollary’s bridge case is stated and its rate is open. Whether the internal channel is itself a schedule is argued at scaling level. The schedule’s identification map, from accordance-legible steps in the record to the term’s operation, is specified and not built. And the Precipice engagement’s third delta, that security decomposes rather than arrives, is a structural claim awaiting a case in which a claimed security is shown to have decomposed.

11 Falsifiers

What would count against the paper’s claims, in one place. Against the sign result’s reading: a civilization exhibited whose capacity index tracks its viability across the sign change, which the theorem forbids and which would therefore refute the model rather than the reading. Against the schedule: a record in which prerequisites land at rates that do not spread logarithmically, or an open gate whose derailment hazard is unrelated to its favorable share. Against the prefers-early result: a surviving-path record in which the crossing to favorable anatomy is not front-loaded

relative to the unconditioned law. Against the Precipice deltas: an event-priced ledger shown to track survival across a gradient reversal; a hinge shown to resolve rather than dissolve; a security shown not to decompose. Against the two errors' refutation: a configuration in which removing the muffling agent leaves viability positive, or one in which capacity alone, with adverse sign, delivers it. Against the ceiling no falsifier is offered, because it is a theorem; what it forbids is reading any of these, unfired, as certification.

12 Discussion: consequences and applications

The Route World reading of the target, that the survivorship-conditioned law is the one our natural-historical record is drawn under, is a downstream hypothesis and is not assumed anywhere above; what this paper offers it is a mechanism, the schedule through which a lineage under that conditioning would be read as pushed, and the offer runs in one direction.

The mechanism above has consequences that are not part of its mathematics, and they are collected here at the grade of applications rather than carried as sections of their own. What the sign result refutes beyond the Kardashev scale, the two errors about the human role, extinctionism and techno-optimism as mirror misreadings of one theorem, the environmental value that follows from the muffling agent's removal, the institutional reading of the ceiling, and the consequences for SETI and for governance were argued at length in earlier drafts and are not carried here. The two carried here as applications, the Kardashev scale as the cleanest case of strength against anatomy and the Precipice as the cleanest comparison with existential-risk practice, are the ones the mechanism bears on most directly, and a reader who accepts the schedule mathematics and neither application has lost nothing the paper claims.

13 Conclusion

The claim stated at the outset stands at its grades. Capability magnitude cannot substitute for favorable anatomy, viability requiring the sign together with favorable driver dynamics and a cleared schedule, which is the imported theorem read through the completion kernel; on the schedule model entered here, the sign is being settled now at the highest leverage in the record, which is the modern-era term read on a stipulated leak law; conditioning on survival prefers that it be settled early under stated monotone-coupling conditions, and past a survival-time threshold prefers the schedule pushed, tilted toward better completion states, which is the mechanism of the ladder; and no event of bounded duration can certify which way it has gone, which is the ceiling. The practice that follows is not a new ledger but a different quantity on the old one: an audit of what each added capacity does to the sign, in place of a tally of what could go wrong; a governance built for the regime where all the survivorship structure lives, rather than one that writes that regime off because an event metric condemned it; and humility placed in the objective, where the theorem puts it, rather than in the disclaimer. The Kardashev scale measures how visible a civilization is. The variable that decides whether it lasts is not on any scale, because it is a sign.

References

- [1] Ajax Benander. *Survivorship Conditioning for Hazard Rates Driven at the Log-Derivative Level*. Working draft. The Golden branch's root extraction; the two-condition viability theorem with its

piecewise driver-viability functional, the hard-wall and soft-wall conditioned laws, the certification ceiling, and the half-time theorem. 2026. URL: <https://aethus.org>.

- [2] Ajax Benander. *Conditioning a Record on Its Own Future: Targeted Accordance and Survivorship-Conditioned Path Measures*. Working draft. The theorem extraction; future-targeted accordance under the conditioned draw, the multiplicity guard, and the Bayes-factor reading. Imports only GoldenSurvivorship. 2026. URL: <https://aethus.org>.
- [3] David Hume. *An Enquiry Concerning Human Understanding*. London: A. Millar. AUTHOR TO VERIFY the edition cited. 1748.
- [4] N. S. Kardashev. “Transmission of information by extraterrestrial civilizations”. In: *Soviet Astronomy* 8 (1964). Russian original, *Astronomicheskii Zhurnal* 41 (1964), 282–287., pp. 217–221.
- [5] Nick Bostrom. “The vulnerable world hypothesis”. In: *Global Policy* 10.4 (2019), pp. 455–476.
- [6] Freeman J. Dyson. “Search for artificial stellar sources of infrared radiation”. In: *Science* 131.3414 (1960), pp. 1667–1668.
- [7] Robin Hanson et al. “If loud aliens explain human earliness, quiet aliens are also rare”. In: *The Astrophysical Journal* 922 (2021), p. 182.
- [8] Plutarch. *Whether Land or Sea Animals Are Cleverer* (*De sollertia animalium*), in *Moralia*. Classical source, cited by section. §7; the saying is attributed there to Bion of Borysthenes.
- [9] Keith Cooper. *The Contact Paradox: Challenging Our Assumptions in the Search for Extraterrestrial Intelligence*. London: Bloomsbury Sigma, 2019.
- [10] Hilary Greaves and William MacAskill. *The case for strong longtermism*. Working Paper 5-2021. Global Priorities Institute, University of Oxford, 2021.
- [11] Alice Crary. “The toxic ideology of longtermism”. In: *Radical Philosophy* 2.14 (2023), pp. 49–57.
- [12] Émile P. Torres. *Against longtermism*. Aeon. 2021.
- [13] Toby Ord. *The Precipice: Existential Risk and the Future of Humanity*. London: Bloomsbury, 2020.
- [14] Derek Parfit. *Reasons and Persons*. Oxford: Oxford University Press, 1984.
- [15] Milan M. Ćirković, Anders Sandberg, and Nick Bostrom. “Anthropic shadow: observation selection effects and human extinction risks”. In: *Risk Analysis* 30 (2010), pp. 1495–1506.
- [16] William MacAskill. “Are we living at the hinge of history?” In: *Ethics and Existence: The Legacy of Derek Parfit*. Oxford University Press, 2022.