A	B	C	D	E
Compound response	marker	chrom	pos	lod
29_D16 65.4 µM T=48 h	YLR257W_2422	12	220	4
29_D16 65.4 µM T=48 h	YMR317W_2755	13	303	4.1
29_D16 65.4 µM T=48 h	YOR158W_3130	15	211	5.5
29_D16 65.4 µM T=70 h	YLR263W_2425	12	224	4.1
29_D16 65.4 µM T=70 h	YOR158W_3130	15	211	5.2
29_D16 32.7 µM T=72 h	YOR158W_3130	15	211	4.7
3,4-dichloroisocoumarin 11.6 µM T=40 h	NMR070C_2746	13	283	6.7
3,4-dichloroisocoumarin 11.6 µM T=52 h	YMR279C_2742	13	275	7.1
3,4-dichloroisocoumarin 11.6 µM T=64 h	YMR260C_2741	13	263	4.2
aclacinomycin A 3.1 µM T=40 h	YNL124W_2814	14	131	4.1
ascomycin 31.5 µM T=43 h	NNL035W_2823	14	150	4.1
ascomycin 31.5 µM T=43 h	gOL02_3008	15	59	4.3
alexidine 2.15 µM T=40 h	YML121W_2558	13	9.2	5.5
alpha factor 10 µM T=42 h	YCR041W_717	3	67	53.2
alpha factor 10 µM T=42 h	YGR051C_1364	7	198	4
alverine 105.5 µM T=80 h	YAR042W_441	1	64	14
alverine 105.5 µM T=118 h	YAR042W_441	1	64	22
amiodarone 14.66 µM T=90 h	YNL110C_2822	14	139	4
amiodarone 14.66 µM T=115 h	NNL035W_2823	14	150	5.3
anisomycin 37.7µM T=80 h	NNL035W_2823	14	150	4.6
anisomycin 37.7µM T=132 h	gOR05_3129	15	207	5.7
astemizole 109 µM T=68 h	YMR260C_2741	13	263	5.7
astemizole 109 µM T=80 h	YMR260C_2741	13	263	7.4
astemizole 109 µM T=118 h	YMR260C_2741	13	263	9.5
benzalkonium chloride 7.1 µM T=48 h	YLR257W_2422	12	220	6.4
benzalkonium chloride 7.1 µM T=60 h	YBR045C_555	2	109	4.5
benzalkonium chloride 7.1 µM T=60 h	YLR258W_2423	12	221	6
benzyl isothiocyanate 167.5 µM T=60 h	gCL01_689	3	30	9.3
benzyl isothiocyanate 167.5 µM T=84 h	YCL018W_700	3	31	4
bithionol 12.5 µM T=52 h	gOL02_3007	15	58	5.3
bithionol 12.5 µM T=68 h	YOL081W_3010	15	60	6.2
bithionol 12.5 µM T=78 h	YOL081W_3010	15	60	5.7
bithionol 12.5 µM T=90 h	gOL02_3007	15	58	4.8
cadmium acetate 21.65 µM T=68 h	YBR284W_679	2	258	4.4
CAPE 58.7 µM T=66 h	YML121W_2558	13	9.2	9.8
cerulenin 2.24 µM T=40 h	NNL035W_2823	14	150	5.4
cetylpyridinium chloride 0.766 µM T=68 h	YLR258W_2423	12	221	9.7
cetylpyridinium chloride 0.766 µM T=77 h	YLR258W_2423	12	221	8.5
chlorhexidine 2.7 µM T=46 h	NMR044C_2719	13	186	4.3
chlorhexidine 2.7 µM T=68 h	YML120C_2561	13	9.6	5
chlorhexidine 2.7 µM T=80 h	YML120C_2561	13	9.6	4.5
chlorhexidine 2.7 µM T=118 h	NMR044C_2719	13	186	5.8
chlorpromazine 15.7 µM T=70 h	SNR74_2646	13	99	4.1
cycloheximide 0.281 µM T=55 h	YGL017W_1349	7	154	4.7
cycloheximide 0.281 µM T=72 h	YGR006W_1355	7	169	4.3
cinnarizine 33.9 µM T=44 h	YGL020C_1347	7	152	5.9
cinnarizine 33.9 µM T=52 h	YGL020C_1347	7	152	5.9
cinnarizine 33.9 µM T=52 h	YMR123W_2713	13	171	4.5
cinnarizine 33.9 µM T=68 h	YGL024W_1346	7	150	4
clomiphene citrate 8.35 µM T=80 h	YNL066W_2826	14	167	4.2
clomiphene citrate 8.35 µM T=88 h	YAR042W_441	1	64	4.6
clomiphene citrate 8.35 µM T=100 h	YAR042W_441	1	64	6.2

clomiphene citrate 8.35 µM T=100 h	YLR258W_2423	12	221	5.1
clotrimazole 0.483 µM T=66 h	YHR115C_1634	8	113	4.9
clotrimazole 0.483 µM T=66 h	YOR092W_3098	15	166	5.5
cloxyquin 27.8 µM T=66 h	YPL254W_3179	16	24	5.3
copper sulfate 7500 µM T=70 h	YHR050W_1626	8	70	5.5
copper sulfate 7500 µM T=90 h	YHR054C_1627	8	71	9.2
copper sulfate 7500 µM T=115 h	YHR054C_1627	8	71	15
copper sulfate 5000 µM T=40 h	YHR054C_1627	8	71	16
cyclobenzaprine hydrochloride 80.3 µM T=46 h	gMR12_2753	13	295	4
damnacanthal 35.4 µM T=66 h	gOR05_3129	15	207	6.4
damnacanthal 35.4 µM T=90 h	YAR031W_439	1	63	4.1
damnacanthal 35.4 µM T=90 h	YOR158W_3130	15	211	11.7
damnacanthal 35.4 µM T=112 h	YAR031W_439	1	63	4.4
damnacanthal 35.4 µM T=112 h	YOR158W_3130	15	211	8.9
dequalinium chloride 1.9 µM T=68 h	SNR31_3154	15	281	4.3
dichlorophene 18.6 µM T=66 h	YML121W_2558	13	9.2	5.9
dichlorophene 18.6 µM T=80 h	YML120C_2559	13	9.4	4.4
dichlorophene 18.6 µM T=80 h	YOL081W_3010	15	60.1	5.1
dichlorophene 18.6 µM T=88 h	gOL02_3007	15	58	6
dichlorophene 18.6 µM T=100 h	YOL081W_3010	15	60	4.1
DFI 16 µM T=64 h	gKR07_2160	11	215	7
DFI 16 µM T=64 h	gKR07_2172	11	215	4.8
doxorubicin 21.6 µM T=64 h	YML121W_2558	13	9.2	4.1
doxorubicin 21.6 µM T=74 h	YJL152W_1869	10	45.3	4.4
doxorubicin 21.6 µM T=74 h	YML120C_2561	13	9.6	5.7
daunorubicin 22.2 µM T=52 h	YML121W_2558	13	9.2	5.7
E6 berbamine 16.5 µM T=64 h	YAL048C_408	1	18	5
E6 berbamine 16.5 µM T=74 h	YAL048C_408	1	18	5.9
ebselen 36.5 µM T=40 h	YML120C_2559	13	9.4	8.2
ebselen 36.5 µM T=68 h	YML121W_2558	13	9.2	9.5
ebselen 36.5 µM T=80 h	YML120C_2561	13	9.6	11
ebselen 36.5 µM T=118 h	YML120C_2561	13	9.6	7
FCCP 20 µM T=40 h	YML121W_2558	13	9.2	4.7
FCCP 20 µM T=64 h	YOL043C_3020	15	83	6.8
FCCP 20 µM T=74 h	YNL074C_2824	14	162	6.8
FCCP 20 µM T=74 h	YOL043C_3020	15	83	8.1
flutrimazole 0.723 µM T=48 h	YOR131C_3118	15	191	7.3
flutrimazole 0.723 µM T=60 h	YOR131C_3118	15	191	4
furoxan 66.8 µM T=52 h	YML121W_2558	13	9.2	11
furoxan 66.8 µM T=64 h	YML121W_2558	13	9.2	14.6
furoxan 66.8 µM T=76 h	YML121W_2558	13	9.2	6.6
gliotoxin 15.3 µM T=66 h	YJL051W_1896	10	114	5.1
gliotoxin 15.3 µM T=66 h	YLR271W_2431	12	228	4.7
gliotoxin 7.7 µM T=40 h	YJL035C_1903	10	127	4.8
hydrogen peroxide 0.03% T=80 h	YML016C_2626	13	80	5.6
hydrogen peroxide 0.03% T=112 h	YML016C_2626	13	80	8.8
hydrogen peroxide 0.03% T=132 h	YLR294C_2456	12	241	4.7
hydrogen peroxide 0.03% T=132 h	YML016C_2622	13	80	6.4
hydrogen peroxide 0.0015% T=40 h	YLR265C_2427	12	225	4.9
hydrogen peroxide 0.0015% T=40 h	YML016C_2622	13	80	4
haloperidol 33.3 µM T=55 h	NBR024W_591	2	159.7	4.6
haloperidol 33.3 µM T=55 h	YML120C_2559	13	9.4	7
haloperidol 33.3 µM T=72 h	NBR024W_591	2	159.7	5.1
haloperidol 33.3 µM T=72 h	YML120C_2561	13	9.6	5

haloperidol 66.6 µM T=70 h	YAR042W_441	1	64	4.5
hexylresorcinol 43 µM T=44 h	YML121W_2558	13	9.2	12
hexylresorcinol 43 µM T=52 h	YML120C_2559	13	9.4	9
hinokitiol 60.9 µM T=80 h	YBR008C_551	2	84	8.9
hinokitiol 60.9 µM T=118 h	YNL074C_2824	14	162	4.3
4'-hydroxychalcone 90 µM T=60 h	YAR031W_434	1	62	4.3
4'-hydroxychalcone 90 µM T=60 h	YCL022C_688	3	27	6.2
4'-hydroxychalcone 90 µM T=60 h	YGL068W_1310	7	125	4.1
4'-hydroxychalcone 90 µM T=84 h	YCL018W_699	3	31	4.8
ikarugamycin 10.4 µM T=40 h	YML121W_2558	13	9.2	6
ketoconazole 0.94 µM T=66 h	YAR042W_441	1	64	5.8
lapachone 51.5 µM T=52 h	YCL026C_685	3	25	6.6
latrunculin B 12.6 µM T=80 h	NER044C_1075	5	168	4.8
LY83583 26.6 µM T=40 h	YOL043C_3020	15	83	5.7
LY83583 26.6 µM T=48 h	YOL043C_3020	15	83	8.3
LY83583 50 µM T=40 h	YOL043C_3020	15	83	5.9
lycorine 174 µM T=60 h	YBR156C_618	2	184	4.7
lycorine 174 µM T=60 h	gKR07_2160	11	215	5.7
lycorine 174 µM T=60 h	NNL035W_2823	14	150	5.6
manoalide 60 µM T=40 h	YML121W_2558	13	9.2	7.4
manumycin A 9.1 µM T=40 h	YML121W_2558	13	9.2	5.7
manumycin A 9.1 µM T=48 h	YML120C_2561	13	9.6	6.5
mastoparan 9.5 µM T=48 h	YML118W_2562	13	11	4.2
mastoparan 9.5 µM T=48 h	NOL019C_2995	15	45	4
menadione 29 µM T=64 h	YBR147W_616	2	179	5.4
menadione 29 µM T=80 h	YCL022C_688	3	27	4.4
menadione 29 µM T=80 h	YER116C_1063	5	132	4
menadione 29 µM T=112 h	YCL018W_699	3	31	4.6
mepatricin 10 µM T=36 h	YML121W_2558	13	9.2	6
mepatricin 10 µM T=48 h	YML121W_2558	13	9.2	12
mepatricin 10 µM T=60 h	YML120C_2561	13	9.6	6.4
mundoserone 73 µM T=68 h	gCL01_689	3	30	6.7
mundoserone 73 µM T=77 h	YCL014W_710	3	33	5.2
nicergoline 103 µM T=46 h	YLR180W_2402	12	172	4.1
nicergoline 103 µM T=46 h	YMR326C_2764	13	308	6.6
niguldipine 19.3 µM T=43 h	gCL01_689	3	30	44
nocodazole 41.5 µM T=48 h	YOL043C_3020	15	83	8.5
nocodazole 41.5 µM T=60 h	YOL043C_3020	15	83	17
nortriptyline 190 µM T=80 h	YNL066W_2825	14	167	4.2
nortriptyline 190 µM T=118 h	YIL117C_1702	9	47	4.9
parthenolide 50 µM T=40 h	YJL035C_1903	10	126.7	4
parthenolide 50 µM T=40 h	YML121W_2558	13	9.2	8.7
penitrem A 15.8 µM T=40 h	YGL004C_1350	7	164	5.5
pentachlorophenol 31.7 µM T=30 h	YML121W_2558	13	9.2	9.3
pentachlorophenol 31.7 µM T=62 h	YML121W_2558	13	9.2	17
pentachlorophenol 31.7 µM T=68 h	YML121W_2558	13	9.2	13
pentachlorophenol 31.7 µM T=83 h	YML120C_2559	13	9.4	7.2
PP1 71.2 µM T=40 h	gOL02_3008	15	59	8
PP1 71.2 µM T=40 h	gOL02_3008	15	59	8.5
PP1 71.2 µM T=52 h	gOL02_3008	15	59	7.3
PP2 66.4 µM T=40 h	gOL02_3008	15	59	7.7
PP2 66.4 µM T=40 h	gOL02_3008	15	59	7.2
PP2 66.4 µM T=52 h	gOL02_3008	15	59	8
1,9-pyrazoloanthrone 22.7 µM T=115 h	YOL026C_3026	15	91	5.1

1,9-pyrazoloanthrone 11.4 µM T=55 h	YML121W_2558	13	9.2	4.6
1,9-pyrazoloanthrone 11.4 µM T=72 h	YML121W_2558	13	9.2	4.8
1,9-pyrazoloanthrone 11.4 µM T=72 h	YOL043C_3020	15	82.9	6
rapamycin (CSM media) 0.025 µM T=115 h	NNL035W_2823	14	150	12
rapamycin 0.050 µM T=100 h	YCL022C_688	3	27	4
rapamycin 0.050 µM T=100 h	NNL035W_2823	14	150	7.8
rapamycin 0.050 µM T=112 h	YCL022C_688	3	27	4.3
rapamycin 0.050 µM T=112 h	NNL035W_2823	14	150	9
rapamycin 0.025 µM T=80 h	YCL022C_688	3	27	4.3
rapamycin 0.025 µM T=80 h	NNL035W_2823	14	150	8
rapamycin 0.025 µM T=112 h	YCL022C_688	3	27	4.8
rapamycin 0.025 µM T=112 h	NNL035W_2823	14	150	9
rapamycin 0.025 µM T=120 h	YCL022C_688	3	27	5.7
rapamycin 0.025 µM T=120 h	NNL035W_2823	14	150	10.5
rapamycin 0.025 µM T=132 h	YCL022C_688	3	27	7
rapamycin 0.025 µM T=132 h	YNL074C_2824	14	162	9.6
RK-682 13.6 µM T=40 h	YML121W_2558	13	9.2	5.1
salinomycin 65 µM T=30 h	YMR324C_2763	13	307	7.4
salinomycin 65 µM T=44 h	YMR324C_2763	13	307	11
salinomycin 65 µM T=52 h	YMR324C_2763	13	307	5.8
semustine 33.6 µM T=44 h	YCL022C_688	3	27	5.7
semustine 33.6 µM T=52 h	gCL01_689	3	30	13.6
semustine 33.6 µM T=68 h	NBR008W_558	2	111	5.6
semustine 33.6 µM T=68 h	YCL018W_699	3	31	4.7
semustine 33.6 µM T=78 h	NBR008W_558	2	111	6.2
sertraline 20.9 µM T=68 h	YAL048C_408	1	18	4.7
SK&F 96365 12.4 µM T=64 h	YAR042W_441	1	64	7.2
SK&F 96365 12.4 µM T=76 h	YAR031W_433	1	62	5.3
staurosporine 4 µM T=48 h	YCL009C_711	3	35	4.6
staurosporine 4 µM T=48 h	YNL074C_2824	14	162	4.2
tamoxifen 13.5 µM T=48 h	YLR258W_2423	12	221	4.7
tamoxifen 13.5 µM T=70 h	YMR067C_2669	13	135	4.1
tetrachloroisophthalonitrile 1.9 µM T=36 h	YML121W_2558	13	9.2	26
tetrachloroisophthalonitrile 1.9 µM T=60 h	YML120C_2559	13	9.4	11.6
tetrachloroisophthalonitrile 1.9 µM T=84 h	YML120C_2559	13	9.4	5.8
thimerosal 3.3 µM T=68 h	YFR026C_1199	6	69	4.4
thimerosal 3.3 µM T=77 h	YFR027W_1201	6	69	4.9
tomatidine hydrochloride 3.4 µM T=68 h	YML120C_2561	13	9.6	6.8
tomatidine hydrochloride 3.4 µM T=77 h	NML011W_2566	13	17	4.7
tomatine 15.4 µM T=30 h	YLR265C_2427	12	225	6.6
tomatine 15.4 µM T=44 h	YLR271W_2431	12	228	6.5
tomatine 15.4 µM T=52 h	YLR271W_2431	12	228	4.4
totarol 175 µM T=44 h	YML120C_2561	13	9.6	6
totarol 175 µM T=52 h	YML120C_2561	13	9.6	5
totarol 175 µM T=52 h	YNL074C_2824	14	162.3	4.1
tunicamycin 0.296 µM T=88 h	YML120C_2559	13	9.4	4.2
tunicamycin 0.296 µM T=88 h	NNL035W_2823	14	149.9	4.1
tunicamycin 0.296 µM T=112 h	NNL035W_2823	14	149.9	5.9
tunicamycin 0.592 µM T=64 h	YML120C_2559	13	9.4	6.3
tyrothricin 2.5 µM T=66 h	YML121W_2558	13	9.2	7.5
tyrothricin 2.5 µM T=80 h	NML011W_2566	13	17	5
valinomycin 2.3 µM T=55 h	YLR265C_2427	12	225	4.3
valinomycin 2.3 µM T=55 h	YNL046W_2830	14	181	4.6
valinomycin 2.3 µM T=72 h	YNL074C_2824	14	162	12

valinomycin 9 µM T=48 h	NNL035W_2823	14	150	8
valinomycin 9 µM T=70 h	YNL074C_2824	14	162	8.5
wiskostatin 11.7 µM T=132 h	YNL110C_2822	14	139	4.1
wiskostatin 23.5 µM T=40 h	YBR144C_615	2	178	4.2
YC-1 32.8 µM T=40 h	YML121W_2558	13	9.2	11

Legend: Summary of all QTL-SMP linkages.
Column A (rows 2-220) lists individual compound response traits, including SMP concentration (in micromolar) and a time point (in hours) at which an OD600 measurement was taken.
Column B lists the genomic marker with peak lod score
Column C lists the chromosome (1-16) on which the linking marker resides
Column D lists chromosomal location
Column E lists logarithm of odds score