

Arquivo Editar Ver Pesquisar Terminal Ajuda

```
ifrs@ifrs-PC:~$ sudo apt-get install curl
```

```
[sudo] senha para ifrs:
```

```
Lendo listas de pacotes... Pronto
```

```
Construindo árvore de dependências
```

```
Lendo informação de estado... Pronto
```

```
curl já é a versão mais recente (7.68.0-1ubuntu2.7).
```

```
0 pacotes atualizados, 0 pacotes novos instalados, 0 a serem removidos e 23 não atualizados.
```

```
ifrs@ifrs-PC:~$ curl -O https://raw.githubusercontent.com/git/git/master/contrib/completion/git-prompt.sh
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed

100	17781	100	17781	0	0	199k	0	--:--:--	--:--:--	--:--:--	199k
-----	-------	-----	-------	---	---	------	---	----------	----------	----------	------

```
ifrs@ifrs-PC:~$ cd ~
```

```
ifrs@ifrs-PC:~$ sudo nano .bashrc
```

Utilize "fg" para retornar ao nano.

```
[1]+ Parado sudo nano .bashrc
```

```
ifrs@ifrs-PC:~$ sudo nano .bashrc
```

```
ifrs@ifrs-PC:~$ █
```

Terminal

Arquivo Editar Ver Pesquisar Terminal Ajuda

```
[ifrs@ifrs-PC ~]$ git config --global --list
fatal: unable to read config file '/home/ifrs/.gitconfig': Arquivo ou diretório
inexistente
[ifrs@ifrs-PC ~]$ git config --global user.name "Bruno Santos da Rosa"
[ifrs@ifrs-PC ~]$ git config --global user.email "santosdarosabruno@gmail.com"
[ifrs@ifrs-PC ~]$ git config --global --list
user.name=Bruno Santos da Rosa
user.email=santosdarosabruno@gmail.com
[ifrs@ifrs-PC ~]$
```

A processar 'triggers' para man-db (2.9.1-1) ...

[ifrs@ifrs-PC ~]\$

[ifrs@ifrs-PC ~]\$ git config --global --list

fatal: unable to read config file '/home/ifrs/.gitconfig': Arquivo ou diretório inexistente

[ifrs@ifrs-PC ~]\$ git config --global user.name "Bruno Santos da Rosa"

[ifrs@ifrs-PC ~]\$ git config --global user.email "santosdarosabruno@gmail.com"

[ifrs@ifrs-PC ~]\$ git config --global --list

user.name=Bruno Santos da Rosa

user.email=santosdarosabruno@gmail.com

[ifrs@ifrs-PC ~]\$ mkdir git-repos-home

[ifrs@ifrs-PC ~]\$ ls -al

total 184

```
drwxr-xr-x 26 ifrs ifrs 4096 mar 30 19:45 .
drwxr-xr-x  3 root root 4096 jan 12 13:40 ..
drwxrwxr-x  5 ifrs ifrs 4096 jan 20 13:32 .android
drwxrwxr-x  3 ifrs ifrs 4096 jan 20 13:26 Android
drwxrwxr-x  3 ifrs ifrs 4096 jan 20 13:28 AndroidStudioProjects
drwxr-xr-x  2 ifrs ifrs 4096 jan 20 13:34 'Area de Trabalho'
-rw-r--r--  1 ifrs ifrs 606 mar 30 19:43 .bash_history
-rw-r--r--  1 ifrs ifrs 220 jan 12 11:13 .bash_logout
-rw-r--r--  1 ifrs ifrs 3879 mar 30 19:38 .bashrc
drwx----- 14 ifrs ifrs 4096 mar 30 19:39 .cache
drwxrwxr-x  4 ifrs ifrs 4096 jan 12 13:40 .cinnamon
drwxr-xr-x 18 ifrs ifrs 4096 jan 20 13:35 .config
-rw-r--r--  1 ifrs ifrs  27 jan 12 11:25 .dmrc
drwxr-xr-x  3 ifrs ifrs 4096 mar 30 19:39 Documentos
drwxr-xr-x  2 ifrs ifrs 4096 jan 20 13:17 Downloads
-rw-rw-r--  1 ifrs ifrs  73 mar 30 19:45 .gitconfig
-rw-rw-r--  1 ifrs ifrs 17701 mar 30 19:35 git-prompt.sh
drwxrwxr-x  2 ifrs ifrs 4096 mar 30 19:45 git-repos-home
drwx-----  3 ifrs ifrs 4096 jan 20 13:34 .gnome
drwx-----  3 ifrs ifrs 4096 jan 12 13:40 .gnupg
drwxrwxr-x  8 ifrs ifrs 4096 jan 20 13:30 .gradle
-rw-r--r--  1 ifrs ifrs  22 jan 12 11:13 .gtkrc-2.0
-rw-r--r--  1 ifrs ifrs  516 jan 12 11:13 .gtkrc-xfce
drwxr-xr-x  2 ifrs ifrs 4096 jan 12 13:40 Imagens
drwxrwxr-x  4 ifrs ifrs 4096 jan 20 13:25 .java
drwxrwxr-x  4 ifrs ifrs 4096 jan 12 13:40 .linuxmint
drwxrwxr-x  3 ifrs ifrs 4096 jan 12 13:40 .local
drwxr-xr-x  2 ifrs ifrs 4096 jan 12 13:40 Modelos
drwx-----  4 ifrs ifrs 4096 jan 12 13:40 .mozilla
drwxr-xr-x  2 ifrs ifrs 4096 jan 12 13:40 Música
drwx-----  3 ifrs ifrs 4096 jan 12 13:40 .pki
-rw-r--r--  1 ifrs ifrs  807 jan 12 11:13 .profile
drwxr-xr-x  2 ifrs ifrs 4096 jan 12 13:40 Público
-rw-r--r--  1 ifrs ifrs  0 jan 12 11:37 .sudo_as_admin_successful
drwxr-xr-x  2 ifrs ifrs 4096 jan 12 13:40 .themes
drwxr-xr-x  2 ifrs ifrs 4096 jan 12 13:40 Vídeos
-rw-r--r--  1 ifrs ifrs  52 mar 30 19:31 .xauthority
-rw-r--r--  1 ifrs ifrs 8922 mar 30 19:41 .xsession-errors
-rw-r--r--  1 ifrs ifrs 10729 jan 20 13:38 .xsession-errors.old
```

[ifrs@ifrs-PC ~]\$ pwd

/home/ifrs

[ifrs@ifrs-PC ~]\$ cd git-repos-home

[ifrs@ifrs-PC git-repos-home]\$

Arquivo Editar Ver Pesquisar Terminal Ajuda

```
[ifrs@ifrs-PC git-repos-home]$ cd blank_repo
[ifrs@ifrs-PC blank_repo]$ git init
Repositório vazio Git inicializado em /home/ifrs/git-repos-home/blank_repo/.git/
[ifrs@ifrs-PC blank_repo (master #)]$ git status

No ramo master

No commits yet

nada para enviar (crie/copie arquivos e use "git add" para registrar)
[ifrs@ifrs-PC blank_repo (master #)]$
```

Arquivo Editar Ver Pesquisar Terminal Ajuda

```
drwxr-xr-x 2 ifrs ifrs 4096 jan 20 13:17 Downloads
-rw-rw-r-- 1 ifrs ifrs 73 mar 30 19:45 .gitconfig
-rw-rw-r-- 1 ifrs ifrs 17781 mar 30 19:35 git-prompt.sh
drwxrwxr-x 2 ifrs ifrs 4096 mar 30 19:45 git-repos-home
drwx----- 3 ifrs ifrs 4096 jan 20 13:34 .gnome
drwx----- 3 ifrs ifrs 4096 jan 12 13:40 .gnupg
drwxrwxr-x 8 ifrs ifrs 4096 jan 20 13:30 .gradle
-rw-r--r-- 1 ifrs ifrs 22 jan 12 11:13 .gtkrc-2.0
-rw-r--r-- 1 ifrs ifrs 516 jan 12 11:13 .gtkrc-xfce
drwxr-xr-x 2 ifrs ifrs 4096 jan 12 13:40 Imagens
drwxrwxr-x 4 ifrs ifrs 4096 jan 20 13:25 .java
drwxrwxr-x 4 ifrs ifrs 4096 jan 12 13:40 .linuxmint
drwxrwxr-x 3 ifrs ifrs 4096 jan 12 13:40 .local
drwxr-xr-x 2 ifrs ifrs 4096 jan 12 13:40 Modelos
drwx----- 4 ifrs ifrs 4096 jan 12 13:40 .mozilla
drwxr-xr-x 2 ifrs ifrs 4096 jan 12 13:40 Música
drwx----- 3 ifrs ifrs 4096 jan 12 13:40 .pki
-rw-r--r-- 1 ifrs ifrs 807 jan 12 11:13 .profile
drwxr-xr-x 2 ifrs ifrs 4096 jan 12 13:40 Público
-rw-r--r-- 1 ifrs ifrs 0 jan 12 11:37 .sudo_as_admin_successful
drwxr-xr-x 2 ifrs ifrs 4096 jan 12 13:40 .themes
drwxr-xr-x 2 ifrs ifrs 4096 jan 12 13:40 Videos
-rw----- 1 ifrs ifrs 52 mar 30 19:31 .Xauthority
-rw----- 1 ifrs ifrs 8922 mar 30 19:41 .xsession-errors
-rw----- 1 ifrs ifrs 10729 jan 20 13:38 .xsession-errors.old
[ifrs@ifrs-PC ~]$ pwd
/home/ifrs
[ifrs@ifrs-PC ~]$ cd git-repos-home
[ifrs@ifrs-PC git-repos-home]$
[ifrs@ifrs-PC git-repos-home]$ mkdir blank_repo
[ifrs@ifrs-PC git-repos-home]$ cd blank_repo
[ifrs@ifrs-PC blank_repo]$ git init
Repositório vazio Git inicializado em /home/ifrs/git-repos-home/blank_repo/.git/
[ifrs@ifrs-PC blank_repo (master #)]$ git status
No ramo master

No commits yet

nada para enviar (crie/copie arquivos e use "git add" para registrar)
[ifrs@ifrs-PC blank_repo (master #)]$ touch leiam.txt
[ifrs@ifrs-PC blank_repo (master #)]$ ls
leiam.txt
[ifrs@ifrs-PC blank_repo (master #)]$ git add leiam.txt
[ifrs@ifrs-PC blank_repo (master +)]$ git status
No ramo master

No commits yet

Mudanças a serem submetidas:
  (utilize "git rm --cached <arquivo>..." para não apresentar)
    new file:   leiam.txt

[ifrs@ifrs-PC blank_repo (master +)]$ git commit -m "Teste de check-in no repositório blank_repo!"
[master (root-commit) d4c9c45] Teste de check-in no repositório blank_repo!
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 leiam.txt
[ifrs@ifrs-PC blank_repo (master)]$
```


Arquivo Editar Ver Pesquisar Terminal Ajuda

```
drwxrwxr-x 4 ifrs ifrs 4096 jan 20 13:25 .java
drwxrwxr-x 4 ifrs ifrs 4096 jan 12 13:40 .linuxmint
drwxrwxr-x 3 ifrs ifrs 4096 jan 12 13:40 .local
drwxr-xr-x 2 ifrs ifrs 4096 jan 12 13:40 Modelos
drwx----- 4 ifrs ifrs 4096 jan 12 13:40 .mozilla
drwxr-xr-x 2 ifrs ifrs 4096 jan 12 13:40 Música
drwx----- 3 ifrs ifrs 4096 jan 12 13:40 .pki
-rw-r--r-- 1 ifrs ifrs 807 jan 12 11:13 .profile
drwxr-xr-x 2 ifrs ifrs 4096 jan 12 13:40 Público
-rw-r--r-- 1 ifrs ifrs 0 jan 12 11:37 .sudo_as_admin_successful
drwxr-xr-x 2 ifrs ifrs 4096 jan 12 13:40 .themes
drwxr-xr-x 2 ifrs ifrs 4096 jan 12 13:40 Videos
-rw----- 1 ifrs ifrs 52 mar 30 19:31 .Xauthority
-rw----- 1 ifrs ifrs 8922 mar 30 19:41 .xsession-errors
-rw----- 1 ifrs ifrs 10729 jan 20 13:38 .xsession-errors.old

[ifrs@Ifrs-PC ~]$ pwd
/home/ifrs
[ifrs@Ifrs-PC ~]$ cd git-repos-home
[ifrs@Ifrs-PC git-repos-home]$
[ifrs@Ifrs-PC git-repos-home]$ mkdir blank_repo
[ifrs@Ifrs-PC git-repos-home]$ cd blank_repo
[ifrs@Ifrs-PC blank_repo]$ git init
Repositório vazio Git inicializado em /home/ifrs/git-repos-home/blank_repo/.git/
[ifrs@Ifrs-PC blank_repo (master #)]$ git status
No ramo master

No commits yet

nada para enviar (crie/copie arquivos e use "git add" para registrar)
[ifrs@Ifrs-PC blank_repo (master #)]$ touch leiname.txt
[ifrs@Ifrs-PC blank_repo (master #)]$ ls
leiname.txt
[ifrs@Ifrs-PC blank_repo (master #)]$ git add leiname.txt
[ifrs@Ifrs-PC blank_repo (master +)]$ git status
No ramo master

No commits yet

Mudanças a serem submetidas:
  (utilize "git rm --cached <arquivo>..." para não apresentar)
    new file:   leiname.txt

[ifrs@Ifrs-PC blank_repo (master +)]$ git commit -m "Teste de check-in no repositório blank_repo!"
[master (root-commit) d4c9c45] Teste de check-in no repositório blank_repo!
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 leiname.txt
[ifrs@Ifrs-PC blank_repo (master)]$ cat leiname.txt
[ifrs@Ifrs-PC blank_repo (master)]$ git status
No ramo master
nothing to commit, working tree clean
[ifrs@Ifrs-PC blank_repo (master)]$ git diff HEAD
[ifrs@Ifrs-PC blank_repo (master)]$ git commit -a -m "modificaçõesno conteúdo de arquivo."
No ramo master
nothing to commit, working tree clean
[ifrs@Ifrs-PC blank_repo (master)]$ git log --pretty=oneline
d4c9c45150aeb0ae1274f7cb0273fcd64e5031ac (HEAD -> master) Teste de check-in no repositório blank_repo!
[ifrs@Ifrs-PC blank_repo (master)]$
```

No commits yet

nada para enviar (crie/copie arquivos e use "git add" para registrar)

```
[ifrs@ifrs-PC blank_repo (master #)]$ touch leiname.txt
```

```
[ifrs@ifrs-PC blank_repo (master #)]$ ls
```

```
leiname.txt
```

```
[ifrs@ifrs-PC blank_repo (master #)]$ git add leiname.txt
```

```
[ifrs@ifrs-PC blank_repo (master +)]$ git status
```

No ramo master

No commits yet

Mudanças a serem submetidas:

(utilize "git rm --cached <arquivo>..." para não apresentar)

```
new file:   leiname.txt
```

```
[ifrs@ifrs-PC blank_repo (master +)]$ git commit -m "Teste de check-in no repositório blank_repo!"
```

```
[master (root-commit) d4c9c45] Teste de check-in no repositório blank_repo!
```

```
1 file changed, 0 insertions(+), 0 deletions(-)
```

```
create mode 100644 leiname.txt
```

```
[ifrs@ifrs-PC blank_repo (master)]$ cat leiname.txt
```

```
[ifrs@ifrs-PC blank_repo (master)]$ git status
```

No ramo master

nothing to commit, working tree clean

```
[ifrs@ifrs-PC blank_repo (master)]$ git diff HEAD
```

```
[ifrs@ifrs-PC blank_repo (master)]$ git commit -a -m "modificaçõesno conteúdo de arquivo."
```

No ramo master

nothing to commit, working tree clean

```
[ifrs@ifrs-PC blank_repo (master)]$ git log --pretty=oneline
```

```
d4c9c45150aeb0ae1274f7cb0273fcd64e5031ac (HEAD -> master) Teste de check-in no repositório blank_repo!
```

```
[ifrs@ifrs-PC blank_repo (master)]$ git log
```

```
commit d4c9c45150aeb0ae1274f7cb0273fcd64e5031ac (HEAD -> master)
```

```
Author: Bruno Santos da Rosa <santosdarosabruno@gmail.com>
```

```
Date: Wed Mar 30 19:50:16 2022 -0300
```

Teste de check-in no repositório blank_repo!

```
[ifrs@ifrs-PC blank_repo (master)]$ git show
```

```
commit d4c9c45150aeb0ae1274f7cb0273fcd64e5031ac (HEAD -> master)
```

```
Author: Bruno Santos da Rosa <santosdarosabruno@gmail.com>
```

```
Date: Wed Mar 30 19:50:16 2022 -0300
```

Teste de check-in no repositório blank_repo!

```
diff --git a/leiname.txt b/leiname.txt
```

```
new file mode 100644
```

```
index 0000000..e69de29
```

```
[ifrs@ifrs-PC blank_repo (master)]$ git show d4c9c
```

```
commit d4c9c45150aeb0ae1274f7cb0273fcd64e5031ac (HEAD -> master)
```

```
Author: Bruno Santos da Rosa <santosdarosabruno@gmail.com>
```

```
Date: Wed Mar 30 19:50:16 2022 -0300
```

Teste de check-in no repositório blank_repo!

```
diff --git a/leiname.txt b/leiname.txt
```

```
new file mode 100644
```

```
index 0000000..e69de29
```

```
[ifrs@ifrs-PC blank_repo (master)]$
```

```
[ifrs@ifrs-PC sgc (master)]$ git status
No ramo master
Your branch is based on 'origin/master', but the upstream is gone.
(use "git branch --unset-upstream" to fixup)

nothing to commit, working tree clean
[ifrs@ifrs-PC sgc (master)]$ git push
Username for 'https://github.com': brunindoads
Password for 'https://brunindoads@github.com':
remote: Support for password authentication was removed on August 13, 2021. Please use a personal access token instead.
remote: Please see https://github.blog/2020-12-15-token-authentication-requirements-for-git-operations/ for more information.
fatal: Authentication failed for 'https://github.com/brunindoads/sgc.git/'
[ifrs@ifrs-PC sgc (master)]$ git push
Username for 'https://github.com': brunindoads
Password for 'https://brunindoads@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 225 bytes | 225.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
To https://github.com/brunindoads/sgc.git
 * [new branch]      master -> master
[ifrs@ifrs-PC sgc (master)]$ git log
commit cddaed775dad4e35d0bb16cccaf688e7f5bacad5 (HEAD -> master, origin/master)
Author: Bruno Santos da Rosa <santosdarosabruno@gmail.com>
Date:   Wed Mar 30 20:10:00 2022 -0300

    primeiro commit

[ifrs@ifrs-PC sgc (master)]$ git show
commit cddaed775dad4e35d0bb16cccaf688e7f5bacad5 (HEAD -> master, origin/master)
Author: Bruno Santos da Rosa <santosdarosabruno@gmail.com>
Date:   Wed Mar 30 20:10:00 2022 -0300

    primeiro commit

diff --git a/README.txt b/README.txt
new file mode 100644
index 0000000..e69de29
[ifrs@ifrs-PC sgc (master)]$
```



```
[ifrs@ifrs-PC sgc (master *)]$ git status
```

```
No ramo master
```

```
Your branch is up to date with 'origin/master'.
```

```
Changes not staged for commit:
```

```
(utilize "git add <arquivo>..." para atualizar o que será submetido)
```

```
(use "git restore <file>..." to discard changes in working directory)
```

```
nenhuma modificação adicionada à submissão
```

```
nenhuma modificação adicionada à submissão (utilize "git add" e/ou "git commit -a")
```

```
[ifrs@ifrs-PC sgc (master *)]$ git add .
```

```
[ifrs@ifrs-PC sgc (master +)]$ git commit -m "commit de alteração"
```

```
error: pathspec '-' did not match any file(s) known to git
```

```
error: pathspec 'm' did not match any file(s) known to git
```

```
error: pathspec 'commit de alteração' did not match any file(s) known to git
```

```
[ifrs@ifrs-PC sgc (master +)]$ git commit -m "commit de alteração"
```

```
[master 43005f4] commit de alteração
```

```
1 file changed, 1 insertion(+), 1 deletion(-)
```

```
[ifrs@ifrs-PC sgc (master)]$ git push
```

```
Username for 'https://github.com': brunindoads
```

```
Password for 'https://brunindoads@github.com':
```

```
Enumerating objects: 5, done.
```

```
Counting objects: 100% (5/5), done.
```

```
Writing objects: 100% (3/3), 277 bytes | 277.00 KiB/s, done.
```

```
Total 3 (delta 0), reused 0 (delta 0)
```

```
To https://github.com/brunindoads/sgc.git
```

```
61118c6..43005f4 master -> master
```

```
[ifrs@ifrs-PC sgc (master)]$ git log --oneline
```

```
43005f4 (HEAD -> master, origin/master) commit de alteração
```

```
61118c6 terceiro commit
```

```
96a2c71 segundo commit
```

```
cddaed7 primeiro commit
```

```
[ifrs@ifrs-PC sgc (master)]$ git diff ^C
```

```
[ifrs@ifrs-PC sgc (master)]$ ^C
```

```
[ifrs@ifrs-PC sgc (master)]$ git diff cddaed7 61118c6
```

```
diff --git a/README.TXT b/README.TXT
```

```
new file mode 100644
```

```
index 0000000..6178c76
```

```
--- /dev/null
```

```
+++ b/README.TXT
```

```
@@ -0,0 +1 @@
```

```
+README
```

```
diff --git a/README.txt b/README.txt
```

```
deleted file mode 100644
```

```
index e69de29..0000000
```

```
[ifrs@ifrs-PC sgc (master)]$ git diff cddaed7 43005f4
```

```
diff --git a/README.TXT b/README.TXT
```

```
new file mode 100644
```

```
index 0000000..5bf2a98
```

```
--- /dev/null
```

```
+++ b/README.TXT
```

```
@@ -0,0 +1 @@
```

```
+Alteração 1
```

```
diff --git a/README.txt b/README.txt
```

```
deleted file mode 100644
```

```
index e69de29..0000000
```

```
[ifrs@ifrs-PC sgc (master)]$
```

(use "git push" to publish your local commits)

```
nothing to commit, working tree clean
[ifrs@ifrs-PC sgc (master)]$ git add .
[ifrs@ifrs-PC sgc (master)]$ git commit -m "commit de merge"
No ramo master
Seu ramo está à frente de 'origin/master' por 3 submissões.
(use "git push" to publish your local commits)
```

```
nothing to commit, working tree clean
[ifrs@ifrs-PC sgc (master)]$ git push
Username for 'https://github.com': brunindoads
Password for 'https://brunindoads@github.com':
Total 0 (delta 0), reused 0 (delta 0)
To https://github.com/brunindoads/sgc.git
  43005f4..395b69d  master -> master
[ifrs@ifrs-PC sgc (master)]$ git -d primeira_branch
unknown option: -d
usage: git [--version] [--help] [-C <path>] [-c <name>=<value>]
      [--exec-path[=<path>]] [--html-path] [--man-path] [--info-path]
      [-p | --paginate] [-P | --no-pager] [--no-replace-objects] [--bare]
      [--git-dir=<path>] [--work-tree=<path>] [--namespace=<name>]
      <command> [<args>]
```

```
[ifr@ifrs-PC sgc (master)]$ git branch -d primeira_branch
Deleted branch primeira branch (was 395b69d).
[ifr@ifrs-PC sgc (master)]$ git commit -m "commit de exclusao"
No ramo master
Your branch is up to date with 'origin/master'.
```

```
nothing to commit, working tree clean
[ifr@ifrs-PC sgc (master)]$ git push
Username for 'https://github.com': brunindoads
Password for 'https://brunindoads@github.com':
Everything up-to-date
[ifr@ifrs-PC sgc (master)]$ git branch -d primeira_branch
error: Ramo 'primeira branch' não encontrado
[ifr@ifrs-PC sgc (master)]$ git add .
[ifr@ifrs-PC sgc (master)]$ git commit -m "commit de exclusao"
No ramo master
Your branch is up to date with 'origin/master'.
```

```
nothing to commit, working tree clean
[ifr@ifrs-PC sgc (master)]$ git status
No ramo master
Your branch is up to date with 'origin/master'.
```

```
nothing to commit, working tree clean
[ifr@ifrs-PC sgc (master)]$ git push
Username for 'https://github.com': brunindoads
Password for 'https://brunindoads@github.com':
Everything up-to-date
[ifr@ifrs-PC sgc (master)]$ git push origin primeira_branch --delete
Username for 'https://github.com': brunindoads
Password for 'https://brunindoads@github.com':
To https://github.com/brunindoads/sgc.git
  - [deleted]          primeira_branch
[ifr@ifrs-PC sgc (master)]$
```

```
[ifrs@ifrs-PC projeto_dupla_sgc (master *)]$ git status
```

```
No ramo master
```

```
Your branch is up to date with 'origin/master'.
```

```
Changes not staged for commit:
```

```
(utilize "git add <arquivo>..." para atualizar o que será submetido)
```

```
(use "git restore <file>..." to discard changes in working directory)
```

```
modificaco: css.css
```

```
nenhuma modificação adicionada à submissão (utilize "git add" e/ou "git commit -a")
```

```
[ifrs@ifrs-PC projeto_dupla_sgc (master *)]$ git add .
```

```
[ifrs@ifrs-PC projeto_dupla_sgc (master +)]$ git commit -m "commit alteracao paralelo"
```

```
[master 129172f] commit alteracao paralelo
```

```
1 file changed, 1 insertion(+), 1 deletion(-)
```

```
[ifrs@ifrs-PC projeto_dupla_sgc (master)]$ git push
```

```
Username for 'https://github.com': brunindoads
```

```
Password for 'https://brunindoads@github.com':
```

```
To https://github.com/brunindoads/projeto_dupla_sgc
```

```
! [rejected] master -> master (fetch first)
```

```
error: failed to push some refs to 'https://github.com/brunindoads/projeto_dupla_sgc'
```

```
hint: Updates were rejected because the remote contains work that you do
```

```
hint: not have locally. This is usually caused by another repository pushing
```

```
hint: to the same ref. You may want to first integrate the remote changes
```

```
hint: (e.g., 'git pull ...') before pushing again.
```

```
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
```

```
[ifrs@ifrs-PC projeto_dupla_sgc (master)]$ git push
```

```
Username for 'https://github.com': brunindoads
```

```
Password for 'https://brunindoads@github.com':
```

```
To https://github.com/brunindoads/projeto_dupla_sgc
```

```
! [rejected] master -> master (fetch first)
```

```
error: failed to push some refs to 'https://github.com/brunindoads/projeto_dupla_sgc'
```

```
hint: Updates were rejected because the remote contains work that you do
```

```
hint: not have locally. This is usually caused by another repository pushing
```

```
hint: to the same ref. You may want to first integrate the remote changes
```

```
hint: (e.g., 'git pull ...') before pushing again.
```

```
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
```

```
[ifrs@ifrs-PC projeto_dupla_sgc (master)]$ git pull
```

```
remote: Enumerating objects: 9, done.
```

```
remote: Counting objects: 100% (9/9), done.
```

```
remote: Compressing objects: 100% (3/3), done.
```

```
remote: Total 6 (delta 3), reused 6 (delta 3), pack-reused 0
```

```
Unpacking objects: 100% (6/6), 587 bytes | 293.00 KiB/s, done.
```

```
From https://github.com/brunindoads/projeto_dupla_sgc
```

```
5bde201..76b33c6 master -> origin/master
```

```
Mesclagem automática de css.css
```

```
CONFLITO (conteúdo): conflito de mesclagem em css.css
```

```
Automatic merge failed; fix conflicts and then commit the result.
```

```
[ifrs@ifrs-PC projeto_dupla_sgc (master **|MERGING)]$
```