

02: Lab 02 - Assisted - Configuring examples of security control types

Security+ (Exam SY0-701)



Congratulations, you passed!

Duration: 50 minutes, 14 seconds

✓ Which account or group object on the access control list should NOT have been assigned permissions on the share? Score: 1

- ☒ Users
- ☐ Domain Admins
- ☐ LocalAdmin
- ☐ CREATOR OWNER

Congratulations, you have answered the question correctly.

✓ **check if the Users group has access to '\\10.1.16.1\TOOLS' share** Score: 1

Select the **Score** button to validate this task:

No access for 'Domain Users' to SMB Share 'TOOLS'

Task complete

✓ File access controls are classed as preventive in terms of functionality. What category of security control are file permissions? Score: 1

- ☒ Technical
- ☐ Managerial
- ☐ Operational
- ☐ Physical

Congratulations, you have answered the question correctly.

✓ **confirm if the C:\LABFILES\empty directory was deleted** Score: 1

Select the **Score** button to validate this task:

C:\LABFILES\empty deleted ...

Task complete

✓ The results of the find operation indicate what? Score: 1

- ☐ Jamie is an administrator
- ☒ Folder deletion is not being audited
- ☐ Users are unable to access empty folders

- ☐ User activity is being tracked

Congratulations, you have answered the question correctly.

☒ **confirm if the C:\LABFILES\pcaps directory was deleted and check for an event log record with an event ID of 4663 and an Object Name of C:\LABFILES**

Score: 1

Select the **Score** button to validate this task:

C:\LABFILES\pcaps deleted ...

Event log record found with ID 4663 and Object Name C:\LABFILES\pcaps

Task complete

☒ What is the purpose of a detective control?

Score: 1

- ☐ Deny access to an object
- ☐ Notify subjects about system policies
- ☐ Inform users of the proper steps to perform an activity
- ☒ Create a record of events and activities

Congratulations, you have answered the question correctly.

☒ **confirm the existence of LegalNoticeCaption and LegalNoticeText registry keys with non-zero values \$result = \$False**

Score: 1

Select the **Score** button to validate this task:

Registry keys LegalNoticeCaption and LegalNoticeText exist

Task complete

☒ What is the goal of directive controls?

Score: 1

- ☐ Defense
- ☒ Compliance
- ☐ Prohibition
- ☐ Tracking

Congratulations, you have answered the question correctly.

☒ What are the dual purposes of corrective controls? (Select two)

Score: 1

- ☒ Address an unwanted or less secure state or event
- ☐ Record evidence of user and event activities
- ☒ Return the system to a normal and generally secure condition
- ☐ Provide guidance on proper user behavior

Congratulations, you have answered the question correctly.

☒ **confirm if the notes.txt file exists and contains "This is important"**

Score: 1

Select the **Score** button to validate this task:

File C:\Users\jaime\notes.txt exists and contains 'This is important'

Task complete

**confirm if C:\Users\jaime\hash.txt exists and is not empty**

Score: 1

Select the **Score** button to validate this task:

File C:\Users\jaime\hash.txt exists

Task complete

**confirm if the calchash.ps1 file exists and contains the "Get-FileHash" command**

Score: 1

Select the **Score** button to validate this task:

File C:\Users\jaime\calchash.ps1 exists and contains the 'Get-FileHash' command

Task complete

**confirm if the check.ps1 file exists and contains the "Get-Content" cmdlet**

Score: 1

Select the **Score** button to validate this task:

File C:\Users\jaime\check.ps1 exists and contains the 'Get-Content' cmdlet

Task complete



What is the typical means (which was used in this exercise) to detect changes in a file?

Score: 1

- ☐ encryption
- ☐ authentication
- ☐ authorization
- ☒ hashing

Congratulations, you have answered the question correctly.



What is the primary purpose of preventive controls?

Score: 1

- ☒ Stop unwanted activity from succeeding
- ☐ Record information about activities
- ☐ Give instructions
- ☐ Restore a system back to preferred condition
- ☐ Persuade a perpetrator to go elsewhere
- ☐ Compensate for a failed control

Congratulations, you have answered the question correctly.



What is the primary purpose of detective controls?

Score: 1

- ☐ Stop unwanted activity from succeeding
- ☒ Record information about activities
- ☐ Give instructions
- ☐ Restore a system back to preferred condition
- ☐ Persuade a perpetrator to go elsewhere
- ☐ Compensate for a failed control

Congratulations, you have answered the question correctly.



What is the primary purpose of directive controls?

Score: 1

- ☐ Stop unwanted activity from succeeding

- ☐ Record information about activities
- ☒ Give instructions
- ☐ Restore a system back to preferred condition
- ☐ Persuade a perpetrator to go elsewhere
- ☐ Compensate for a failed control

Congratulations, you have answered the question correctly.

☒ What is the primary purpose of corrective controls?

Score: 1

- ☐ Stop unwanted activity from succeeding
- ☐ Record information about activities
- ☐ Give instructions
- ☒ Restore a system back to preferred condition
- ☐ Persuade a perpetrator to go elsewhere
- ☐ Compensate for a failed control

Congratulations, you have answered the question correctly.

☒ What is the purpose of the dot and slash in front of the filenames in the PowerShell scripts and when executing PowerShell scripts?

Score: 1

- ☐ Allow for administrator execution
- ☒ Reference the current working directory
- ☐ To set the security content of the process
- ☐ For avoiding detection by an IDS

Congratulations, you have answered the question correctly.

