
test-project

Release 0.0.0.0.0.1

Bruno Benno Reichert

Aug 03, 2026

CONTENTS:

1	Snippet 1: Bubble Sort (Detailed Comments)	3
2	Snippet 2: Weather Station Analysis	5
3	Snippet 3: Circle Area Calculator	7
4	Snippet 4: Maximum Finder	9
5	Snippet 5: Bubble Sort (Clean Code)	11
	Python Module Index	13

Welcome to the automatically generated documentation for our Python snippets! These pages are compiled directly from the reStructuredText docstrings inside our source files.

SNIPPET 1: BUBBLE SORT (DETAILED COMMENTS)

`snippet1.bubble_sort(arr)`

Sort an array in ascending order using the bubble sort algorithm.

This is an in-place sorting algorithm that repeatedly steps through the list, compares adjacent elements, and swaps them if they are in the incorrect order.

Parameters

arr (*list*) – The list of comparable elements to be sorted in-place.

Returns

The sorted list.

Return type

list

SNIPPET 2: WEATHER STATION ANALYSIS

Weather station data analysis script.

This script parses meteorological station CSV records, extracts the wind speed and wind direction columns, and performs a vectorized conversion of the wind direction from degrees to radians for subsequent physical computations.

```
var weather_df
    The parsed meteorological station dataset.

type weather_df
    pandas.DataFrame

var wind_speed
    Array of collected wind speed records.

type wind_speed
    numpy.ndarray

var wind_direction
    Array of wind direction records in degrees.

type wind_direction
    numpy.ndarray

var wind_direction_rad
    Array of wind direction records converted to radians.

type wind_direction_rad
    numpy.ndarray
```

SNIPPET 3: CIRCLE AREA CALCULATOR

`snippet3.calculate_area(radius)`

Calculates the area of a circle given its radius.

Parameters

radius (*float or int*) – The radius of the circle.

Returns

The calculated area of the circle.

Return type

float

SNIPPET 4: MAXIMUM FINDER

`snippet4.find_max(numbers)`

Finds the largest number in a list of numbers.

Parameters

numbers (*list of (int or float)*) – A non-empty list of numbers to evaluate.

Returns

The maximum number found in the list.

Return type

int or float

Raises

IndexError – If the input list is empty.

SNIPPET 5: BUBBLE SORT (CLEAN CODE)

`snippet5.bubble_sort(arr)`

Sort an array in ascending order using the bubble sort algorithm.

This is an in-place sorting algorithm that repeatedly steps through the list, compares adjacent elements, and swaps them if they are in the incorrect order.

Parameters

arr (*list*) – The list of comparable elements to be sorted in-place.

Returns

The sorted list (the same list object passed as the parameter).

Return type

list

PYTHON MODULE INDEX

S

snippet1, [3](#)
snippet2, [5](#)
snippet3, [7](#)
snippet4, [9](#)
snippet5, [11](#)