


Claude Code Commands

109 commands ship with Claude Code. This deck shows you the 20 that matter — and makes the other 89 safe to ignore.

Claude Code Commands





*Twenty commands cover the whole job — **the
other eighty-nine are one /help away.***

THE CLAUDE CODE COMMAND CATALOG, CURATED

ACT 1

The Essential 20

Six workflow moments, each with its commands — in the order they appear in your day.



SETUP

First session in a repo



Steering the work

Three commands form the control panel: what to do, who does it, how hard to think.

`/plan - plan mode first`

`/model - switch engines`

`/effort - low → xhigh`

`/plan`

`research → propose → edit`


`/model · /effort` tune the engine

Managing the context window

- ***/context — see what fills the window***
Visualizes context usage as a colored grid with optimization suggestions.
- ***/compact — summarize to free space***
Condenses the conversation so far, keeping the thread while freeing tokens.
- ***/btw + /goal — stay lean, stay aimed***
Side questions skip the history; goals keep Claude working across turns.


Run work in parallel

MONITOR — /TASKS LISTS EVERY BACKGROUND RUN



This is the capability most people discover last — and it changes everything

One session fans out into a fleet: monitor, decompose, detach, delegate — then collect the results.



Before you ship

↓ SEE IT

/diff + /simplify

What changed, and what can be cleaner.

- /diff — interactive viewer of uncommitted changes
- /simplify — four parallel agents apply cleanup
- Reuse, efficiency, right level of abstraction

vs

↑ CHECK IT

/code-review + /security-review

Is it correct? Is it safe?

- /code-review — correctness bugs, --fix applies
- /security-review — injection, auth, data exposure
- Both review the branch diff before merge

Between sessions

zsh — claude

\$ /resume

session picker — pick up where you left off

✓ resumed "fix auth bug" with full context

\$ /rewind

roll code + conversation back to a checkpoint

✓ restored to checkpoint 3 — files and chat

ACT 2

The Full Catalog

The other 89 commands, honestly sorted — so you can ignore them safely.



Worth knowing

COMMAND	WHAT IT DOES
/config	Settings UI, or <code>key=value</code> pairs directly
/debug	Session debug logging + log reading
/help	The catalog's own index — every command
/hooks	View hook configurations for tool events
/mcp	Manage MCP server connections + OAuth
/plugin	Manage plugins: <code>list</code> , <code>install</code> , <code>enable</code>
/skills	List skills, filter, sort by token count
/verify	Build + run the app — proof, not tests

Useful, but **niche**

COMMAND	WHEN IT EARNS ITS KEEP
/clear	Fresh conversation, project memory kept
/doctor	Setup checkup — diagnoses and fixes installs
/usage	Session cost, plan limits, activity stats
/fork	Copy conversation into a background session
/branch	Branch the conversation, try another direction
/run	Launch + drive the app to see a change work
/deep-research	Fan out web searches → cited report
/export	Conversation to a plain-text file
/fewer-permission-prompts	Allowlist from transcripts, fewer prompts

Aliases & the removed

COMMAND	STATUS	POINTS TO
/cost	alias	/usage
/stats	alias	/usage
/review	alias	/code-review
/ultrareview	alias	/code-review
/pr-comments	removed (v2.1.91)	ask Claude directly
/ultraplan	removed	use plan mode
/vim	removed (v2.1.92)	/config → Editor mode

The skip list — session & setup

GROUP	COMMANDS YOU CAN SAFELY IGNORE
session-context (15)	/add-dir /autocompact /cd /copy /exit /fast /focus /recap /remote-control /rename /status /stop /teleport /tui /voice
setup-config (18)	/agents /artifacts /auto-mode-setup /autofix-pr /color /ide /import /keybindings /list-agents /login /logout /reload-plugins /reload-skills /sandbox /scroll-speed /statusline /terminal-setup /theme


The skip list — platform & extras

GROUP	COMMANDS YOU CAN SAFELY IGNORE
platform (23)	<code>/advisor</code> <code>/chrome</code> <code>/claude-api</code> <code>/dataviz</code> <code>/design-login</code> <code>/design-sync</code> <code>/desktop</code> <code>/heapdump</code> <code>/install-github-app</code> <code>/install-slack-app</code> <code>/mobile</code> <code>/passes</code> <code>/powerup</code> <code>/privacy-settings</code> <code>/radio</code> <code>/rate-limit-options</code> <code>/remote-env</code> <code>/setup-bedrock</code> <code>/setup-vertex</code> <code>/stickers</code> <code>/upgrade</code> <code>/usage-credits</code> <code>/web-setup</code>
review-ship (6)	<code>/bug</code> <code>/feedback</code> <code>/insights</code> <code>/release-notes</code> <code>/run-skill-generator</code> <code>/team-onboarding</code>
parallel- auto (3)	<code>/loop</code> <code>/schedule</code> <code>/workflows</code>

ACT 3

Make it yours

From catalog to habit — three concrete moves and one repeated anchor.



Why **20** is enough

6

Workflow moments — setup, task, context, parallel, ship, recovery

20

Essential commands — 3–4 per moment

89

More — all listed by `/help`

The other 89 — honestly sorted

109 commands



20 essential — the 20 you just learned



8 worth knowing



9 useful niche



4 aliases + 3 removed



65 skippable — safe to ignore · `/help` lists them all

twenty commands cover the whole job

The catalog is discoverable — the workflow is not
Six moments, twenty commands, one complete workflow.
The rest is just an index.

NEXT

Try this week

✓ **/init** — run it in a repo you actually work in.

✓ **/plan** — before your next big change, enter plan mode.

✓ **/batch** — try it on a multi-file task.

✓ **/code-review** — run it before your next merge.



*Twenty commands cover the whole job — **the
other eighty-nine are one /help away.***

NOW YOU KNOW WHICH TWENTY