

## Configuração e Instalação para executar o sistema

- Realizar a instalação do Visual Studio (link: <a href="https://visualstudio.microsoft.com/ptbr/">https://visualstudio.microsoft.com/ptbr/</a>)
- Realizar a instalação do MySqlServer para rodar o MySql Workbench (link: https://dev.mysql.com/downloads/mysql/)
- Realizar a instalação do MySql Workbench (link: https://dev.mysql.com/downloads/workbench/)
- Criar uma instância no MySQL com as seguintes informações





## Script banco de dados

```
-- MySQL dump 10.13 Distrib 8.0.24, for Win64 (x86_64)
-- Host: 104.41.59.106 Database: gestao_indra
-- Server version
                8.0.25
/*!40101 SET @OLD CHARACTER SET CLIENT=@@CHARACTER SET CLIENT
*/:
/*!40101 SET
@OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION
*/;
/*!50503 SET NAMES utf8 */;
/*!40103 SET @OLD_TIME_ZONE=@@TIME_ZONE */;
/*!40103 SET TIME_ZONE='+00:00' */;
/*!40014 SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS,
UNIQUE CHECKS=0 */;
/*!40014 SET @OLD FOREIGN KEY CHECKS=@@FOREIGN KEY CHECKS,
FOREIGN_KEY_CHECKS=0 */;
```

```
/*!40101 SET @OLD_SQL_MODE=@@SQL_MODE,
SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */;
/*!40111 SET @OLD_SQL_NOTES=@@SQL_NOTES, SQL_NOTES=0 */;
-- Table structure for table `__efmigrationshistory`
DROP TABLE IF EXISTS `__efmigrationshistory`;
/*!40101 SET @saved cs client = @@character set client */:
/*!50503 SET character set client = utf8mb4 */;
CREATE TABLE `__efmigrationshistory` (
 'MigrationId' varchar(95) NOT NULL,
 `ProductVersion` varchar(32) NOT NULL,
 PRIMARY KEY (`MigrationId`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4 0900 ai ci;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table `__efmigrationshistory`
LOCK TABLES `__efmigrationshistory` WRITE;
/*!40000 ALTER TABLE `__efmigrationshistory` DISABLE KEYS */;
INSERT INTO `__efmigrationshistory` VALUES
('20210319010235_inserindoTabelas','3.1.12');
/*!40000 ALTER TABLE `__efmigrationshistory` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `agendamentos`
DROP TABLE IF EXISTS `agendamentos`;
/*!40101 SET @saved cs client = @@character set client */:
/*!50503 SET character set client = utf8mb4 */;
CREATE TABLE `agendamentos` (
 'Id' int NOT NULL AUTO INCREMENT,
 `Profissionalld` int NOT NULL,
 `Servicold` int NOT NULL.
 `Clienteld` int NOT NULL,
```

```
`SituacaoAgendamentoId` int NOT NULL,
 `Horario` datetime(6) NOT NULL,
 PRIMARY KEY ('Id'),
 KEY `IX_Agendamentos_Clienteld` (`Clienteld`).
 KEY 'IX Agendamentos Profissionalld' ('Profissionalld'),
 KEY `IX_Agendamentos_Servicold` (`Servicold`),
 KEY `IX Agendamentos SituacaoAgendamentold` (`SituacaoAgendamentold`),
 CONSTRAINT `FK_AGENDAMENTOS_CLIENTES` FOREIGN KEY (`Clienteld`)
REFERENCES 'pessoas' ('Id'),
 CONSTRAINT 'FK AGENDAMENTOS PROFISSIONAIS' FOREIGN KEY
(`ProfissionalId`) REFERENCES `pessoas` (`Id`),
 CONSTRAINT `FK_AGENDAMENTOS_SERVICOS` FOREIGN KEY (`Servicold`)
REFERENCES `servicos` (`Id`),
 CONSTRAINT `FK AGENDAMENTOS SITUACAO` FOREIGN KEY
(`SituacaoAgendamentoId`) REFERENCES `situacaoagendamentos` (`Id`)
) ENGINE=InnoDB AUTO INCREMENT=29 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table 'agendamentos'
LOCK TABLES `agendamentos` WRITE;
/*!40000 ALTER TABLE `agendamentos` DISABLE KEYS */;
INSERT INTO `agendamentos` VALUES (1,2,1,1,3,'2021-05-04
10:34:42.000000'),(2,2,1,1,2,'2021-05-05 10:34:42.000000'),(3,2,1,1,2,'2021-05-06
10:34:42.000000'),(4,2,1,1,2,'2021-05-07 10:34:42.000000'),(5,2,1,1,2,'2021-05-08
10:34:42.000000'),(6,2,2,1,3,'2021-05-25 22:30:00.000000'),(7,2,1,1,2,'2021-05-25
23:30:00.000000'),(8,2,1,1,2,'2021-05-25 00:00:00.000000'),(9,1,1,1,2,'2021-06-01
17:35:00.000000'),(10,1,1,1,2,'2021-06-02 18:20:00.000000'),(11,1,1,1,2,'2021-06-01
18:30:00.000000'),(12,1,1,1,2,'2021-06-03 10:50:00.000000'),(13,1,4,3,2,'2021-06-10
08:00:00.000000'),(14,6,2,20,1,'2021-06-11 13:07:00.000000'),(15,3,1,4,3,'2021-06-10
11:30:00.000000'),(16,6,2,20,1,'2021-06-12 13:10:00.000000'),(17,2,2,4,1,'2021-06-12
12:35:00.000000'),(18.7,1,4,1,'2021-07-13 11:45:00.000000'),(21,1,1,1,1,'2021-06-14
10:00:00.000000'),(22,6,2,1,1,'2021-06-14 17:00:00.000000'),(24,16,1,4,1,'2022-06-10
11:30:00.000000'),(25,10,4,4,1,'2021-06-13 12:30:00.000000'),(26,6,1,4,1,'2021-06-11
08:45:00.000000'),(27,10,4,4,1,'2021-06-12 15:30:00.000000'),(28,6,2,20,1,'2021-06-20
10:10:00.000000');
/*!40000 ALTER TABLE `agendamentos` ENABLE KEYS */:
UNLOCK TABLES:
```

```
-- Table structure for table `pessoas`
DROP TABLE IF EXISTS 'pessoas';
/*!40101 SET @saved cs client
                               = @ @ character set client */:
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE 'pessoas' (
 'Id' int NOT NULL AUTO INCREMENT,
 'Nome' longtext CHARACTER SET utf8mb4 COLLATE utf8mb4 0900 ai ci,
 `DtNascimento` datetime(6) NOT NULL,
 `Sexo` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4 0900 ai ci,
 `Email` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4 0900 ai ci,
 `Senha` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4 0900 ai ci,
 `ConfirmacaoSenha` longtext CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci,
 `Cpf` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4 0900 ai ci.
 `Celular` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci,
 `Tipo` int NOT NULL,
 `DtCriacao` datetime(6) NOT NULL,
 `DtAlteracao` datetime(6) NOT NULL,
 `Ativo` tinyint(1) NOT NULL,
 PRIMARY KEY ('Id')
) ENGINE=InnoDB AUTO_INCREMENT=23 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table 'pessoas'
LOCK TABLES 'pessoas' WRITE;
/*!40000 ALTER TABLE `pessoas` DISABLE KEYS */;
INSERT INTO 'pessoas' VALUES (1, 'Cliente Teste', '2021-05-04
00:00:00.000000', 'Masculino', 'cliente@cliente', 'cliente', 'cliente', '025.847.871-30', '(00)
00000-0000',1,'2021-05-04 10:31:49.000000','2021-06-10
11:32:18.977404',1),(2,'Profissional','2021-05-04
00:00:00.000000', 'Masculino', 'prof@prof333', '123123', '123123', '000.000.000-01', '(00)
00000-0001',0,'2021-05-04 10:32:32.000000','2021-06-10
11:52:41.896138',0),(3,'Manel','2004-04-24
```

```
79','(62) 62626-2626',1,'2021-05-06 22:01:22.252735','2021-06-10
11:38:28.922140',0),(4,'Claudia Patricia da Silva','1989-05-07
00:00:00.000000', Feminino', cliente2@cliente', 1234', 1234', 123.406.400-63', (62)
62626-2626',1,'2021-05-07 00:14:08.096823','2021-05-07
00:14:08.097094',1),(6,'Bruno Carlos da Silva','2001-08-23
00:00:00.000000'.'Masculino'.'brunocdasilva12@gmail.com'.'bruno'.'bruno'.'707.024.01
1-29','(62) 99247-3911',0,'2021-05-07 14:26:44.000000','2021-06-06
04:05:45.881412',1),(7,'Eliane da Silva Costa','1970-12-31
00:00:00.000000', 'Masculino', 'eliane@gmail.com', '12345', '12345', '165.409.839-46', '(62)
99412-8545',0,'2021-05-30 00:30:39.822613','2021-05-30
00:34:21.839446',1),(8,'Emanuel Italo Ferreira Menezes','1999-05-29
00:00:00.000000', 'Masculino', 'pluggg10@gmail.com', '168065400', '168065400', '025.847
.871-30', '(62) 98519-4429', 1, '2021-06-03 19:57:00.684106', '2021-06-10
11:40:38.748663',0),(9,'cliente','1999-05-12
00:00:00.000000', 'Masculino', 'cliente@cliente2', '123456', '123456', '156.615.616-
51','(62) 32323-2322',1,'2021-06-03 20:38:51.644618','2021-06-10
11:40:31.363063',0),(10,'Vinicin do Botox','1999-12-05
00:00:00.000000', 'Masculino', 'vinicin@botox', '123456', '123456', '516.515.616-51', '(62)
98519-4581',0,'2021-06-03 22:24:08.103654','2021-06-03
22:32:20.639364',0),(11,'Gabriel gomes','2021-06-03
00:00:00.000000', 'Masculino', 'gabrielteans@gmail.com', '123456', '123456', '709.236.841
-31','(62) 99203-9748',1,'2021-06-03 22:27:48.671301','2021-06-03
22:27:48.671303',1),(12,'Caio Henrick de Oliveira','2000-08-17
00:00:00.000000', 'Masculino', 'caiege_@hotmail.com', '102030', '102030', '704.583.421-
73','(62) 99286-6869',1,'2021-06-06 02:32:11.549384','2021-06-10
11:39:30.761353',0),(13,'Carlebs Clouds ','2021-06-12
00:00:00.000000', 'Masculino', 'carlos.io@outlook.com', '123', '123', '121.212.121-21', '(77)
77777-7777',1,'2021-06-06 02:41:27.252444','2021-06-10
11:38:54.405744',0),(14,'Solange Menzes','1981-08-12
00:00:00.000000', 'Feminino', 'solelohin@gmail.com', '168065400Ff', '168065400Ff', '001.3
68.031-56', '(62) 98581-5947', 1, '2021-06-06 03:21:55.121407', '2021-06-10
11:40:22.985992',0),(15,'Beatriz Lins','1984-05-29
00:00:00.000000', 'Feminino', 'bealins@gmail.com', '168065400Ff', '168065400Ff', '188.91
9.841-89', '(62) 95985-9559', 0, '2021-06-06 03:25:12.092081', '2021-06-06
03:25:12.092089',1),(16,'Luiz Carlos Prestes','1999-05-29
00:00:00.000000','vapo','bealins@gmail.com','168065400Ff','168065400Ff','025847871
30', '629851984125', 0, '0001-01-01 00:00:00.000000', '2021-06-06
03:52:59.168508',0),(19,'Luiza Santos','1999-05-29
00:00:00.000000', 'Masculino', 'luizasantos@gmail.com', '168065400', '168065400', '168.0
65.400-12','(62) 98519-4429',1,'2021-06-06 03:35:16.575691','2021-06-10
```

00:00:00.000000', 'Feminino', 'alanbrado@gmail.com', 'vila2016', 'vila2016', '012.354.568-

```
11:39:19.421674',0),(20,'Gabriela Vieira ','1999-05-23
00:00:00.000000','Feminino','gabrielavieira-
@hotmail.com','Gabriela1@','Gabriela1@','701.794.871-83','(62) 98123-2305',1,'2021-
06-10 00:59:44.559809','2021-06-10 00:59:44.559858',1),(21,'Enrique Buzzi','1990-10-
02
00:00:00.000000', 'Masculino', 'buzzipsy@gmail.com', '013755esb', '013755esb', '000.440.
801-23'.'(62) 98171-8367'.1.'2021-06-10 11:33:32.966001'.'2021-06-10
11:38:12.976611',0),(22,'Cristian Leandro','1998-01-29
00:00:00.000000', 'Masculino', 'cristiangynmarchetti@gmail.com', '19769898', '19769898', '
700.773.011-61','(62) 99310-3057',1,'2021-06-14 11:25:00.680391','2021-06-14
11:25:00.680498',1);
/*!40000 ALTER TABLE `pessoas` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `profissionalservicos`
DROP TABLE IF EXISTS 'profissionalservicos';
/*!40101 SET @saved cs client
                                = @ @ character set client */;
/*!50503 SET character set client = utf8mb4 */;
CREATE TABLE `profissionalservicos` (
 'Id' int NOT NULL AUTO INCREMENT,
 `Profissionalld` int NOT NULL,
 `Servicold` int NOT NULL,
 PRIMARY KEY ('Id'),
 KEY `IX_Agendamentos_ProfissionalId` (`ProfissionalId`),
 KEY `IX_Agendamentos_Servicold` (`Servicold`)
) ENGINE=InnoDB AUTO INCREMENT=8 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4 0900 ai ci;
/*!40101 SET character_set_client = @saved_cs_client */;

    Dumping data for table `profissionalservicos`

LOCK TABLES 'profissionalservicos' WRITE;
/*!40000 ALTER TABLE `profissionalservicos` DISABLE KEYS */;
INSERT INTO 'profissionalservicos' VALUES
(1,6,4),(2,6,2),(3,6,1),(4,7,2),(5,10,4),(6,15,2),(7,16,1);
/*!40000 ALTER TABLE `profissionalservicos` ENABLE KEYS */;
```

```
UNLOCK TABLES;
-- Table structure for table `servicos`
DROP TABLE IF EXISTS `servicos`:
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `servicos` (
 'Id' int NOT NULL AUTO INCREMENT,
 `Nome` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci,
 `Descricao` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4 0900 ai ci,
 `Valor` decimal(65,30) NOT NULL,
 PRIMARY KEY ('Id')
) ENGINE=InnoDB AUTO INCREMENT=5 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table `servicos`
LOCK TABLES `servicos` WRITE;
/*!40000 ALTER TABLE `servicos` DISABLE KEYS */;
INSERT INTO `servicos` VALUES (1,'Limpeza','Limpe sua
cara',250.0000000000000000000000000000),(2,'Hidratação','Hidrate sua
/*!40000 ALTER TABLE `servicos` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `situacaoagendamentos`
DROP TABLE IF EXISTS `situacaoagendamentos`;
/*!40101 SET @saved cs client = @@character set client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `situacaoagendamentos` (
 `Id` int NOT NULL AUTO_INCREMENT,
```

```
`Situacao` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci,
 PRIMARY KEY ('Id')
) ENGINE=InnoDB AUTO_INCREMENT=4 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table `situacaoagendamentos`
LOCK TABLES `situacaoagendamentos` WRITE;
/*!40000 ALTER TABLE `situacaoagendamentos` DISABLE KEYS */;
INSERT INTO 'situacaoagendamentos' VALUES
(1,'Aguardando'),(2,'Concluído'),(3,'Cancelado');
/*!40000 ALTER TABLE `situacaoagendamentos` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `usuarios`
DROP TABLE IF EXISTS `usuarios`;
/*!40101 SET @saved cs client = @@character set client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `usuarios` (
 'Id' int NOT NULL AUTO_INCREMENT,
 `Login` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4 0900 ai ci,
 `Senha` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci NOT
NULL.
 `Pessoald` int DEFAULT NULL,
 PRIMARY KEY ('Id'),
 KEY `FK_Usuarios_Pessoas_Pessoald` (`Pessoald`)
) ENGINE=InnoDB AUTO_INCREMENT=19 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table `usuarios`
```

LOCK TABLES `usuarios` WRITE;

```
/*!40000 ALTER TABLE `usuarios` DISABLE KEYS */:
INSERT INTO `usuarios` VALUES
(1,'cliente@cliente','cliente',1),(2,'prof@prof','1234',2),(3,'alanbrado@gmail.com','vila20
16',3),(4,'cliente2@cliente','1234',4),(5,'brunocdasilva12@gmail.com','vila2016',6),(6,'eli
ane@gmail.com','12345',7),(7,'pluggg10@gmail.com','168065400',8),(8,'cliente@client
e2','123456',9),(9,'vinicin@botox','123456',10),(10,'gabrielteans@gmail.com','123456',1
1).(11.'caiege @hotmail.com'.'102030'.12).(12.'carlos.io@outlook.com'.'123'.13).(13.'so
lelohin@gmail.com','168065400Ff',14),(14,'bealins@gmail.com','168065400Ff',15),(15,'l
uizasantos@gmail.com','168065400',19),(16,'gabrielavieira-
@hotmail.com','Gabriela1@',20),(17,'buzzipsy@gmail.com','013755esb',21),(18,'cristia
ngynmarchetti@gmail.com','19769898',22);
/*!40000 ALTER TABLE `usuarios` ENABLE KEYS */;
UNLOCK TABLES:
/*!40103 SET TIME ZONE=@OLD TIME ZONE */;
/*!40101 SET SQL MODE=@OLD SQL MODE */;
/*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;
/*!40014 SET UNIQUE CHECKS=@OLD UNIQUE CHECKS */:
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS
*/:
/*!40101 SET COLLATION CONNECTION=@OLD COLLATION CONNECTION */;
/*!40111 SET SQL NOTES=@OLD SQL NOTES */;
```

-- Dump completed on 2021-06-25 12:29:54

Depois disso abrir a solução do Visual Studio do projeto e executar a aplicação...