

# Configuração e Instalação para executar o sistema

- Realizar a instalação do Visual Studio (link: <https://visualstudio.microsoft.com/ptbr/>)
- Realizar a instalação do MySQLServer para rodar o MySQL Workbench (link: <https://dev.mysql.com/downloads/mysql/>)
- Realizar a instalação do MySQL Workbench (link: <https://dev.mysql.com/downloads/workbench/>)
- Criar uma instância no MySQL com as seguintes informações

The screenshot shows the 'Setup New Connection' dialog box in MySQL Workbench. The 'Connection Name' field is set to 'localhost', with a red arrow pointing to it and the annotation 'Nome Padrão de conexões locais'. The 'Connection Method' is set to 'Standard (TCP/IP)'. The 'Parameters' tab is selected, showing 'Hostname' as '127.0.0.1' (annotated with 'Preservar Host Padrão'), 'Port' as '3306' (annotated with 'Preservar Porta Padrão'), and 'Username' as 'root' (annotated with 'Nome usuário padrão'). The 'Password' field has a 'Store in Vault ...' button and a 'Clear' button. The 'Default Schema' field is empty. At the bottom, there are buttons for 'Configure Server Management...', 'Test Connection', 'Cancel', and 'OK'. A red arrow points from the text 'Nome de Usuário Padrão' to the 'Username' field.

Connection Name: localhost *Nome Padrão de conexões locais* Type a name for the connection

Connection Method: Standard (TCP/IP) Method to use to connect to the RDBMS

Parameters SSL Advanced

Hostname: 127.0.0.1 *Preservar Host Padrão* Port: 3306 *Preservar Porta Padrão* Name or IP address of the server host - and TCP/IP port.

Username: root *Nome usuário padrão* Name of the user to connect with.

Password: Store in Vault ... Clear The user's password. Will be requested later if it's not set.

Default Schema: The schema to use as default schema. Leave blank to select it later.

*Nome de Usuário Padrão*

Configure Server Management... Test Connection Cancel OK

Setup New Connection

Connection Name:  Type a name for the connection

Connection Method:  Method to use to connect to the RDBMS

Parameters SSL Advanced

Hostname:  Port:  Name or IP address of the server host - and TCP/IP port.

Username:  Name of the user to connect with.

Password:   The user's password. Will be requested later if it's not set.

Default Schema:  The schema to use as default schema. Leave blank to select it later.

Clicar em Store in Vault caso queira colocar senha no banco

- **Script banco de dados**

```
-- MySQL dump 10.13 Distrib 8.0.24, for Win64 (x86_64)
```

```
--
```

```
-- Host: localhost Database: gestao_indra
```

```
-- -----
```

```
-- Server version 8.0.24
```

```
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET
@OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!50503 SET NAMES utf8 */;
/*!40103 SET @OLD_TIME_ZONE=@@TIME_ZONE */;
/*!40103 SET TIME_ZONE='+00:00' */;
/*!40014 SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHECKS=0
*/;
/*!40014 SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS,
FOREIGN_KEY_CHECKS=0 */;
/*!40101 SET @OLD_SQL_MODE=@@SQL_MODE,
SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */;
```

```

/*!40111 SET @OLD_SQL_NOTES=@ @SQL_NOTES, SQL_NOTES=0 */;

--
-- Table structure for table `__efmigrationshistory`
--

DROP TABLE IF EXISTS `__efmigrationshistory`;
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `__efmigrationshistory` (
  `MigrationId` varchar(95) NOT NULL,
  `ProductVersion` varchar(32) NOT NULL,
  PRIMARY KEY (`MigrationId`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `__efmigrationshistory`
--

LOCK TABLES `__efmigrationshistory` WRITE;
/*!40000 ALTER TABLE `__efmigrationshistory` DISABLE KEYS */;
INSERT INTO `__efmigrationshistory` VALUES
('20210319010235_inserindoTabelas','3.1.12');
/*!40000 ALTER TABLE `__efmigrationshistory` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `agendamentos`
--

DROP TABLE IF EXISTS `agendamentos`;
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `agendamentos` (
  `Id` int NOT NULL AUTO_INCREMENT,
  `ProfissionalId` int NOT NULL,
  `ServicoId` int NOT NULL,
  `ClienteId` int NOT NULL,
  `SituacaoAgendamentoId` int NOT NULL,
  `Horario` datetime(6) NOT NULL,

```

```

PRIMARY KEY (`Id`),
KEY `IX_Agendamentos_ClientId` (`ClientId`),
KEY `IX_Agendamentos_ProfissionalId` (`ProfissionalId`),
KEY `IX_Agendamentos_ServicoId` (`ServicoId`),
KEY `IX_Agendamentos_SituacaoAgendamentoId` (`SituacaoAgendamentoId`),
CONSTRAINT `FK_AGENDAMENTOS_CLIENTES` FOREIGN KEY (`ClientId`)
REFERENCES `pessoasfisicas` (`Id`),
CONSTRAINT `FK_AGENDAMENTOS_PROFISSIONAIS` FOREIGN KEY
(`ProfissionalId`) REFERENCES `pessoasfisicas` (`Id`),
CONSTRAINT `FK_AGENDAMENTOS_SERVICOS` FOREIGN KEY (`ServicoId`)
REFERENCES `servicos` (`Id`),
CONSTRAINT `FK_AGENDAMENTOS_SITUACAO` FOREIGN KEY
(`SituacaoAgendamentoId`) REFERENCES `situacaoagendamentos` (`Id`)
) ENGINE=InnoDB AUTO_INCREMENT=30 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `agendamentos`
--

```

```

LOCK TABLES `agendamentos` WRITE;
/*!40000 ALTER TABLE `agendamentos` DISABLE KEYS */;
INSERT INTO `agendamentos` VALUES (1,2,1,1,3,'2021-05-04
10:34:42.000000'),(2,2,1,1,2,'2021-05-05 10:34:42.000000'),(3,2,1,1,2,'2021-05-06
10:34:42.000000'),(4,2,1,1,2,'2021-05-07 10:34:42.000000'),(5,2,1,1,2,'2021-05-08
10:34:42.000000'),(6,2,2,1,3,'2021-05-25 22:30:00.000000'),(7,2,1,1,2,'2021-05-25
23:30:00.000000'),(8,2,1,1,2,'2021-05-25 00:00:00.000000'),(9,1,1,1,2,'2021-06-01
17:35:00.000000'),(10,1,1,1,2,'2021-06-02 18:20:00.000000'),(11,1,1,1,2,'2021-06-01
18:30:00.000000'),(12,1,1,1,2,'2021-06-03 10:50:00.000000'),(13,1,4,3,2,'2021-06-10
08:00:00.000000'),(14,6,2,20,3,'2021-06-11 13:07:00.000000'),(15,3,1,4,3,'2021-06-10
11:30:00.000000'),(16,6,2,20,1,'2021-06-12 13:10:00.000000'),(17,2,2,4,1,'2021-06-12
12:35:00.000000'),(18,7,1,4,1,'2021-07-13 11:45:00.000000'),(21,1,1,1,1,'2021-06-14
10:00:00.000000'),(22,6,2,1,1,'2021-06-14 17:00:00.000000'),(24,16,1,4,1,'2022-06-10
11:30:00.000000'),(25,10,4,4,1,'2021-06-13 12:30:00.000000'),(26,6,1,4,2,'2021-06-11
08:45:00.000000'),(27,10,4,4,1,'2021-06-12 15:30:00.000000'),(28,6,2,20,1,'2021-06-20
10:10:00.000000'),(29,6,2,1,1,'2021-08-23 11:30:00.000000');
/*!40000 ALTER TABLE `agendamentos` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--

```

-- Table structure for table `pessoasfisicas`

--

```
DROP TABLE IF EXISTS `pessoasfisicas`;
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `pessoasfisicas` (
  `Id` int NOT NULL AUTO_INCREMENT,
  `Nome` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci,
  `DtNascimento` datetime(6) NOT NULL,
  `Sexo` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci,
  `Email` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci,
  `Senha` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci,
  `ConfirmacaoSenha` longtext CHARACTER SET utf8mb4 COLLATE
utf8mb4_0900_ai_ci,
  `Cpf` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci,
  `Celular` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci,
  `Tipo` int NOT NULL,
  `DtCriacao` datetime(6) NOT NULL,
  `DtAlteracao` datetime(6) NOT NULL,
  `Ativo` tinyint(1) NOT NULL,
  PRIMARY KEY (`Id`)
) ENGINE=InnoDB AUTO_INCREMENT=24 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;
```

--

-- Dumping data for table `pessoasfisicas`

--

```
LOCK TABLES `pessoasfisicas` WRITE;
/*!40000 ALTER TABLE `pessoasfisicas` DISABLE KEYS */;
INSERT INTO `pessoasfisicas` VALUES (1,'Cliente Teste','2021-05-04
00:00:00.000000','Masculino','cliente@cliente','cliente','cliente','025.847.871-30','(00)
00000-0000',1,'2021-05-04 10:31:49.000000','2021-06-10
11:32:18.977404',1),(2,'Profissional','2021-05-04
00:00:00.000000','Masculino','prof@prof333','123123','123123','000.000.000-01','(00)
00000-0001',0,'2021-05-04 10:32:32.000000','2021-06-10
11:52:41.896138',0),(3,'Manel','2004-04-24
00:00:00.000000','Feminino','alanbrado@gmail.com','vila2016','vila2016','012.354.568-
79','(62) 62626-2626',1,'2021-05-06 22:01:22.252735','2021-06-10
```

11:38:28.922140',0),(4,'Claudia Patricia da Silva','1989-05-07  
00:00:00.000000','Feminino','cliente2@cliente','1234','1234','123.406.400-63','(62) 62626-  
2626',1,'2021-05-07 00:14:08.096823','2021-05-07 00:14:08.097094',1),(6,'Bruno Carlos  
da Silva','2001-08-23  
00:00:00.000000','Masculino','brunocdasilva12@gmail.com','bruno','bruno','707.024.011-  
29','(62) 99247-3911',0,'2021-05-07 14:26:44.000000','2021-06-06  
04:05:45.881412',1),(7,'Eliane da Silva Costa','1970-12-31  
00:00:00.000000','Masculino','eliane@gmail.com','12345','12345','165.409.839-46','(62)  
99412-8545',0,'2021-05-30 00:30:39.822613','2021-05-30  
00:34:21.839446',1),(8,'Emanuel Italo Ferreira Menezes','1999-05-29  
00:00:00.000000','Masculino','pluggg10@gmail.com','168065400','168065400','025.847.87  
1-30','(62) 98519-4429',1,'2021-06-03 19:57:00.684106','2021-06-10  
11:40:38.748663',0),(9,'cliente','1999-05-12  
00:00:00.000000','Masculino','cliente@cliente2','123456','123456','156.615.616-51','(62)  
32323-2322',1,'2021-06-03 20:38:51.644618','2021-06-10 11:40:31.363063',0),(10,'Vinicin  
do Botox','1999-12-05  
00:00:00.000000','Masculino','vinicin@botox','123456','123456','516.515.616-51','(62)  
98519-4581',0,'2021-06-03 22:24:08.103654','2021-06-03 22:32:20.639364',0),(11,'Gabriel  
gomes','2021-06-03  
00:00:00.000000','Masculino','gabrielteans@gmail.com','123456','123456','709.236.841-  
31','(62) 99203-9748',1,'2021-06-03 22:27:48.671301','2021-06-03  
22:27:48.671303',1),(12,'Caio Henrick de Oliveira','2000-08-17  
00:00:00.000000','Masculino','caiege\_@hotmail.com','102030','102030','704.583.421-  
73','(62) 99286-6869',1,'2021-06-06 02:32:11.549384','2021-06-10  
11:39:30.761353',0),(13,'Carlebs Clouds ','2021-06-12  
00:00:00.000000','Masculino','carlos.io@outlook.com','123','123','121.212.121-21','(77)  
77777-7777',1,'2021-06-06 02:41:27.252444','2021-06-10  
11:38:54.405744',0),(14,'Solange Menzes','1981-08-12  
00:00:00.000000','Feminino','solelohin@gmail.com','168065400Ff','168065400Ff','001.368  
.031-56','(62) 98581-5947',1,'2021-06-06 03:21:55.121407','2021-06-10  
11:40:22.985992',0),(15,'Beatriz Lins','1984-05-29  
00:00:00.000000','Feminino','bealins@gmail.com','168065400Ff','168065400Ff','188.919.8  
41-89','(62) 95985-9559',0,'2021-06-06 03:25:12.092081','2021-06-06  
03:25:12.092089',1),(16,'Luiz Carlos Prestes','1999-05-29  
00:00:00.000000','vapo','bealins@gmail.com','168065400Ff','168065400Ff','02584787130',  
'629851984125',0,'0001-01-01 00:00:00.000000','2021-06-06  
03:52:59.168508',0),(19,'Luiza Santos','1999-05-29  
00:00:00.000000','Masculino','luizasantos@gmail.com','168065400','168065400','168.065.  
400-12','(62) 98519-4429',1,'2021-06-06 03:35:16.575691','2021-06-10  
11:39:19.421674',0),(20,'Gabriela Vieira ','1999-05-23  
00:00:00.000000','Feminino','gabrielavieira-

```
@hotmail.com','Gabriela1@','Gabriela1@','701.794.871-83','(62) 98123-2305',1,'2021-06-10 00:59:44.559809','2021-06-10 00:59:44.559858',1),(21,'Enrique Buzzi','1990-10-02 00:00:00.000000','Masculino','buzzipsy@gmail.com','013755esb','013755esb','000.440.801-23','(62) 98171-8367',1,'2021-06-10 11:33:32.966001','2021-06-10 11:38:12.976611',0),(22,'Cristian Leandro','1998-01-29 00:00:00.000000','Masculino','cristiangynmarchetti@gmail.com','19769898','19769898','700.773.011-61','(62) 99310-3057',1,'2021-06-14 11:25:00.680391','2021-06-14 11:25:00.680498',1),(23,'Administrador','2001-08-23 00:00:00.000000','Masculino','admin@admin','admin','admin','123.456.789-00','(62) 99123-2345',2,'2021-06-14 11:25:00.680391','2021-06-14 11:25:00.680498',1);
/*!40000 ALTER TABLE `pessoasfisicas` ENABLE KEYS */;
UNLOCK TABLES;
```

```
--
-- Table structure for table `profissionaiservicos`
--
```

```
DROP TABLE IF EXISTS `profissionaiservicos`;
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `profissionaiservicos` (
  `Id` int NOT NULL AUTO_INCREMENT,
  `ProfissionalId` int NOT NULL,
  `ServicoId` int NOT NULL,
  PRIMARY KEY (`Id`),
  KEY `IX_Agendamentos_ProfissionalId` (`ProfissionalId`),
  KEY `IX_Agendamentos_ServicoId` (`ServicoId`)
) ENGINE=InnoDB AUTO_INCREMENT=8 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;
```

```
--
-- Dumping data for table `profissionaiservicos`
--
```

```
LOCK TABLES `profissionaiservicos` WRITE;
/*!40000 ALTER TABLE `profissionaiservicos` DISABLE KEYS */;
INSERT INTO `profissionaiservicos` VALUES
(1,6,4),(2,6,2),(3,6,1),(4,7,2),(5,10,4),(6,15,2),(7,16,1);
/*!40000 ALTER TABLE `profissionaiservicos` ENABLE KEYS */;
UNLOCK TABLES;
```

```
--
-- Table structure for table `servicos`
--
```

```
DROP TABLE IF EXISTS `servicos`;
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `servicos` (
  `Id` int NOT NULL AUTO_INCREMENT,
  `Nome` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci,
  `Descricao` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci,
  `Valor` decimal(65,30) NOT NULL,
  PRIMARY KEY (`Id`)
) ENGINE=InnoDB AUTO_INCREMENT=5 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;
```

```
--
-- Dumping data for table `servicos`
--
```

```
LOCK TABLES `servicos` WRITE;
/*!40000 ALTER TABLE `servicos` DISABLE KEYS */;
INSERT INTO `servicos` VALUES (1,'Limpeza','Limpe sua
cara',250.000000000000000000000000000000),(2,'Hidratação','Hidrate sua
cara',150.000000000000000000000000000000),(4,'Botox do
Vinicin','Teste',2000.000000000000000000000000000000);
/*!40000 ALTER TABLE `servicos` ENABLE KEYS */;
UNLOCK TABLES;
```

```
--
-- Table structure for table `situacaoagendamentos`
--
```

```
DROP TABLE IF EXISTS `situacaoagendamentos`;
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `situacaoagendamentos` (
  `Id` int NOT NULL AUTO_INCREMENT,
  `Situacao` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci,
```



```

PRIMARY KEY (`Id`)
) ENGINE=InnoDB AUTO_INCREMENT=4 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `situacaoagendamentos`
--

LOCK TABLES `situacaoagendamentos` WRITE;
/*!40000 ALTER TABLE `situacaoagendamentos` DISABLE KEYS */;
INSERT INTO `situacaoagendamentos` VALUES
(1,'Aguardando'),(2,'Concluído'),(3,'Cancelado');
/*!40000 ALTER TABLE `situacaoagendamentos` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `usuarios`
--

DROP TABLE IF EXISTS `usuarios`;
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `usuarios` (
  `Id` int NOT NULL AUTO_INCREMENT,
  `Login` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci,
  `Senha` longtext CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci NOT
  NULL,
  `PessoaFisicald` int DEFAULT NULL,
  PRIMARY KEY (`Id`),
  KEY `FK_Usuarios_Pessoas_Pessoald` (`PessoaFisicald`)
) ENGINE=InnoDB AUTO_INCREMENT=20 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `usuarios`
--

LOCK TABLES `usuarios` WRITE;
/*!40000 ALTER TABLE `usuarios` DISABLE KEYS */;

```

```

INSERT INTO `usuarios` VALUES
(1,'cliente@cliente','cliente',1),(2,'prof@prof','1234',2),(3,'alanbrado@gmail.com','vila2016',
3),(4,'cliente2@cliente','1234',4),(5,'brunocdasilva12@gmail.com','vila2016',6),(6,'eliane@
gmail.com','12345',7),(7,'pluggg10@gmail.com','168065400',8),(8,'cliente@cliente2','1234
56',9),(9,'vinicin@botox','123456',10),(10,'gabrielteans@gmail.com','123456',11),(11,'caieg
e_@hotmail.com','102030',12),(12,'carlos.io@outlook.com','123',13),(13,'solelohin@gmail.
com','168065400Ff',14),(14,'bealins@gmail.com','168065400Ff',15),(15,'luizasantos@gma
il.com','168065400',19),(16,'gabrielavieira-
@hotmail.com','Gabriela1@',20),(17,'buzzipsy@gmail.com','013755esb',21),(18,'cristiangy
nmarchetti@gmail.com','19769898',22),(19,'admin@admin','admin',23);
/*!40000 ALTER TABLE `usuarios` ENABLE KEYS */;
UNLOCK TABLES;
/*!40103 SET TIME_ZONE=@OLD_TIME_ZONE */;

/*!40101 SET SQL_MODE=@OLD_SQL_MODE */;
/*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;
/*!40014 SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS */;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
/*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */;

```

-- Dump completed on 2021-06-25 17:36:18

**Depois disso abrir a solução do Visual Studio do projeto e executar a aplicação...**