- 1. https://swapi.dev/api/people/4/
- 2. <a href="https://swapi.dev/api/planets/2/">https://swapi.dev/api/planets/2/</a>
- 3. https://swapi.dev/api/starships/10/
- 4. A. https://swapi.dev/api/species/2/
  - B. <a href="https://swapi.dev/api/people/2/">https://swapi.dev/api/people/2/</a>
- 5. A. https://swapi.dev/api/people/10/
  - B. https://swapi.dev/api/films/1/,
    https://swapi.dev/api/films/2",
    https://swapi.dev/api/films/3/,
    https://swapi.dev/api/films/4/,
    https://swapi.dev/api/films/5/,
    https://swapi.dev/api/films/6/
- 6. https://swapi.dev/api/starships/?search=Millennium Falcon

## Part 2

{

- 1. It's expecting a body.
- 2. It returns an object
- 3. <a href="https://practiceapi.devmountain.com/api/posts/555">https://practiceapi.devmountain.com/api/posts/555</a>
- 4. 409 conflict
- 5. <a href="https://practiceapi.devmountain.com/api/posts/">https://practiceapi.devmountain.com/api/posts/</a>

```
"text": "Bruno",

"date": "9-15-2021"

}

6. <a href="https://practiceapi.devmountain.com/api/posts/6935">https://practiceapi.devmountain.com/api/posts/6935</a>
{
        "id":6935
        "text":"Banana",
        "date": "3-20-1985"
```

- 7. https://practiceapi.devmountain.com/api/posts/filter?text=blue
- 8. application/json; charset=utf-8
- 9. endpoint is missing required info.
  - Ex. <a href="https://practiceapi.devmountain.com/api/posts/filter">https://practiceapi.devmountain.com/api/posts/filter</a> (Did not filter, did not have anything to filter)
- 10. If you send a query through the GET, you get your get your query, unless the endpoint is written incorrectly. We get the specific response because of the formatting of the endpoint.

Ex. <a href="https://practiceapi.devmountain.com/api/posts/filter?text=blue">https://practiceapi.devmountain.com/api/posts/filter?text=blue</a> will search the API for information containing the word blue. This is because I ran the query /api/posts/filter?text=string