TEST CASES

Prerequirements for the following the test cases:

1. Access the website

ID	TITLE	STEPS	DATA	EXPECTED OUTCOME	RESULT
#1	Search for a valid place to rent	 Choose the rent option Type in the city in the City field Type in the neighborhood in the Neighborhood field Click the search button 	city = Porto Alegre neighborhood = Centro Histórico	User must be presented with a list of houses to rent in the specified location.	
#2	Search for a invalid place to rent (inexistent place)	 Choose the rent option Type in the city in the City field Type in the neighborhood in the Neighborhood field Click the search button 	city = Porto Alegre neighborhood = Fake Place	System must recognize the city but not the neighborhood and keep this field empty. The search result will show places from the specified city.	
#3	Search for a valid place to rent (numeric data)	 Choose the rent option Type in the city in the City field Type in the neighborhood in the Neighborhood field Click the search button 	city = 123 neighborhood = 321	System must not recognize this city and neighborhood. The result will show places from Sao Paulo. The fields must be kept empty.	
#4	Search for a valid place to rent (empty data)	 Choose the rent option Type in the city in the City field Type in the neighborhood in the Neighborhood field Click the search button 	city = neighborhood =	System must not recognize this city and neighborhood. The result will show places from Sao Paulo. The fields must be kept empty.	

Prerequirements for the following the test cases:

- 1. Access the <u>website</u>
- 2. Type in Porto Alegre in the City field
- 3. Click the search button

#5	Numeric filter (default data)	 Click the filter button Insert minimumValue in the Minimum price field Insert maximumValue in the Maximum price field Insert minimumArea in the Minimum area size field Insert maximumArea in the Maximum area size field 	minimumValue = 500 maximumValue = 20.000 minimumArea = 20 maximumArea = 1.000	Users must be presented with a updated list of places to rent	
#6	Numeric filter (minimum values +1)	 Click the filter button Insert minimumValue in the Minimum price field Insert maximumValue in the Maximum price field Insert minimumArea in the Minimum area size field Insert maximumArea in the Maximum area size field 	minimumValue = 501 maximumValue = 20.000 minimumArea = 21 maximumArea = 1.000	System must adjust the numeric bar representing the data and users must be presented with a updated list of places to rent	
#7	Numeric filter (minimum values - 1)	 Click the filter option Insert minimumValue in the Minimum price field Insert maximumValue in the Maximum price field Insert minimumArea in the Minimum area size field Insert maximumArea in the Maximum area size field 	minimumValue = 499 maximumValue = 20.000 minimumArea = 19 maximumArea = 1.000	System must ignore the incorrect data (less than the expected) and do the search with the lowest value possible (in this case 500 for price and 20 for area)	
#8	Numeric filter (maximum values + 1)	 Click the filter option Insert minimumValue in the Minimum price field Insert maximumValue in the Maximum price field Insert minimumArea in the 	minimumValue = 500 maximumValue = 20.001 minimumArea = 20 maximumArea = 1.001	System must ignore the incorrect data and do the search with the	

		Minimum area size field 8. Insert maximumArea in the Maximum area size field		highest maximum value possible	
#9	Numeric filter (maximum values - 1)	 Click the filter option Insert minimumValue in the Minimum price field Insert maximumValue in the Maximum price field Insert minimumArea in the Minimum area size field Insert maximumArea in the Maximum area size field 	minimumValue = 500 maximumValue = 19.999 minimumArea = 20 maximumArea = 999	System must adjust the numeric bar representing the data and users must be presented with a updated list of places to rent	
#10	Numeric filter (string data)	 Click the filter option Insert minimumValue in the Minimum price field Insert maximumValue in the Maximum price field Insert minimumArea in the Minimum area size field Insert maximumArea in the Maximum area size field 	minimumValue = five hundred maximumValue = twenty thousand minimumArea = twenty maximumArea = one thousand	System must ignore alphabetic data	

Prerequirements for the following the test case:

- 1. Access the website
- 2. Type in Porto Alegre in the City field
- 3. Click the search button
- 4. Select a random house

#11	Valid numeric filter	 5. Verify the content of the page 6. Click the button Schedule visit 7. Select a random date 8. Select a random time 9. Click the continue button 	No data	Users must see the confirmation of the visit on the page	
-----	----------------------------	---	---------	--	--

	10. Review the information 11. Schedule visit		

Contrast Checker

I used the WAVE contrast checker to test the colors used on the website and there could be some improvement regarding the gray values. At the top of the page (https://imgur.com/dAGzCwk), for example, there are two buttons, the first one represents the option for renting houses and the second one for buying houses. The second button, by default, is not pressed and there is very low contrast between the text and background.

The low contrast may cause a user experience problem. For example, to some users the buy button (see link above) may be interpreted as an option that is not available because of the color used. To users that are in a hurry or multitasking, the button may not even be identified and therefore the user would not find a way to interact with the website using that option.

The same issue is also present in the result's page and house description page where some texts present low contrast, making it difficult to read the information presented on the page.