

## Oracle Autonomous Database Start and Stop ADB

**Kamryn Vinson**  
SENIOR PRODUCT MANAGER, DATABASE  
ORACLE



Start your  
instance instantly  
on demand.



Stop your instance on demand  
to conserve resources and  
pause billing.



Define a schedule to  
automatically start-stop your  
instance



All can be done by clicking  
through the Console.



## Autonomous Database Starting, Stopping, and Auto-Scheduling



# Starting an Autonomous Database

Overview > Autonomous Database > Autonomous Database details

ATPDEMO

Database actions Database connection Performance hub Manage scaling More actions ▾

Autonomous Database information Tool configuration Tags

**General information**

Database name: JFZODYEW0ASP17LO  
Workload type: Transaction Processing  
Compartment: sablewroathel (root)/FixSQLStatements  
OCID: ...6x15aq [Show Copy](#)  
Created: Fri, Jan 27, 2023, 16:13:13 UTC  
OCPU count: 6  
OCPU auto scaling: Enabled ⓘ  
Storage: 1 TB  
Storage auto scaling: Disabled ⓘ  
License type: License included  
Database version: 19c  
Lifecycle state: Stopped [Check database availability](#)  
Instance type: Paid  
Character set: AL32UTF8  
National character set: AL16UTF16  
Auto start/stop schedule: Disabled [Schedule](#)

**Infrastructure**

Dedicated infrastructure: No  
Autonomous Data Guard ⓘ  
Status: Disabled [Enable](#)

**Backup**


Last automatic backup: Mon, Feb 6, 2023, 06:25:27 UTC

**Network**

Access type: Allow secure access from everywhere  
Access control list: Disabled [Edit](#)  
Mutual TLS (mTLS) authentication: Required [Edit](#) ⓘ

**Maintenance** ⓘ

Patch level: Regular ⓘ



# Starting an Autonomous Database

The screenshot shows the Oracle Cloud interface for an Autonomous Database named 'ATPDEMO'. The database status is 'STOPPED' on the left. The main panel displays 'Autonomous Database information' with details like name, workload type, compartment, and creation date. A large orange button labeled 'ATP' is prominent. On the right, a 'More actions' dropdown menu is open, showing options such as Start, Restart, Restore, Create clone, Update network access, Administrator password, Update license and Oracle Database edition, Auto start/stop schedule, Manage encryption key, Rename database, Update display name, Move resource, Add tags, and Terminate. The 'Patch level: Regular' option is also visible at the bottom of the dropdown.

Oracle Cloud Search resources, services, documentation, and Marketplace US East (Ashburn) ▾

Overview > Autonomous Database > Autonomous Database details

# ATPDEMO

STOPPED

Autonomous Database information

General information

Database name: JFZODYEW0ASP17LO

Workload type: Transaction Processing

Compartment: sablewroathell (root)/FixSQLStatements

OCID: ...6xif5ac [Show](#) [Copy](#)

Created: Fri, Jan 27, 2023, 16:13:13 UTC

OCPU count: 6

OCPU auto scaling: Enabled [\(i\)](#)

Storage: 1 TB

Storage auto scaling: Disabled [\(i\)](#)

License type: License included

Database version: 19c

Lifecycle state: Stopped [Check database availability](#)

Instance type: Paid

Character set: AL32UTF8

National character set: AL16UTF16


Auto start/stop schedule: Disabled [Schedule](#)

Tool configuration

Tags

More actions ▾

- Start
- Restart
- Restore
- Create clone
- Update network access
- Administrator password
- Update license and Oracle Database edition
- Auto start/stop schedule
- Manage encryption key
- Rename database
- Update display name
- Move resource
- Add tags
- Terminate [\(i\)](#)
- Patch level: Regular [\(i\)](#)



# Starting an Autonomous Database

ORACLE Cloud Search resources, services, documentation, and Marketplace US East (Ashburn) ▾ 🔍 ⚡ 🌐 ⓘ

Overview > Autonomous Database > Autonomous Database details

## ATPDEMO

Database actions Database connection Performance hub Manage scaling More actions ▾

Autonomous Database information Tool configuration Tags

### General information

Database name: JFZODYEW0ASP17LO  
Workload type: Transaction Processing  
Compartment: sablewroatheli (root)/FixSQLStatements  
OCID: ...6xI5aq [Show](#) [Copy](#)  
Created: Fri, Jan 27, 2023, 16:13:13 UTC  
OCPU count: 6  
OCPU auto scaling: Enabled ⓘ  
Storage: 1 TB  
Storage auto scaling: Disabled ⓘ  
License type: License included  
Database version: 19c  
Lifecycle state: Starting [Check database availability](#)  
Instance type: Paid  
Character set: AL32UTF8  
National character set: AL16UTF16  
Auto start/stop schedule: Disabled [Schedule](#)

### Infrastructure

Dedicated infrastructure: No  
Autonomous Data Guard ⓘ  
Status: Disabled [Enable](#)

### Backup

Last automatic backup: Mon, Feb 6, 2023, 06:25:27 UTC

### Network

Access type: Allow secure access from everywhere  
Access control list: Disabled [Edit](#)  
Mutual TLS (mTLS) authentication: Required [Edit](#) ⓘ

### Maintenance ⓘ

Patch level: Regular ⓘ

# Stopping an Autonomous Database

≡ ORACLE Cloud Search resources, services, documentation, and Marketplace US East (Ashburn) ▾

Overview > Autonomous Database > Autonomous Database details

## ATPDEMO

Database actions Database connection Performance hub Manage scaling More actions ▾

Autonomous Database information Tool configuration Tags

### General information

Database name: JFZODYEW0ASP17LO  
Workload type: Transaction Processing  
Compartment: sablewroathell (root)/FixSQLStatements  
OCID: ...6x1saq [Show](#) [Copy](#)  
Created: Fri, Jan 27, 2023, 16:13:13 UTC  
OCPUs count: 6  
OCPUs auto scaling: Enabled ⓘ  
Storage: 1 TB  
Storage auto scaling: Disabled ⓘ  
License type: License included  
Database version: 19c  
Lifecycle state: Available [Check database availability](#)  
Instance type: Paid  
Character set: AL32UTF8  
National character set: AL16UTF16  
Auto start/stop schedule: Disabled [Schedule](#)

### Infrastructure

Dedicated infrastructure: No

### Autonomous Data Guard ⓘ

Status: Disabled [Enable](#)

### Backup


Last automatic backup: Mon, Feb 6, 2023, 06:25:27 UTC

### Network

Access type: Allow secure access from everywhere  
Access control list: Disabled [Edit](#)  
Mutual TLS (mTLS) authentication: Required [Edit](#) ⓘ

### Maintenance ⓘ

Patch level: Regular ⓘ



# Stopping an Autonomous Database

ORACLE Cloud Search resources, services, documentation, and Marketplace US East (Ashburn) More actions ▾

Overview > Autonomous Database > Autonomous Database details

## ATPDEMO


Database actions Database connection Performance hub Manage scaling More actions ▾

Autonomous Database information Tool configuration Tags

General information

Database name: JFZODYEW0ASP17LO  
Workload type: Transaction Processing  
Compartment: sablewroathfi (root)/FixSQLStatements  
OCID: ...6x15aq Show Copy  
Created: Fri, Jan 27, 2023, 16:13:13 UTC  
OCPU count: 6  
OCPU auto scaling: Enabled ⓘ  
Storage: 1 TB  
Storage auto scaling: Disabled ⓘ  
License type: License included  
Database version: 19c  
Lifecycle state: Available [Check database availability](#)  
Instance type: Paid  
Character set: AL32UTF8  
National character set: AL16UTF16  
Auto start/stop schedule: Disabled [Schedule](#)

Infra: Create clone  
Dedicated: Update network access  
Auto: Administrator password  
Status: Update license and Oracle Database edition  
Backup: Auto start/stop schedule  
Last audit: Manage encryption key  
Network: Rename database  
Access: Update display name  
Access: Move resource  
Mutual: Add tags  
Main: Terminate  
Patch level: Regular ⓘ



# Auto start/stop schedule for Autonomous Database

ORACLE Cloud Search resources, services, documentation, and Marketplace US East (Ashburn) ▾

Overview » Autonomous Database » Autonomous Database details

**ATPDEMO**

Database actions Database configuration

Autonomous Database information

**General information**

Database name: JFZODYEW0ASP17L  
Workload type: Transaction Processing  
Compartment: sablewroathell (root)/F  
OCID: ...6x15aq Show Copy  
Created: Fri, Jan 27, 2023, 16:13:13 UTC  
OCPU count: 6  
OCPU auto scaling: Enabled ⓘ  
Storage: 1 TB  
Storage auto scaling: Disabled ⓘ  
License type: License included  
Database version: 19c  
Lifecycle state: Available [Check data](#)  
Instance type: Paid  
Character set: AL32UTF8  
National character set: AL16UTF16  
Auto start/stop schedule: Disabled [Schedule](#)

Actions Mon Tue Wed Thu Fri Sat Sun

Start 09:00 09:00 09:00 09:00 09:00 Select time Select time

Stop 17:00 17:00 17:00 17:00 17:00 Select time Select time

Help

An auto stop/start schedule will automatically stop/start your database at the selected times. The times are in UTC.

Apply Cancel

