

The Economics of the Global Water Cycle: An Integrated Assessment Model

Bruno Conte
UPF & BSE

Farid Farrokhi
Boston College

Hubert Massoni
ifo Institute & LMU

bruno.conte@upf.edu

September 2026

Introduction

Economic & pop. growth → pressure on water resources (Rodell et al.2018, Nature)

- Globalization → water-intensive specialization (agriculture) in Brazil, China, India, US, ... (Debaere2014; Copeland et al.2022; Carleton et al.2024b, 2025)
- Concerning water use (w.r. to recharge) → billions exposed to future water insecurity (Mekonnen and Hoekstra2016, 2020; Greaney et al.2026, in e.g., Nature & Science)

Introduction

Economic & pop. growth → pressure on water resources (Rodell et al.2018, Nature)


- Globalization → water-intensive specialization (agriculture) in Brazil, China, India, US, ... (Debaere2014; Copeland et al.2022; Carleton et al.2024b, 2025)
- Concerning water use (w.r. to recharge) → billions exposed to future water insecurity (Mekonnen and Hoekstra2016, 2020; Greaney et al.2026, in e.g., Nature & Science)

This paper – these **local challenges reflect a global problem** due to spatial linkages

- Traded goods embody water footprints
- Water resources are linked through the global water cycle


Globalized Economy → Globalized Water Footprint...

Fig. Water footprint (water m³/USD) of Germany's textile industry (GLORIA data, 2020)




... Amplified by the Global Water Cycle

Fig. Evaporation-precipitation flows from the Mississippi Basin (RECON data; De Petrillo et al.2025a,b)




... Amplified by the Global Water Cycle

Fig. Evaporation-precipitation flows from the Mississippi Basin (RECON data; De Petrillo et al.2025a,b)



... Amplified by the Global Water Cycle

Fig. Evaporation-precipitation flows from the Mississippi Basin (RECON data; De Petrillo et al.2025a,b)



nature

**Why we need a new economic
water as a common good**

Anthropogenic pressures and climate change are altering water flows worldwide. Better understanding, new economic thinking and an international governance framework are needed to stave off catastrophe.

nature

**Carbon's social cost can't be
retrofitted to water**

What We Do

How does the co-evolution of economy & water cycle → water security and welfare?

- Can policies correct all (spatial and intertemporal) unpriced externalities?*

What We Do

How does the co-evolution of economy & water cycle → water security and welfare?

- Can policies correct all (spatial and intertemporal) unpriced externalities?*

1. Empirically show that the economy and water cycle are highly interconnected

- Climate-economy interaction → anthropogenic distortion of the water cycle

What We Do

How does the co-evolution of economy & water cycle → water security and welfare?

- Can policies correct all (spatial and intertemporal) unpriced externalities?*

1. Empirically show that the economy and water cycle are highly interconnected

- Climate-economy interaction → anthropogenic distortion of the water cycle

2. Develop a dynamic spatial model integrated with the global water cycle

- Common pool resource externalities → **globalized tragedy of the commons**

What We Do

How does the co-evolution of economy & water cycle → water security and welfare?

- Can policies correct all (spatial and intertemporal) unpriced externalities?*

1. Empirically show that the economy and water cycle are highly interconnected
 - Climate-economy interaction → anthropogenic distortion of the water cycle
2. Develop a dynamic spatial model integrated with the global water cycle
 - Common pool resource externalities → **globalized tragedy of the commons**
3. Derive an optimal water policy rule to internalize all unpriced externalities
 - Pigouvian price on water ↔ spatial "centrality" of water resources

Related Literature

policy contribution

Spatial-climate economics (e.g., Nordhaus1994; Desmet and Rossi-Hansberg2024) [more](#)

- Study the spatial climate-economy link + the role of trade, taxes, and policies
- Contribution: *the first integrated assessment model of the global water cycle*

Related Literature

policy contribution

Spatial-climate economics (e.g., Nordhaus1994; Desmet and Rossi-Hansberg2024) [more](#)

- Study the spatial climate-economy link + the role of trade, taxes, and policies
- Contribution: *the first integrated assessment model of the global water cycle*

Hydrology vs. water economics (e.g., Araujo2023; Niazi et al.2024; Carleton et al.2025)

- Rich models that yet lack of full integration (or context specific) [water economics](#)
- Contribution: *bridge both fields, integrated framework for policy evaluation*

Related Literature

policy contribution

Spatial-climate economics (e.g., Nordhaus1994; Desmet and Rossi-Hansberg2024) [more](#)

- Study the spatial climate-economy link + the role of trade, taxes, and policies
- Contribution: *the first integrated assessment model of the global water cycle*

Hydrology vs. water economics (e.g., Araujo2023; Niazi et al.2024; Carleton et al.2025)

- Rich models that yet lack of full integration (or context specific) [water economics](#)
- Contribution: *bridge both fields, integrated framework for policy evaluation*

Resource econ. (e.g., Hotelling1931; Vanek1959; Solow1974; Davis and Weinstein2001)

- On the "limits to growth" & resource content of trade [more](#)
- *Study the optimal exploitation of spatially interconnected resources*

Roadmap

1. Data & Motivating Facts
2. A Dynamic Spatial Model of the Global Economy & Water Cycle
 - Integrated Model and Stylised Simulations
 - Optimal Water Policy for an Interconnected World
3. Current Work: Linking Theory to Data + Counterfactuals + ...?

**Motivating facts: How interconnected
are the global water cycle & economy?**

Preamble: A Closed-System, Spatially Connected Water Cycle

Without economic water use, water stocks R in (any) geography i, j evolves as:

$$R_i(t+1) = R_i(t) - E_i(t) - S_i(t) + \underbrace{\tilde{E}_i(t)}_{\sum_j f_{ji}^{(E)} E_j(t)} + \underbrace{\tilde{S}_i(t)}_{\sum_j f_{ji}^{(S)} S_j(t)}$$

Preamble: A Closed-System, Spatially Connected Water Cycle

Without economic water use, water stocks R in (any) geography i, j evolves as:

$$R_i(t+1) = R_i(t) - \boxed{E_i(t) - S_i(t)} + \underbrace{\tilde{E}_i(t)}_{\Sigma_j f_{ji}^{(E)} E_j(t)} + \underbrace{\tilde{S}_i(t)}_{\Sigma_j f_{ji}^{(S)} S_j(t)}$$

↑
Outflows (evaporation & surface runoffs)

Preamble: A Closed-System, Spatially Connected Water Cycle

Without economic water use, water stocks R in (any) geography i, j evolves as:

$$R_i(t+1) = R_i(t) - E_i(t) - S_i(t) + \underbrace{\frac{\tilde{E}_i(t)}{\sum_j f_{ji}^{(E)} E_j(t)}}_{\text{Recharge (precipitation \& surface runoffs)}} + \underbrace{\frac{\tilde{S}_i(t)}{\sum_j f_{ji}^{(S)} S_j(t)}}$$

Preamble: A Closed-System, Spatially Connected Water Cycle

Without economic water use, water stocks R in (any) geography i, j evolves as:

$$R_i(t+1) = R_i(t) - E_i(t) - S_i(t) + \underbrace{\tilde{E}_i(t)}_{\Sigma_j f_{ji}^{(E)} E_j(t)} + \underbrace{\tilde{S}_i(t)}_{\Sigma_j f_{ji}^{(S)} S_j(t)}$$

Atmospheric linkages

Preamble: A Closed-System, Spatially Connected Water Cycle

Without economic water use, water stocks R in (any) geography i, j evolves as:

$$R_i(t+1) = R_i(t) - E_i(t) - S_i(t) + \underbrace{\tilde{E}_i(t)}_{\sum_j f_{ji}^{(E)} E_j(t)} + \underbrace{\tilde{S}_i(t)}_{\sum_j f_{ji}^{(S)} S_j(t)} \quad (1)$$

Economic water use $H_i(t)$ distorts eq. (1) – but in an ambiguous direction

- **Closed global system** $\rightarrow \sum_i R_i(t) = \sum_i R_i(t+1) \forall t$
- Withdraws **return to water system** (e.g., evapotranspiration, surface runoff)

Next: empirical facts that corroborate these mechanisms (e.g., strength of $\{f_{ji}^{(E)}\}_{j,i}$)

Fact 1: Global Atmospheric Links Between Water Resources

RECON data: **atmospheric moisture flows**
($0.5^\circ \times 0.5^\circ$, De Petrillo et al.2025a,b) [details](#)

- Evap.→Precip. flows (m^3 , $\sim 2008-17$)

Fact 1: Global Atmospheric Links Between Water Resources

RECON data: **atmospheric moisture flows**
($0.5^\circ \times 0.5^\circ$, De Petrillo et al.2025a,b) [details](#)

- Evap.→Precip. flows (m^3 , ~2008-17)

Our focus: major land water basins (GAEZ)

- Basins $\equiv$ precipitation catchment areas
(no surface runoff b/w basins)

Fig. Land Water Basins from FAO GAEZ



Fact 1: Global Atmospheric Links Between Water Resources

RECON data: **atmospheric moisture flows**
($0.5^\circ \times 0.5^\circ$, De Petrillo et al.2025a,b) [details](#)


- Evap.→Precip. flows (m^3 , ~2008-17)

Our focus: major land water basins (GAEZ)

- Basins $\equiv$ precipitation catchment areas
(no surface runoff b/w basins)

Basin-level aggregation $(j, i) \equiv \sum_{g \in j} \sum_{g' \in i} f_{gg'}^{(E)}$

Fig. Land Water Basins from FAO GAEZ



Fact 1: Global Atmospheric Links Between Water Resources

RECON data: **atmospheric moisture flows**
($0.5^\circ \times 0.5^\circ$, De Petrillo et al.2025a,b) [details](#)

- Evap. $\rightarrow$ Precip. flows (m^3 , $\sim 2008-17$)

Our focus: major land water basins (GAEZ)

- Basins $\equiv$ precipitation catchment areas
(no surface runoff b/w basins)

Basin-level aggregation $(j, i) \equiv \sum_{g \in j} \sum_{g' \in i} f_{gg'}^{(E)}$

Fig. Land Water Basins from FAO GAEZ



Fact 1: Global Atmospheric Links Between Water Resources

RECON data: **atmospheric moisture flows**
($0.5^\circ \times 0.5^\circ$, De Petrillo et al.2025a,b) [details](#)


- Evap.→Precip. flows (m^3 , ~2008-17)

Our focus: major land water basins (GAEZ)

- Basins $\equiv$ precipitation catchment areas
(no surface runoff b/w basins)

Basin-level aggregation $(j, i) \equiv \sum_{g \in j} \sum_{g' \in i} f_{gg'}^{(E)}$

Fig. Land Water Basins from FAO GAEZ



Fact 1: Global Atmospheric Links Between Water Resources

RECON data: **atmospheric moisture flows**
($0.5^\circ \times 0.5^\circ$, De Petrillo et al.2025a,b) [details](#)

- Evap.→Precip. flows (m^3 , ~2008-17)

Our focus: major land water basins (GAEZ)

- Basins $\equiv$ precipitation catchment areas
(no surface runoff b/w basins)

Basin-level aggregation $(j, i) \equiv \sum_{g \in j} \sum_{g' \in i} f_{gg'}^{(E)}$

Fig. Land Water Basins from FAO GAEZ



Fact 1: Global Atmospheric Links Between Water Resources

Table 1: Water "import shares" per origin type (%) [maps](#) [exports](#) [surface flows](#)


	Own basin	Other basins (domestic)	Other basins (foreign)	Oceans
Min.	0.65	0.09	0.17	5.82
Q1	2.41	3.68	7.94	52.99
Median	4.81	8.62	17.71	68.72
Mean	7.68	11.12	20.04	63.99
Q3	9.61	16.59	28.58	79.09
Max.	48.66	50.93	71.27	98.18

Fact 1: Global Atmospheric Links Between Water Resources

Table 1: Water "import shares" per origin type (%) [maps](#) [exports](#) [surface flows](#)

	Own basin	Other basins (domestic)	Other basins (foreign)	Oceans
Min.	0.65	0.09	0.17	5.82
Q1	2.41	3.68	7.94	52.99
Median	4.81	8.62	17.71	68.72
Mean	7.68	11.12	20.04	63.99
Q3	9.61	16.59	28.58	79.09
Max.	48.66	50.93	71.27	98.18

Median basin ~ 25% from other land basins



Fact 2: Atmospheric & Surface Flows are Equally Important

How large are atmospheric flows vis-à-vis (country-level) total recharge $\tilde{E}_i + \tilde{S}_i$? ●

Fact 2: Atmospheric & Surface Flows are Equally Important

How large are atmospheric flows vis-à-vis (country-level) total recharge $\tilde{E}_i + \tilde{S}_i$?

Table 2: Country-level water "import shares" per origin type (%)

	Ocean	Own	Foreign atm.	Foreign surf.	Foreign total
Min.	1.12	0.02	0.02	0.00	0.02
Q1	34.67	0.90	8.33	0.00	16.47
Median	56.34	2.53	20.53	3.99	35.23
Mean	56.65	5.84	22.47	15.04	37.51
Q3	79.13	7.41	33.93	19.24	55.83
Max.	99.80	37.87	74.47	98.52	98.80


Fact 2: Atmospheric & Surface Flows are Equally Important

How large are atmospheric flows vis-à-vis (country-level) total recharge $\tilde{E}_i + \tilde{S}_i$?

Table 2: Country-level water "import shares" per origin type (%)

	Ocean	Own	Foreign atm.	Foreign surf.	Foreign total
Min.	1.12	0.02	0.02	0.00	0.02
Q1	34.67	0.90	8.33	0.00	16.47
Median	56.34	2.53	20.53	3.99	35.23
Mean	56.65	5.84	22.47	15.04	37.51
Q3	79.13	7.41	33.93	19.24	55.83
Max.	99.80	37.87	74.47	98.52	98.80

Foreign precipitation ~ 20% total recharge
(and the largest foreign recharge share)



Fact 2: Atmospheric & Surface Flows are Equally Important

How large are atmospheric flows vis-à-vis (country-level) total recharge $\tilde{E}_i + \tilde{S}_i$?

Table 2: Country-level water "import shares" per origin type (%)

	Ocean	Own	Foreign atm.	Foreign surf.	Foreign total
Min.	1.12	0.02	0.02	0.00	0.02
Q1	34.67	0.90	8.33	0.00	16.47
Median	56.34	2.53	20.53	3.99	35.23
Mean	56.65	5.84	22.47	15.04	37.51
Q3	79.13	7.41	33.93	19.24	55.83
Max.	99.80	37.87	74.47	98.52	98.80

Does the global economy **internalize these spatial externalities?** **Apparently no.**

- Most water-stressed countries $\leftrightarrow$ top "atmospheric water exporters" [details](#)


Fact 3: Local Water Use Propagates via the Global Water Cycle

Does **economic water use** $\leftrightarrow$ observed Δ water cycle? Ideal (long-term) experiment:

Δ Water use in $i \xrightarrow{\text{(i) Evap. rate } \theta_i} \Delta$ Evaporation from $i \xrightarrow{\text{(ii) Evap-prec. } f_{ij}^{(E)}} \Delta$ Precipitation in j

Fact 3: Local Water Use Propagates via the Global Water Cycle


Does **economic water use** $\leftrightarrow$ observed Δ water cycle? Ideal (long-term) experiment:



Consumptive water use channel (i.e., $\tilde{C}_i \equiv \text{Water use}_i \times \theta_i$)

Fact 3: Local Water Use Propagates via the Global Water Cycle

Does **economic water use** $\leftrightarrow$ observed Δ water cycle? Ideal (long-term) experiment:



Atmospheric propagation channel (i.e., $\tilde{C}_i$ spatially displaces water)



Fact 3: Local Water Use Propagates via the Global Water Cycle

Does **economic water use** $\leftrightarrow$ observed Δ water cycle? Ideal (long-term) experiment:

Δ Water use in $i \xrightarrow{\text{(i) Evap. rate } \theta_i} \Delta$ Evaporation from $i \xrightarrow{\text{(ii) Evap-prec. } f_{ij}^{(E)}} \Delta$ Precipitation in j

Challenge for (i): lack of long-term evaporation data.

Fact 3: Local Water Use Propagates via the Global Water Cycle

Does **economic water use** $\leftrightarrow$ observed Δ water cycle? Ideal (long-term) experiment:

Δ Water use in $i \xrightarrow{\text{(i) Evap. rate } \theta_i} \Delta$ Evaporation from $i \xrightarrow{\text{(ii) Evap-prec. } f_{ij}^{(E)}} \Delta$ Precipitation in j

Challenge for (i): lack of long-term evaporation data. Focus on (ii) at **0.5° cell-level**:

$$\Delta \text{Precipitation}_j = \alpha \sum_i f_{ij}^{(E)} \Delta \tilde{C}_i + \beta \Delta X_j + \gamma_{\text{FE}} + \varepsilon_j, \quad (2)$$

where $\Delta \equiv 1960\text{--}2015$ long diff. (Burke and Emerick2016; Carleton et al.2024a) [raw data](#)

Fact 3: Local Water Use Propagates via the Global Water Cycle

Does **economic water use** $\leftrightarrow$ observed Δ water cycle? Ideal (long-term) experiment:

Δ Water use in $i \xrightarrow{\text{(i) Evap. rate } \theta_i} \Delta$ Evaporation from $i \xrightarrow{\text{(ii) Evap-prec. } f_{ij}^{(E)}} \Delta$ Precipitation in j

Challenge for (i): lack of long-term evaporation data. Focus on (ii) at 0.5° cell-level:

$$\Delta \text{Precipitation}_j = \alpha \sum_i f_{ij}^{(E)} \Delta \tilde{C}_i + \beta \Delta X_j + \gamma_{FE} + \varepsilon_j, \quad (2)$$

where $\Delta \equiv 1960\text{--}2015$ long diff. (Burke and Emerick2016; Carleton et al.2024a) [raw data](#)

Observed long-term Δ Precipitation
(GPCC data; Gauge filter ≥ 1) [details](#)

Fact 3: Local Water Use Propagates via the Global Water Cycle

Does **economic water use** $\leftrightarrow$ observed Δ water cycle? Ideal (long-term) experiment:

Δ Water use in $i \xrightarrow{\text{(i) Evap. rate } \theta_i} \Delta$ Evaporation from $i \xrightarrow{\text{(ii) Evap-prec. } f_{ij}^{(E)}} \Delta$ Precipitation in j

Challenge for (i): lack of long-term evaporation data. Focus on (ii) at **0.5° cell-level**:

$$\Delta \text{Precipitation}_j = \alpha \sum_i f_{ij}^{(E)} \Delta \tilde{C}_i + \beta \Delta X_j + \gamma_{FE} + \varepsilon_j, \quad (2)$$

where $\Delta \equiv 1960\text{--}2015$ long diff. (Burke and Emerick 2016; Carleton et al. 2024a) [raw data](#)

Exposure to (global) consumptive water use (i.e., $\tilde{C}_i \forall i$)

Fact 3: Local Water Use Propagates via the Global Water Cycle

Does **economic water use** $\leftrightarrow$ observed Δ water cycle? Ideal (long-term) experiment:

Δ Water use in $i \xrightarrow{\text{(i) Evap. rate } \theta_i} \Delta$ Evaporation from $i \xrightarrow{\text{(ii) Evap-prec. } f_{ij}^{(E)}} \Delta$ Precipitation in j

Challenge for (i): lack of long-term evaporation data. Focus on (ii) at **0.5° cell-level**:

$$\Delta \text{Precipitation}_j = \alpha \sum_i f_{ij}^{(E)} \Delta \tilde{C}_i + \beta \Delta X_j + \gamma_{\text{FE}} + \varepsilon_j, \quad (2)$$

where $\Delta \equiv 1960\text{--}2015$ long diff. (Burke and Emerick2016; Carleton et al.2024a) [raw data](#)

- Δ Consumptive water use $\tilde{C}_i \sim \Delta$ grid cell-level irrigation share (in SD) [data details](#)
- $\gamma_{\text{FE}} \equiv \text{region} \times \text{aridity quintile} \times \text{latitude band} + \text{Bartik IV for } \Delta \tilde{C}_i$ [IV details](#)

Fact 3: Local Water Use Propagates via the Global Water Cycle

Table 3: Estimation Results (OLS and IV)

	Δ Precipitation			
	(1)	(2)	(3)	(4)
Δ Irrigation Exposure	0.0328* (0.0179)	0.0348* (0.0196)	0.1864*** (0.0626)	0.2229*** (0.0694)
Bartik IV	No	No	Yes	Yes
Weights	None	Cropland	None	Cropland
Observations	5,367	5,031	5,367	5,031
Kleibergen-Paap F-Stat			26.999	36.067

Conley (500km) standard-errors in parentheses. Signif. Codes: ***: 0.01, **: 0.05, *: 0.1.
All regression include climate controls (ΔX_j) and Region-Aridity quintile-Latitude FE (α_{FE}).

Magnitude interpretation (3): $\hat{\alpha} = 0.19$ per SD & $SD(\Delta \text{ irrig. exposure}) \sim 0.01 \rightarrow$

- Moving from P10 to P90 (~ 1.4 SD) $\sim$ **27% more precipitation** ($\sim 0.5\%$ /year)

sum. stats

1st stage

no controls

alternative IV

irrig. intensity

annual precip.

all cells

Motivating Facts: Taking Stock

Global economy & water cycle – highly interconnected networks

- Local water exploitation → sizeable global consequences (via feedback loops)
- Current water challenges: cross-sectional evidence of a **slow-moving process**

How will the economy & water co-evolve, and where it will lead is unknown

Next: an integrated model that incorporates such interconnections

- Optimal water policy that corrects all water-related externalities

Theory: A Dynamic Spatial Model of the Global Economy & Water Cycle

Dynamic Spatial Model – Overview

Economic module: trade model with labor and water as inputs

- Subject to policies: tariffs, subsidies, water prices
- Water use → higher extraction/prod. costs → shifts in trade & production

Water cycle module: closed system of geographical locations whose stock are

- Depleted by evaporation, runoffs, & water use; replenished by inflows
- Economic water use returns to the (closed) system

Dynamic Spatial Model – Overview

Economic module: trade model with **labor** and **water** as inputs

- Subject to policies: tariffs, subsidies, water prices
- Water use → higher extraction/prod. costs → shifts in trade & production

Water cycle module: closed system of geographical locations whose stock are

- Depleted by evaporation, runoffs, & water use; replenished by inflows
- Economic water use returns to the (closed) system

Water-Economy ↻ Feedback → Globalized Tragedy of the Commons

(i.e., local extraction imposes unpriced costs on the rest of the world)

Dynamic Spatial Model – Environment & Preferences

Geography of N locations i, j ; fixed labor $\bar{L}_i$ and endogenous water stocks $R_i(t)$

- $K + 1$ industries ($k = 0$: water extraction; $k \geq 1$: final goods), time $t = 0, 1, \dots$

Dynamic Spatial Model – Environment & Preferences

Geography of N locations i, j ; fixed labor $\bar{L}_i$ and endogenous water stocks $R_i(t)$

- $K + 1$ industries ($k = 0$: water extraction; $k \geq 1$: final goods), time $t = 0, 1, \dots$

Policy instruments create a wedge b/w producer (P) and consumer prices ($\tilde{P}$):

- Import tariffs $t_{ji,k}$, export & production subsidies $x_{ij,k}$, $s_{i,k}$, and **water pricing** $\tau_{i,k}$
- Tax revenues T_i rebated to households $\rightarrow$ balanced budget: $I_i = w_i \bar{L}_i + T_i$

Dynamic Spatial Model – Environment & Preferences

Geography of N locations i, j ; fixed labor $\bar{L}_i$ and endogenous water stocks $R_i(t)$

- $K + 1$ industries ($k = 0$: water extraction; $k \geq 1$: final goods), time $t = 0, 1, \dots$

Policy instruments create a wedge b/w producer (P) and consumer prices ($\tilde{P}$):

- Import tariffs $t_{ji,k}$, export & production subsidies $x_{ij,k}$, $s_{i,k}$, and **water pricing** $\tau_{i,k}$
- Tax revenues T_i rebated to households $\rightarrow$ balanced budget: $I_i = w_i \bar{L}_i + T_i$

Demand: $W_i = V_i(I_i, \tilde{P}_i)$; Marshallian demand (Roy's identity) $C_{ji,k} = D_{ji,k}(I_i, \tilde{P}_i)$

- Versatile enough for any demand system (e.g., CD-CES, non-homothetic CES)

Dynamic Spatial Model – Technology & Water Extraction

Supply: Final goods ($k \geq 1$) with CRS production $(L_{j,k}, H_{j,k})$; producer price:

$$P_{ji,k} = \bar{d}_{ji,k} c_{j,k}(w_j, \tilde{r}_{j,k}), \quad \text{where}$$

$\tilde{r}_{j,k} = r_j + \tau_{j,k} \equiv$ effective water price (inclusive of **water pricing** $\tau_{j,k}$)

Dynamic Spatial Model – Technology & Water Extraction

Supply: Final goods ($k \geq 1$) with CRS production ($L_{j,k}, H_{j,k}$); producer price:

$$P_{ji,k} = \bar{d}_{ji,k} c_{j,k}(w_j, \tilde{r}_{j,k}), \quad \text{where}$$

$\tilde{r}_{j,k} = r_j + \tau_{j,k} \equiv$ effective water price (inclusive of **water pricing** $\tau_{j,k}$)

Water extraction ($k = 0$) uses labor as $Q_{j,0} = L_{j,0}/G_j(R_j) \rightarrow$

$$r_j = w_j G_j(R_j)$$

where $G'_j < 0 \rightarrow$ extraction costs increase as resources deplete (and $H_{j,k}$ decreases)

Dynamic Spatial Model – Technology & Water Extraction

Supply: Final goods ($k \geq 1$) with CRS production ($L_{j,k}, H_{j,k}$); producer price:

$$P_{ji,k} = \bar{d}_{ji,k} c_{j,k}(w_j, \tilde{r}_{j,k}), \quad \text{where}$$

$\tilde{r}_{j,k} = r_j + \tau_{j,k} \equiv$ effective water price (inclusive of **water pricing** $\tau_{j,k}$)

Water extraction ($k = 0$) uses labor as $Q_{j,0} = L_{j,0}/G_j(R_j) \rightarrow$

$$r_j = w_j G_j(R_j)$$

where $G'_j < 0 \rightarrow$ extraction costs increase as resources deplete (and $H_{j,k}$ decreases)

Myopic agents $\rightarrow$ **Common Pool Resource Externality** (spatially and intertemporally)

(i.e., firms take r_j as given, not internalizing that withdrawals affect $R_j \forall j$)

Water Cycle – Global Geography & Natural Hydrology

Water cycle: **closed system** of land geographies $\mathcal{B} = \{1, \dots, B\}$ + ocean $\mathcal{O} = \{0\}$

$$R_i(t+1) = R_i(t) - \underbrace{E_i(t)}_{\kappa_i R_i(t)} - \underbrace{S_i(t)}_{\delta_i R_i(t)} + \sum_j f_{ji}^{(E)} \kappa_j R_j(t) + \sum_j f_{ji}^{(S)} \delta_j R_j(t)$$

Water Cycle – Global Geography & Natural Hydrology

Water cycle: **closed system** of land geographies $\mathcal{B} = \{1, \dots, B\}$ + ocean $\mathcal{O} = \{0\}$

$$R_i(t+1) = R_i(t) - \underbrace{E_i(t)}_{\kappa_i R_i(t)} - \underbrace{S_i(t)}_{\delta_i R_i(t)} + \sum_j f_{ji}^{(E)} \kappa_j R_j(t) + \sum_j f_{ji}^{(S)} \delta_j R_j(t)$$

Oceans as exogenous reservoirs (i.e., $E_0 = \bar{E}_0$, $S_0 = \bar{S}_0$) → **law of motion** $i \geq 1$:

$$\mathbf{R}_B(t+1) = \mathbf{\Gamma} + \mathbf{\Phi} \mathbf{R}_B(t), \text{ where}$$

- $\mathbf{\Gamma} \equiv \mathbf{F}_{OB}^{(E)} \bar{\mathbf{E}}_0 \equiv$ *exogenous ocean precipitation inflows (oceans ~ "sink" → $\bar{S}_0 = 0$)*
- $\mathbf{\Phi} \equiv \mathbf{I} - \mathbf{\kappa} - \mathbf{\delta} + \mathbf{F}_{BB}^{(E)} \mathbf{\kappa} + \mathbf{F}_{BB}^{(S)} \mathbf{\delta} \equiv$ *net retention (losses + atm. & surface recycling)*

Water Cycle – Economic Withdrawals & Consumptive Use

Now **add economic activity** $H_{ik}(t)$ with consumptive-use share $\theta_{ik} \in (0, 1)$:

- Fraction of $H_{ik}(t)$ lost via evaporation; remainder returns as runoff

Water Cycle – Economic Withdrawals & Consumptive Use

Now **add economic activity** $H_{ik}(t)$ with consumptive-use share $\theta_{ik} \in (0,1)$:

- Fraction of $H_{ik}(t)$ lost via evaporation; remainder returns as runoff

Location-level aggregates:

$$H_i(t) = \sum_k H_{ik}(t), \quad \theta_i(t) = \frac{\sum_k \theta_{ik} H_{ik}(t)}{\sum_k H_{ik}(t)} \quad (\text{time-varying with sectoral mix})$$

Modified evaporation (natural + economic):

$$E_B(t) = \kappa R_B(t) + \theta(t) H(t)$$

Economic withdrawals $\uparrow$ evaporation, shifting precipitation patterns worldwide

Water Cycle – Updated Law of Motion, Steady State, & Gen. Eq.

Law of motion with economic activity:

$$\mathbf{R}_B(t+1) = \mathbf{\Gamma} + \mathbf{\Phi} \mathbf{R}_B(t) + \mathbf{\Psi}(t) \mathbf{H}(t), \quad \mathbf{\Psi}(t) \equiv (\mathbf{F}_{BB}^{(E)} - \mathbf{I}) \boldsymbol{\theta}(t)$$

$\mathbf{\Psi}(t) \equiv$ *net economic retention* $\rightarrow \mathbf{\Psi}(t) \mathbf{H}(t)$ has an ambiguous sign

Water Cycle – Updated Law of Motion, Steady State, & Gen. Eq.

Law of motion with economic activity:

$$\mathbf{R}_B(t+1) = \mathbf{\Gamma} + \mathbf{\Phi} \mathbf{R}_B(t) + \mathbf{\Psi}(t) \mathbf{H}(t), \quad \mathbf{\Psi}(t) \equiv (\mathbf{F}_{BB}^{(E)} - \mathbf{I}) \boldsymbol{\theta}(t)$$

$\mathbf{\Psi}(t) \equiv$ *net economic retention* $\rightarrow \mathbf{\Psi}(t) \mathbf{H}(t)$ has an ambiguous sign

Steady state with economic activity (fixed-point in $\mathbf{R}_B^{(ss)}$):

$$\mathbf{R}_B^{(ss)} = (\mathbf{I} - \mathbf{\Phi})^{-1} \left(\mathbf{\Gamma} + \mathbf{\Psi}^{(ss)} \mathbf{H}(\mathbf{R}_B^{(ss)}) \right)$$

Closed system: $\sum_i R_i(t+1) = \sum_i R_i(t)$ – fixed global water stock

Water Cycle – Updated Law of Motion, Steady State, & Gen. Eq.

Law of motion with economic activity:

$$\mathbf{R}_B(t+1) = \mathbf{\Gamma} + \mathbf{\Phi} \mathbf{R}_B(t) + \mathbf{\Psi}(t) \mathbf{H}(t), \quad \mathbf{\Psi}(t) \equiv (\mathbf{F}_{BB}^{(E)} - \mathbf{I}) \boldsymbol{\theta}(t)$$

$\mathbf{\Psi}(t) \equiv$ *net economic retention* $\rightarrow \mathbf{\Psi}(t) \mathbf{H}(t)$ has an ambiguous sign

Steady state with economic activity (fixed-point in $\mathbf{R}_B^{(ss)}$):

$$\mathbf{R}_B^{(ss)} = (\mathbf{I} - \mathbf{\Phi})^{-1} \left(\mathbf{\Gamma} + \mathbf{\Psi}^{(ss)} \mathbf{H}(\mathbf{R}_B^{(ss)}) \right)$$

Closed system: $\sum_i R_i(t+1) = \sum_i R_i(t)$ – fixed global water stock

General equilibrium: $\{w_i(t)\}_{i,t}$ satisfying LOM & $\{w_i^{(ss)}\}_i$ satisfying SS above [details](#)

Optimal Water Policy for an Interconnected World

Optimal Water Policy – Problem & Pigouvian Tax

[derivation](#)[illustration](#)

Optimal policy $\mathbb{I}_i \equiv \{\mathbf{t}_i, \mathbf{x}_i, \mathbf{s}_i, \tau_i\}$ + transfers Δ_i ($\sum_i \Delta_i = 0$) solves

$$\max_{\mathbb{I}} \mathcal{W}(W_1(\mathbb{I}), \dots, W_N(\mathbb{I})) \quad \text{s.to steady-state GE relationships}$$

Optimal Water Policy – Problem & Pigouvian Tax

[derivation](#)[illustration](#)

Optimal policy $\mathbb{I}_i \equiv \{t_i, x_i, s_i, \tau_i\}$ + transfers Δ_i ($\sum_i \Delta_i = 0$) solves

$$\max_{\mathbb{I}} \mathcal{W}(W_1(\mathbb{I}), \dots, W_N(\mathbb{I})) \quad \text{s.to steady-state GE relationships}$$

Non-water taxes: $t_{ij,k} = x_{ij,k} = s_{i,k} = 0$ (distorting goods prices is inefficient)

Optimal Water Policy – Problem & Pigouvian Tax derivation illustration

Optimal policy $\mathbb{I}_i \equiv \{t_i, x_i, s_i, \tau_i\}$ + transfers Δ_i ($\sum_i \Delta_i = 0$) solves

$$\max_{\mathbb{I}} \mathcal{W}(W_1(\mathbb{I}), \dots, W_N(\mathbb{I})) \quad \text{s.to steady-state GE relationships}$$

Non-water taxes: $t_{ij,k} = x_{ij,k} = s_{i,k} = 0$ (distorting goods prices is inefficient)

Optimal water tax (Pigouvian + spatial linkages):

$$\tau_{i,k} = \tilde{r}_{i,k} - r_i = \sum_n \frac{G'_n(\cdot)}{G_n(\cdot)} r_n \sum_g \lambda_{in,g} H_{n,g}$$

- $G'_n/G_n < 0$: *extraction externality* – depletion $\rightarrow$ higher future unit costs
- $\lambda_{in,g}$: *spatial weights* – hydrological links propagate the externality globally

$\tau_{i,k} \equiv$ Pigouvian price $\sim$ **location-specific Social Cost of Water** ($\Delta_i \leftrightarrow$ distr. goals)

Quantitative Exercise: Real-World Calibration, Simulations, and the Social Cost of Water

Quantitative Exercise – Overview (in progress)

1. Calibrate the model with global economic (2025 ca.) and hydrological data
 - **Key objects:** hydrological parameters ($\checkmark$), extraction G_i , non-hom. preferences ●
2. Status-quo simulation of the world economy & water cycle (2025-2100)
 - Exogenous inputs: population and TFP growth (until 2100); steady state afterwards ●
3. Estimate the Social Cost of Water for the (steady state) global economy
 - Benchmark it against the inefficient SS & alternative policies (e.g., trade liberalization) ●

Final Remarks & Next Steps

Final Remarks & Next Steps

Economic activity distorts the global water cycle through spatial linkages

- Slow-moving but empirically measurable process

A dynamic spatial model integrating both networks

- Common-pool externalities → *globalized tragedy of the commons*
- Corrected by a **location-specific Pigouvian water tax** ~ **Social Cost of Water**

Next steps: link to global data → quantify welfare costs of water externalities

- Simulate optimal policies for the 21st century
- Model extension (e.g., full-fledged dynamics, non-homothetic preferences, ...)

Thank you

bruno.conte@upf.edu

I acknowledge funding from the EU's Horizon Europe research and innovation programme (Marie Skłodowska-Curie grant agreement No 101146979-SPEED), the EIEF 2023 grant "International Trade, Globalization, and the Environment", the Ramón Areces Social Sciences grant "Trade Policy and Water Scarcity Around the World", and the BSE Seed Grant SG2026-05 "Water Scarcity (and Policy) in the Globalized Economy".

References I

- Araujo, Rafael**, “When clouds go dry: An integrated model of deforestation, rainfall, and agriculture,” 2023.
- , **Francisco Costa, Vinícius Hector, and Marcelo Sant’Anna**, “Powerful Forests: The Welfare Implications of Deforestation for the Power Sector,” 2026.
- , **Juliano Assunção, Marina Hirota, and José A Scheinkman**, “Estimating the spatial amplification of damage caused by degradation in the Amazon,” *Proceedings of the National Academy of Sciences*, 2023, 120 (46), e2312451120.
- Best, Martin J, M Pryor, DB Clark, Gabriel G Rooney, R LH Essery, Cecile B Menard, JM Edwards, MA Hendry, A Porson, N Gedney et al.**, “The Joint UK Land Environment Simulator (JULES), model description—Part 1: energy and water fluxes,” *Geoscientific Model Development*, 2011, 4 (3), 677–699.
- Blakeslee, David, Aaditya Dar, Ram Fishman, Samreen Malik, Heitor S Pellegrina, and Karan Singh Bagavathinathan**, “Irrigation and the spatial pattern of local economic development in India,” *Journal of Development Economics*, 2023, 161, 102997.
- Bourany, Thomas**, “Climate Change, Inequality, and the Optimal Climate Policy,” *Working Paper*, 2025.
- , “The Optimal Design of Climate Agreements: Inequality, Trade, and Incentives for Climate Policy,” *Working Paper*, 2025.
- **and Jordan Rosenthal-Kay**, “The winners and losers of climate policies: a sufficient statistics approach,” *Working Paper*, 2025.
- Burek, Peter, Mikhail Smilovic, Luca Guillaumot, Jens de Bruijn, Peter Greve, Yusuke Satoh, Adam Islaam, A Virgen-Urcelay, T Tang, T Kahil et al.**, “Community Water Model CWatM Manual,” 2020.
- Burke, Marshall and Kyle Emerick**, “Adaptation to climate change: Evidence from US agriculture,” *American Economic Journal: Economic Policy*, 2016, 8 (3), 106–140.
- Carleton, Tamma, Esther Duflo, B Kelsey Jack, and Guglielmo Zappalà**, “Adaptation to climate change,” in “Handbook of the Economics of Climate Change,” Vol. 1, Elsevier, 2024, pp. 143–248.

References II

- , **Levi Crews**, and **Ishan Nath**, “Is the world running out of fresh water?,” in “AEA Papers and Proceedings,” Vol. 114 American Economic Association 2014 Broadway, Suite 305, Nashville, TN 37203 2024, pp. 31–35.
- , — , and — , “Agriculture, trade, and the spatial efficiency of global water use,” *Working Paper*, 2025.
- Conte, Bruno**, **Klaus Desmet**, and **Esteban Rossi-Hansberg**, “On the Geographic Implications of Carbon Taxes,” *The Economic Journal*, 04 2025, p. ueaf027.
- , — , **Dávid Krisztián Nagy**, and **Esteban Rossi-Hansberg**, “Local sectoral specialization in a warming world,” *Journal of Economic Geography*, 2021, 21 (4), 493–530.
- Copeland, Brian R**, **Joseph S Shapiro**, and **M Scott Taylor**, “Globalization and the environment,” in “Handbook of International Economics,” Vol. 5, Elsevier, 2022, pp. 61–146.
- Cruz, José-Luis** and **Esteban Rossi-Hansberg**, “The economic geography of global warming,” *Review of Economic Studies*, 2024, 91 (2), 899–939.
- Davis, Donald R** and **David E Weinstein**, “An account of global factor trade,” *American Economic Review*, 2001, 91 (5), 1423–1453.
- Debaere, Peter**, “The global economics of water: is water a source of comparative advantage?,” *American Economic Journal: Applied Economics*, 2014, 6 (2), 32–48.
- and **Tianshu Li**, “The effects of water markets: Evidence from the Rio Grande,” *Advances in Water Resources*, 2020, 145, 103700.
- Desmet, Klaus** and **Esteban Rossi-Hansberg**, “On the spatial economic impact of global warming,” *Journal of Urban Economics*, 2015, 88, 16–37.
- and — , “Climate change economics over time and space,” *Annual Review of Economics*, 2024, 16.
- Domínguez-Iino, Tomás**, **Jonathan T Elliott**, and **Allan Hsiao**, “Critical Minerals, Geopolitics, and the Green Transition,” Technical Report, National Bureau of Economic Research 2026.
- Farrokhi, Farid**, “Global sourcing in oil markets,” *Journal of International Economics*, 2020, 125, 103323.

References III

- , **Ahmad Lashkaripour**, and **Homa Taheri**, “A Framework for Integrating Climate Goals into Trade Agreements,” *Working Paper*, 2025.
- , **Elliot Kang**, **Heitor S Pellegrina**, and **Sebastian Sotelo**, “Deforestation: A global and dynamic perspective,” Technical Report, National Bureau of Economic Research 2025.
- Fishman, Ram**, **Naresh Devineni**, and **Swaminathan Raman**, “Can improved agricultural water use efficiency save India’s groundwater?,” *Environmental Research Letters*, 2015, 10 (8), 084022.
- Gosling, Simon N**, **Hannes Müller Schmied**, **Richard Betts**, **Jinfeng Chang**, **He Chen**, **Philippe Ciais**, **Rutger Dankers**, **Petra Döll**, **Stephanie Eisner**, **Martina Flörke et al.**, “ISIMIP2a simulation data from the global water sector,” *ISIMIP2a Simulation Data from the Global Water Sector*, 2023.
- Greaney, Brian**, **Joseph S Shapiro**, and **Katherine RH Wagner**, “Are We Consuming Too Much Groundwater?,” 2026.
- Hanasaki, Naota** and **Takahiro Yamamoto**, “Ho8 manual user’s edition,” *National Institute for Environmental Studies, Tsukuba, Japan*, 2010, 76.
- , **S Kanae**, **T Oki**, **K Masuda**, **K Motoya**, **N Shirakawa**, **Y Shen**, and **K Tanaka**, “An integrated model for the assessment of global water resources—Part 1: Model description and input meteorological forcing,” *Hydrology and Earth System Sciences*, 2008, 12 (4), 1007–1025.
- Haseeb, Muhammad**, “Resource Scarcity and Cooperation,” *Working Paper*, 2024.
- Hassler, John** and **Per Krusell**, “Economics and climate change: integrated assessment in a multi-region world,” *Journal of the European Economic Association*, 2012, 10 (5), 974–1000.
- , —, and **Conny Olovsson**, “Finite resources and the world economy,” *Journal of International Economics*, 2022, 136, 103592.
- Hornbeck, Richard** and **Pinar Keskin**, “The historically evolving impact of the ogallala aquifer: Agricultural adaptation to groundwater and drought,” *American Economic Journal: Applied Economics*, 2014, 6 (1), 190–219.
- Hotelling, Harold**, “The economics of exhaustible resources,” *Journal of political Economy*, 1931, 39 (2), 137–175.

References IV

- Kang, Elliot**, “Global Fisheries: Quantifying the Externalities from Open Access,” *Job Market Paper, University of Michigan*, 2024, 61.
- Keiser, David A and Joseph S Shapiro**, “Consequences of the Clean Water Act and the demand for water quality,” *The Quarterly Journal of Economics*, 2019, 134 (1), 349–396.
- and —, “US water pollution regulation over the past half century: burning waters to crystal springs?,” *Journal of Economic Perspectives*, 2019, 33 (4), 51–75.
- Krusell, Per and Anthony A Smith**, “Climate Change Around the World,” *NBER Working Paper*, 2022, (w30338).
- Mazzucato, Mariana, Ngozi Okonjo-Iweala, Johan Rockström, and Tharman Shanmugaratnam**, “The economics of water: valuing the hydrological cycle as a global common good,” 2024.
- Mekonnen, Mesfin M and Arjen Y Hoekstra**, “Four billion people facing severe water scarcity,” *Science advances*, 2016, 2 (2), e1500323.
- and —, “Blue water footprint linked to national consumption and international trade is unsustainable,” *Nature Food*, 2020, 1 (12), 792–800.
- Niazi, Hassan, Thomas B Wild, Sean WD Turner, Neal T Graham, Mohamad Hejazi, Siwa Msangi, Son Kim, Jonathan R Lamontagne, and Mengqi Zhao**, “Global peak water limit of future groundwater withdrawals,” *Nature Sustainability*, 2024, 7 (4), 413–422.
- Nordhaus, William**, *Managing the global commons: the economics of climate change*, Vol. 31, MIT press Cambridge, MA, 1994.
- Oleson, Keith W, David M Lawrence, Gordon B Bonan, Rosemary A Fisher, Peter J Lawrence, and Stefan P Muszala**, “Technical description of version 4.5 of the Community Land Model (CLM),” *Technical description of version 4.5 of the Community Land Model (CLM)(2013) NCAR/TN-503+ STR*, 2013, 503.
- Olmstead, Sheila M**, “The economics of managing scarce water resources,” *Review of Environmental Economics and policy*, 2010.

References V

- Petrillo, Elena De, Luca Monaco, Marta Tuninetti, Arie Staal, and Francesco Laio, "Cell-scale atmospheric moisture flows dataset reconciled with ERA5 reanalysis," *Scientific data*, 2025, 12 (1), 629.
- , Simon Felix Fahrländer, Marta Tuninetti, Lauren Seaby Andersen, Luca Monaco, Luca Ridolfi, and Francesco Laio, "Reconciling tracked atmospheric water flows to close the global freshwater cycle," *Communications Earth & Environment*, 2025, 6 (1), 347.
- Pindyck, Robert S, "The optimal exploration and production of nonrenewable resources," *Journal of political economy*, 1978, 86 (5), 841–861.
- Pokhrel, Yadu N, Farshid Felfelani, Sanghoon Shin, Tomohito J Yamada, and Yusuke Satoh, "Modeling large-scale human alteration of land surface hydrology and climate," *Geoscience Letters*, 2017, 4 (1), 10.
- Risi, Camille, Jérôme Ogée, Sandrine Bony, Thierry Bariac, Naama Raz-Yaseef, Lisa Wingate, Jeffrey Welker, Alexander Knohl, Cathy Kurz-Besson, Monique Leclerc et al., "The water isotopic version of the land-surface model ORCHIDEE: Implementation, evaluation, sensitivity to hydrological parameters," *Hydrology: Current Research*, 2016, 7 (4), 100258.
- Rodell, Matthew, Jay S Famiglietti, David N Wiese, JT Reager, Hiroko K Beaudoin, Felix W Landerer, and M-H Lo, "Emerging trends in global freshwater availability," *Nature*, 2018, 557 (7707), 651–659.
- Schaphoff, Sibyll, Werner Von Bloh, Anja Rammig, Kirsten Thonicke, Hester Biemans, Matthias Forkel, Dieter Gerten, Jens Heinke, Jonas Jägermeyr, Jürgen Knauer et al., "LPJmL4—a dynamic global vegetation model with managed land—Part 1: Model description," *Geoscientific Model Development*, 2018, 11 (4), 1343–1375.
- Schmied, Hannes Müller, Denise Cáceres, Stephanie Eisner, Martina Flörke, Claudia Herbert, Christoph Niemann, Thedini Asali Peiris, Eklavya Papat, Felix Theodor Portmann, Robert Reinecke et al., "The global water resources and use model WaterGAP v2. 2d: Model description and evaluation," *Geoscientific Model Development*, 2021, 14 (2), 1037–1079.

References VI

- , Tim Trautmann, Sebastian Ackermann, Denise Cáceres, Martina Flörke, Helena Gerdener, Ellen Kynast, Thedini Asali Peiris, Leonie Schiebener, Maike Schumacher et al., “The global water resources and use model WaterGAP v2. 2e: description and evaluation of modifications and new features,” *Geoscientific Model Development Discussions*, 2023, 2023, 1–46.
- Sekhri, Sheetal, “Wells, water, and welfare: the impact of access to groundwater on rural poverty and conflict,” *American Economic Journal: Applied Economics*, 2014, 6 (3), 76–102.
- Solow, Robert M, “The Economics of Resources or the Resources of Economics,” *The American Economic Review*, 1974, 64 (2), 1–14.
- Stacke, Tobias and Stefan Hagemann, “HydroPy (v1. 0): A new global hydrology model written in Python,” *Geoscientific Model Development*, 2021, 14 (12), 7795–7816.
- Stiglitz, Joseph, “Growth with Exhaustible Natural Resources: Efficient and Optimal Growth Paths,” *The Review of Economic Studies*, 1974, 41 (5), 123–137.
- Sutanudjaja, Edwin H, Rens Van Beek, Niko Wanders, Yoshihide Wada, Joyce HC Bosmans, Niels Drost, Ruud J Van Der Ent, Inge EM De Graaf, Jannis M Hoch, Kor De Jong et al., “PCR-GLOBWB 2: a 5 arcmin global hydrological and water resources model,” *Geoscientific Model Development*, 2018, 11 (6), 2429–2453.
- Vanek, Jaroslav, “The natural resource content of foreign trade, 1870–1955, and the relative abundance of natural resources in the United States,” *The Review of Economics and Statistics*, 1959, pp. 146–153.
- Wiltshire, Andrew J, Maria Carolina Duran Rojas, John M Edwards, Nicola Gedney, Anna B Harper, Andrew J Hartley, Margaret A Hendry, Eddy Robertson, and Kerry Smout-Day, “JULES-GL7: the Global Land configuration of the Joint UK Land Environment Simulator version 7.0 and 7.2,” *Geoscientific Model Development*, 2020, 13 (2), 483–505.
- Yokohata, Tokuta, Tsuguki Kinoshita, Gen Sakurai, Yadu Pokhrel, Akihiko Ito, Masashi Okada, Yusuke Satoh, Etsushi Kato, Tomoko Nitta, Shinichiro Fujimori et al., “MIROC-INTEG-LAND version 1: a global biogeochemical land surface model with human water management, crop growth, and land-use change,” *Geoscientific Model Development*, 2020, 13 (10), 4713–4747.

Appendix

Policy Contribution: Details [Back](#)

Policy-relevant: addresses calls for global water governance (Mazzucato et al.2024) and HORIZON EU's environmental research priorities

Envisioned legacy: inspire new research on

- **Social cost of water:** challenges the paradigm of an inherently local SCW (Olmstead2010) → first calculation of shadow prices internalizing **full spatial & intertemporal externalities** of local water use
- **Political economy** of shared (water) resources
- Water and the **green transition:** energy-intensive technologies, AI, ...

Spatial-climate economics: spatial economy–climate (Nordhaus1994; Hassler and Krusell2012; Krusell and Smith2022; Desmet and Rossi-Hansberg2015, 2024)

- Trade (Conte et al.2021), green subsidies (Cruz and Rossi-Hansberg2024), CO₂ taxes (Conte et al.2025), policy coordination (Farrokhi et al.2025a)
- Distributional effects (Bourany2025a,b; Bourany and Rosenthal-Kay2025)

Gap: no study has focused on water as an outcome of the economy–climate system

- *This paper:* first integrated model of the global economy & global water cycle

Hydrology: rich models projecting future water challenges, but limited flexibility for policy exercises (e.g., Niazi et al.2024)

Water economics: mostly context-specific settings

- India (e.g., Fishman et al.2015; Sekhri2014; Blakeslee et al.2023); Pakistan (Haseeb2024); US (e.g., Hornbeck and Keskin2014; Keiser and Shapiro2019a,b; Debaere and Li2020)

Gap: lack of full integration (e.g., exogenous recharge and/or context specific; Araujo et al.2023; Araujo2023; Carleton et al.2025; Araujo et al.2026; Greaney et al.2026)

- *This paper:* global, integrated & transparent framework **bridging both fields**

“Limits to growth”: intertemporal resource depletion (Solow1974; Stiglitz1974; Pindyck1978); resource content of trade (Vanek1959; Davis and Weinstein2001; Debaere2014)

Modern revival – sustainable exploitation in spatial models:

- Forests (Farrokhi et al.2025b), fisheries (Kang2024), oil (Farrokhi2020; Hassler et al.2022), and minerals (Domínguez-Iino et al.2026)

Gap: the modern revival has not yet extended to water

- *This paper*: intertemporal exploitation of **spatially interconnected** water resources

RECON (De Petrillo et al.2025a,b): bilateral atmospheric moisture flows between every pair of 0.5° grid cells worldwide

- **Methodology:** UTrack Lagrangian moisture tracking $\rightarrow$ Iterative Proportional Fitting (IPF) reconciliation with ERA5 reanalysis
- **Coverage:** global, $0.5^\circ \times 0.5^\circ$; average year based on **2008–2017**
- **Content:** $f_{gg'}^{(E)}$ (m^3) = atmospheric moisture evaporated at cell g and precipitated at cell g'

Basin-level aggregation $\rightarrow$ moisture matrix $F_{BB}^{(E)}$ used in the model's law of motion:


$$f_{ji}^{(E)} = \sum_{g \in j} \sum_{g' \in i} f_{gg'}^{(E)}$$

Country-level aggregation $\rightarrow$ “foreign water use” regressor in Fact 2:

$$f_{c'c}^{(E)} = \sum_{g \in c'} \sum_{g' \in c} f_{gg'}^{(E)}, \quad \Delta \text{Foreign water use}_c = \sum_{c' \neq c} f_{c'c}^{(E)} \Delta \text{Water use}_{c'}$$


Atmospheric Moisture Shares: Maps [Back](#)

Fig. Share of atmospheric "domestic" flows



Atmospheric Moisture Shares: Maps [Back](#)

Fig. Share of atmospheric "foreign flows" from other land basins



Atmospheric Moisture Shares: Maps [Back](#)

Fig. Share of atmospheric "foreign flows" from the oceans






Table 4: Water "export shares" per destination basin type (%)

	Own basin	Other basins (domestic)	Other basins (foreign)	Oceans
Min.	0.77	0.06	1.39	1.60
Q1	3.01	5.59	13.63	19.43
Median	6.59	13.34	28.14	34.34
Mean	11.04	20.37	36.20	37.58
Q3	13.04	32.62	57.22	53.91
Max.	74.58	80.21	91.43	94.26

Fact 1: Global Atmospheric Links Between Water Resources

[Back](#)

Fact 1: Global Atmospheric Links Between Water Resources

[Back](#)

Fact 1 (Bonus): Top water-stressed countries $\leftrightarrow$ top "atmospheric exporters"


[Back](#)

Water stress $\equiv$ water withdraws/endowments [FAO data](#)

Top water-stressed countries:

- Also the top "atmospheric water exporters"
- I.e., most central countries in terms of "propagation" of local water depletion


Fig. Water exporters vs. water stress



Water Stress Data from FAO's AQUASTAT [Back](#)

Definition (FAO AQUASTAT): Water stress = $\frac{\text{Total freshwater withdrawn}}{\text{Total renewable freshwater resources}} \times 100$

Fig. Water stress (%) across countries (FAO AQUASTAT, avg. 2008–2017)



Note: Values above 100% winsorized. Grey = missing data.

Fact 2: Data Construction and Modelling Choices [back](#)

Outcome:

- $\Delta \log$ **growing-season** precipitation — GPCC [1960](#) [2015](#) [LD map](#) [gauges](#)
- NH (Apr–Sep), SH (Oct–Mar)

Endogenous variable:

- Δ Moisture-weighted irrigated share — LUH2 $\times$ RECON [1960](#) [2015](#) [LD map](#)
- Why irrigation? 90% of consumptive water use (Carleton et al.2024b, 2025)

Instrument:

- Bartik IV: GAEZ irrigated suitability $\times$ commodity prices [maps](#) [prices](#)
- Alternative: yield-based IV

Weighting: optional cropland weighting (mean cropland share 1960–2015)

Controls: Δ GS potential evapotranspiration, Δ GS temperature — ERA5

Fact 2: Data Construction and Modelling Choices [back](#)

(a) Long difference: 1960→2015 [details](#)

- Early window: avg. 1958–1962; late window: avg. 2013–2017
- LUH2 anchor years at endpoints; GPCC/ERA5 smoothed over 5 years
- Captures long-run structural change, not year-to-year noise

(b) Growing-season precipitation [details](#)

- NH: Apr–Sep; SH: Jan–Mar + Oct–Dec
- Reduces noise from off-season months (sensitivity = annual precipitations)

(c) Gauge filter: GS gauge ≥ 1 [details](#) [gauge map](#)

- ≥ 1 active GPCC gauge in growing-season months, both windows
- Ensures measured (not interpolated) precipitation at endpoints

[LD precipitation](#)


[LD irrigation](#)

[LD exposure](#)

[LD cropland](#)


GS precipitation — GPCC, 1960 [back](#)

GPCC gauge-based growing-season precipitation at 0.5° . NH: Apr–Sep, SH: Oct–Mar.
Log-transformed for display.




GS precipitation — GPCC, 2015 [back](#)

GPCC gauge-based growing-season precipitation at 0.5° . NH: Apr–Sep, SH: Oct–Mar.
Log-transformed for display.




Irrigated land — LUH2, 1960 [back](#)

LUH2: share of grid cell under irrigation. Native 0.25° , resampled to 0.5° via area-weighted averaging.



Irrigated land — LUH2, 2015 [back](#)



LUH2: share of grid cell under irrigation. Native 0.25° , resampled to 0.5° via area-weighted averaging.



Instrument for Δ irrigation share


- Bartik IV: GAEZ irrigated suitability index $\times \Delta$ commodity prices
- Alternative: yield-based (rather than suit. index) share $\times \Delta$ commodity prices

Figure: GAEZ v4 suitability index (0–9) for 10 crops, low-input, 1961–1990 climate baseline. Averaged across crops. 5-arcmin native, resampled to 0.5° . Left: rainfed suit. (Z_i^{crop}). Right: irrigated suit. (Z_i^{irrig}).



Bartik IV – Commodity prices (World Bank) [back](#) [back IV](#)

Annual nominal prices (\$/mt) for 10 crops (wheat, rice, maize, sugar, cotton, soybean, sorghum, banana, coffee, cocoa). Used as time-varying shifters in Bartik IV: $\text{suitability}_i \times \text{price}_t$.




Long difference: 1960→2015 [back](#)


Long difference between endpoint averages: early (1958–1962) vs. late (2013–2017).

Data coverage:

- LUH2 irrigated/cropland shares: anchor years 1960 and 2015
- GPCC & ERA5: monthly, averaged over 5-year windows at each endpoint
- GAEZ crop suitability: 1961–1990 baseline (time-invariant)
- RECON atmospheric moisture: 2008–2017 average (single cross-section)



Irrigated share (LUH2)



Cropland share (LUH2)

GPCC growing-season precipitation


[back](#)[gauge map](#)

GPCC: monthly gauge-based precipitation, summed over growing-season months.

Growing season by hemisphere: NH = Apr–Sep, SH = Jan–Mar + Oct–Dec.

Advantages over ERA5 precipitation:

- Station-based measurement: **independent** of atmospheric reanalysis
- Avoids **mechanical correlation** with ERA5-derived controls (PET, temperature)
- GS gauge density for quality filtering (matched to outcome season)



Fact 2: sample selection

[back](#)[gauge map](#)

GPCC gauge count

- Each 0.5° cell $\times$ month: number of rain gauge stations contributing to the precipitation estimate
- Cells with 0 gauges rely entirely on interpolation from distant stations


Growing-season gauge

- Mean gauge count over growing-season months only (NH: Apr–Sep, SH: Oct–Mar)
- Computed separately for each year, then take min across all years in both windows (1958–62, 2013–17)


Filter: min GS gauge ≥ 1

- At least one active gauge in every year of both endpoint windows
- Same subsample used for both growing-season and annual precipitation outcomes


GPCC GS gauge density

[back main](#)[back](#)[sample](#)


Long diff: GS precipitation

[back](#)[back main](#)


Long diff. log precip. (GS) — 1960→2015




Long diff: irrigated share

[back](#)[back main](#)


Long diff: irrigation exposure

[back](#)[back main](#)

Long diff. irrigation exposure — 1960→2015



Long diff: cropland share

[back](#)[back main](#)

Summary statistics: GS gauge ≥ 1 [back](#)

Variable	Mean	SD	P10	P50	P90
Growing-season precipitation					
Log GS precipitation, 1960	5.9286	0.8676	4.9781	5.9615	6.9080
Log GS precipitation, 2015	5.9346	0.8505	4.9201	5.9793	6.8916
Δ log GS precipitation	0.0060	0.2080	-0.2192	0.0100	0.2162
Annual precipitation					
Log annual precipitation, 1960	6.5587	0.7300	5.7625	6.5874	7.3629
Log annual precipitation, 2015	6.5765	0.7048	5.7972	6.5957	7.3699
Δ log annual precipitation	0.0178	0.1689	-0.1667	0.0183	0.1952
Irrigation exposure					
Irrigation exposure, 1960	0.0070	0.0106	0.0004	0.0037	0.0163
Irrigation exposure, 2015	0.0130	0.0192	0.0011	0.0070	0.0286
Δ irrigation exposure	0.0059	0.0097	0.0005	0.0030	0.0145
Irrigation intensity					
Irrigation intensity, 1960	0.0219	0.0306	0.0020	0.0119	0.0580
Irrigation intensity, 2015	0.0449	0.0536	0.0043	0.0274	0.1107
Δ irrigation intensity	0.0230	0.0273	0.0016	0.0147	0.0601
Controls and instruments					
Cropland share (mean 1960–2015)	0.2223	0.2124	0.0019	0.1575	0.5606
Δ GS PET (mm)	24.3627	41.0805	-18.9750	19.4425	80.4304
Δ GS temperature (°C)	1.0414	0.5780	0.3860	0.9908	1.7912
Δ instrument (suitability)	23152.7654	13574.5326	7175.7592	20652.4980	42403.7115
Δ instrument (yield)	1556764.4190	1954763.8277	270146.5287	843091.0720	3342089.4455
Mean GS gauge count	2.2116	2.8127	1.0000	1.0000	5.0000

First stage: GS gauge ≥ 1 [back](#)

Dependent Variable:	Irrigated share			
Instrument	Suitability		Yield	
Weights	None	Cropland	None	Cropland
Model:	(1)	(2)	(3)	(4)
<i>Variables</i>				
Suitability IV	0.2140*** (0.0407)	0.3079*** (0.0559)		
Yield IV			0.3042*** (0.0683)	0.3740*** (0.0820)
Climate controls	Yes	Yes	Yes	Yes
<i>Fixed-effects</i>				
Region-Aridity quintile-Latitude band	Yes	Yes	Yes	Yes
<i>Fit statistics</i>				
Observations	5,367	5,031	5,367	5,031
R ²	0.81804	0.89651	0.81850	0.88851

Conley (500km) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

GS gauge ≥ 1 , GS precip: no climate controls [back](#)

Dependent Variable:	Δ log precipitation (growing season)			
Estimator	OLS		IV	
Weights	None	Cropland	None	Cropland
Model:	(1)	(2)	(3)	(4)
<i>Variables</i>				
Irrigated share	0.0417** (0.0195)	0.0404* (0.0215)	0.1981*** (0.0678)	0.1882** (0.0769)
Climate controls	No	No	No	No
<i>Fixed-effects</i>				
Region-Aridity quintile-Latitude band	Yes	Yes	Yes	Yes
<i>Fit statistics</i>				
Observations	5,367	5,031	5,367	5,031
Kleibergen-Paap			24.798	34.630
<i>Conley (500km) standard-errors in parentheses</i>				
<i>Signif. Codes: ***: 0.01, **: 0.05, *: 0.1</i>				

GS gauge ≥ 1 , GS precip: yield IV [back](#)

Dependent Variable:	Δ log precipitation (growing season)			
Estimator	OLS		IV	
Weights	None	Cropland	None	Cropland
Model:	(1)	(2)	(3)	(4)
<i>Variables</i>				
Irrigated share	0.0328*	0.0348*	0.0900**	0.1401**
	(0.0179)	(0.0196)	(0.0392)	(0.0619)
Climate controls	Yes	Yes	Yes	Yes
<i>Fixed-effects</i>				
Region-Aridity quintile-Latitude band	Yes	Yes	Yes	Yes
<i>Fit statistics</i>				
Observations	5,367	5,031	5,367	5,031
Kleibergen-Paap			19.412	21.667

Conley (500km) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

Intensive margin: irrigation intensity [back](#)

Dependent Variable: Estimator Weights Model:	$\Delta \log$ precipitation (growing season)			
	OLS		IV	
	None (1)	Cropland (2)	None (3)	Cropland (4)
<i>Variables</i>				
Irrigation intensity	0.0335** (0.0165)	0.0581** (0.0228)	0.1114*** (0.0347)	0.1356*** (0.0379)
Climate controls	Yes	Yes	Yes	Yes
<i>Fixed-effects</i>				
Region-Aridity quintile-Latitude band	Yes	Yes	Yes	Yes
<i>Fit statistics</i>				
Observations	5,367	5,031	5,367	5,031
Kleibergen-Paap			67.713	92.548

Conley (500km) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

Endogenous variable: Δ RECON-weighted irrigation intensity (irrigated share / cropland share). Same suitability IV.

GS gauge ≥ 1 , annual precip

[back](#)
[no climate](#)
[yield IV](#)

Dependent Variable: Estimator Weights Model:	$\Delta \log$ precipitation			
	OLS		IV	
	None (1)	Cropland (2)	None (3)	Cropland (4)
<i>Variables</i>				
Irrigated share	0.0365*** (0.0133)	0.0442** (0.0174)	0.1784*** (0.0556)	0.2628*** (0.0644)
Climate controls	Yes	Yes	Yes	Yes
<i>Fixed-effects</i>				
Region-Aridity quintile-Latitude band	Yes	Yes	Yes	Yes
<i>Fit statistics</i>				
Observations	5,367	5,031	5,367	5,031
Kleibergen-Paap			28.300	37.564

Conley (500km) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

GS gauge ≥ 1 , annual: no climate [back](#)

Dependent Variable: Estimator Weights Model:	$\Delta \log \text{precipitation}$			
	OLS		IV	
	None (1)	Cropland (2)	None (3)	Cropland (4)
<i>Variables</i>				
Irrigated share	0.0399*** (0.0148)	0.0510*** (0.0194)	0.1977*** (0.0603)	0.2644*** (0.0648)
Climate controls	No	No	No	No
<i>Fixed-effects</i>				
Region-Aridity quintile-Latitude band	Yes	Yes	Yes	Yes
<i>Fit statistics</i>				
Observations	5,367	5,031	5,367	5,031
Kleibergen-Paap			24.798	34.630

Conley (500km) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

GS gauge ≥ 1 , annual: yield IV [back](#)

Dependent Variable:	$\Delta \log \text{precipitation}$			
Estimator	OLS		IV	
Weights	None	Cropland	None	Cropland
Model:	(1)	(2)	(3)	(4)
<i>Variables</i>				
Irrigated share	0.0365*** (0.0133)	0.0442** (0.0174)	0.0832** (0.0342)	0.1466** (0.0598)
Climate controls	Yes	Yes	Yes	Yes
<i>Fixed-effects</i>				
Region-Aridity quintile-Latitude band	Yes	Yes	Yes	Yes
<i>Fit statistics</i>				
Observations	5,367	5,031	5,367	5,031
Kleibergen-Paap			19.578	21.116

Conley (500km) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

All cells, GS precip

[back](#)[no climate](#)[yield IV](#)[annual](#)

Dependent Variable: Estimator Weights Model:	Δ log precipitation (growing season)			
	OLS		IV	
	None (1)	Cropland (2)	None (3)	Cropland (4)
<i>Variables</i>				
Irrigated share	-0.0057 (0.0163)	-0.0045 (0.0146)	0.2152 (0.1998)	0.1634*** (0.0570)
Climate controls	Yes	Yes	Yes	Yes
<i>Fixed-effects</i>				
Region-Aridity quintile-Latitude band	Yes	Yes	Yes	Yes
<i>Fit statistics</i>				
Observations	67,630	42,576	67,630	42,576
Kleibergen-Paap			4.4585	43.677

Conley (500km) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

All cells, GS: no climate [back](#)

Dependent Variable:	$\Delta \log$ precipitation (growing season)			
Estimator	OLS		IV	
Weights	None	Cropland	None	Cropland
Model:	(1)	(2)	(3)	(4)
<i>Variables</i>				
Irrigated share	0.0042 (0.0175)	0.0062 (0.0154)	0.2508 (0.2174)	0.1601*** (0.0611)
Climate controls	No	No	No	No
<i>Fixed-effects</i>				
Region-Aridity quintile-Latitude band	Yes	Yes	Yes	Yes
<i>Fit statistics</i>				
Observations	67,630	42,576	67,630	42,576
Kleibergen-Paap			4.4057	42.243

Conley (500km) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

All cells, GS: yield IV [back](#)

Dependent Variable:	$\Delta \log$ precipitation (growing season)			
Estimator	OLS		IV	
Weights	None	Cropland	None	Cropland
Model:	(1)	(2)	(3)	(4)
<i>Variables</i>				
Irrigated share	-0.0057 (0.0163)	-0.0045 (0.0146)	-0.0152 (0.0831)	0.0625 (0.0612)
Climate controls	Yes	Yes	Yes	Yes
<i>Fixed-effects</i>				
Region-Aridity quintile-Latitude band	Yes	Yes	Yes	Yes
<i>Fit statistics</i>				
Observations	67,630	42,576	67,630	42,576
Kleibergen-Paap			17.378	22.642

Conley (500km) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

All cells, annual precip

[back](#)[no climate](#)[yield IV](#)

Dependent Variable: Estimator Weights Model:	$\Delta \log$ precipitation			
	OLS		IV	
	None (1)	Cropland (2)	None (3)	Cropland (4)
<i>Variables</i>				
Irrigated share	-0.0047 (0.0134)	-0.0036 (0.0113)	0.0918 (0.1630)	0.2085*** (0.0603)
Climate controls	Yes	Yes	Yes	Yes
<i>Fixed-effects</i>				
Region-Aridity quintile-Latitude band	Yes	Yes	Yes	Yes
<i>Fit statistics</i>				
Observations	67,630	42,576	67,630	42,576
Kleibergen-Paap			4.4454	43.103

Conley (500km) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

All cells, annual: no climate [back](#)

Dependent Variable:	$\Delta \log \text{precipitation}$			
Estimator	OLS		IV	
Weights	None	Cropland	None	Cropland
Model:	(1)	(2)	(3)	(4)
<i>Variables</i>				
Irrigated share	0.0051 (0.0134)	0.0010 (0.0112)	0.1020 (0.1641)	0.2073*** (0.0604)
Climate controls	No	No	No	No
<i>Fixed-effects</i>				
Region-Aridity quintile-Latitude band	Yes	Yes	Yes	Yes
<i>Fit statistics</i>				
Observations	67,630	42,576	67,630	42,576
Kleibergen-Paap			4.4057	42.243

Conley (500km) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

All cells, annual: yield IV [back](#)

Dependent Variable:	$\Delta \log$ precipitation			
Estimator	OLS		IV	
Weights	None	Cropland	None	Cropland
Model:	(1)	(2)	(3)	(4)
<i>Variables</i>				
Irrigated share	-0.0047 (0.0134)	-0.0036 (0.0113)	-0.0683 (0.0694)	0.0638 (0.0561)
Climate controls	Yes	Yes	Yes	Yes
<i>Fixed-effects</i>				
Region-Aridity quintile-Latitude band	Yes	Yes	Yes	Yes
<i>Fit statistics</i>				
Observations	67,630	42,576	67,630	42,576
Kleibergen-Paap			16.729	21.137

Conley (500km) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

General Equilibrium [back](#)

Static equilibrium – wages $\{w_i\}$ simultaneously clear:

$$\text{(Goods)} \quad Q_{i,k} = \sum_n \bar{d}_{in,k} C_{in,k} \quad \text{(Water)} \quad \frac{L_{i,0}}{G_i(R_i)} = \sum_{k=1}^K H_{i,k} \quad \text{(Labor)} \quad \bar{L}_i - L_{i,0} = \sum_{k=1}^K L_{i,k}$$

Dynamic equilibrium: sequence of static equilibria $\{w_i(t)\}_t$ with $R_i(0)$ given

- Stocks $\{R_i(t)\}_t$ evolving per the LOM above (state variable)

Steady-state equilibrium: dynamic equilibrium satisfying the $R_B^{(ss)}$ fixed-point

[solving algor.](#)

[simulations](#)

Solving Algorithm: Static Equilibrium [Back](#)

Iterative algorithm for static GE given water stocks $\{R_i\}$ and tax rates $\{\tau_{i,k}\}$:

1. **Initialize:** guess $\{w_i, I_i\}$; normalize wages to numeraire w_{i_0}
2. **Prices:** compute $r_i = w_i G_i(R_i)$; unit costs $c_{i,k}$; cost shares $\alpha_{i,k}$; producer and consumer prices $P_{ji,k}, \tilde{P}_{ji,k}$
3. **Quantities:** compute $C_{ji,k}$; revenues $Y_{i,k}$; water use $H_{i,k} = (1 - \alpha_{i,k})Y_{i,k} / (r_i + \tau_{i,k})$; water labor $L_{i,0} = G_i(R_i) \sum_k H_{i,k}$; tax revenues T_i
4. **Update & check:** $w_i^{(new)} = \frac{\sum_k \alpha_{i,k} Y_{i,k}}{\bar{L}_i - L_{i,0}}$ (Labor MCC); $I_i^{(new)} = w_i \bar{L}_i + T_i$

→ Stop if $\max_i |(w_i^{(new)} - w_i) / w_i|$ and $\max_i |(I_i^{(new)} - I_i) / I_i|$ sufficiently small; else dampen and return to Step 1

Solving Algorithm: Dynamic & Steady State [Back](#)

Dynamic equilibrium: solve static GE each period t ; update stocks via the LOM:

$$\mathbf{R}_B(t+1) = \mathbf{\Gamma} + \mathbf{\Phi} \mathbf{R}_B(t) + \mathbf{\Psi}(t) \mathbf{H}(t)$$

Steady-state equilibrium: fixed-point intersection of two mappings

- (a) Static GE $\rightarrow \mathbf{H}$ as a function of $\mathbf{R}_B^{(ss)}$
- (b) LOM fixed point: $\mathbf{R}_B^{(ss)} = (\mathbf{I} - \mathbf{\Phi})^{-1} (\mathbf{\Gamma} + \mathbf{\Psi}^{(ss)} \mathbf{H}(\mathbf{R}_B^{(ss)}))$

$\Rightarrow$ Iterate on $\mathbf{R}_B^{(ss)}$ until both mappings are mutually consistent

Optimal Water Policy – Water Stock Linearization [back](#)

Re-write steady-state water stocks (from the LOM fixed point) as:

$$\mathbf{R}_B^{(ss)} = \mathbf{Z} + \mathbf{\Lambda}^{(ss)} \mathbf{H}^{(ss)}, \quad \mathbf{Z} \equiv (\mathbf{I} - \mathbf{\Phi})^{-1} \mathbf{\Gamma}, \quad \mathbf{\Lambda}^{(ss)} \equiv (\mathbf{I} - \mathbf{\Phi})^{-1} (\mathbf{F}_{BB}^{(E)} - \mathbf{I}) \boldsymbol{\theta}(t)$$

$$R_i^{(ss)} = Z_i + \sum_j \sum_k \lambda_{ji,k} H_{j,k}^{(ss)} \quad [\text{location level}]$$

i.e., $\lambda_{ji,k} \equiv$ hydrological "impact factor" of withdrawals at (j, k) on steady-state R_i

Optimal Policy: Dual Problem [Back](#)

Dual reformulation: planner directly chooses consumer prices

$$\mathbb{P}_i \equiv \{\tilde{P}_{ii,k}, \tilde{P}_{in,k}, \tilde{P}_{ni,k}; \tilde{r}_{i,k}\}_{n \neq i,k}$$

Income function for country i :

$$I_i(\cdot) = w_i L_i + \underbrace{(\tilde{r}_i - r_i)^\top H_i}_{\text{water taxes}} + \underbrace{(\tilde{P}_i - P_i)^\top C_i}_{\text{tariffs + prod. taxes}} + \underbrace{(\tilde{P}_{-i} - P_{-i})^\top C_{-i}}_{\text{export taxes}}$$

Key functions in the dual:

- Producer price: $P_{ij,k}(w_i, \tilde{r}_{i,k}) = \bar{d}_{ij,k} c_{i,k}(w_i, \tilde{r}_{i,k})$
- Water cost: $r_i(w_i, R_i) = w_i G_i(R_i)$
- Steady-state stock: $R_i = Z_i + \sum_{j,k} \lambda_{ji,k} H_{j,k}$

Optimal Policy: Wage Neutrality [Back](#)

Lemma 1 (Local wage neutrality): $\frac{\partial I_i(\cdot)}{\partial w_i} = 0$

Proof: expand using Shephard's lemma + labor market clearing:

$$\bar{L}_i - \underbrace{G_i(R_i) \sum_k H_{i,k}}_{=L_{i,0}} - \underbrace{\sum_k \frac{\alpha_{i,k} P_{ii,k} Q_{i,k}}{w_i}}_{=\sum_k L_{i,k}} = 0 \quad \checkmark$$

Wages only redistribute b/w wage payments and tax revenues when the planner controls all prices.

Assumption A1: policy-induced changes in *foreign* relative wages have no first-order effect on home income at the optimum.

Corollary 1: $\frac{\partial I_i(\cdot)}{\partial \mathbf{w}} = \mathbf{0} \Rightarrow$ wages drop from all FOCs

Optimal Policy: First-Order Conditions [Back](#)

FOC w.r.t. any policy instrument $\tilde{P}$ (after applying Corollary 1):

$$\sum_n \frac{\partial \mathcal{W}}{\partial W_n} \frac{\partial V_n}{\partial \tilde{P}} + \sum_n \frac{\partial \mathcal{W}}{\partial W_n} \frac{\partial V_n}{\partial E_n} \left[\frac{\partial I_n}{\partial \tilde{P}} + \frac{\partial I_n}{\partial R} \frac{\partial R}{\partial \tilde{P}} + \frac{\partial I_n}{\partial H} \frac{\partial H}{\partial \tilde{P}} + \frac{\partial I_n}{\partial C} \frac{\partial C}{\partial \tilde{P}} \right] = 0$$

Key derivatives (1/2):

- **Direct price effect (Roy's id.):** $\frac{\partial V_n}{\partial \tilde{P}} = -\frac{\partial V_n}{\partial E_n} C_{in,k}$ if $\tilde{P} \in \tilde{P}_n$, else 0
- **Direct income, water:** $\frac{\partial I}{\partial \tilde{r}_{i,k}} = 0$ (water tax revenue and cost changes cancel exactly)

Key derivatives (2/2):

- **Income via water stocks:** $\frac{\partial I_i}{\partial R_i} = -\frac{G'_i(\cdot)}{G_i(\cdot)} r_i \sum_k H_{i,k}$
- **Income via water use:** $\frac{\partial I_i}{\partial H_{i,k}} = \tilde{r}_{i,k} - r_i$
- **Policy impact on stocks:** $\frac{\partial R_i}{\partial \tilde{P}} = \sum_{j,k} \lambda_{ji,k} \frac{\partial H_{j,k}}{\partial \tilde{P}}$

Optimal Policy: Decomposition of FOCs [Back](#)

FOCs decompose into three independent sub-problems:

$$\left\{ \begin{array}{ll} \sum_n \left(\frac{\partial \mathcal{W}}{\partial W_n} \frac{\partial V_n}{\partial E_n} \pi_n \right) = \frac{\partial \mathcal{W}}{\partial W_i} \frac{\partial V_i}{\partial E_i} & \text{(distributional objective)} \\ \tilde{\mathbf{P}} = \mathbf{P} & \text{(efficient non-water prices)} \\ \tilde{r}_{i,k} - r_i = \sum_n \frac{G'_n}{G_n} r_n \sum_k H_{n,k} \sum_g \lambda_{in,g} & \text{(efficient water prices)} \end{array} \right.$$

Complex GE derivatives $\partial \mathbf{C} / \partial \tilde{\mathbf{P}}$, $\partial \mathbf{H} / \partial \tilde{\mathbf{P}}$ cancel in both the goods and water FOCs.

Solutions to the three sub-problems:

- $\pi_i^* = \frac{(\partial \mathcal{W} / \partial W_i)(\partial V_i / \partial E_i) I_i}{\sum_n (\partial \mathcal{W} / \partial W_n)(\partial V_n / \partial E_n) I_n} \Rightarrow \Delta_i^* = \pi_i^* \sum_n I_n - I_i$
- $t_{ij,k} = x_{ij,k} = s_{i,k} = 0$
- $\tau_{j,g} = \sum_i \frac{G'_i(\cdot)}{G_i(\cdot)} r_i \sum_k \lambda_{ji,g} H_{i,k}$

Optimal Policy – International Transfers

[Back](#)

Optimal income shares achieving any distributional objective:

$$\pi_i^* = \frac{\frac{\partial \mathcal{W}}{\partial W_i} \frac{\partial V_i}{\partial E_i} I_i}{\sum_n \frac{\partial \mathcal{W}}{\partial W_n} \frac{\partial V_n}{\partial E_n} I_n}, \quad \Delta_i^* = \pi_i^* \sum_n I_n - I_i$$

Special case: log SWF $\mathcal{W} = \sum_i \omega_i \ln W_i$ + homothetic demand

- $\pi_i^* = \omega_i \Rightarrow$ efficient frontier traced by varying $\{\omega_i\}$


Optimal policy separates efficiency from distribution: water taxes correct the externality; transfers achieve the distributional goal

Optimal Water Policy – Illustration

[back](#)[back quant.](#)

Two symmetric countries + ocean

- $f_{ii}^{(E)} = 10\%$, $f_{ij}^{(E)} = 50\%$, $f_{i0}^{(E)} = 40\%$
- Equally productive in two identical $k > 0$ sectors (final goods)




Optimal Water Policy – Illustration

[back](#)[back quant.](#)

Two symmetric countries + ocean

- $f_{ii}^{(E)} = 10\%$, $f_{ij}^{(E)} = 50\%$, $f_{i0}^{(E)} = 40\%$
- Equally productive in two identical $k > 0$ sectors (final goods)

More inefficient if $f_{ij}^{(E)} = 5\%$ & $\uparrow \theta_{i,k}$ & G'




Optimal Water Policy – Illustration

[back](#)[back quant.](#)

Atmospheric asymmetry $f_{12}^{(E)} > f_{21}^{(E)}$

– $\lambda_{21} > \lambda_{12} \rightarrow$ **higher** τ_2



Optimal Water Policy – Illustration


[back](#)[back quant.](#)

Atmospheric asymmetry $f_{12}^{(E)} > f_{21}^{(E)}$

- $\lambda_{21} > \lambda_{12} \rightarrow$ **higher** τ_2

Higher τ_1 if economically asymmetric

- Country 1 productive in $k = 1$ (agric.)
- Country 2 prod. in $k = 2$ (non-agric.)
- That is, $\theta_1 > \theta_2 \rightarrow \lambda_{12} > \lambda_{21}$



Our method quantifies $\{\kappa_i, \delta_i, \Gamma_i, f_{ij}^{(E)}, f_{ij}^{(S)}\}_{i,j \in \mathcal{B}}$ for **any geography set** $\mathcal{B}$. Starting with

$$\mathbf{R}_B(t+1) = \mathbf{\Gamma} + \left(\mathbf{I} - \boldsymbol{\kappa} - \boldsymbol{\delta} + \mathbf{F}_{BB}^{(E)} \boldsymbol{\kappa} + \mathbf{F}_{BB}^{(S)} \boldsymbol{\delta} \right) \mathbf{R}_B(t)$$

1. Measure $R_i(t)$, $E_i(t)$ and $S_i(t)$ for a long-run, "humanless" scenario (1901-20)
2. Measure $f_{ji}^{(E)}$ and $f_{ji}^{(S)}$ directly from data
3. Calculate $\kappa_i = E_i(t)/R_i(t)$ and $\delta_i = S_i(t)/R_i(t)$
4. Assuming $\Delta R_i(t) = 0$, calculate $\mathbf{\Gamma} = \left(\boldsymbol{\kappa} + \boldsymbol{\delta} - \mathbf{F}_{BB}^E \boldsymbol{\kappa} - \mathbf{F}_{BB}^S \boldsymbol{\delta} \right) \mathbf{R}_B(t)$

Step 1: Water Data from Hydrology Models [back](#)

Table 5: Water Models for Total Water Storage (TWS), Evaporation, and Surface Runoff Data


Model	Model Info	ISIMIP	Time Coverage/ Scenario	Meteo	TWS Meas.	Mean TWS (km ³)	GW	DGW	TWS components: ¹⁴					
									Soil	Riv	Lk	Snw	Can	
clm45	Community Land Model 4.5 ¹	2b	pre-industrial	GCM	relative	–	x		x	x		x	x	
cwatm	Community Water Model v1.04 ²	2b	both	GCM	absolute	234,727	x		x	x	x	x	x	
cwatm	Community Water Model v1.06 ²	3a, 3b	historical	reanalysis	absolute	204,787	x		x	x	x	x	x	
ho8	Ho8 ³	2b	both	GCM	absolute	57,042	x		x	x	x	x		
ho8	Ho8, newer calibration ³	3a, 3b	historical	reanalysis	unspecified	46,748	x		x	x	x	x		
hydropy	Newer MPI-HM ⁴	3a	historical	reanalysis	absolute	54,993	x		x	x	x	x	x	
jules-es-55	Joint UK Land Env. Simulator v5.5 ⁵	2b	historical	GCM	unspecified	595,826	x		x		x			
jules-es-vn6p3	Joint UK Land Env. Simulator v6.3 ⁵	3a, 3b	historical	reanalysis	unspecified	2,233,363			x					
jules-w2	Joint UK Land Env. Simulator v6.2 ⁵	3a, 3b	historical	reanalysis	absolute	113,572			x	x		x	x	
lpjml	LPJ managed Land ⁶	2b	both	GCM	unspecified	147,074			x	x	x	x		
lpjml5-7-10-fire	LPJ managed Land 5.7.10-fire ⁶	3a	historical	reanalysis	absolute	138,317			x	x	x	x		
matsiro	MIROC-INTEG + land integration ⁷	2b	both	GCM	absolute	6,094,733	x	x	x	x	x	x	x	
miroc-integ-land	MATSIRO + land integration ⁸	3a, 3b	historical	reanalysis	absolute	6,073,546	x	x	x	x	x	x	x	
mpi-hm	Older HydroPy ⁴	2b	both	GCM	unspecified	98,313	x		x	x		x		
orchidee-mict	Orchidee ⁹	3a	historical	reanalysis	unspecified	124,279			x			x		
pcr-globwb	PCRaster Global Water Balance ¹⁰	2b	both	GCM	both	153,787	x	x	x	x	x	x	x	
watergap2-2c	WaterGAP2-2c ¹¹	2a, 2b	both	GCM	relative	–	x		x	x	x	x	x	
watergap2-2e	WaterGAP2-2e ¹²	3a, 3b	historical	reanalysis	relative	–	x		x	x	x	x	x	
web-dhm-sg	Water and Energy Budget-Based ¹³	3a, 3b	historical	reanalysis	unspecified	97,838			x	x				

Notes: ¹ Oleson et al.2013) ² Burek et al.2020) ³ Hanasaki et al.2008); Hanasaki and Yamamoto2010) ⁴ Stacke and Hagemann2021) ⁵ Best et al.2011); Wiltshire et al.2020) ⁶ Schaphoff et al.2018) ⁷ Pokhrel et al.2017) ⁸ Yokohata et al.2020) ⁹ Risi et al.2016) ¹⁰ Sutanudjaja et al.2018) ¹¹ Müller Schmied et al.2021) ¹² Müller Schmied et al.2023) ¹³ Gosling et al.2023) ¹⁴ GW stands for renewable/young groundwater storage (recharged from precipitation), DGW for deep groundwater (stored in deep and old, fossil-fuel-like reservoirs), Riv for rivers, Lk for lakes, Snw for snow, and Can for canopy water storage components.

Step 2: Quantifying Surface Flows $f_{ji}^{(S)}$

[back](#)[back quant](#)

Logic: combine cumulative water runoff raster + directional flow raster




Step 2: Quantifying Surface Flows $f_{ji}^{(S)}$

[back](#)[back quant](#)

Logic: combine cumulative water runoff raster + directional flow raster

DDM30 flow direction (colored) — Amazon basin




Step 2: Quantifying Surface Flows $f_{ji}^{(S)}$

[back](#)[back quant](#)

Logic: combine cumulative water runoff raster + directional flow raster

DDM30 flow direction (arrows) — Amazon basin




Step 2: Quantifying Surface Flows $f_{ji}^{(S)}$

[back](#)[back quant](#)

Logic: combine cumulative water runoff raster + directional flow raster

Peru → Brazil cross-border discharge pixels (cwatm)

10 transition pixels




Step 2: Quantifying Surface Flows $f_{ji}^{(S)}$

[back](#)[back quant](#)

Logic: combine cumulative water runoff raster + directional flow raster


Colombia → Brazil cross-border discharge pixels (cwatm)

9 transition pixels




Step 3: Quantified $\{\kappa_i, \delta_i, \Gamma_i\}$ [back](#)

Kappa (evap / stock) — cwatm




Step 3: Quantified $\{\kappa_i, \delta_i, \Gamma_i\}$ [back](#)

Distribution of $\log(\kappa)$ across countries, by model




Step 3: Quantified $\{\kappa_i, \delta_i, \Gamma_i\}$ [back](#)

Delta (runoff / stock) — cwatm




Step 3: Quantified $\{\kappa_i, \delta_i, \Gamma_i\}$ [back](#)

Distribution of $\log(\delta)$ across countries, by model (delta = runoff / stock)




Step 3: Quantified $\{\kappa_i, \delta_i, \Gamma_i\}$ [back](#)

Gamma (ocean precip needed for water balance) — cwatm




Step 3: Quantified $\{\kappa_i, \delta_i, \Gamma_i\}$ [back](#)

Negative gamma (ocean precip needed < 0) — cwatm



Step 3: Quantified $\{\kappa_i, \delta_i, \Gamma_i\}$ [back](#)

Gamma as % of stock (negative-gamma countries only) — cwatm



Grey = non-negative gamma (ratio not applicable).

Step 3: Validating $\{\kappa_i, \Gamma_i\}$ [back](#)

Table 6: Validating estimated $\{\kappa_i\}_i$ (cwatm model)

Dependent Variable: Model:	(1)	(2)	(3)	(4)	kappa	(5)	(6)	(7)	(8)
<i>Variables</i>									
Forest cover share (broad)	0.0089 (0.1612)	0.0065 (0.1595)							
Desert/barren share			-0.6640*** (0.1368)	-0.6286*** (0.1383)					
GW / TWS ratio					-0.6893*** (0.1620)	-0.7038*** (0.1598)			
Avg. temperature (°C)								0.0098** (0.0049)	0.0071 (0.0051)
<i>Fixed-effects</i>									
Controls for stocks	No	Yes	No	Yes	No	Yes	No	Yes	
<i>Fit statistics</i>									
R ²	1.72×10^{-5}	0.02674	0.11743	0.12903	0.09277	0.12331	0.02221	0.03717	
Observations	179	179	179	179	179	179	179	179	


IID standard-errors in parentheses

*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

Cross-country OLS. Dependent variable: $\hat{\kappa}$ (evap / TWS, cwatm, 1901–1920). IID standard errors in parentheses. Broad forest = GAEZ values 2 & 6 (closed + needle/mixed forest).



Step 3: Validating $\{\kappa_i, \Gamma_i\}$ [back](#)

Model-implied gamma vs. RECON ocean precipitation — cwatm



Spearman rho = 0.803 | Pearson R2 = 0.714

Illustrational Simulations

[back quant.](#)[back GE](#)

Illustrational Simulations

[back quant.](#)[back GE](#)

2-Country Variant (ex1 derived): Time Paths (dashed = terminal SS, dotted = growth stops)

