



STATISTICS

An operation's planner makes up the decision making process. It contains logic for how a running operation should make decisions about which abilities to use and in what order. An objective is a collection of fact targets, called goals, which can be tied to adversaries. During the course of an operation, every time the planner is evaluated, the current objective status is evaluated in light of the current knowledge of the operation, with the operation completing should all goals be met.

Name	State	Planner	Objective	Time
2nd Caldera Testing	running	atomic	default	Not finished


AGENTS

The table below displays information about the agents used. An agent's paw is the unique identifier, or paw print, of an agent. Also included are the username of the user who executed the agent, the privilege level of the agent process, and the name of the agent executable.

Paw	Host	Platform	Username	Privilege	Executable
mnfjdy	flausino	linux	brunoflausino	User	splunkd

TACTIC GRAPH


This graph displays the order of tactics executed by the operation. A tactic explains the general purpose or the "why" of a step.



OPERATIONS DEBRIEF

TECHNIQUE GRAPH

This graph displays the order of techniques executed by the operation. A technique explains the technical method or the "how" of a step.



STEPS IN OPERATION 2ND CALDERA TESTING

The table below shows detailed information about the steps taken in an operation and whether the command run discovered any facts.


Time	Status	Agent	Name	Command	Facts
2026-07-30 T15:39:38Z	success	mnfjdy	Identify active user	whoami	Yes
2026-07-30 T15:40:28Z	success	mnfjdy	Find local users	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'	Yes
2026-07-30 T15:41:22Z	success	mnfjdy	Find user processes	ps aux grep suricata	Yes
2026-07-30 T15:42:11Z	success	mnfjdy	Find user processes	ps aux grep wazuh-dashboard	No
2026-07-30 T15:43:14Z	success	mnfjdy	Find user processes	ps aux grep wazuh	Yes
2026-07-30 T15:43:53Z	success	mnfjdy	Find user processes	ps aux grep wazuh-indexer	Yes
2026-07-30 T15:44:53Z	success	mnfjdy	Find user processes	ps aux grep postfix	No
2026-07-30 T15:45:32Z	success	mnfjdy	Find user processes	ps aux grep clamav	No
2026-07-30 T15:46:26Z	success	mnfjdy	Find user processes	ps aux grep nvidia-persistenced	No
2026-07-30 T15:47:13Z	success	mnfjdy	Find user processes	ps aux grep nm-openvpn	No

OPERATIONS DEBRIEF

Time	Status	Agent	Name	Command	Facts
	collected	mnfjdy	Find user processes	ps aux grep gdm	No

FACT GRAPH

This graph displays the facts discovered by the operations run. Facts are attached to the operation where they were discovered. Facts are also attached to the facts that led to their discovery. For readability, only the first 15 facts discovered in an operation are included in the graph.



OPERATIONS DEBRIEF

Generated on 2026-07-30T15:47:35Z

This document covers the overall campaign analytics made up of the selected set of operations. The below sections contain general metadata about the selected operations as well as graphical views of the operations, the techniques and tactics used, and the facts discovered by the operations. The following sections include a more in depth review of each specific operation ran.

OPERATIONS DEBRIEF

TACTICS AND TECHNIQUES

Tactics	Techniques	Abilities
Discovery	T1033: System Owner/User Discovery T1087.001: Account Discovery: Local Account T1057: Process Discovery	2nd Caldera Testing Identify active user Find local users Find user processes

FACTS FOUND IN OPERATION 2ND CALDERA TESTING

The table below displays the facts found in the operation, the command run and the agent that found the fact. Every fact, by default, gets a score of 1. If a host.user.password fact is important or has a high chance of success if used, you may assign it a score of 5. When an ability uses a fact to fill in a variable, it will use those with the highest scores first. A fact with a score of 0, is blacklisted - meaning it cannot be used in an operation.

Trait	Value	Score	Source	Command Run
file.sensitive.extension	wav	1	ed3..96b	No Command (IMPORTED)
file.sensitive.extension	yml	1	ed3..96b	No Command (IMPORTED)
file.sensitive.extension	png	1	ed3..96b	No Command (IMPORTED)
server.malicious.url	keyloggedsite.com	1	ed3..96b	No Command (IMPORTED)
host.user.name	brunoflausino	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#' whoami
domain.user.name	brunoflausino	1	mnfjdy	whoami
host.user.name	root	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	daemon	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	bin	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	sys	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	sync	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	games	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'

OPERATIONS DEBRIEF

Trait	Value	Score	Source	Command Run
host.user.name	man	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	lp	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	mail	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	news	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	uucp	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	proxy	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	www-data	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	backup	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	list	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	irc	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	nobody	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	systemd-network	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	systemd-timesync	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	dhcpcd	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	messagebus	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	syslog	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	systemd-resolve	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	uuid	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	usbmux	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'

OPERATIONS DEBRIEF

Trait	Value	Score	Source	Command Run
host.user.name	tss	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	systemd-oom	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	kernoops	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	whoopsie	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	dnsmasq	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	avahi	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	tcpdump	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	sssd	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	speech-dispatcher	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	cups-pk-helper	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	fwupd-refresh	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	saned	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	geoclue	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	cups-browsed	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	hplip	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	gnome-remote-desktop	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	polkitd	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	rtkit	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'
host.user.name	colord	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' ' grep -v '#'

OPERATIONS DEBRIEF


Trait	Value	Score	Source	Command Run
host.user.name	gnome-initial-setup	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	gdm	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	nm-openvpn	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	nvidia-persistenced	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	clamav	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	postfix	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	wazuh-indexer	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	wazuh	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	wazuh-dashboard	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.user.name	suricata	1	mnfjdy	cut -d: -f1 /etc/passwd grep -v ' _ ' grep -v '#'
host.file.path	/usr/bin/suricata -q 3 -c /etc/suricata/suricata.yaml	1	mnfjdy	ps aux grep suricata
host.file.path	/usr/bin/python3 /opt/caldera-wazuh/caldera_shipper.py	1	mnfjdy	ps aux grep wazuh
host.file.path	/usr/share/wazuh-indexer/jdk/bin/java -Xshare:auto -Dopensearch.networkad dress.cache.ttl=60	1	mnfjdy	ps aux grep wazuh-indexer ps aux grep wazuh
host.file.path	/tmp/opensearch-54735938394185911 98 -XX:+HeapDumpOnOutOfMemoryE rror -XX:HeapDumpPath=/var/lib/wazu h-indexer -XX:ErrorFile=/var/log/wazu h-indexer/hs_err_pid%p.log	1	mnfjdy	ps aux grep wazuh-indexer ps aux grep wazuh
host.file.path	/var/log/wazuh-indexer/gc.log:utctime,p id,tags:filecount=32,filesize=64m	1	mnfjdy	ps aux grep wazuh-indexer ps aux grep wazuh
host.file.path	///etc/wazuh-indexer/opensearch-perfor mance-analyzer/opensearch_security. policy	1	mnfjdy	ps aux grep wazuh-indexer ps aux grep wazuh
host.file.path	/sun.tools.attach=ALL-UNNAMED	1	mnfjdy	ps aux grep wazuh-indexer ps aux grep wazuh

OPERATIONS DEBRIEF

Trait	Value	Score	Source	Command Run
host.file.path	/usr/share/wazuh-indexer -Dopensearch h.path.conf=/etc/wazuh-indexer	1	mnfjdy	ps aux grep wazuh-indexer ps aux grep wazuh
host.file.path	/usr/share/wazuh-indexer/lib/* org.opensearch.bootstrap.OpenSearch	1	mnfjdy	ps aux grep wazuh-indexer ps aux grep wazuh
host.file.path	/run/wazuh-indexer/wazuh-indexer.pid	1	mnfjdy	ps aux grep wazuh-indexer ps aux grep wazuh
host.file.path	/var/ossec/framework/python/bin/pytho n3 /var/ossec/api/scripts/wazuh_apid.py	1	mnfjdy	ps aux grep wazuh

STEPS GRAPH

This is a graphical display of the agents connected to the command and control (C2), the operations run, and the steps of each operation as they relate to the agents.



ATTACK PATH GRAPH

This graph displays the attack path of hosts compromised by Caldera. Source and target hosts are connected by the method of execution used to start the agent on the target host.

