


PRODUCTION TECH PACK															
DIVISION: FIGS		T/P DATE: 9/21/2020 (UPDATE 11/5/20)													
SEASON: CORE		XFTY DATE: TBD													
STYLE #: FW1000		FACTORY: SAE-A													
DESCRIPTION: CATARINA 1 POCKET TOP		TECH DESIGN: ALLISON													
SIZE RANGE: TBD		STATUS: PRODUCTION													
Point of Measure:		TOL +/-	DEV SMS	PROTO		1ST FIT		2ND FIT		3RD FIT		PPS		TOP	
			SPEC	Sample	Revise	Sample	Revise	Sample	Revise	Sample	Revise	Sample	Revise	Sample	Revise
			X SMALL												
			9/16/20									8/17/21	8/17/21		
2.A	FRONT LENGTH (FROM HPS TO BOTTOM OPENING EDGE)	1/2	26 1/2									27 1/4	26 1/2		
2.C	BACK LENGTH (FROM HPS TO BOTTOM OPENING EDGE)	1/2	26									26 1/2	26		
5.A	NECK WIDTH (SEAM TO SEAM - STRAIGHT)	1/8	7									7	7		
5.C	CF NECK DROP (FROM HPS IMAGE TO SEAM)	1/8	8 1/2									8 1/2	8 1/2		
5.D	CB NECK DROP (FROM HPS IMAGE TO SEAM)	1/8	1 1/4									1 1/8	1 1/4		
6.A	NECK BAND HEIGHT (NECK SEAM TO BAND TOP EDGE)	1/8	3/4									3/4	3/4		
1.B	CB BINDING HEIGHT	1/8	1/4									1/4	1/4		
9.D	SHOULDER SLOPE (NECK SEAM IMAGE TO ARMHOLE SEAM)	1/8	1 1/2									1 1/2	1 1/2		
9.F	SHOULDER SEAM FORWARD - AT NECK	1/8	1 1/2									1 1/2	1 1/2		
9.F	SHOULDER SEAM FORWARD - AT ARMHOLE	1/8	1 3/4									1 3/4	1 3/4		
9.A	ACROSS SHOULDER (SEAM TO SEAM)	1/4	14 1/2									14 3/4	14 1/2		
3.A	ACROSS FRONT (5" BELOW HPS)	1/4	13 1/4									13 1/2	13 1/4		
3.B	ACROSS BACK (5" BELOW HPS)	1/4	14 1/4									14	14 1/4		
3.C	CHEST (1" BELOW ARMHOLE) 1/2	1/4	18 3/4									18 1/2	18 3/4		
	WAIST POSITION (HPS TO TOP OF WAIST)	0	15 1/2									15 1/2	15 1/2		
3.D	WAIST WIDTH 1/2	1/4	17 3/4									17 3/4	17 3/4		
3.G	SWEEP - STRAIGHT 1/2	1/4	19 3/4									19 7/8	19 3/4		
1.A	SWEEP HEM HEIGHT	1/8	1/2									1/2	1/2		
1.A	SIDE VENT HEM WIDTH	1/8	1/4									1/4	1/4		
16.A	SIDE VENT LENGTH	1/8	2									2	2		
11.C	ARMHOLE - STRAIGHT	1/4	7 5/8									8	7 5/8		
12.A	SLEEVE LENGTH (SHOULDER TO OPENING EDGE)	1/4	7 1/2									7 3/4	7 1/2		
12.C	BICEP (1" BELOW ARMHOLE) 1/2	1/8	6 5/8									6 1/2	6 5/8		
12.F	SLEEVE OPENING - STRAIGHT 1/2	1/8	6 5/8									6 1/2	6 5/8		
1.A	SLEEVE HEM HEIGHT	1/8	1/2									1/2	1/2		
29.A	CHEST POCKET PLACEMENT (HPS TO TOP OF POCKET)	1/8	8 1/2									8 1/2	8 1/2		
29.B	CHEST POCKET PLACEMENT (CF TO TOP SIDE OF POCKET)	1/8	1 1/8									1 1/4	1 1/8		
34.A	CHEST POCKET HEIGHT (ALONG CENTER)	1/8	5 1/2									5 1/2	5 1/2		
34.B	CHEST POCKET HEIGHT (ALONG SIDE)	1/8	5									5	5		
34.D	CHEST POCKET WIDTH (ALONG TOP EDGE)	1/8	5 1/2									5 1/2	5 1/2		
34.E	CHEST POCKET WIDTH (ALONG BOTTOM EDGE)	1/8	3 1/2									3 1/2	3 1/2		
	BACK DART POSITION (HPS TO TOP OF DART)	1/8	10 3/4									10 3/4	10 3/4		
	BACK DART DISTANCE - AT TOP (DART END TO DART END)	1/8	8 3/4									9	8 3/4		
	BACK DART DISTANCE - AT CENTER (SEAM TO SEAM)	1/8	8 1/4									8 3/8	8 1/4		
	BACK DART DISTANCE - AT BOTTOM (DART END TO DART END)	1/8	8 3/4									8 3/4	8 3/4		
24.F	BACK DART LENGTH	1/4	9 3/4									10	9 3/4		

DEVELOPMENT REMARKS/ COMMENTS:

PRODUCTION TECH PACK

DIVISION:

SEASON:

STYLE #:

DESCRIPTION:

SIZE RANGE:

FIGS

CORE 2021 Q1

FW1000

CATARINA 1 POCKET TOP

TBD

T/P DATE:

XFTY DATE:

9/21/2020 (UPDATE 11/5/20)

FACTORY:

TECH DESIGN:

SAE-A

ALLISON

STATUS:

PRODUCTION

GRADED SPEC - APPROVED													
POINT OF MEASURE		Tol. +/-	XXS	XS	S	M	L	XL	XXL				
2.A	FRONT LENGTH (FROM HPS TO BOTTOM OPENING EDGE)	1/2	26	26 1/2	27	27 1/2	28	28 3/4	29 1/2				
2.C	BACK LENGTH (FROM HPS TO BOTTOM OPENING EDGE)	1/2	25 1/2	26	26 1/2	27	27 1/2	28 1/4	29				
5.A	NECK WIDTH (SEAM TO SEAM - STRAIGHT)	1/8	6 3/4	7	7 1/4	7 1/2	7 3/4	8	8 1/4				
5.C	CF NECK DROP (FROM HPS IMAGE TO SEAM)	1/8	8 1/4	8 1/2	8 3/4	9	9 1/4	9 1/2	9 3/4				
5.D	CB NECK DROP (FROM HPS IMAGE TO SEAM)	1/8	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4				
6.A	NECK BAND HEIGHT (NECK SEAM TO BAND TOP EDGE)	1/8	3/4	3/4	3/4	3/4	3/4	3/4	3/4				
1.B	CB BINDING HEIGHT	1/8	1/4	1/4	1/4	1/4	1/4	1/4	1/4				
9.D	SHOULDER SLOPE (NECK SEAM IMAGE TO ARMHOLE SEAM)	1/8	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2				
9.F	SHOULDER SEAM FORWARD - AT NECK	1/8	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2				
9.F	SHOULDER SEAM FORWARD - AT ARMHOLE	1/8	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4				
9.A	ACROSS SHOULDER (SEAM TO SEAM)	1/4	14	14 1/2	15	15 1/2	16	16 3/4	17 1/2				
3.A	ACROSS FRONT (5" BELOW HPS)	1/4	12 3/4	13 1/4	13 3/4	14 1/4	14 3/4	15 1/2	16 1/4				
3.B	ACROSS BACK (5" BELOW HPS)	1/4	13 3/4	14 1/4	14 3/4	15 1/4	15 3/4	16 1/2	17 1/4				
3.C	CHEST (1" BELOW ARMHOLE) 1/2	1/4	17 3/4	18 3/4	19 3/4	20 3/4	21 3/4	23	24 1/4				
	WAIST POSITION (HPS TO TOP OF WAIST)	0	15 1/4	15 1/2	15 3/4	16	16 1/4	16 1/2	16 3/4				
3.D	WAIST WIDTH 1/2	1/4	16 3/4	17 3/4	18 3/4	19 3/4	20 3/4	22	23 1/4				
3.G	SWEEP - STRAIGHT 1/2	1/4	18 3/4	19 3/4	20 3/4	21 3/4	22 3/4	24	25 1/4				
1.A	SWEEP HEM HEIGHT	1/8	1/2	1/2	1/2	1/2	1/2	1/2	1/2				
1.A	SIDE VENT HEM WIDTH	1/8	1/4	1/4	1/4	1/4	1/4	1/4	1/4				
16.A	SIDE VENT LENGTH	1/8	2	2	2	2	2	2	2				
11.C	ARMHOLE - STRAIGHT	1/4	7 1/4	7 5/8	8	8 3/8	8 3/4	9 3/8	10				
12.A	SLEEVE LENGTH (SHOULDER TO OPENING EDGE)	1/4	7	7 1/2	8	8 1/2	9	9 1/2	10				
12.C	BICEP (1" BELOW ARMHOLE) 1/2	1/8	6 1/4	6 5/8	7	7 3/8	7 3/4	8 1/4	8 3/4				
12.F	SLEEVE OPENING - STRAIGHT 1/2	1/8	6 1/4	6 5/8	7	7 3/8	7 3/4	8 1/4	8 3/4				
1.A	SLEEVE HEM HEIGHT	1/8	1/2	1/2	1/2	1/2	1/2	1/2	1/2				
29.A	CHEST POCKET PLACEMENT (HPS TO TOP OF POCKET)	1/8	8 1/4	8 1/2	8 3/4	9	9 1/4	9 1/2	9 3/4				
29.B	CHEST POCKET PLACEMENT (CF TO TOP SIDE OF POCKET)	1/8	1	1 1/8	1 1/4	1 3/8	1 1/2	1 5/8	1 3/4				
34.A	CHEST POCKET HEIGHT (ALONG CENTER)	1/8	5 1/4	5 1/2	5 1/2	5 3/4	5 3/4	6	6				
34.B	CHEST POCKET HEIGHT (ALONG SIDE)	1/8	4 3/4	5	5	5 1/4	5 1/4	5 1/2	5 1/2				
34.D	CHEST POCKET WIDTH (ALONG TOP EDGE)	1/8	5 1/4	5 1/2	5 1/2	5 3/4	5 3/4	6	6				
34.E	CHEST POCKET WIDTH (ALONG BOTTOM EDGE)	1/8	3 1/4	3 1/2	3 1/2	3 3/4	3 3/4	4	4				
	BACK DART POSITION (HPS TO TOP OF DART)	1/8	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12				
	BACK DART DISTANCE - AT TOP (DART END TO DART END)	1/8	8 1/2	8 3/4	9	9 1/4	9 1/2	10	10 1/2				
	BACK DART DISTANCE - AT CENTER (SEAM TO SEAM)	1/8	8	8 1/4	8 1/2	8 3/4	9	9 1/2	10				
	BACK DART DISTANCE - AT BOTTOM (DART END TO DART END)	1/8	8 1/2	8 3/4	9	9 1/4	9 1/2	10	10 1/2				
24.F	BACK DART LENGTH	1/4	9 1/2	9 3/4	10	10 1/4	10 1/2	10 7/8	11 1/4				

DEVELOPMENT REMARKS/ COMMENTS:

PRODUCTION TECH PACK

DIVISION:	FIGS	T/P DATE:	9/21/2020 (UPDATE 11/5/20)
SEASON:	CORE	XFTY DATE:	TBD
STYLE #:	FW1000	FACTORY:	SAE-A
DESCRIPTION:	CATARINA 1 POCKET TOP	TECH DESIGN:	ALLISON
SIZE RANGE:	TBD	STATUS:	PRODUCTION



FITTING COMMENTS:

FIT DATE: 8/17/21
FIT TECHNICIAN: ALLISON

WORKMANSHIP/CONSTRUCTION:

1. Please make sure to follow pattern exactly.

FIT:

BRING ALL MEASUREMENTS INTO THE REQ SPEC.

1. Body length is off spec by +3/4" front and +1/2" back length. Please make sure body length is on spec and follows pattern.

FRONT/SIDE/BACK VIEW IMAGES:

