

Temporal Evolution of Scientific Communities

Bruno Leite Alves
UFMG
Belo Horizonte, Brazil
bruno.leite@dcc.ufmg.br

Fabrício Benevenuto
UFMG
Belo Horizonte, Brazil
fabricio@dcc.ufmg.br

Alberto H. F. Laender
UFMG
Belo Horizonte, Brazil
laender@dcc.ufmg.br

ABSTRACT

Categories and Subject Descriptors

H.4 [Social Network]: Temporal Analysis; J.4. [Computer Applications]: Social and behavioral sciences Miscellaneous

General Terms

Human Factors, Measurement.

Keywords

communities, scientific communities, core community, evolution

1. INTRODUCTION

Since its beginning, society has been organizing itself into communities, which are groups of people with common interests. Particularly, the proliferation of new communication technologies based on the Internet has facilitated the rapid formation and growth of online communities. Communities exhibit a wide range of characteristics and serve a variety of purposes, from small groups engaged in tightly niche topics such as a very specific scientific community, to millions of users linked by an interest such as a community related to a sport team or fans of a celebrity.

Often, individuals who are socially connected in a community tend to share interests and similarities. Although, there are many factors that might determine a community formation and its growth, there are two main driven forces used to explain similarity in a community formation: influence and homophily. On one hand, influence posits that individuals change to become more similar to their friends in the community. On the other hand, homophily postulates that individuals create social connections within a community precisely because they are already similar. Recent efforts have provided quantitative evidences of both forces [1–4] and existing theories [18, 24], models [9, 10], and approaches [20, 25] rely on identifying a group of influential individuals with the

power to affect not only the underlying network structure of a community, but also to interfere on the spread and flow of information within a community.

In this paper, we take a different perspective and study a complementary problem. Here, we focus on studying the roles that community leaders play and how they can impact intrinsic evolving properties of communities. From a sociological perspective, it helps us understanding how segments of society evolve as well as answering longstanding questions related to the interaction among different types of participants. From the computer science perspective, understanding these aspects is critical not only for link prediction as well as the designing better recommendation systems, but it is also a necessary step for viral marketing strategies and social campaigns. Such a study, however, has been difficult as essential components like human connections and a proper definition of leadership is hard to be reproduced at a large scale within the confines of a research laboratory.

We focus on studying the role of leaderships in scientific communities. When prolific research leaders decide to join or leave communities, they take with them resources, experience, students and possibly influence other authors to do the same, which makes scientific communities very suitable for this kind of study. We used data from DBLP to identify scientific communities, represented by the main ACM SIGs conferences. Then, we propose a strategy to infer the community core, the leaders of a given scientific community in a given period of time. Finally, we investigate how aspects of the core might impact on the community structure. Our results show that (TO DO).

The rest of this paper is organized as follows. Next section surveys related efforts. Then, Section 3 describes our strategy and dataset used to construct the connections around scientific communities and analyzes the main evolving properties of this communities. Section 4 describes our strategy to compute the community core and Section 5 investigate the main properties of these sets of authors within their communities. Finally, Section 6 concludes the paper and provides directions for future work.

2. RELATED WORK

Studies has been done to understand the structure of social networks, some studies has focus at temporal evolutions. In this terms, [23] shows a studies where they used two Facebook's dataset. The first dataset is about user's profile information, in other words, it is just the user's public information and friendship. The second dataset contains the data of interaction between the user's Facebook. In Face-

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.

MSND '13 Rio de Janeiro, Brazil

Copyright 20XX ACM X-XXXXX-XX-X/XX/XX ...\$15.00.

book, a user's friends can post comment's to the user's wall, these comments appear on the user's wall and can be seen by others who visit the user's profile. In these way, [23] modeled the first dataset as a undirectional graph and the second as a directional graph to analysis. [23] shows that the second dataset contains information about link's disappearance, because user usually stopped to interact, but hardly he removes a friendship tie, it is the cause of the first dataset do not have this information. Other cause of the first dataset do not represent the real world is that some users just accept a friendship invite as courtesy. In this paper also is showed a measures to show the link's evolutions on the time, the resemblance. [23] showed that, in the second dataset, though there is high churn in the user pairs that interact over time, many of the global structural properties remained relatively constant over time.

Is shown in another study [11] the components evolutions of two social networks of a big company. These study analysis the components of three ways. The analysis is done about nodes that have degree one, intermediate components (components that are not the gigant component and has more than one degree) and the gigant component. In the intermediate components is showed the concept of star nodes, this nodes are importants to the social networks, because they can make the social network grow. Also proposed is mathematic model that making the predicion of behavior identified in these study. In this study [11] is done a characterize about the nodes type too where they can be passive, linkers and invites.

[22]
[5]
[2]
[17]
[15]
[19]
[13]
[28]
[26]
[27]
[8]
[6]
[12]

3. SCIENTIFIC COMMUNITIES

The notion of community can be understood as a dense group of nodes in a network, with more edges inside than edges linking the rest of the network. There are multiple definitions and strategies of identifying communities and they which vary according to the context. In our context, a scientific community can be defined in terms of a large and well established conference able to aggregates authors working in similar research topics along a considerable number of years. Next, we describe how we build a large set of scientific communities and present basic network evolution properties of them.

3.1 Dataset

In order to define a set of scientific communities to study, we focus on gathering data from DBLP¹ [14], a digital li-

¹<http://dblp.uni-trier.de/>

brary containing more than 2.1 million publications from 1.2 million authors that provides bibliographic information on major computer science conferences and journals. DBLP offers its entire database in XML format, which facilitates gathering and reconstructing entire scientific communities.

Each publication is accompanied by its title, list of authors, year of publication, and the venue of publication, i.e. the conference or journal. For the purposes of our work, we consider a scientific community as graph in which nodes are represented by researchers and edges links co-authors of papers at the same community. In order to define communities, we focus on the publications from the flagship conferences of each of the ACM SIGs (Special Interest Groups). Thus, we define a scientific community by linking people that have co-authored a paper in a certain conference, making the flagships conferences of the ACM SIGs to serve as communities where co-authorships are formed. We removed young SIG conferences without enough data for a temporal analysis as well as conferences in which the entire history is not registered on DBLP, to allow us carrying temporal analyses. In total, 26 scientific communities were considered. Table 1 summarizes the ACM special interest group, the flagship conference name, the period considered (some conferences had the period reduced to avoid hiatus in the data), H-Index, number of authors, publications and editions as well as ratios extracted from these last three measures.

3.2 Communities evolution

As an attempt to understand the main structural properties of scientific communities, next we examine the evolution of the network structure of scientific communities on the light of complex network analysis. To do so, we calculated various network metrics for each of the scientific community. We present four popular metrics here: assortativity, average clustering coefficient, average path length, and the size of the largest connected component. Figure 1 shows how each of the four metrics vary over time for a set of selected scientific communities. Our analysis results are similar for other communities, but we omit these due to lack of space.

We can note from Figure 1 that the largest connected component tend to largely increase as a function of time. This suggests that at early stages, scientific communities are formed by several small and segregated research groups. With time some students become professors, leave an institute and begin collaborations with other research groups. Additionally, as the community evolves, head of research labs tend to colabrate with peers of the same community. Thus, with time, authors from different groups tend to collaborate and increase the size of the largest connected component. As a consequence the average shortest path, computed only on the largest connected component, tend to increase and then become stable around typical small-world values (i.e. from 4 to 10 hops). We can also note that the average clustering coefficient tend to values between 0.1 and 0.2, suggesting that the co-authors of an author have 10% to 20% of chance to be connect among themselves. This value tend to slightly diminishes over time, as small components tend connect to form larger components reducing the average clustering coefficient value. When, it comes to assortativity, we see that this measure tend to 0, but is still positive. This means that there is a slight tendency in these communities of nodes to connect with others with similar degree. A positive value for assortativity is a typical char-

Table 1: The data of DBLP of flagship conferences of ACM SIGs

SIG	Conference	Period	H-Index	Authors	Publications	Editions	Aut/Edi	Pub/Edi	Aut/Pub
SIGACT	STOC	1969-2012	94	2159	2685	44	49.07	61.02	0.80
SIGAPP	SAC	1993-2011	59	9146	4500	19	481.37	236.84	2.03
SIGARCH	ISCA	1976-2011	102	2461	1352	36	68.36	37.56	1.82
SIGBED	HSCC	1998-2012	-	846	617	15	56.40	41.13	1.37
SIGCHI	CHI	1994-2012	144	5095	2819	19	268.16	148.37	1.81
SIGCOMM	SIGCOMM	1988-2011	140	1593	796	24	66.38	33.17	2.00
SIGCSE	SIGCSE	1986-2012	51	3923	2801	27	145.30	103.74	1.40
SIGDA	DAC	1964-2011	98	8876	5693	48	184.92	118.60	1.56
SIGDOC	SIGDOC	1989-2010	23	1071	810	22	48.68	36.82	1.32
SIGGRAPH	SIGGRAPH	1985-2003	119	1920	1108	19	101.05	58.32	1.73
SIGIR	SIGIR	1978-2011	116	3624	2687	34	106.59	79.03	1.35
SIGKDD	KDD	1995-2011	124	3078	1699	17	181.06	99.94	1.81
SIGMETRICS	SIGMETRICS	1981-2011	71	2083	1174	31	67.19	37.87	1.77
SIGMICRO	MICRO	1987-2011	81	1557	855	25	62.28	34.20	1.82
SIGMM	Multimedia	1993-2011	80	5400	2928	19	284.21	154.11	1.84
SIGMOBILE	MobiCom	1995-2011	106	1151	480	17	67.71	28.24	2.40
SIGMOD	SIGMOD	1975-2012	147	4202	2669	38	110.58	70.24	1.57
SIGOPS	PODC	1982-2011	59	1685	1403	30	56.17	46.77	1.20
SIGPLAN	POPL	1975-2012	85	1527	1217	38	40.18	32.03	1.25
SIGSAC	CCS	1996-2011	97	1354	676	16	84.63	42.25	2.00
SIGSAM	ISSAC	1988-2011	-	1100	1177	24	45.83	49.04	0.93
SIGSOFT	ICSE	1987-2011	111	3502	2248	25	140.08	89.92	1.56
SIGUCCS	SIGUCCS	1989-2011	-	1771	1593	23	77.00	69.26	1.11
SIGWEB	CIKM	1992-2011	82	4978	2623	20	248.90	131.15	1.90

acteristic of sociological networks [16].




Figure 1: Metrics accumulated from 1 in 1 year

All in all, we can note that scientific communities have similar evolving characteristics and these properties are dynamic as they change over time. More important, our observations suggest that a small set authors are responsible for the social clue that create the paths among smaller and more connected research groups. Next, we seek to further investigate this group of authors. To that end, in the next section we propose an approach to identify the author's core of scientific communities.

4. DEFINING COMMUNITY CORE

Previous attempts for identifying the community core of a scientific community are based on algorithmic approaches that aim at identifying dense clusters of nodes in the network [21]. However, as we plan to investigate the role of a core in the network structure, any approach that uses to network structure to identify such nodes could lead us to a biased set of authors. Instead, we focus on develop a metric that quantify the involvement of a researcher in a scientific community during a certain period of time. Intuitively, this metric should be able to capture i) the prolificness of an author in his life as well as in other communities and ii) the frequency of involvement with the community in periods of time.

In order to capture the prolificness of an author, we use a common metric namely h-index [7]. This metric consists of an index that attempts to measure both the productivity and impact of the published work of a researcher and it is based on the set of the researcher's most cited papers and the number of citations that they have received. More specifically, a researcher a has h-index h_a if h of her N papers have at least h citations each, and the other $(N - h)$ papers have no more than h citations each. As example, if an author have 10 papers with at least 10 citations, she has h-index 10. Finally, as an attempt to capture the importance of an author to a specific community in a certain

period of time, we multiple the h-index by the number of publications this author has in a certain community during a time window. We name this measure as *Core Score*. More formally, the Core Score of an author a in a certain community c on certain period of time t , $CoreScore_{a,c,t}$, is given by its $h-index_a$ multiplied by the number of publications a have in c during t .

$$CoreScore_{a,c,t} = h-index_a * number\ of\ publications_{a,c,t} \quad (1)$$

We note that the first part of the equation captures the importance of an author to the scientific community in different areas and periods and the second part weight this importance based on the activity of the author in a certain community and time. By computing the core score of each author of a community we can determine the community core in a certain period as the top researchers of that community in terms of their core scores in that period. Next, we detail how we inferred the h-index of authors in Section 4.1. Then, Section 4.2 discusses how we define two important thresholds: the size of the community core based on the author's core score and the time window used in our analyses.

4.1 Inferring Authors H-index

There are multiple tools that measure the h-index of research authors, out of which Google Citations² is the most prominent one. However, to have a profile in this system, a researcher needs to sig up and explicitly create her research profile. In a preliminary data collection of part of the profiles of the DBLP SIGMOD authors we found that less than 30% of the authors of these communities had a profile in the Google citations. Thus, this strategy would reduce our dataset and potentially introduce bias for network analysis.

To divert from this limitation, we used data from SHINE, the Simple HINdex Estimation project³, to infer community authors' h-index. SHINE is a search system that allow users to check the h-index of thousands of computer science conferences. They crawled google scholar, searching for the title of papers published in a number of conferences, which allowed them to effectively estimate the h-index of these target conferences based on the citations computed by google scholar. Although SHINE does not allow one to search for an author instead of a conference, the shine builders kindly allowed us to access their database to infer the h-index of authors based on the conferences they crawled.

There is a limitation with this strategy. As SHINE does not track all the existent computer conferences, authors' h-index might be underestimated when computed with this data. To investigate this issue, we compared the h-index of a set of authors with account on Google citations with their estimated h-index based on the SHINE dataset. We randomly selected 10 researchers for each conference from Table 1 and we extracted their h-index from their Google scholar profiles. In comparison with the H-index we estimated from SHINE, the Google scholar values are in average XX% higher. Figure 2 shows the scatter plot for the two h-index. We can note that although the SHINE h-index is smaller, the two measures are highly correlated. Indeed, the pearson correlation coefficient is 0.85, which indicates that authors might have proportional h-index estimations in the




Figure 2: Correlation between the inferred H-Index and Google Scholar Citations

two systems.

4.2 Setting the thresholds

There are two important thresholds in our approach we need to define to determine the core of a scientific community. The first is related to the time window in which the core community is computed. In other words, should we compute the community core at each year, at each two years, or for a larger time window? The second threshold is related to the size of the community core. As we define the core of a community as the top researchers in terms of their core score during a certain time window, it is important to define the threshold for choosing the top ones.

Our strategy to define these thresholds consists of varying each of them and quantify how they impact on the changes on the members of the community core. To measure these changes, we compute a metric namely ressemblance, as used in [23], which measures the fraction of members in the core at time t_0 and remain in the core at the time t_1 . For each conference, we vary the window size from 1 to 5 years and the size of community core from 10% to 60% of the entire community.

Intuitively, high ressemblance variations indicate bad threshold choices, and thus, we should seek for values in which threshold changes causes slightly changes on ressemblance. Figure 3 shows the ressemblance values as a function of the window size, providing different curves for the community core size. We choose the SIGMOD and SIGDOC for these analysis. The rest of the communities are omitted due to lack of space, but the same observations hold for them. By visual inspection we would set the core size as 10% due to the proximity of the curves and the window size as 2 or 3, as most of the communities showed a more stable ressemblance after these values. To help us decide we compute the angular coefficient for the 10% core size curves of each community and obtained the average angular coefficient for them. Based on this value, we choose the window size for our experiments as 3.

4.3 Validation

Based on the measure of core score, we expect that the members of the community core would be members of standing that actively contribute with publications to a certain community. The validation of these matters is, by nature, subjective. Next, we provide evidences that our approach correctly captures these expected properties.

²<http://scholar.google.com/citations>

³<http://shine.icomp.ufam.edu.br/>




Figure 3: Average of the values of resemblance

First, we analyze the core score of two WWW 2013 keynote speakers: Jon Kleinberg and Luis Von Ahn. Figure 4 shows the ranking position in terms of percentage (i.e. position 5% of that community) of these two authors in the communities they have published. The red line divides the members of the community core from the other members. We can note that Jon Kleinberg was a member of the community core of STOC for years, a theoretical conference. Indeed, he was part of the STOC core for **XX** years, publishing more than **XX** papers at each period of three years. With Kleinberg’s involvements on KDD, he became less active in STOC and left the that community core. During this period he published more than **XX** KDD papers at each period of three years whereas his publications in STOC were reduced to 1 or 2 in **XX** consecutive periods of three years. When it comes to Luis Von Ahn, we can note that he is more active in the CHI community, a community in which he published **XX** papers along his academic life. He reached the core of the CHI community along three consecutive windows, with more than **XX** CHI papers per period.




Figure 4: Core score of two WWW 2013 keynote speakers

Next, we compute a ranking of researchers that appear most often in the community core of each scientific community. We choose the SIGCHI, SIGCOMM, SIGIR, and SIGMOD to show the top 20 researchers in Table 2. We can note that several big names appear in this ranking, including past keynote speakers of these events as well as awarded authors by their life time contributions in that community. Indeed, by analyzing the awarded researchers from each community we found that a large fraction of them appear in the top 100 list of researchers that appear in the community core. More specifically, these fractions are **XX%** of the awarded

SIGCHI⁴ members, **XX%** for SIGCOMM⁶, **XX%** for SIGIR⁷, and **XX%** for SIGMOD⁸. These observations provides evidences that our approach correctly captures the notion of a scientific community core.

5. PROPERTIES OF THE COMMUNITIES CORE

In this section we explain about the main properties of the what we define as core communities in the previous sections. We also show how the core community behaves in some social networks metrics and how its impacts yours communities over the years using temporal slide windows.

5.1 Core over time

Thus as the communities, the core community also evolves over the years. The Figure 1 shows how the communities evolves over the time considering data accumulated. Here, we show a different way to see the evolution, the Figure 5 shows the evolution of the communities over the year over the years using temporal slide window. It is possible to clearly see some differences, as the assortativity in Figure 1(a) and Figure 5(a) which in the first one, it start at 1 in many cases and stabilizes at 0 nowadays, however, the slide windows show a large variation over the time, this may indicate, perhaps, that the community come by more variation than expected. This vision is so important to understand the core community, how we are explaining.

In our studies about the core communities, we used the slide windows to understand how the core communities evolve. It is important understand how the core community is clustered, because a core community very clustered may indicate a strong impact in the network. The Figure 6(a) and 6(d) shows the clustering coefficient of the SIGIR and SIGMOD, respectively. It is possible to see the behavior of the conference and the core community, the two values are always so close, indicating that the core community has well clustering relative the conference.

Over the years, a normal process is the researchers creates many links to another researchers, as students either or researchers of same institution or others physical places. The link to other researchers can be motivated by financial incentives the government, for example. This scenario, the behavior of the links, can be seen in the Figure 6(b) and 6(e), it is important to note which this study do not use accumulated data, so the degree nodes of the core community are always, generally, increasing over the years, reaching values higher than the community itself.

The core communities have the more important researchers in the network, in order, it is intuitive which many members of the core community should be inside the largest connected component of the network, however, the Figure 6(c) and 6(f) shows that this intuition is not totally correct, since in some periods the value of the members of the core community into the largest connected component is 0.

⁴<http://www.sigchi.org/about/awards/>

⁵<http://www.sigcomm.org/awards/sigcomm-awards>

⁶<http://www.sigcomm.org/awards/sigcomm-awards>

⁷<http://www.sigir.org/awards/awards.html>

⁸<http://www.sigmod.org/sigmod-awards>

Table 2: The researchers who appear most often in the Core Community over the years.

	CIKM SIGCHI	KDD SIGCOMM	SIGIR	SIGMOD
1 st	Philip S. Yu	Heikki Mannila	W. Bruce Croft	David J. DeWitt
2 nd	Jiawei Han	Jiawei Han	Clement T. Yu	Michael Stonebraker
3 rd	Ling Liu	Eamonn J. Keogh	Susan T. Dumais	H. V. Jagadish
4 th	Clement T. Yu	Martin Ester	James Allan	Rakesh Agrawal
5 th	Christos Faloutsos	Bing Liu	Justin Zobel	Christos Faloutsos
6 th	James Allan	Padhraic Smyth	Alistair Moffat	Raghu Ramakrishnan
7 th	Elke A. Rundensteiner	Charu C. Aggarwal	Norbert Fuhr	Jiawei Han
8 th	Ke Wang	Philip S. Yu	James P. Callan	Gerhard Weikum
9 th	Amr El Abbadi	Ke Wang	Yiming Yang	Philip A. Bernstein
10 th	W. Bruce Croft	Hans-Peter Kriegel	Edward A. Fox	Jeffrey F. Naughton
11 th	Ming-Syan Chen	Rakesh Agrawal	Gerard Salton	Hector Garcia-Molina
12 th	Divyakant Agrawal	Jian Pei	Ricardo A. Baeza-Yates	Michael J. Carey
13 th	C. Lee Giles	Wynne Hsu	Jian-Yun Nie	Joseph M. Hellerstein
14 th	Weiyi Meng	Qiang Yang	Mark Sanderson	Philip S. Yu
15 th	Berthier A. Ribeiro-Neto	Christos Faloutsos	Charles L. A. Clarke	Divesh Srivastava
16 th	M. Tamer Özsu	Huan Liu	Chris Buckley	Michael J. Franklin
17 th	ChengXiang Zhai	Mohammed Javeed Zaki	ChengXiang Zhai	Jennifer Widom
18 th	Javed A. Aslam	Pedro Domingos	Alan F. Smeaton	Hans-Peter Kriegel
19 th	Hans-Peter Kriegel	Jon M. Kleinberg	Zheng Chen	Hamid Pirahesh
20 th	Bing Liu	Vipin Kumar	Ophir Frieder	Surajit Chaudhuri




Figure 6: Metrics comparing the core community

5.2 Average Community Core

5.3 Core communities and Network Structure

reproduzir trabalho do rich club [28]

We now examine to what extent the community core fluctuations affect the network structure.

6. CONCLUSIONS

7. FUTURE WORK

- Ajustes na formula de Core Score:
- Computar h-index a todo momento, considerando o tempo t em analise

-Mudar a formula para considerar publicacoes feitas no passado, no entanto, colocar uma penalidade. (vida trabalho do peterson)

-Realizar estudo semelhante em outra rede, tipo twitter, o h-index poderia ser alterado para um calculo de influencia

8. REFERENCES

- [1] A. Anagnostopoulos, R. Kumar, and M. Mahdian. Influence and correlation in social networks. In *Proc. of KDD*, 2008.
- [2] L. Backstrom, D. Huttenlocher, J. Kleinberg, and X. Lan. Group formation in large social networks:

Table 3: Correlation between average core score of the core community and the metrics of complex networks

Conference	Diameter	Ave. Short P.	Clus. Coef.	Assort.	Larg. Com. Con.	Ave. Deg. Node	Num. Nodes
CCS	0,34	0,2	0,23	-0,2	0,45	0,14	-0,13
CHI	0,75	0,79	-0,62	-0,74	0,76	0,77	0,58
CIKM	0,56	0,56	-0,52	-0,67	0,39	0,87	0,64
DAC	0,8	0,85	-0,49	-0,63	0,76	0,92	0,84
HSCC	0,17	0,45	-0,62	-0,71	0,87	0,55	-0,55
ICSE	0,81	0,83	-0,52	-0,84	0,68	0,8	0,78
ISCA	0,63	0,55	0,54	-0,32	0,63	0,81	0,41
ISSAC	0,05	0,01	-0,25	-0,43	-0,07	0,21	0,78
KDD	0,1	0,17	-0,33	-0,67	0,2	0,14	0,2
MICRO	0,35	0,35	0,28	-0,36	0,52	0,51	0,36
MOBICOM	-0,04	0,11	0,13	-0,65	0,23	-0,09	0,02
Multimedia	0,67	0,68	-0,91	-0,95	0,67	0,69	0,75
PODC	0,4	0,42	-0,23	-0,2	0,13	0,68	0,57
POPL	0,21	0,2	0,23	-0,43	0,25	0,19	0,05
SAC	0,48	0,59	0,16	-0,39	-0,55	0,16	0,23
SIGCOMM	0,18	0,19	0,05	-0,81	0,49	0,41	-0,03
SIGCSE	0,88	0,84	-0,22	-0,5	0,93	0,87	0,8
SIGDOC	0,73	0,78	-0,36	-0,89	0,66	0,76	0,05
SIGGRAPH	0,79	0,85	-0,45	-0,75	0,94	0,88	0,55
SIGIR	0,83	0,85	-0,42	-0,77	0,7	0,89	0,88
SIGMETRICS	0,31	0,24	0,3	-0,44	0,37	0,64	0,43
SIGMOD	0,78	0,81	0,27	-0,61	0,77	0,87	0,68
SIGUCCS	0,38	-0,22	0,53	-0,13	0,51	0,7	0,57
STOC	0,61	0,63	0,54	-0,37	0,82	0,88	0,68
Average	0,49	0,49	-0,11	-0,56	0,5	0,59	0,42




Figure 5: Metrics using slide window of the 3 size




Figure 7: Average Core Score

membership, growth, and evolution. In *Proc. of KDD*, 2006.

- [3] M. Cha, H. Haddadi, F. Benevenuto, and K. P. Gummadi. Measuring User Influence in Twitter: The Million Follower Fallacy. In *Proc. of ICWSM*, 2010.
- [4] D. Crandall, D. Cosley, D. Huttenlocher, J. Kleinberg, and S. Suri. Feedback effects between similarity and social influence in online communities. In *Proc. of KDD*, 2008.
- [5] N. Ducheneaut, N. Yee, E. Nickell, and R. J. Moore. The life and death of online gaming communities: a look at guilds in world of warcraft. In *Proc. of CHI*, 2007.
- [6] S. Garg, T. Gupta, N. Carlsson, and A. Mahanti. Evolution of an online social aggregation network: an empirical study. In *Proc. of IMC*, 2009.
- [7] J. E. Hirsch. An index to quantify an individual's scientific research output. *Proc. of PNAS*, 102(46):16569–16572, 2005.

- [8] J. Huang, Z. Zhuang, J. Li, and C. L. Giles. Collaboration over time: characterizing and modeling network evolution. In *Proc. of WSDM*, 2008.
- [9] D. Kempe, J. Kleinberg, and Éva Tardos. Influential nodes in a diffusion model for social networks. In *Proc. of ICALP*, 2005.
- [10] D. Kempe, J. Kleinberg, and E. Tardos. Maximizing the spread of influence through a social network. In *Proc. of KDD*, 2003.
- [11] R. Kumar, J. Novak, and A. Tomkins. Structure and evolution of online social networks. In *Proc. of KDD*, 2006.
- [12] J. Leskovec, L. Backstrom, R. Kumar, and A. Tomkins. Microscopic evolution of social networks. In *Proc. of KDD*, 2008.
- [13] J. Leskovec, J. Kleinberg, and C. Faloutsos. Graphs over time: densification laws, shrinking diameters and possible explanations. In *Proc. of KDD*, 2005.
- [14] M. Ley. Dblp: some lessons learned. *VLDB*, 2(2):1493–1500, 2009.
- [15] G. R. Lopes, M. M. Moro, and J. P. M. de Oliveira. Temporal influence in collaborators recommendation in social networks. In *Proc. of IADIS*, 2011.
- [16] M. Newman and J. Park. Why social networks are different from other types of networks. *Phys. Rev. E*, 68, 2003.
- [17] A. Patil, J. Liu, B. Price, H. Sharara, and O. Brdiczka. Modeling destructive group dynamics in on-line gaming communities. In *Proc. of ICWSM*, 2012.
- [18] E. M. Rogers. *Diffusion of Innovations*. 1962.
- [19] M. Sachan, D. Contractor, T. A. Faruque, and L. V. Subramaniam. Using content and interactions for discovering communities in social networks. In *Proc. of WWW*, 2012.
- [20] D. Saez-Trumper, G. Comarela, V. Almeida, R. Baeza-Yates, and F. Benevenuto. Finding trendsetters in information networks. In *Proc. of KDD*, 2012.
- [21] M. Seifi and J.-L. Guillaume. Community cores in evolving networks. In *Proc. of WWW*, 2012.
- [22] X. Sun, J. Kaur, S. Milojević, A. Flammini, and F. Menczer. Social dynamics of science, 2012.
- [23] B. Viswanath, A. Mislove, M. Cha, and K. P. Gummadi. On the evolution of user interaction in facebook. In *Proc. of WOSN*, 2009.
- [24] D. Watts and P. Dodds. Influentials, networks, and public opinion formation. *Journal of Consumer Research*, 34(4):441–458, 2007.
- [25] J. Weng, E.-P. Lim, J. Jiang, and Q. He. Twitterrank: finding topic-sensitive influential twitterers. In *Proc. of WSDM*, 2010.
- [26] W. Willinger, R. Rejaie, M. Torkjazi, M. Valafar, and M. Maggioni. Research on online social networks: time to face the real challenges. *SIGMETRICS Perform. Eval. Rev.*, 37(3):49–54, 2010.
- [27] B. Wu, F. Zhao, S. Yang, L. Suo, and H. Tian. Characterizing the evolution of collaboration network. In *Proc. of SWSM*, 2009.
- [28] X.-K. Xu, J. Zhang, and M. Small. Rich-club connectivity dominates assortativity and transitivity of complex networks. *Phys. Rev. E*, 82:046117, 2010.