



Configurations

Apply Configurations
Settings
Integrations
Roles Between Apps




Apply Configurations

Applying configurations through the Portal




Configurations Segregation




Settings (and Secrets)

Configuring Library Settings and using them to store app secrets




Timers

Configuring Timers



Integrations

Configuring Library Integrations Endpoints



Roles Between Apps


- Roles can be made public and shared between apps

The screenshot displays a role management interface. On the left, a tree view shows a hierarchy: 'Roles' (expanded) contains 'HRManager' (expanded), which includes 'CheckHRManagerRole' (two instances), 'GrantHRManagerRole', 'RevokeHRManagerRole', and 'NeoDirectory'. Below this is an 'Exceptions' folder. The main panel on the right shows the details for the 'HRManager' role, which is marked as public (open lock icon). It includes a 'Name' field with the value 'HRManager' and a 'Description' field with a placeholder '...'.


Field	Value
Name	HRManager
Description	...

Roles Between Apps

- Roles can be made public and shared between apps
- In your consumer app, add a reference to the Public Role
 - *Check<Role>* Client and Server Actions can be used to validate permissions



Roles Between Apps



- Roles can be made public and shared between apps
- In your consumer app, add a reference to the Public Role
 - *Check<Role>* Client and Server Actions can be used to validate permissions
- Granting or revoking a public Role
 - Create Service Actions to grant or revoke the role from a user
 - Consume the Service Action from other apps