

ODC Architecture Exam Simulator

Full Review Report for Claude Code

Prepared for Bruno Rendeiro - 14 June 2026

Purpose: provide an actionable implementation document with per-question review flags, official documentation URLs, questions requiring revision, and new candidate questions to add to the app.

1. Executive summary

The app is a strong study simulator. The main improvement is not simply adding more questions; it is adding traceability, official documentation links, and correcting/rewording flagged questions.

- Total questions reviewed: 196.
- Technical structure: valid - each question has four options and exactly one correct answer.
- Main recommendation: add per-question metadata: verified, lastReviewed, documentationUrl, reviewFlag.
- Use the CSV generated with this report as the implementation checklist for Claude Code.

2. Recommended question metadata schema

```
{
  "verified": true,
  "lastReviewed": "2026-06",
  "documentationUrl": "https://success.outsystems.com/...",
  "reviewFlag": "TOPIC_DOC_LINKED | NEEDS_REVIEW | CORRECTION_REQUIRED | KEEP_WITH_SOURCE"
}
```

3. Meaning of review flags

- TOPIC_DOC_LINKED: Question looks acceptable. Add the documentation URL and keep it in the bank.
- NEEDS_REVIEW: Question is probably useful but wording, terminology or source needs manual confirmation.
- CORRECTION_REQUIRED: Question/answer is likely wrong or unsupported and should be changed before publication.
- KEEP_WITH_SOURCE: Question is technical but acceptable if the official source URL is kept near it.

4. Official documentation source index

Topic	Official URL
ODC App Architecture	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/
Building a well-architected app	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/
Reuse elements across apps	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/
Strong and weak dependencies	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/understand_strong_and_weak_dependencies/
Libraries	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/
Types of apps you can build	https://success.outsystems.com/documentation/outsystems_developer_cloud/getting_started/types_of_apps_you_can_build/
Cloud-native architecture	https://success.outsystems.com/documentation/outsystems_developer_cloud/managing_outsystems_platform_and_apps/cloud_native_architecture_of_outsystems_developer_cloud/
Deploying assets	https://success.outsystems.com/documentation/outsystems_developer_cloud/deploying_assets/
Event-driven architecture	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_event_driven_architecture/
Properties of ODC events	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_event_driven_architecture/properties_of_odc_events/
EDA in ODC	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_event_driven_architecture/event_driven_architecture_in_odc/
Data Fabric	https://success.outsystems.com/documentation/outsystems_developer_cloud/integration_with_external_systems/integrate_with_external_data_sources_using_data_fabric/
Data Fabric connections	https://success.outsystems.com/documentation/outsystems_developer_cloud/integration_with_external_systems/integrate_with_external_data_sources_using_data_fabric/

	create connections to external data sources/
Configuration management	https://success.outsystems.com/documentation/outsystems_developer_cloud/managing_outsystems_platform_and_apps/configuration_management/
Monitoring and troubleshooting	https://success.outsystems.com/documentation/outsystems_developer_cloud/monitoring_and_troubleshooting_apps/
Workflows in ODC	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_business_processes/workflows_in_odc/
Workflow getting started	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_business_processes/getting_started/
Agentic apps in ODC	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/build_ai_powered_apps/agentic_apps_in_odc/
Data management	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/data_management/
ODC for O11 developers	https://success.outsystems.com/documentation/outsystems_developer_cloud/odc_for_o11_developers/

5. Questions to review or correct

These are the questions that should be handled before or during the next app update. The URL column indicates where the question should be verified.

ID	Category	Status	Review flag	Question	Current correct answer	What to do / source URL
1	cloud	⚠️ Ambígua	NEEDS_REVIEW	In OutSystems Developer Cloud (ODC), which asset type exposes logic, UI and data elements that can be reused by other apps?	Library	A pergunta diz 'data elements'; em ODC uma Library partilha sobretudo UI/logic/structures. Evitar sugerir que Libraries armazenam/expõem Entities normais. URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/
2	cloud	⚠️ Wording a rever	NEEDS_REVIEW	What is the main difference between a strong dependency and a weak dependency in ODC?	Strong dependencies require joint deployment; weak dependencies allow independent deployment.	'Require joint deployment' é forte demais. Melhor: strong dependency é incorporada no build do consumidor; weak dependency permite deploy independente entre apps. URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/understand_strong_and_weak_dependencies/
10	cloud	⚠️ Desatualizada/ambígua	NEEDS_REVIEW	Which of the following App types does NOT exist in ODC?	Desktop App	A documentação atual apresenta Web app, Mobile app e Agentic app; Phone/Tablet são melhor tratados como variação/template mobile. Reescrever. URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/getting_started/types_of_apps_you_can_build/
39	design	⚠️ Ambígua	NEEDS_REVIEW	Which of the following is an example of a Non-Functional Requirement (NFR) identified during the Disclose step?	The system must integrate with an external Identity Provider.	External IdP pode ser NFR/integração/segurança. Boa como pergunta de Disclose, mas a opção deveria dizer 'NFR/integration concern' para não parecer funcional. URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/
58	events	❌ Incorreta	CORRECTION_REQUIRED	How many times is a failed Event retried in ODC, and with what interval pattern?	Up to 10 times, with exponential backoff (5s, 10s, 20s, 30s, 1min, 2min, 4min, 8min, 16min, 32min).	A documentação de Properties of ODC events indica máximo 10 retries com backoff policy 2, 4, 8, 16, 32 min. A resposta atual inclui 5s/10s/20s/30s/1min, que não bate certo. URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_event_driven_architecture/properties_of_odc_event/
59	events	⚠️ A atualizar	NEEDS_REVIEW	In which type of assets can Events be created in ODC?	Only in Web Apps and Mobile Apps — NOT in Libraries.	'Only Web Apps and Mobile Apps' deve ser confirmado/reformulado para a nomenclatura atual de assets/apps, sobretudo com Agentic Apps e Workflows. URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_event_driven_architecture/event_driven_architecture_in_odc/

65	cloud	⚠️ Ambígua	NEEDS_REVIEW	What ensures secure communication between the Platform and Runtime clusters in ODC?	NATS (Neural Autonomic Transport System)	NATS é middleware de mensagens; a segurança de transporte é TLS. Retirar 'Neural Autonomic Transport System' e distinguir messaging de encryption. URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/managing_outsystems_platform_and_apps/cloud_native_architecture_of_outsystems_developer_cloud/
70	cloud	⚠️ Requer fonte explícita	NEEDS_REVIEW	What happens to metadata when a connection to an external system is deleted in ODC?	Metadata is deleted automatically	A ideia de metadata removida ao apagar connection é plausível em Data Fabric, mas a pergunta é muito específica e precisa de link/documentação. URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/integration_with_external_systems/integrate_with_external_data_sources_using_data_fabric/create_connections_to_external_data_sources/
72	cloud	✅ Correta, mas técnica	KEEP_WITH_SOURCE	What component handles all requests to the ODC Platform services?	Platform Load Balancer	A documentação menciona Platform Load Balancer para pedidos a Platform services. Manter se a pergunta for de cloud-native infrastructure. URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/managing_outsystems_platform_and_apps/cloud_native_architecture_of_outsystems_developer_cloud/
78	cloud	⚠️ Duvidosa	NEEDS_REVIEW	What caching strategy is used for query results in ODC?	Kubernetes pod memory caching	'Kubernetes pod memory caching' para query results não encontrei como ponto oficial claro. Remover ou trocar por pergunta sobre Data Fabric/resource capacity. URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/managing_outsystems_platform_and_apps/cloud_native_architecture_of_outsystems_developer_cloud/
80	cloud	⚠️ Ambígua/duplicada	NEEDS_REVIEW	What channel ensures secure message transmission between internal ODC components?	Message-oriented middleware (NATS)	Muito parecida com a 65. NATS é canal/middleware; TLS é a garantia de encriptação. Consolidar ou reformular. URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_event_driven_architecture/event_driven_architecture_in_odc/
121	libraries	⚠️ Wording a rever	NEEDS_REVIEW	What permissions are required to release a library in ODC?	Release permission	Para release via APIs aparecem permissões Asset management > Change e Release management > Release. Se for UI/Studio, 'Release permission' é aceitável, mas falta contexto. URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/
129	libraries	❌ Provável incorreta	CORRECTION_REQUIRED	What can you view	The stage on which the	Para app reuse, a doc

			RED	about app reuse in the ODC Portal?	app is deployed	aponta que a página de detalhe do asset lista producers e consumers. 'The stage on which the app is deployed' não responde bem à pergunta. URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/
145	cloud	✗ Provável incorreta/unsupported	CORRECTION_REQUIRED	How does the ODC cloud platform maintain data isolation for multiple tenants sharing the same infrastructure?	The platform engine automatically injects a unique tenant identifier into every database query before execution, with no code changes required from developers	A resposta descreve injeção automática de tenant identifier em queries. A doc atual fala em bases de dados isoladas por stage e Platform services multi-tenant; não encontrei esta mecânica para apps ODC. URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/managing_outsystems_platform_and_apps/cloud_native_architecture_of_outsystems_developer_cloud/
153	cloud	✓ Correta, mas wording forte	KEEP_WITH_SOURCE	Why can a Library NOT expose Service Actions in ODC?	Because Service Actions are the mechanism for weak cross-app references — which is architecturally incompatible with how Libraries work (strong bond, packaged inside the consumer's container)	A ideia está alinhada: Libraries usam strong dependency e expõem Server Actions/elementos públicos, não Service Actions app-to-app. Pode simplificar a explicação. URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/
154	cloud	⚠ Ambígua/desatualizada	NEEDS_REVIEW	What are the main types of ODC Applications?	User Interface apps (web/mobile screens), Microservice apps (expose Service Actions or REST APIs), and Asynchronous Processing apps (background timers, data synchronisation)	A pergunta diz 'main types of ODC Applications', mas a documentação atual usa Web, Mobile e Agentic apps. Se queres falar de 'architectural roles', reescreve. URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/getting_started/types_of_apps_you_can_build/
176	cloud	✗ Incorreta	CORRECTION_REQUIRED	In ODC's cloud infrastructure, which service stores the OML project files (app revisions as blob data)?	Amazon S3	A documentação de cloud-native architecture indica Amazon Aurora para current/historic app revisions como OML blob data; S3 está associado a configuration/metadata from Platform Build Service. URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/managing_outsystems_platform_and_apps/cloud_native_architecture_of_outsystems_developer_cloud/

6. Suggested new questions to add to the app

These are ready-to-convert question ideas. They include suggested answers and official documentation URLs. Claude Code can transform them into the existing RAW_QUESTIONS format.

New Question 1 - agentic

Which ODC application type is designed to host AI-powered agents and autonomous workflows?

- Web App
- Mobile App
- Agentic App [CORRECT]
- Library

Rationale: Agentic Apps are designed to use AI agents to perform tasks, automate workflows, and handle complex multi-step interactions.

Documentation URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/build_ai_powered_apps/agentic_apps_in_odc/

New Question 2 - agentic

What is the primary purpose of an Agentic App in ODC?

- Hosting responsive web pages
- Executing autonomous or semi-autonomous AI-driven processes [CORRECT]
- Storing shared themes
- Managing deployment pipelines

Rationale: Agentic apps use one or more AI agents to perform tasks and coordinate logic with some autonomy.

Documentation URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/build_ai_powered_apps/agentic_apps_in_odc/

New Question 3 - data_fabric

What is the primary goal of Data Fabric in ODC?

- Replace relational databases
- Centralize access to distributed external data sources [CORRECT]
- Replace REST integrations completely
- Eliminate APIs

Rationale: Data Fabric lets developers query external data sources from ODC Studio through external entities, Aggregates or SQL nodes.

Documentation URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/integration_with_external_systems/integrate_with_external_data_sources_using_data_fabric/

New Question 4 - data_fabric

Which problem does Data Fabric primarily address?

- UI consistency
- Data fragmentation across systems [CORRECT]
- Theme management
- Library versioning

Rationale: Data Fabric helps apps access and combine data from external sources without manually duplicating that data into ODC first.

Documentation URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/integration_with_external_systems/integrate_with_external_data_sources_using_data_fabric/

New Question 5 - workflows

Which ODC capability is most appropriate for long-running business processes involving human approval?

- Client Action
- Workflow [CORRECT]
- Theme
- Block

Rationale: Workflows automate repeatable business processes that include tasks, decisions and human approvals.

Documentation URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_business_processes/workflows_in_odc/

New Question 6 - workflows

What distinguishes a Workflow from a Timer in ODC?

- Workflows support process state, sequencing, and human interaction [CORRECT]
- Timers support human approvals
- Workflows only run once and cannot wait
- There is no difference

Rationale: A workflow is a repeatable sequence of tasks and decisions, while timers are scheduled/background execution mechanisms.

Documentation URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_business_processes/workflows_in_odc/

New Question 7 - events

What is the primary benefit of Event-Driven Architecture in ODC?

- Strong coupling between apps
- Reduced deployment independence
- Loose coupling between producer and consumer applications [CORRECT]
- Elimination of APIs and integrations

Rationale: EDA enables independent, decoupled services to communicate asynchronously through events.

Documentation URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_event_driven_architecture/

New Question 8 - events

What should happen when an event contract changes incompatibly?

- Consumers should automatically adapt
- Event versioning or a new compatible event contract should be introduced [CORRECT]
- Existing consumers should be allowed to break
- Events should be deleted immediately

Rationale: Incompatible changes require a strategy that protects existing consumers, such as versioning the event contract.

Documentation URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_event_driven_architecture/

New Question 9 - monitoring

Which activity belongs to observability in ODC?

- Monitoring application health and failures [CORRECT]
- Creating UI Themes
- Publishing Libraries
- Creating Roles

Rationale: Monitoring and troubleshooting rely on logs, traces and runtime visibility to understand application behavior.

Documentation URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/monitoring_and_troubleshooting_apps/

New Question 10 - monitoring

Why is observability important in distributed architectures?

- It removes dependencies
- It helps identify issues across multiple services and apps [CORRECT]
- It reduces database size
- It replaces logging

Rationale: Distributed systems require visibility across components to diagnose failures, latency and behavior across app boundaries.

Documentation URL: https://success.outsystems.com/documentation/outsystems_developer_cloud/monitoring_and_troubleshooting_apps/

7. Full per-question audit table

This is the implementation checklist. Each row contains the question ID, current status, review flag, official URL to attach, and action.

ID	Cat	Status	Flag	Question	Correct answer	Documentation URL	Action / note
1	cloud	⚠️ Ambígua	NEEDS_REVIEW	In OutSystems Developer Cloud (ODC), which asset type exposes logic, UI and data elements that can be reused by other apps?	Library	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Rever wording e confirmar contra a doc oficial. A pergunta diz 'data elements'; em ODC uma Library partilha sobretudo UI/logic/structures. Evitar sugerir que Libraries armazenam/expõem Entities normais.
2	cloud	⚠️ Wording a rever	NEEDS_REVIEW	What is the main difference between a strong dependency and a weak dependency in ODC?	Strong dependencies require joint deployment; weak dependencies allow independent deployment.	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/understand_strong_and_weak_dependencies/	Rever wording e confirmar contra a doc oficial. 'Require joint deployment' é forte demais. Melhor: strong dependency é incorporada no build do consumidor; weak dependency permite deploy independente entre apps.
3	cloud	✅ OK	TOPIC_DOC_LINKED	What type of reference is created between two Apps in ODC?	Weak reference	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/understand_strong_and_weak_dependencies/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
4	cloud	✅ OK	TOPIC_DOC_LINKED	What type of reference is created between an App and a Library in ODC?	Strong reference	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
5	cloud	✅ OK	TOPIC_DOC_LINKED	Which of the following elements CANNOT exist in a Library in ODC?	Entity	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
6	cloud	✅ OK	TOPIC_DOC_LINKED	Which of the following is exclusive to Apps and CANNOT be placed inside a Library in ODC?	Timer	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
7	cloud	✅ OK	TOPIC_DOC_LINKED	What is the difference between a 'Revision' and a 'Version' in an ODC Library?	A Revision is a snapshot published in ODC Studio; a Version is released in the ODC Portal by the producer.	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
8	cloud	✅ OK	TOPIC_DOC_LINKED	What are the 4 main use cases for Libraries in ODC?	Integration Wrappers, Themes and Patterns, Reusable UI Blocks, Auxiliary Server and Client Actions	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
9	cloud	✅ OK	TOPIC_DOC_LINKED	How many levels does Theme inheritance have in ODC?	3 levels: Base Theme → Mobile/Web Theme → App Theme.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
10	cloud	⚠️ Desatualizada/ambígua	NEEDS_REVIEW	Which of the following App types does NOT exist in ODC?	Desktop App	https://success.outsystems.com/documentation/outsystems_developer_cloud/getting_started/types_of_apps_you_can_build/	Rever wording e confirmar contra a doc oficial. A documentação atual apresenta Web app, Mobile app e Agentic app; Phone/Tablet são melhor tratados como variação/template mobile. Reescrever.
11	cloud	✅ OK	TOPIC_DOC_LINKED	What is the fundamental principle describing the producer-consumer relationship in Library versioning?	Independent development for producers; update control for consumers.	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
12	cloud	✅ OK	TOPIC_DOC_LINKED	What is the role of the ODC Portal?	It is a unified console to manage apps, deployments, monitoring, users and permissions.	https://success.outsystems.com/documentation/outsystems_developer_cloud/monitoring_and_troubleshooting_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
13	cloud	✅ OK	TOPIC_DOC_LINKED	What does 'Build once' mean in the ODC CI/CD pipeline?	The artifact is built in Development and the same artifact is promoted to QA and then to Production.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
14	cloud	✅ OK	TOPIC_DOC_LINKED	What does Impact Analysis show during a deployment in ODC?	Missing elements, incompatible elements, and 'ready with warnings' status.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
15	cloud	✅ OK	TOPIC_DOC_LINKED	What happens when a Library has a strong reference with a consumer App in ODC?	The Library is packaged (bundled) inside the consumer App's container.	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
16	cloud	✅ OK	TOPIC_DOC_LINKED	What is the concept of 'Stage' in ODC?	A deployment environment organized in a pipeline (e.g., Development, QA, Production).	https://success.outsystems.com/documentation/outsystems_developer_cloud/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo

						app_architecture/	validação final contra material oficial do curso/exame.
17	cloud	✔ OK	TOPIC_DOC_LINKED	In which step of the Library versioning process is a new Version released in ODC?	In the ODC Portal, in the Library management section.	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
18	cloud	✔ OK	TOPIC_DOC_LINKED	What is the built-in end-user authentication mechanism in ODC?	Built-in Identity Provider (IdP) with support for external OIDC/SAML	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
19	cloud	✔ OK	TOPIC_DOC_LINKED	How are Roles shared between Apps in ODC?	A Role is made public in the producer app; consumer apps add a reference and use Check/Grant/Revoke actions.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
20	cloud	✔ OK	TOPIC_DOC_LINKED	What does 'Is Secret: Yes' mean in an ODC Library configuration?	The value is masked in the Portal (shown as *****), protecting sensitive information such as API keys.	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
21	cloud	✔ OK	TOPIC_DOC_LINKED	What is 'Configuration Segregation' in ODC?	The same Library can have different configuration values per consumer app AND per stage.	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
22	cloud	✔ OK	TOPIC_DOC_LINKED	What is the correct pattern to grant a Role from one App to users from another App in ODC?	Create a Service Action in the producer app (e.g., GrantHRMManagerToUser) that internally calls GrantHRMManagerRole.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
23	design	✔ OK	TOPIC_DOC_LINKED	What are the six benefits of good software architecture according to the ODC Architecture Boot Camp?	Drives Consensus, Manages Complexity, Reduces Risk, Supports Planning, Facilitates Change, Reduces Costs	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
24	design	✔ OK	TOPIC_DOC_LINKED	What are the three problems caused by lack of architectural concerns?	Poor Service Abstraction, Unmanageable Dependencies, and Inflexible/Slow-Moving Legacy Systems	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
25	design	✔ OK	TOPIC_DOC_LINKED	How is 'Spaghetti Architecture' defined in the context of ODC architecture?	An architecture that is less flexible and more difficult to manage, with tangled dependencies between systems.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
26	design	✔ OK	TOPIC_DOC_LINKED	The ISO/IEC 25010:2011 standard added which two new quality characteristics compared to ISO/IEC 9126:1991?	Security and Compatibility	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
27	design	✔ OK	TOPIC_DOC_LINKED	What is the purpose of the Disclose step in the Architecture Design Process?	To identify application concepts by covering business requirements, information architecture, NFRs, and UX expectations.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
28	design	✔ OK	TOPIC_DOC_LINKED	What are the four areas covered in the Disclose step?	Business requirements/processes/personas/roles, Information architecture, NFRs/integrations, UX expectations	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
29	design	✔ OK	TOPIC_DOC_LINKED	What is the output of the Disclose step in the Architecture Design Process?	A list of Application Concepts categorized by type (Personas, Roles, Business Concepts, NFRs, Integrations).	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
30	design	✔ OK	TOPIC_DOC_LINKED	What is the purpose of the Organize step in the Architecture Design Process?	To group the concepts identified in Disclose into bounded contexts.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
31	design	✔ OK	TOPIC_DOC_LINKED	What are the four criteria used to group concepts into bounded contexts during the Organize step?	Domain expert boundaries, business process/data flow/ownership, dependency clustering/cohesion, and ubiquitous language	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
32	design	✔ OK	TOPIC_DOC_LINKED	What is the purpose of the Assemble step in the Architecture Design Process?	To translate bounded contexts into ODC Applications, organized around teams, ownership, and release cycles.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
33	design	✔ OK	TOPIC_DOC_LINKED	Which of the following statements about the Assemble step is correct?	Each application should have one business owner, one business sponsor (same pace), and one product team.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
34	design	✔ OK	TOPIC_DOC_LINKED	When should you choose the Simplified Assemble approach?	When there is 1 business sponsor, 1 business owner, and 1 product team.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
35	design	✔ OK	TOPIC_DOC_LINKED	The Architecture Design Process in ODC is described as cyclical. Which step feeds back to restart the cycle?	Assemble feeds back to Disclose to continue the iterative cycle.	https://success.outsystems.com/documentation/outsystems_developer_cloud/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo

						app_architecture/ building_a_well_architected_app/	validação final contra material oficial do curso/exame.
36	design	✅ OK	TOPIC_DOC_LINKED	What is the naming rule for Apps in ODC according to Naming Best Practices?	The app name should follow the bounded context name, and it will be used as part of the URL.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
37	design	✅ OK	TOPIC_DOC_LINKED	What is the key difference between App naming and Library naming in ODC?	App names are used as part of the URL; Library names do NOT impact any URL or endpoint.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
38	design	✅ OK	TOPIC_DOC_LINKED	What is the recommended element naming pattern inside ODC Applications?	[BoundedContext] [ApplicationConcept][Action/Description]	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
39	design	⚠️ Ambígua	NEEDS_REVIEW	Which of the following is an example of a Non-Functional Requirement (NFR) identified during the Disclose step?	The system must integrate with an external Identity Provider.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Rever wording e confirmar contra a doc oficial. External IdP pode ser NFR/integração/segurança. Boa como pergunta de Disclose, mas a opção deveria dizer 'NFR/integration concern' para não parecer funcional.
40	design	✅ OK	TOPIC_DOC_LINKED	What question does the Architecture Design Process primarily start with?	What are the business concepts, ownership, team independence requirements, NFRs, and reusable components?	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
41	patterns	✅ OK	TOPIC_DOC_LINKED	In ODC, what mechanism allows an app to access entities from another app without duplicating data?	Public Entity reference	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
42	patterns	✅ OK	TOPIC_DOC_LINKED	When should you share business data via Service Actions instead of Public Entities?	When the data has business rules that evolve frequently and require high encapsulation.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
43	patterns	✅ OK	TOPIC_DOC_LINKED	What is the 'Cold Cache' integration pattern in ODC?	A local copy of external data stored in Entities, updated by a recurring Timer.	https://success.outsystems.com/documentation/outsystems_developer_cloud/integration_with_external_systems/integrate_with_external_data_sources_using_data_fabric/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
44	patterns	✅ OK	TOPIC_DOC_LINKED	What is the main risk of directly sharing Business Entities between apps in ODC?	Business rules propagate to consumers and when the entity changes, all apps break.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
45	patterns	✅ OK	TOPIC_DOC_LINKED	What distinguishes the 'Transparency Service' pattern from the 'Transparency Microservice' pattern in ODC?	Transparency Service uses a Library to abstract multiple implementations; Transparency Microservice uses an App with Entities to store data.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
46	patterns	✅ OK	TOPIC_DOC_LINKED	How are SOAP legacy services integrated in ODC?	Using the ODC External Libraries SDK with C# and NuGet packages, published as a ZIP to the ODC Portal.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
47	patterns	✅ OK	TOPIC_DOC_LINKED	What is the correct approach for sharing a UI Block (e.g., Header) that needs business data from another app?	The block receives data via Input Parameters; the consumer app calls a Service Action from the producer app to get that data.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
48	patterns	✅ OK	TOPIC_DOC_LINKED	What is the Saga Orchestration pattern in ODC?	A way to manage data consistency in distributed transactions by centralizing transaction management in one app.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
49	patterns	✅ OK	TOPIC_DOC_LINKED	What is the fundamental difference between Choreography and Orchestration in distributed transactions?	In Orchestration, one app centralizes and controls the entire transaction; in Choreography, each app reacts independently to events.	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_event_driven_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
50	patterns	✅ OK	TOPIC_DOC_LINKED	What is 'Compensation' in the context of distributed transactions in ODC?	The reversal of already completed steps after a downstream failure, to ensure data consistency.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
51	patterns	✅ OK	TOPIC_DOC_LINKED	What is the correct approach when a Service Action fails in a distributed transaction in ODC?	Retry first; if retry fails, apply Compensation.	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
52	patterns	✅ OK	TOPIC_DOC_LINKED	What property should Compensation logic implementations have in ODC?	Idempotency — multiple executions must produce the same result.	https://success.outsystems.com/documentation/outsystems_developer_cloud/monitoring_and_troubleshooting_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
53	patterns	✅ OK	TOPIC_DOC_LINKED	What is the key difference between using Service Actions vs Events for distributed transactions in ODC?	Service Actions are synchronous (immediate return); Events are asynchronous (signaled via callback events).	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_event_driven_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
54	events	✅ OK	TOPIC_DOC_LINKED	What is the maximum payload size	10 KB	https://success.outsystems.com/	Manter; adicionar URL de fonte.

				per Event in ODC?		documentation/ outsystems_developer_cloud/ building_apps/ about_event_driven_architecture/ properties_of_odc_events/	Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
55	events	✅ OK	TOPIC_DOC_LINKED	What is the maximum capacity of an Event queue in ODC?	10,000 events	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_event_driven_architecture/properties_of_odc_events/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
56	events	✅ OK	TOPIC_DOC_LINKED	How many events can an app execute in parallel in ODC?	100	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_event_driven_architecture/properties_of_odc_events/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
57	events	✅ OK	TOPIC_DOC_LINKED	What is the maximum execution time of an Event handler in ODC?	2 minutes	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_event_driven_architecture/properties_of_odc_events/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
58	events	❌ Incorreta	CORRECTION_REQUIRED	How many times is a failed Event retried in ODC, and with what interval pattern?	Up to 10 times, with exponential backoff (5s, 10s, 20s, 30s, 1min, 2min, 4min, 8min, 16min, 32min).	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_event_driven_architecture/properties_of_odc_events/	Corrigir antes de publicar. A documentação de Propriedades of ODC events indica máximo 10 retries com backoff policy 2, 4, 8, 16, 32 min. A resposta atual inclui 5s/10s/20s/30s/1min, que não bate certo.
59	events	⚠️ A atualizar	NEEDS_REVIEW	In which type of assets can Events be created in ODC?	Only in Web Apps and Mobile Apps — NOT in Libraries.	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_event_driven_architecture/event_driven_architecture_in_odc/	Rever wording e confirmar contra a doc oficial. 'Only Web Apps and Mobile Apps' deve ser confirmado/reformulado para a nomenclatura atual de assets/apps, sobretudo com Agentic Apps e Workflows.
60	events	✅ OK	TOPIC_DOC_LINKED	Which data types are NOT allowed as parameters in an Event payload in ODC?	Structures, Lists and Entity Records.	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_event_driven_architecture/properties_of_odc_events/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
61	events	✅ OK	TOPIC_DOC_LINKED	What is guaranteed about Event delivery in ODC?	Each Event is delivered exactly once to each handler, but delivery ORDER is not guaranteed.	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_event_driven_architecture/properties_of_odc_events/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
62	cloud	✅ OK	TOPIC_DOC_LINKED	Which technology powers ODC's Platform and Runtime clusters?	AWS Elastic Kubernetes Service (EKS)	https://success.outsystems.com/documentation/outsystems_developer_cloud/managing_outsystems_platform_and_apps/cloud_native_architecture_of_outsystems_developer_cloud/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
63	cloud	✅ OK	TOPIC_DOC_LINKED	Which app types can act as producers for sharing Client Actions in ODC?	Libraries	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
64	cloud	✅ OK	TOPIC_DOC_LINKED	What advantage does containerization provide in ODC?	Automated and transparent scalability	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
65	cloud	⚠️ Ambígua	NEEDS_REVIEW	What ensures secure communication between the Platform and Runtime clusters in ODC?	NATS (Neural Autonomic Transport System)	https://success.outsystems.com/documentation/outsystems_developer_cloud/managing_outsystems_platform_and_apps/cloud_native_architecture_of_outsystems_developer_cloud/	Rever wording e confirmar contra a doc oficial. NATS é middleware de mensagens; a segurança de transporte é TLS. Retirar 'Neural Autonomic Transport System' e distinguir messaging de encryption.
66	cloud	✅ OK	TOPIC_DOC_LINKED	What impact does versioning have on Libraries in ODC?	Enables systematic updates and integration	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
67	cloud	✅ OK	TOPIC_DOC_LINKED	What creates weak dependencies between apps in ODC?	Consuming Service Actions or public Entities from another app	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/understand_strong_and_weak_dependencies/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
68	cloud	✅ OK	TOPIC_DOC_LINKED	How are apps packaged when published in ODC?	As containers	https://success.outsystems.com/documentation/outsystems_developer_cloud/managing_outsystems_platform_and_apps/cloud_native_architecture_of_outsystems_developer_cloud/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
69	cloud	✅ OK	TOPIC_DOC_LINKED	How is sensitive data like passwords and API keys stored in ODC?	As encrypted secrets	https://success.outsystems.com/documentation/outsystems_developer_cloud/managing_outsystems_platform_and_apps/configuration_management/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
70	cloud	⚠️ Requer fonte explícita	NEEDS_REVIEW	What happens to metadata when a connection to an external system is	Metadata is deleted automatically	https://success.outsystems.com/documentation/	Rever wording e confirmar contra a doc oficial. A ideia de metadata

				deleted in ODC?		outsystems_developer_cloud/ integration_with_external_systems/ integrate_with_external_data_sourc es_using_data_fabric/ create_connections_to_external_dat a_sources/	removida ao apagar connection é plausível em Data Fabric, mas a pergunta é muito específica e precisa de link/documentação.
71	cloud	✅ OK	TOPIC_DOC_LINKED	Which cluster type ensures High Availability (HA) in ODC?	Production Runtime cluster	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ managing_outsystems_platform_an d_apps/ cloud_native_architecture_of_outsys tems_developer_cloud/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
72	cloud	✅ Correta, mas técnica	KEEP_WITH_SOURCE	What component handles all requests to the ODC Platform services?	Platform Load Balancer	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ managing_outsystems_platform_an d_apps/ cloud_native_architecture_of_outsys tems_developer_cloud/	Manter, mas preservar o URL de fonte oficial. A documentação menciona Platform Load Balancer para pedidos a Platform services. Manter se a pergunta for de cloud- native infrastructure.
73	cloud	✅ OK	TOPIC_DOC_LINKED	What is reused across deployment stages (Development → QA → Production) in ODC?	The container image	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ managing_outsystems_platform_an d_apps/ cloud_native_architecture_of_outsys tems_developer_cloud/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
74	cloud	✅ OK	TOPIC_DOC_LINKED	What database is used to store app revisions and dependency information in ODC?	Amazon Aurora	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ managing_outsystems_platform_an d_apps/ cloud_native_architecture_of_outsys tems_developer_cloud/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
75	cloud	✅ OK	TOPIC_DOC_LINKED	What is one key benefit of independent app scaling in ODC?	Reduces the time and cost of scaling all apps together	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ managing_outsystems_platform_an d_apps/ cloud_native_architecture_of_outsys tems_developer_cloud/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
76	cloud	✅ OK	TOPIC_DOC_LINKED	How do Libraries in ODC reduce maintenance costs?	By centralizing shared code	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
77	cloud	✅ OK	TOPIC_DOC_LINKED	How does the auto-scaling controller allocate additional capacity in ODC?	In real time	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ managing_outsystems_platform_an d_apps/ cloud_native_architecture_of_outsys tems_developer_cloud/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
78	cloud	⚠️ Duvidosa	NEEDS_REVIEW	What caching strategy is used for query results in ODC?	Kubernetes pod memory caching	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ managing_outsystems_platform_an d_apps/ cloud_native_architecture_of_outsys tems_developer_cloud/	Rever wording e confirmar contra a doc oficial. 'Kubernetes pod memory caching' para query results não encontrei como ponto oficial claro. Remover ou trocar por pergunta sobre Data Fabric/resource capacity.
79	cloud	✅ OK	TOPIC_DOC_LINKED	How are all internal and external requests in ODC secured?	Using Transport Layer Security (TLS)	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ managing_outsystems_platform_an d_apps/ cloud_native_architecture_of_outsys tems_developer_cloud/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
80	cloud	⚠️ Ambígua/duplicada	NEEDS_REVIEW	What channel ensures secure message transmission between internal ODC components?	Message-oriented middleware (NATS)	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ building_apps/ about_event_driven_architecture/ event_driven_architecture_in_odc/	Rever wording e confirmar contra a doc oficial. Muito parecida com a 65. NATS é canal/middleware; TLS é a garantia de encriptação. Consolidar ou reformular.
81	cloud	✅ OK	TOPIC_DOC_LINKED	What is used to store secret data like API keys in ODC?	A secret manager	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ managing_outsystems_platform_an d_apps/configuration_management/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
82	cloud	✅ OK	TOPIC_DOC_LINKED	What is the purpose of the Build Service in ODC?	Compiling OML projects into deployable container images	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ managing_outsystems_platform_an d_apps/ cloud_native_architecture_of_outsys tems_developer_cloud/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
83	cloud	✅ OK	TOPIC_DOC_LINKED	Which best practice ensures maintainable and efficient Service Actions in ODC?	Focus on performing a single task	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
84	cloud	✅ OK	TOPIC_DOC_LINKED	What is the purpose of the Data Fabric in ODC?	Integrate and access external data sources	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ integration_with_external_systems/ integrate_with_external_data_sourc es_using_data_fabric/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.

85	cloud	✔ OK	TOPIC_DOC_LINKED	How can a single App in ODC solve a business need?	By providing a single web or mobile user interface	https://success.outsystems.com/documentation/outsystems_developer_cloud/integration_with_external_systems/integrate_with_external_data_sources_using_data_fabric/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
86	cloud	✔ OK	TOPIC_DOC_LINKED	What is the purpose of input and output parameters in Service Actions?	To ensure clear and easy-to-understand interactions between apps	https://success.outsystems.com/documentation/outsystems_developer_cloud/integration_with_external_systems/integrate_with_external_data_sources_using_data_fabric/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
87	cloud	✔ OK	TOPIC_DOC_LINKED	App A needs to let App B create a new customer record. App B's 'Customer' entity has complex validation rules — duplicate detection, credit scoring, and address standardisation. What is the correct ODC approach?	Expose a Service Action 'CustomerCreate' in App B that encapsulates all validation, and have App A call it	https://success.outsystems.com/documentation/outsystems_developer_cloud/integration_with_external_systems/integrate_with_external_data_sources_using_data_fabric/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
88	cloud	✔ OK	TOPIC_DOC_LINKED	What architecture model does Amazon Aurora Serverless use in ODC?	Decoupled compute and storage	https://success.outsystems.com/documentation/outsystems_developer_cloud/integration_with_external_systems/integrate_with_external_data_sources_using_data_fabric/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
89	cloud	✔ OK	TOPIC_DOC_LINKED	What monitoring feature automatically replaces unhealthy app containers in ODC?	EKS automatic monitoring and container replacement	https://success.outsystems.com/documentation/outsystems_developer_cloud/integration_with_external_systems/integrate_with_external_data_sources_using_data_fabric/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
90	cloud	✔ OK	TOPIC_DOC_LINKED	What scalability feature is provided by Kubernetes (EKS) in ODC?	Auto-scaling of compute capacity based on demand	https://success.outsystems.com/documentation/outsystems_developer_cloud/integration_with_external_systems/integrate_with_external_data_sources_using_data_fabric/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
91	design	✔ OK	TOPIC_DOC_LINKED	What can feature toggling help address in app development?	Varying delivery rates between teams	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
92	design	✔ OK	TOPIC_DOC_LINKED	What is the purpose of the Guidewire connector in the Billing app?	Support the billing system as an integration wrapper	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
93	design	✔ OK	TOPIC_DOC_LINKED	What is a disadvantage of having multiple teams work on the same app?	Lack of independence between teams	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
94	design	✔ OK	TOPIC_DOC_LINKED	A team is debating whether to split a large 'Insurance Management' app into smaller bounded contexts. What is the PRIMARY architectural benefit of making that split?	Each bounded context can have a single, clearly accountable owner — eliminating the priority conflicts and deployment collisions that arise when multiple teams share one app	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
95	design	✔ OK	TOPIC_DOC_LINKED	What should be done after mapping bounded contexts to apps and libraries?	Redesign the architecture to make domains loosely coupled	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
96	design	✔ OK	TOPIC_DOC_LINKED	What should you do if two sponsors have conflicting priorities for one app?	Split the app into two separate apps	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
97	design	✔ OK	TOPIC_DOC_LINKED	What is a key feature of the SAP connector in ODC?	Bridges customer information between the CRM and the Customer Portal	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
98	design	✔ OK	TOPIC_DOC_LINKED	What is recommended if your domain requires more granularity?	Split domains into smaller ones	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
99	design	✔ OK	TOPIC_DOC_LINKED	What should you do if a domain has multiple bounded contexts?	Refactor the domain into smaller, focused domains	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
100	design	✔ OK	TOPIC_DOC_LINKED	What does grouping business concepts into bounded contexts ensure?	Fewer dependencies between contexts	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
101	design	✔ OK	TOPIC_DOC_LINKED	Why should you avoid having two business owners for a single app?	It creates unclear accountability	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
102	design	✔ OK	TOPIC_DOC_LINKED	What factors are considered when identifying bounded contexts?	Business process steps and data flow	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.

103	design	✅ OK	TOPIC_DOC_LINKED	What is an example of a bounded context in a home insurance app?	Claims	building_a_well_architected_app/ https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	do curso/exame. Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
104	design	✅ OK	TOPIC_DOC_LINKED	What is the first step when analyzing and mapping from O11 to ODC architecture?	Identify application concepts	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
105	design	✅ OK	TOPIC_DOC_LINKED	Which type of integration does ODC use for connecting to external systems?	REST API	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
106	design	✅ OK	TOPIC_DOC_LINKED	What does having independent release cycles enable teams to do?	Work without blocking each other	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
107	design	✅ OK	TOPIC_DOC_LINKED	What is a key goal of assigning clear business ownership for apps?	Ensuring release cycle independence	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
108	design	✅ OK	TOPIC_DOC_LINKED	Why is it important to define clear ownership for business contexts?	To prevent conflicts in decision-making	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/about_event_driven_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
109	design	✅ OK	TOPIC_DOC_LINKED	What is a key characteristic of a business owner in app development?	Sole responsibility for a specific business context	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
110	design	✅ OK	TOPIC_DOC_LINKED	Which step in the Architecture Design Process involves interviewing business stakeholders and end-users?	Disclose — discover app business concepts	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
111	design	✅ OK	TOPIC_DOC_LINKED	What is a benefit of mapping bounded contexts to business sponsors?	Independent release cycles for each bounded context	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
112	design	✅ OK	TOPIC_DOC_LINKED	What can reusable components and external integrations provide for bounded contexts?	Modularity	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
113	design	✅ OK	TOPIC_DOC_LINKED	When should you choose a single-app approach in ODC?	When there is one team, one sponsor, and one business owner	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
114	design	✅ OK	TOPIC_DOC_LINKED	How does ODC architecture scale to support many teams and apps?	Through independent release cycles per app	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
115	design	✅ OK	TOPIC_DOC_LINKED	What is a reason to iterate on bounded contexts after initial identification?	To gather more detailed business information	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
116	design	✅ OK	TOPIC_DOC_LINKED	What is a benefit of starting with a simplified approach in app development?	Reduced development effort	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
117	design	✅ OK	TOPIC_DOC_LINKED	What is a common risk of unclear ownership in app development?	Conflicting priorities between stakeholders	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
118	design	✅ OK	TOPIC_DOC_LINKED	Why might splitting Claims and Billing into two separate apps be recommended?	To ensure independent ownership and release cycles	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
119	libraries	✅ OK	TOPIC_DOC_LINKED	How does ODC notify developers about library updates?	Through a popup in ODC Studio	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
120	libraries	✅ OK	TOPIC_DOC_LINKED	What should be included in library release notes in ODC?	A summary of changes and their impacts	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
121	libraries	⚠️ Wording a rever	NEEDS_REVIEW	What permissions are required to release a library in ODC?	Release permission	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Rever wording e confirmar contra a doc oficial. Para release via APIs aparecem permissões Asset management > Change e Release

							management > Release. Se for UI/Studio, 'Release permission' é aceitável, mas falta contexto.
122	libraries	✅ OK	TOPIC_DOC_LINKED	What does the revision number of a library represent?	A snapshot of the library's development state	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
123	libraries	✅ OK	TOPIC_DOC_LINKED	How can you expose a Server Action for reuse in an app if it cannot be set as Public directly?	Right-click the Server Action and select 'Expose as Service Action'	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
124	libraries	✅ OK	TOPIC_DOC_LINKED	Which of the following can be made Public in Libraries?	Blocks	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
125	libraries	✅ OK	TOPIC_DOC_LINKED	What happens when you publish a library revision in ODC Studio?	The revision number increments	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
126	libraries	✅ OK	TOPIC_DOC_LINKED	Why is it recommended to test libraries in test apps before using them in production?	To minimize production app impact	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
127	libraries	✅ OK	TOPIC_DOC_LINKED	What is semantic versioning in the context of ODC libraries?	A scheme for version numbering (MAJOR.MINOR.PATCH)	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
128	libraries	✅ OK	TOPIC_DOC_LINKED	What is a consumer app in the context of ODC libraries?	An app that uses the public elements of a library	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
129	libraries	❌ Provável incorreta	CORRECTION_REQUIRED	What can you view about app reuse in the ODC Portal?	The stage on which the app is deployed	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Corrigir antes de publicar. Para app reuse, a doc aponta que a página de detalhe do asset lista producers e consumers. 'The stage on which the app is deployed' não responde bem à pergunta.
130	libraries	✅ OK	TOPIC_DOC_LINKED	What is the purpose of the version number in ODC libraries?	To track stable and mature instances of the library	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
131	libraries	✅ OK	TOPIC_DOC_LINKED	What does the major number in semantic versioning indicate?	Breaking changes to functionality	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
132	libraries	✅ OK	TOPIC_DOC_LINKED	What happens when you dismiss a library update notification in ODC Studio?	You can review the update later	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
133	design	✅ OK	TOPIC_DOC_LINKED	When defining the foundational concepts of an application, which of the following is NOT typically factored in?	Ownership of the application	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
134	design	✅ OK	TOPIC_DOC_LINKED	How are strongly coupled domains handled in ODC architecture?	They are decoupled into loosely coupled domains	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
135	design	✅ OK	TOPIC_DOC_LINKED	Which statement accurately reflects the ODC Architecture Design Process?	The Assemble phase aligns bounded contexts with ODC apps, ensuring autonomous team workflows and independent release cycles	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
136	design	✅ OK	TOPIC_DOC_LINKED	What does mapping foundation apps to libraries involve?	Mapping web themes, mobile themes, and patterns	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
137	design	✅ OK	TOPIC_DOC_LINKED	Which statement accurately reflects the reusability rules between ODC Libraries and Applications?	Libraries can leverage elements from other Libraries	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
138	design	✅ OK	TOPIC_DOC_LINKED	What does the example use case in the Architecture Design Process diagrams demonstrate?	How to migrate O11 app architecture to an ODC architecture blueprint	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
139	design	✅ OK	TOPIC_DOC_LINKED	Which statement aligns with best practices for managing app ownership during the architecture design process?	Business owners may oversee multiple apps as long as they are under the same Business Sponsor	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
140	design	✅ OK	TOPIC_DOC_LINKED	What should you ensure before	Establish clear ownership, release	https://success.outsystems.com/	Manter; adicionar URL de fonte.

				building your architecture?	independence, and reduce cognitive load	documentation/ outsystems_developer_cloud/ app_architecture/ reuse_elements_across_apps/	Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
141	events	✅ OK	TOPIC_DOC_LINKED	What is the main architectural benefit of using Events instead of direct Service Actions?	Events prevent the sender from failing if the receiving service is down, because the sender only emits the event to a broker and moves on	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
142	patterns	✅ OK	TOPIC_DOC_LINKED	How do you guarantee data consistency across multiple applications when one database update fails?	Use a compensation process triggered by a scheduled timer or event orchestrator that executes fallback actions to reverse previously completed steps	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
143	libraries	✅ OK	TOPIC_DOC_LINKED	What happens to a consumer application when you deploy changes to a shared library?	The consumer application continues running on its previously compiled binaries; to adopt the changes it must be explicitly rebuilt and redeployed	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
144	patterns	✅ OK	TOPIC_DOC_LINKED	How should you resolve a circular dependency where two core services continuously reference each other?	Extract the shared logic that both services need into a third independent service that each can reference separately	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/reuse_elements_across_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
145	cloud	❌ Provável incorreta/unsupported	CORRECTION_REQUIRED	How does the ODC cloud platform maintain data isolation for multiple tenants sharing the same infrastructure?	The platform engine automatically injects a unique tenant identifier into every database query before execution, with no code changes required from developers	https://success.outsystems.com/documentation/outsystems_developer_cloud/managing_outsystems_platform_and_apps/cloud_native_architecture_of_outsystems_developer_cloud/	Corrigir antes de publicar. A resposta descreve injeção automática de tenant identifier em queries. A doc atual fala em bases de dados isoladas por stage e Platform services multi-tenant; não encontrei esta mecânica para apps ODC.
146	cloud	✅ OK	TOPIC_DOC_LINKED	Which elements can be made Public in an ODC Web Application (not Library)?	Service Actions and Roles	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
147	cloud	✅ OK	TOPIC_DOC_LINKED	What is the dependency rule between Libraries and Applications in ODC?	A Library can NEVER consume elements from an Application; it can only consume from other Libraries	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
148	cloud	✅ OK	TOPIC_DOC_LINKED	What type of dependency bond is created when an Application consumes elements from another Application?	A weak bond — the consuming app can deploy independently without republishing the producer	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
149	design	✅ OK	TOPIC_DOC_LINKED	During which phase of the Architecture Design Process are Non-Functional Requirements (NFRs) identified?	Disclose — NFRs are identified at the very beginning alongside business concepts, personas, and integrations	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
150	design	✅ OK	TOPIC_DOC_LINKED	What is 'cognitive load' in the context of ODC architecture naming conventions?	The mental effort required to understand the architecture — incorrect or context-free naming increases cognitive load, making it harder for teams to navigate the system	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
151	patterns	✅ OK	TOPIC_DOC_LINKED	When sharing data between ODC apps, when must you expose data via a Service Action instead of making the Entity public?	When the data has associated business rules — exposing the entity directly would allow consumers to bypass or duplicate those rules	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
152	patterns	✅ OK	TOPIC_DOC_LINKED	In the Transparency Service pattern, when must a Library be converted into an Application?	When data persistence is needed — for example, to log which notifications were sent and when, since Libraries cannot store data	https://success.outsystems.com/documentation/outsystems_developer_cloud/monitoring_and_troubleshooting_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
153	cloud	✅ Correta, mas wording forte	KEEP_WITH_SOURCE	Why can a Library NOT expose Service Actions in ODC?	Because Service Actions are the mechanism for weak cross-app references — which is architecturally incompatible with how Libraries work (strong bond, packaged inside the consumer's container)	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/libraries/	Manter; adicionar URL de fonte. A ideia está alinhada: Libraries usam strong dependency e expõem Server Actions/elementos públicos, não Service Actions app-to-app. Pode simplificar a explicação.
154	cloud	⚠️ Ambígua/desatualizada	NEEDS_REVIEW	What are the main types of ODC Applications?	User Interface apps (web/mobile screens), Microservice apps (expose Service Actions or REST APIs), and Asynchronous Processing apps (background timers, data synchronisation)	https://success.outsystems.com/documentation/outsystems_developer_cloud/getting_started/types_of_apps_you_can_build/	Rever wording e confirmar contra a doc oficial. A pergunta diz 'main types of ODC Applications', mas a documentação atual usa Web, Mobile e Agentic apps. Se quiser falar de 'architectural roles', reescreve.
155	cloud	✅ OK	TOPIC_DOC_LINKED	Why is deploying an Application in ODC significantly faster than deploying in OutSystems 11?	Because apps are packaged as container images that are copied as-is to the target stage — no recompilation of the app or its dependencies is needed at the destination	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
156	patterns	✅ OK	TOPIC_DOC_LINKED	An insurance portal displays exchange rates to calculate premium prices in foreign currencies. Rates are fetched from an external financial API. The business accepts that rates shown can be up to 2 hours old. Which integration pattern should you use?	Cold Cache — store the rates in a local Entity and refresh them with a Timer every 2 hours	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
157	patterns	✅ OK	TOPIC_DOC_LINKED	You are building a Notification	Convert the Notification Library into	https://success.outsystems.com/	Manter; adicionar URL de fonte.

				service that sends messages via Email, Slack, and Teams. The service currently lives in a Library. The business now requires an audit log of every notification sent — who sent it, when, and to which channel. What should you do?	an Application so it can store the audit log in its own Entities	documentation/ outsystems_developer_cloud/ monitoring_and_troubleshooting_ap ps/	Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
158	patterns	✔ OK	TOPIC_DOC_LINKED	A checkout flow calls three Service Actions in sequence: (1) ReserveStock, (2) CreateOrder, (3) ProcessPayment. The payment fails. ReserveStock and CreateOrder have already succeeded. What is the correct approach?	Use a Compensation process: call ReleaseStock and CancelOrder to reverse the steps that already succeeded	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
159	design	✔ OK	TOPIC_DOC_LINKED	Two development teams are working on the same 'Policy Management' app. Team A manages Policy creation and Team B manages Policy renewals. Both teams need to deploy frequently but are constantly blocked waiting for each other's changes to be stable. What should the architect recommend?	Split 'Policy Management' into two apps — one per bounded context (Policy Creation and Policy Renewals) — each owned by one team	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ app_architecture/ building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
160	libraries	✔ OK	TOPIC_DOC_LINKED	Your team maintains a 'Payments' Library currently at version 2.3.1. You need to rename the public Service Action 'ProcessPayment' to 'ExecutePayment' and remove its deprecated 'CurrencyCode' parameter. What version should you release?	3.0.0 — a major version because the public interface has breaking changes	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ building_apps/libraries/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
161	patterns	✔ OK	TOPIC_DOC_LINKED	The 'Claims' app needs customer data from the 'Customer' app. The 'Customer' app also needs to check active claims from the 'Claims' app to validate a customer's risk profile. This creates a circular dependency. What is the correct architectural fix?	Extract 'active claims summary' into a new independent 'Risk Profile' app that both Customer and Claims can reference	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
162	events	✔ OK	TOPIC_DOC_LINKED	The 'Order' app creates an order and needs to trigger stock reservation, fraud check, and email notification — all in parallel, with none needing to block the order creation response. Which approach is correct?	Publish an 'OrderCreated' event from the Order app; Stock, Fraud, and Notification apps subscribe independently	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ building_apps/ about_event_driven_architecture/ properties_of_odc_events/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
163	design	✔ OK	TOPIC_DOC_LINKED	During Assemble, you discover that 'Claims Processing' is sponsored by the Operations Director and 'Claims Analytics' by the Data Director — both want their features in the same 'Claims' app but have very different deployment cadences. What should you do?	Split into two apps — 'Claims Processing' owned by Operations and 'Claims Analytics' owned by Data	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ app_architecture/ building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
164	patterns	✔ OK	TOPIC_DOC_LINKED	App A needs to display the available credit balance of a customer. The balance is owned by App B, calculated from purchase history, credit limits, and overdue payments. App A consumes this balance read-only. Which is the correct approach?	Expose a 'GetCustomerCreditBalance' Service Action in App B that returns the calculated balance	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
165	cloud	✔ OK	TOPIC_DOC_LINKED	Your team released version 3.0.0 of the 'Authentication' Library (a breaking change). Three consumer apps still run on version 2.1.0. What happens to those apps immediately after you release v3.0.0?	The three consumer apps continue running on v2.1.0 without any interruption; they will only see v3.0.0 when they explicitly update the reference in ODC Studio	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
166	design	✔ OK	TOPIC_DOC_LINKED	Halfway through the Organize step, the team discovers a critical NFR: the system must comply with GDPR data residency requirements, meaning customer personal data cannot leave the EU region. How should this affect the architecture?	Go back to Disclose — this NFR must be captured first, then Organize must be redone factoring in the data residency constraint	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ app_architecture/ building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
167	patterns	✔ OK	TOPIC_DOC_LINKED	An ODC app integrates with a warehouse system that manages stock levels. When stock changes in the warehouse, ODC needs to update its local copy as quickly as possible — ideally within seconds — but direct real-time API polling would overload the warehouse API. Which pattern is most appropriate?	Real-Time Sync — expose a REST endpoint in ODC that the warehouse system calls whenever stock changes, triggering an immediate synchronisation	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
168	cloud	✔ OK	TOPIC_DOC_LINKED	ODC supports two types of Libraries. Which of the following correctly describes them?	General-purpose libraries (reusable UI and logic for web and mobile apps) and Mobile libraries (for native mobile plugins such as Cordova/Capacitor and mobile-specific UI components)	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ monitoring_and_troubleshooting_ap ps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
169	cloud	✔ OK	TOPIC_DOC_LINKED	A mobile app needs to access the device's biometric sensor (fingerprint/face ID) using a Capacitor plugin. Where should this integration be implemented in ODC?	In a Mobile Library — the specialised ODC Library type designed to wrap native plugins like Cordova and Capacitor	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/ app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
170	cloud	✔ OK	TOPIC_DOC_LINKED	A Library contains a setting for an external API's base URL. This URL must be different in Development,	In the consuming App — apps hold all configuration values, including those defined in consumed Libraries,	https://success.outsystems.com/ documentation/ outsystems_developer_cloud/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo

				QA, and Production. Where is this configuration value stored and managed in ODC?	and can set different values per stage	managing_outsystems_platform_and_apps/configuration_management/	validação final contra material oficial do curso/exame.
171	cloud	✔ OK	TOPIC_DOC_LINKED	What are Agentic apps in ODC, and how does a web or mobile app consume them?	Agentic apps are AI-powered elements created and configured in ODC that embed generative AI logic into your apps; web and mobile apps consume them through a dedicated Service Action called Call<AgentName>	https://success.outsystems.com/documentation/outsystems_developer_cloud/building_apps/build_ai_powered_apps/agentic_apps_in_odc/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
172	cloud	✔ OK	TOPIC_DOC_LINKED	Which of the following statements about Apps and Libraries in ODC is INCORRECT?	A Library can consume elements from an App, allowing shared access to App-owned business data	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
173	cloud	✔ OK	TOPIC_DOC_LINKED	You need to create a piece of highly reusable, business-agnostic logic that multiple apps can call. What is the correct approach in ODC?	Create a public Server Action inside a Library so the logic is centralized, business-agnostic, and consumed via strong dependency	https://success.outsystems.com/documentation/outsystems_developer_cloud/monitoring_and_troubleshooting_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
174	design	✔ OK	TOPIC_DOC_LINKED	Which description best defines what happens during the Organize step of the Architecture Design Process?	We group concepts into bounded contexts that ensure clear ownership and independent release cycles	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
175	cloud	✔ OK	TOPIC_DOC_LINKED	High Availability (HA) in ODC Runtime — which of the following statements is correct?	HA is an optional add-on available only for Production stages; when enabled, app containers are replicated across multiple availability zones	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
176	cloud	✗ Incorreta	CORRECTION_REQUIRED	In ODC's cloud infrastructure, which service stores the OML project files (app revisions as blob data)?	Amazon S3	https://success.outsystems.com/documentation/outsystems_developer_cloud/managing_outsystems_platform_and_apps/cloud_native_architecture_of_outsystems_developer_cloud/	Corrigir antes de publicar. A documentação de cloud-native architecture indica Amazon Aurora para current/historic app revisions como OML blob data; S3 está associado a configuração/metadados da Platform Build Service.
177	cloud	✔ OK	TOPIC_DOC_LINKED	Three different teams noticed they each coded the same NIF (tax number) validation logic inside their own Apps. What is the correct architectural fix?	Move the validation logic to a Library as a Public Server Action, so all Apps consume one shared implementation	https://success.outsystems.com/documentation/outsystems_developer_cloud/monitoring_and_troubleshooting_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
178	cloud	✔ OK	TOPIC_DOC_LINKED	Which of the following is the BEST description of what Libraries are designed for in ODC?	Libraries are for centralizing reusable building blocks (Blocks, Server Actions, Structures, Themes) — not for complete functional experiences	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
179	cloud	✔ OK	TOPIC_DOC_LINKED	What is the correct architectural approach when you want to reduce coupling between a data-owning App and its consumers?	Expose a clear contract through public Service Actions and Structures, so consumers depend on the interface, not the internal model	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
180	design	✔ OK	TOPIC_DOC_LINKED	During architecture review, you discover the same UI block (a status badge component) has been built independently in four different Apps, each with slightly different behavior. What does this reveal and what should be done?	This reveals cross-cutting reuse is needed — extract the block to a Library so all four Apps consume the same implementation	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
181	cloud	✔ OK	TOPIC_DOC_LINKED	A team wants to reuse a customer search component across several ODC applications. What is the best design choice?	Put the component in a Library as a reusable public Block	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
182	patterns	✔ OK	TOPIC_DOC_LINKED	A producer App exposes its internal Customer Entity directly to three consumer Apps. The team later needs to rename several entity fields to align with a new naming convention. What is the main architectural consequence?	The three consumer Apps become tightly coupled to the producer's internal data model — field renames are breaking changes for all of them	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
183	patterns	✔ OK	TOPIC_DOC_LINKED	A capability that calculates shipping costs is shared by the Order, Checkout, and Returns apps. The calculation rules change frequently as the business evolves. What architecture best handles this?	Centralize the calculation in one Service Action (in the owning App or a dedicated microservice App) with a stable input/output contract	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
184	design	✔ OK	TOPIC_DOC_LINKED	An architect proposes creating 47 separate ODC Apps — one for each business function in the company. A colleague argues this is too granular. What is the main risk of extreme over-fragmentation?	Governance, dependency management, and operational overhead become disproportionately complex — each App is a deployment and ownership unit that must be managed	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
185	design	✔ OK	TOPIC_DOC_LINKED	A team created a shared Library for common logic, but each consuming app still copies some of the same business rules locally 'just to be safe'. What is the main architectural problem with this hybrid approach?	The duplicated local copies will cause inconsistent behavior and unclear ownership over time	https://success.outsystems.com/documentation/outsystems_developer_cloud/monitoring_and_troubleshooting_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
186	design	✔ OK	TOPIC_DOC_LINKED	An architect is asked to describe good separation of concerns in an ODC landscape. Which answer best reflects that principle?	Shared UI components and reusable logic live in Libraries; business-specific flows and capabilities live in Apps	https://success.outsystems.com/documentation/outsystems_developer_cloud/monitoring_and_troubleshooting_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
187	cloud	✔ OK	TOPIC_DOC_LINKED	A shared feature requires both a reusable UI component and	A public Block for the reusable UI and a public Server Action for the	https://success.outsystems.com/documentation/	Manter; adicionar URL de fonte. Sem problema relevante identificado

				reusable server-side validation logic, used by multiple Apps. What is the correct ODC design?	validation — both placed inside a Library	outsystems_developer_cloud/monitoring_and_troubleshooting_apps/	nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
188	design	✅ OK	TOPIC_DOC_LINKED	A producer App exposes every internal action and structure it has, reasoning that 'more exposure is better because consumers may need it in the future.' Why is this a weak architectural position?	It unnecessarily enlarges the dependency surface — any internal change in the producer risks breaking consumers that depend on elements they never actually needed	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
189	design	✅ OK	TOPIC_DOC_LINKED	A developer discovers that a date-sorting utility is used in 3 different Apps and immediately proposes extracting it into a Library. A senior architect cautions against premature extraction. What is the main risk of always centralising every reusable piece of logic into a Library?	If the logic is unstable or too domain-specific, creating a Library dependency introduces coupling without meaningful benefit	https://success.outsystems.com/documentation/outsystems_developer_cloud/monitoring_and_troubleshooting_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
190	design	✅ OK	TOPIC_DOC_LINKED	A senior architect states: 'Our goal is to eliminate all dependencies between Apps — maximum independence means each App has zero references to any other App or Library.' Why is this position architecturally incorrect?	Zero dependencies would force every App to duplicate all shared logic and UI — duplication is more harmful than well-managed dependencies	https://success.outsystems.com/documentation/outsystems_developer_cloud/monitoring_and_troubleshooting_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
191	design	✅ OK	TOPIC_DOC_LINKED	An architect consolidates 12 ODC components into just 3, reasoning: 'Fewer components means simpler architecture.' A reviewer flags this as a potential problem. What is the main risk of over-consolidation?	Merging unrelated responsibilities into the same component creates a monolith with unclear ownership, harder independent releases, and mixed business concerns	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
192	patterns	✅ OK	TOPIC_DOC_LINKED	An App exposes a GetCustomer Service Action that returns a CustomerDTO Structure. The team later refactors the internal Customer Entity — renaming internal fields and restructuring the database model. Consumer Apps are not notified. What happens?	Consumer Apps are unaffected — the Service Action contract (its inputs and outputs) isolates them from internal implementation changes	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
193	design	✅ OK	TOPIC_DOC_LINKED	A team needs to add complex checkout validation logic that is currently only needed in their single Checkout App. A colleague immediately proposes creating a Library. What is the most appropriate architectural decision?	Keep the logic inside the Checkout App for now — extract it to a Library only when it is needed by other Apps and has proven stable enough to be a shared contract	https://success.outsystems.com/documentation/outsystems_developer_cloud/monitoring_and_troubleshooting_apps/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
194	patterns	✅ OK	TOPIC_DOC_LINKED	A producer App exposes a GetOrder Service Action that returns an OrderSummaryDTO Structure. The team renames the output field 'ordAmt' to 'orderAmount' in the Structure to improve readability. What is the impact on consumer Apps?	All consumer Apps that reference 'ordAmt' will break — renaming a Structure field is a breaking change to the public contract	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
195	design	✅ OK	TOPIC_DOC_LINKED	A 'Customer Domain' App exposes: 5 public Service Actions, 2 public Roles, and 4 public Entities. An architect reviewing the design flags only the public Entities as a concern. Why are the Service Actions and Roles acceptable, but the public Entities are not?	Service Actions and Roles provide controlled contracts; public Entities expose the internal data model directly — coupling consumers to schema details they should not depend on	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/building_a_well_architected_app/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.
196	cloud	✅ OK	TOPIC_DOC_LINKED	A Library contains: (1) a public Block for a customer search UI component, (2) a public Server Action for address validation, and (3) a Structure defining an AddressDTO. An architect reviewing this says 'this is a well-designed Library.' Is the architect correct, and why?	Yes — all three elements (Block, Server Action, Structure) are valid Library assets that together form a cohesive, reusable address-handling component	https://success.outsystems.com/documentation/outsystems_developer_cloud/app_architecture/	Manter; adicionar URL de fonte. Sem problema relevante identificado nesta revisão; manter, salvo validação final contra material oficial do curso/exame.