

Capturing from Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Apply a display filter ... <Ctrl>F

No.	Time	Source	Destination	Protocol	Length	Info
1356	115.972270	NokiaSha_df:95:40	Broadcast	ARP	42	Who has 192.168.0.4? Tell 192.168.0.1
1357	116.365848	2a03:2880:f368:120::	2406:7400:ca:89ed:8...	TLSv1.3	454	Application Data
1358	116.408073	2406:7400:ca:89ed:8...	2a03:2880:f368:120::	TLSv1.3	171	Application Data
1359	116.424933	2a03:2880:f368:120::	2406:7400:ca:89ed:8...	TCP	74	443 → 18589 [ACK] Seq=16321 Ack=7179 Win=93440 Len=0
1360	116.655083	2a03:2880:f368:120::	2406:7400:ca:89ed:8...	TLSv1.3	163	Application Data

> Frame 1: 86 bytes on wire (688 bits), 86 bytes captured (688 bits) on interface \Device\NPF_{F22498BC-D867-4B62-A527-3FF2211D71E7}, id 0

> Ethernet II, Src: NokiaSha_df:95:40 (b8:19:04:df:95:40), Dst: 00:72:ee:de:ac:f1 (00:72:ee:de:ac:f1)

> Internet Protocol Version 6, Src: 2620:1ec:46::254, Dst: 2406:7400:ca:89ed:8dbb:242d:f9f7:f258

> Transmission Control Protocol, Src Port: 443, Dst Port: 54669, Seq: 0, Ack: 1, Len: 0

0000 00 72 ee de ac f1 b8 19 04 df 95 40 86 dd 60 01 r.....E.....
0010 0f 75 00 20 06 35 26 20 01 ec 00 46 00 00 00 00 u...5%...F....
0020 00 00 00 00 02 54 24 06 74 00 00 ca 89 ed 8d 8bT\$.E.....
0030 24 2d f9 f7 f2 58 01 bb d5 51 c6 2d d3 72 ae 06 \$.---X---Q---r---
0040 87 4c 80 12 ff ff dd cd 00 00 02 04 05 78 01 01 L.....x.....
0050 04 02 01 03 03 09

Wi-Fi: <live capture in progress>


Packets: 1360 · Displayed: 1360 (100.0%)

Profile: Default

8°C
Mostly cloudy

ENG
IN

8:47 PM
8/6/2026



Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http

No.	Destination	Protocol	Length	Info
http	44.238.29.244	HTTP	474	GET /login.aspx HTTP/1.1
http	44.238.29.244	HTTP	469	GET /styles.css HTTP/1.1
http2	192.168.0.6	HTTP	993	HTTP/1.1 200 OK (text/html)
2399	161.856255	HTTP	529	GET /images/logo_acunetix.gif HTTP/1.1
2402	161.858746	HTTP	519	GET /images/rss.gif HTTP/1.1

> Frame 2358: 474 bytes on wire (3792 bits), 474 bytes captured (3792 bits) on interface \Device\NPF_{F2249BBC-D867-4B62-A527-3FF221D71E7}, id 0

> Ethernet II, Src: 00:72:ee:de:ac:f1 (00:72:ee:de:ac:f1), Dst: NokiaSha_df:95:40 (b8:19:04:df:95:40)

> Internet Protocol Version 4, Src: 192.168.0.6, Dst: 44.238.29.244

> Transmission Control Protocol, Src Port: 64500, Dst Port: 80, Seq: 1, Ack: 1, Len: 420

> Hypertext Transfer Protocol

0000 b8 19 04 df 95 40 00 72 ee de ac f1 08 00 45 00 ... @ n ... E
0010 01 cc c9 58 40 00 80 06 00 00 c0 a8 00 06 2c ee ... X @
0020 1d f4 fb f4 00 50 01 f3 05 b0 3d 05 88 8a 50 18 ... P ... e. P.
0030 09 ff 0d 4f 00 00 47 45 54 20 2f 6c 6f 67 69 6e ... O _GE T /login
0040 2e 61 73 70 78 20 48 54 54 50 2f 31 2e 31 0d 8aaspx HT TP/1.1
0050 48 6f 73 74 3a 20 74 65 73 74 61 73 70 6e 65 74 Host: ta staspnet
0060 2e 76 75 6c 6e 77 65 62 2e 63 6f 6d 0d 0a 43 6f ... vulnweb .com Co
0070 6e 6e 65 63 74 69 6f 6e 3a 20 6b 65 65 70 2d 61 ... nnection : keep-a
0080 6c 69 76 65 0d 0a 55 70 67 72 61 64 65 2d 49 6e live Up grade In
0090 73 65 63 75 72 65 2d 52 65 71 75 65 73 74 73 3a secure-R equests:
00a0 20 31 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a 20 1 -User -Agent:
00b0 46 6f 7a 69 6c 6c 61 2f 35 2e 30 20 28 57 69 6e Mozilla/ 5.0 (Win
00c0 64 6f 77 73 20 4e 54 20 31 30 2e 30 3b 20 57 69 dows NT 10.0; Wi
00d0 6e 36 34 3b 20 78 36 34 29 20 41 70 70 6c 65 57 n64; x64 } AppleW
00e0 65 62 4b 69 74 2f 35 33 37 2e 33 36 20 28 4b 48 ebKit/53 7.36 (Kh
00f0 54 4d 4c 2c 20 6c 69 6b 65 20 47 65 63 6b 6f 29 TML, lik e Gecko)
0100 29 43 68 72 6f 6d 65 2f 31 35 31 2e 30 2e 30 2e Chrome/ 151.0.0.
0110 30 20 53 61 66 61 72 69 2f 35 33 37 2e 33 36 0d 0 Safari /537.36
0120 0a 41 63 63 65 70 74 3a 20 74 65 78 74 2f 68 74 -Accept: text/ht
0130 6d 6c 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 70 ml,appli cation/x
0140 68 74 6d 6c 2b 78 6d 6c 2c 61 70 70 6c 69 63 61 html+xml ,applica
0150 74 69 6f 6e 2f 78 6d 6c 3b 71 3d 30 2e 39 2c 69 tion/xml ;q=0.9,i
0160 6d 61 67 65 2f 61 76 69 66 2c 69 6d 61 67 65 2f mage/avi f,image/
0170 77 65 62 70 2c 69 6d 61 67 65 2f 61 70 6e 67 2c webp,ima ge/png,
0180 2a 2f 2a 3b 71 3d 30 2e 38 0d 0a 53 65 63 2d 47 /*;q=0.8; Sec-G
0190 50 43 3a 20 31 0d 0a 41 63 63 65 70 74 2d 45 6e PC: 1 A ccept-En
01a0 63 6f 64 69 6e 67 3a 20 67 70 69 70 2c 70 64 65 coding: gzip, de
01b0 6e 6c 61 74 65 0d 0a 41 63 63 65 70 74 2d 4c 61 flate A ccept-La
01c0 6e 67 75 61 67 65 3a 20 65 6e 2d 55 53 2c 65 6e nguage: en-US,en

Hypertext Transfer Protocol: Protocol

Packets: 2795 - Displayed: 14 (0.5%)

Profile: Default

8:49 PM 8/6/2026

Wi-Fi

File Edit View Go Capture Filter Statistics Telephony Wireless Tools Help

http.request.method == "GET"

No.	Time	Source	Destination	Protocol	Length	Info
2358	161.289231	192.168.0.6	44.238.29.244	HTTP	474	GET /login.aspx HTTP/1.1
2364	161.585527	192.168.0.6	44.238.29.244	HTTP	469	GET /styles.css HTTP/1.1
2399	161.856255	192.168.0.6	44.238.29.244	HTTP	529	GET /images/logo_acunetix.gif HTTP/1.1
2402	161.858746	192.168.0.6	44.238.29.244	HTTP	519	GET /images/rss.gif HTTP/1.1
2408	161.866191	192.168.0.6	44.238.29.244	HTTP	526	GET /images/background.gif HTTP/1.1

> Frame 2358: 474 bytes on wire (3792 bits), 474 bytes captured (3792 bits) on interface \Device\NPF_{F2249BBC-D867-4B62-A527-3FF221D71E7}, id 0

> Ethernet II, Src: 00:72:ee:de:ac:f1 (00:72:ee:de:ac:f1), Dst: NokiaSha_df:95:40 (b8:19:04:df:95:40)

> Internet Protocol Version 4, Src: 192.168.0.6, Dst: 44.238.29.244

> Transmission Control Protocol, Src Port: 64500, Dst Port: 80, Seq: 1, Ack: 1, Len: 420

> Hypertext Transfer Protocol

0000 b8 19 04 df 95 40 00 72 ee de ac f1 08 00 45 00 ... @ n ... E
0010 01 cc c9 58 40 00 80 06 00 00 c0 a8 00 06 2c ee ... X8
0020 1d f4 fb f4 00 50 01 f3 05 b0 3d 05 88 8a 50 18 ... P ... e P
0030 09 ff 0d 4f 00 00 47 45 54 20 2f 6c 6f 67 69 6e ... O GE T /login
0040 2e 61 73 70 78 20 48 54 54 50 2f 31 2e 31 0d 8aaspx HT TP/1.1
0050 48 6f 73 74 3a 20 74 65 73 74 61 73 70 6e 65 74 Host: ta staspnet
0060 2e 76 75 6c 6e 77 65 62 2e 63 6f 6d 0d 0a 43 6f ... vulnweb .com Co
0070 6e 6e 65 63 74 69 6f 6e 3a 20 6b 65 65 70 2d 61 ... nnection : keep-a
0080 6c 69 76 65 0d 0a 55 70 67 72 61 64 65 2d 49 6e live Up grade In
0090 73 65 63 75 72 65 2d 52 65 71 75 65 73 74 73 3a secure R equests:
00a0 20 31 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a 20 1 -User -Agent:
00b0 46 6f 7a 69 6c 6c 61 2f 35 2e 30 20 28 57 69 6e Mozilla/ 5.0 (Win
00c0 64 6f 77 73 20 4e 54 20 31 30 2e 30 3b 20 57 69 dows NT 10.0; Wi
00d0 6e 36 34 3b 20 78 36 34 29 20 41 70 70 6c 65 57 n64; x64 } AppleW
00e0 65 62 4b 69 74 2f 35 33 37 2e 33 36 20 28 4b 48 ebKit/53 7.36 (Kh
00f0 54 4d 4c 2c 20 6c 69 6b 65 20 47 65 63 6b 6f 29 TML, lik e Gecko)
0100 29 43 68 72 6f 6d 65 2f 31 35 31 2e 30 2e 30 2e Chrome/ 151.0.0.
0110 30 20 53 61 66 61 72 69 2f 35 33 37 2e 33 36 0d 0 Safari /537.36
0120 0a 41 63 63 65 70 74 3a 20 74 65 78 74 2f 68 74 Accept: text/ht
0130 6d 6c 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 70 ml,appli cation/x
0140 68 74 6d 6c 2b 78 6d 6c 2c 61 70 70 6c 69 63 61 html+xml ,applica
0150 74 69 6f 6e 2f 78 6d 6c 3b 71 3d 30 2e 39 2c 69 tion/xml ;q=0.9,i
0160 6d 61 67 65 2f 61 76 69 66 2c 69 6d 61 67 65 2f mage/avi f,image/
0170 77 65 62 70 2c 69 6d 61 67 65 2f 61 70 6e 67 2c webp,ima ge/png,
0180 2a 2f 2a 3b 71 3d 30 2e 38 0d 0a 53 65 63 2d 47 /*;q=0.8 Sec-G
0190 50 43 3a 20 31 0d 0a 41 63 63 65 70 74 2d 45 6e PC: 1 A ccept-En
01a0 63 6f 64 69 6e 67 3a 20 67 70 69 70 2c 70 64 65 coding: gzip, de
01b0 66 6c 61 74 65 0d 0a 41 63 63 65 70 74 2d 4c 61 flate A ccept-La
01c0 6e 67 75 61 67 65 3a 20 65 6e 2d 55 53 2c 65 6e nguage: en-US,en

Microsoft Wi-Fi 20260806204532_803376.pcapng

Packets: 3258 - Displayed: 6 (0.2%)

Profile: Default

ENG IN 8:49 PM 8/6/2026

Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.request.method == "POST"

No.	Time	Source	Destination	Protocol	Length	Info
2506	176.077939	192.168.0.6	44.238.29.244	HTTP	1245	POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded)

> Frame 2506: 1245 bytes on wire (9960 bits), 1245 bytes captured (9960 bits) on interface \Device\NPF_{F2249BBC-D867-4B62-A527-3FF221D71E7}, id 0

> Ethernet II, Src: 00:72:ee:de:ac:f1 (00:72:ee:de:ac:f1), Dst: NokiaSha_df:95:40 (b8:19:04:df:95:40)

> Internet Protocol Version 4, Src: 192.168.0.6, Dst: 44.238.29.244

> Transmission Control Protocol, Src Port: 54270, Dst Port: 80, Seq: 2010, Ack: 4379, Len: 1191

> [2 Reassembled TCP Segments (1851 bytes): #2505(660), #2506(1191)]

> Hypertext Transfer Protocol

0000 b5 19 04 df 95 40 00 72 ee de ac f1 08 00 45 00 ... @ r ... E

0010 04 cf c9 6f 40 00 80 06 00 00 c0 a8 00 06 2c ee ... o8 ...

0020 1d fd d3 fe 00 50 f7 69 e2 bb b8 4c 0d b2 50 18 ... P i ... L . P

0030 09 ff 10 52 00 00 5f 5f 45 56 45 4e 54 54 41 52 ... R ... EVENTTAR

0040 47 45 54 3d 26 5f 5f 45 56 45 4e 54 41 52 47 55 GET= & _E VENTARGU

0050 43 45 4e 54 3d 26 5f 5f 56 40 45 57 53 56 41 54 MEHT= & _VIEWSTAT

0060 45 3d 25 32 46 77 45 50 44 77 55 4b 4c 5d 49 79 E=92FwEP DwtKLTly

0070 4d 70 6b 32 4f 54 67 78 4d 51 39 6b 46 67 49 43 Mnk2DTgx MQ9kfGlC

0080 41 51 39 6b 46 67 49 43 41 51 39 6b 46 67 51 43 AQ9kFeIC AQ9kFgQC

0090 41 51 38 57 42 42 34 45 61 48 4a 6c 5a 67 55 4b AQ8uRB4E aRjJZgUK

00a0 62 47 39 6e 61 57 34 75 59 58 4e 77 65 42 34 4a bG9naK4u YXlweBAJ

00b0 61 57 35 75 5a 58 4a 6f 64 47 31 73 42 51 56 73 ak5uZXJo dG1S8QV5

00c0 62 32 64 70 62 6d 51 43 41 77 38 57 42 42 38 41 b2dpbmQC Aw8MB88A

00d0 5a 42 34 48 56 6d 6c 7a 61 57 4a 73 5a 57 68 0b ZB4Hvmlz akJszbhhk

00e0 47 41 45 46 48 6c 39 66 51 32 39 75 64 48 4a 76 GAFFH19F Q29udHJv

00f0 62 48 4e 53 5a 58 46 31 61 58 4a 6c 55 47 39 7a biHNSZXf1 aXJ1UG9z

0100 64 45 4a 68 59 32 74 4c 5a 58 6c 66 58 78 59 42 dE3HY2LL ZX1FXxYB

0110 42 51 39 6a 59 6c 42 6c 63 6e 4e 70 63 33 52 44 BQ9jV1B1 cnNpc3RO

0120 62 32 39 72 61 57 56 7a 77 62 76 25 32 42 51 38 b29rakWz wbv%2BQ8

0130 58 61 64 65 65 77 53 71 48 68 4a 62 48 39 7a 34 Xadeev5q HhJbH9z4

0140 64 76 4a 77 25 33 44 25 33 44 26 5f 5f 56 49 45 dvJwX30X 3D& _VIE

0150 57 53 54 41 54 45 47 45 4e 45 52 41 54 4f 52 3d WSTATEGE NERATOR=

0160 43 32 45 45 39 41 42 42 26 5f 5f 45 56 45 4e 54 C2EE9ABB & _EVENT

0170 56 41 4c 49 44 41 54 49 4f 4e 3d 25 32 46 77 45 VALIDATI ON=%2FwE

0180 57 57 77 4c 6f 7a 25 32 46 66 47 43 67 4c 53 74 WwL0z%2 FfGcGLSt

0190 71 32 34 42 77 4b 33 6a 73 72 6b 42 41 4c 74 75 q24BwK3j srkBALtu

01a0 76 66 4c 44 51 4b 43 33 49 65 47 44 41 4b 52 31 vFLDQKC3 IeGDakRt

01b0 63 61 25 32 42 44 41 4c 69 25 32 42 25 32 42 6a ca%2BDAL i%2B%2Bj

Packet: 3368 * Displayed: 1 (0.0%)

Profile: Default

8:50 PM 8/6/2026

Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.request.method == "POST"

No.	Time	Source	Destination	Protocol	Length	Info
2506	176.077939	192.168.0.6	44.238.29.244	HTTP	1245	POST /login.aspx HTTP/1.1 (application/x-www-form-urlencoded)

> Transmission Control Protocol, Src Port: 54270, Dst Port: 80, Seq: 2010, Ack: 4379, Len: 1191

> [2 Reassembled TCP Segments (1851 bytes): #2505(660), #2506(1191)]

Hypertext Transfer Protocol

- > POST /login.aspx HTTP/1.1\r\n
- Host: testaspnet.vulnweb.com\r\n
- Connection: keep-alive\r\n
- > Content-Length: 1191\r\n
- Cache-Control: max-age=0\r\n
- Upgrade-Insecure-Requests: 1\r\n
- Content-Type: application/x-www-form-urlencoded\r\n
- User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/151.0.0.0 Safari/537.36\r\n
- Origin: http://testaspnet.vulnweb.com\r\n
- Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8\r\n
- Sec-GPC: 1\r\n
- Referer: http://testaspnet.vulnweb.com/login.aspx\r\n
- Accept-Encoding: gzip, deflate\r\n
- Accept-Language: en-US,en;q=0.6\r\n
- > Cookie: ASP.NET_SessionId=1420q045w2fi0e55hsup445\r\n\r\n

[Full request 385: http://testaspnet.vulnweb.com/login.aspx]

[HTTP request 4/4]

[Page request in 3.00ms: 1117]

[Response in 3.00ms: 2114]

File Data: 1191 bytes

> HTML Form URL Encoded: application/x-www-form-urlencoded

Offset	Hex	ASCII
00d0	55 73 65 72 2d 41 67 65 6e 74 3a 20 4d 6f 7a 68	User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/151.0.0.0 Safari/537.36
00e0	6c 6c 61 2f 35 2e 30 20 28 57 69 6e 64 6f 77 73	
00f0	29 4e 54 20 31 30 2e 30 3b 20 57 69 6e 36 3a 3b	
0100	20 78 36 34 29 20 41 70 70 6c 65 57 65 62 4b 69	
0110	74 2f 35 33 37 2e 33 36 20 78 4b 48 5d 4d 4c 2c	
0120	20 6c 69 6b 65 20 47 65 63 6b 6f 29 20 43 68 72	
0130	6f 6d 65 2f 31 35 31 2e 30 20 30 2e 30 20 53 61	

HTTP User-Agent header (http.user_agent), 125 bytes

Packets: 5043 - Displayed: 1 (0.0%)

Profile: Default

8:54 PM 8/6/2026