TEST CASE – H1 INVALIDATION AND REPAYMENT (4C)

Version: 1.3

Author: Cina Arjmand

netcompany

Document history

| Version | Date | Author | Status | Comments |
|---------|------------|-----------------|-----------|-------------------------------------|
| 0.1 | 01-03-2024 | Cina Arjmand | Draft | First draft |
| 0.2 | 16-09-2024 | Emilie Madsen | Draft | Review |
| 0.3 | 10-10-2024 | Emilie Madsen | Draft | Update notification flow |
| 1.0 | 23-10-2024 | Emilie Madsen | Completed | |
| 1.1 | 06-12-2024 | Emilie Madsen | Completed | Minor corrections |
| 1.2 | 12-12-2024 | Johannes Bæk | Update | Updated section 3.2.1 and 3.3.1 |
| 1.3 | 16-01-2025 | Michael Larsson | Completed | Updated routing for Standard folder |

Table of contents

| 1 | Pro | e-conditions | 3 |
|---|-------|-------------------------------|---|
| | | | |
| 2 | Pro | ocess flow | 4 |
| 3 | Te | st Scenarios | |
| | 3.1 | Description of test scenarios | 5 |
| | 3.2 | Test scenario 1 – Acceptance | 6 |
| | 3.2.1 | XML example | 7 |
| | 3.3 | Test scenario 2 – Rejection | 8 |
| | 3.3.1 | XML example | |

1 Pre-conditions

To complete the functional test case for "H1 Invalidation and Repayment", the company must have an established connection to the AS4 Gateway, functioning system user to DMS Import, see Connectivity Guide & System Guide.

Furthermore, ensure that you for this test case have the correct URLs, Services, and Actions, as seen below. In place of {CVR} and {UUID}, fill out your own CVR and UUID in the URLs below. While the URLs and Services are the same for all the test cases, the Actions however, will change depending on the test case you are performing, please keep an eye out that you have the correct Action for the test case in hand.

To submit the XML for this test case, use the following endpoints:

| URL | TFE02 Service | TFE01 Service | Action |
|---|---------------|---------------|--------------------------|
| https://secureftpgatewaytest.skat.dk/:6384/exchange/CVR {CVR}_UI_{UUID} | DMS.Import4 | | Declaration. Submit |
| https://secureftpgatewaytest.skat.dk/:6384/exchange/CVR {CVR}_UI_{UUID} | DMS.Import4 | | Declaration.Invalidation |

For retrieving the notification, use the following endpoint:

| URL | TFE02 Service | TFE01 Service | Action |
|---|---------------|---------------|--------------|
| https://secureftpgatewaytest.skat.dk/:6384/exchange/CVR {CVR} UI {UUID} | DMS.Import4 | | Notification |

Please ensure that the "Test Case – H1 Standard" have been completed before you try to complete the "Test Case – H1 Invalidation and Repayment (4c)" scenarios.

2 Process flow

The process flow for a H1 invalidation 4c request for a declaration can be seen in Figure 1 below. (The flow for invalidating and repaying a standard and pre-lodged declaration is the same.):




Figure 1: process flow for H1 invalidation 4c.

3 Test Scenarios

To complete this test case, test scenario 1 and 2 must be passed successfully. Descriptions and specifics for each test can be found in the coming sections. Be sure to go through the scenarios thoroughly. It is recommended that you use the attached files to test the notifications.

| Test no. | Test scenario | Passed/Failed |
|----------|---|---------------|
| 1 | Submit H1 – Invalidation and Repayment, which is accepted | |
| 2 | Submit H1 – Invalidation and Repayment, which is rejected | |

3.1 Description of test scenarios

The following sections will describe the aim of each specific scenario and provide the desired results of the test scenarios. It is worth noting that there can be changes in the notifications provided by DMS Import as the solution is still in development.

The purpose of the test scenarios is to ensure your connection to the system, and that you as a company can receive the correct notifications when sending in XMLs. Each step describes what you need to do when going through the test case. For each case there will be an XML available in the same folder where you found this test case document.

3.2 Test scenario 1 – Acceptance

The aim of this scenario is to get a notification that the H1 Invalidation and Repayment XML has been accepted.

The following table shows the necessary test steps for completing this scenario as well as expected results. For the first step it is recommended using the provided declaration XML found in the Test Case folder. Secondly, make sure that your LRN and MRN is unique, and that the Submitter field is correct (this is done by putting your CVR in the Submitter/Name and Submitter/ID fields) in the H1 Standard XML. The fields DeclarantEORI and RepresentativeEORI should also be filled out with the corresponding EORI numbers for the Declarant and ApplicationHolderId roles. You should also make sure that the H1 Invalidation and Repayment's Amendment field is filled with a valid ChangeReasonCode, a ChangeReasonText of at least 10 characters, and that AmountDuty is filled in as described in step 5. The placeholders are denoted in the XML by double curly brackets {{placeholder}}.

| Step no. | Description of steps | Expected result | Passed |
|-------------|--|--|--------|
| 1 | Submit a H1 Standard XML . It is found within the H1 Standard folder that is found in the parent directory at H1 Test Cases (remember to replace the placeholders). | You should have the test XML ready for the next step. | |
| 2 | Submit the declaration using the conditions found under Pre-conditions. | The declaration should be sent to the system. | |
| 3 | Pull the notifications. | You should be able to pull the notification from the system. | |
| 4 | Acceptance of submission of declaration. | Receive the CWMACC and CMWCLE notifications. | |
| 5 | Use the H1 Invalidation 4c XML found in the test case folder (remember to replace the placeholders). Make sure that the field Amendment along with the fields the CustomsValue and AmountDuty is filled in as shown in section 3.2.1 The values in these fields should match the ones listed in the CWMTAX notification in order to be accepted but if you have used the example XML's then these values should already match with the tax on the H1 standard declaration. | Find the H1 Invalidation 4c XML in the H1 Invalidation 4c test case folder. | |
| 6 | Send in a H1 Invalidation 4c XML , it can be found in the same folder as this test case. Remember to add the LRN and MRN from the initially submitted H1 Standard XML. | The H1 Invalidation 4c XML should be sent to the system. | |
| 7 | Pull the notifications. | You should be able to pull notification from the system. | |
| 8 | Successful validation of submission of invalidation request by receiving the CWMRCV and CWMCAS notifications. | You should receive the CWMRCV and CWMCAS notifications. | |
| 9 | After having received the CWMCAS , read the AdditionalInformation field regarding the status. This notification informs you of a manual acceptance work task being created. | You should find a StatementCode field with the number 41 (CWMCAS Queued). In the | |

| | | StatementDescription field there should be an explanation. | |
|----|---|---|--|
| 10 | When the queued request is being handled receive another CWMCAS and once the request is completed, receive the final CWMCAS , both notifications have changes to AdditionalInformation . This informs you that the worktask is completed. A manual work task needs to be manually approved by a customs official. Until a customs official has manually processed your declaration, you won't receive any further notifications. As such, the declaration may remain on step 9 for some time if so, pull the notification again to get these notifications. | Two notifications with StatementCode field 42 (CWMCAS in progress) and 43 (CWMCAS Completed). | |
| 11 | Acceptance of submission of invalidation request by receiving the CWMREQ and CWMINV notifications. | Receive notifications CWMREQ and CWMINV to pass the test. | |

3.2.1 XML example

3.3 Test scenario 2 – Rejection

The aim of this scenario is for the EO to get a notification that the H1 Invalidation and Repayment XML has been rejected.

The following table shows the test steps necessary to complete this scenario as well as expected results. For the first step it is recommended adapting the provided declaration XML found in the Test Case folder. Secondly, make sure that your **LRN** and **MRN** is unique, and that the Submitter field is correct (this is done by putting your **CVR** in the Submitter/Name and Submitter/ID fields) in the H1 Standard XML. The fields **DeclarantEORI** and **RepresentativeEORI** should also be filled out with the corresponding EORI numbers for the Declarant and ApplicationHolderId roles. In this case we will fill in invalid data for H1 Invalidation and Repayment's **AmountDuty** field with a number higher than the amount of tax on the H1 declaration in the **Amount** field, as described in step 5.

| Step no. | Description of steps | Expected result | Passed |
|-------------|--|--|--------|
| 1 | Submit a H1 Standard XML . It is found within the H1 Standard folder that is found in the parent directory at H1 Test Cases (remember to replace the placeholders). | You should have the test XML ready for the next step. | |
| 2 | Submit the declaration using the conditions found under Pre-conditions. | The declaration should be sent to the system. | |
| 3 | Pull the notifications. | You should be able to pull the notification from the system. | |
| 4 | Acceptance of submission of declaration. | Receive the CWMACC and CWMCLE notifications. | |
| 5 | Use the H1 Invalidation 4c XML found in the test case folder (remember to replace the placeholders – {{LRN}} and {{MRN}} should match the MRN and LRN from the initially submitted H1 declaration). | Find the H1 Invalidation 4c XML in the H1 Invalidation 4c test case folder. | |
| 6 | Adapt the H1 Invalidation 4c XML so that the AmountDuty field is filled in as shown in section 3.3.1 | Adapt the H1 Invalidation 4c XML in the H1 Invalidation 4c test case folder | |
| 7 | Submit the XML. | The H1 Invalidation 4c XML should be sent to the system. | |
| 8 | Pull the notifications. | You should be able to pull notification from the system. | |
| 9 | Rejection of submission of invalidation request by receiving the CWMREJ notification. | Receive notification CWMREJ and pass the scenario. | |

3.3.1 XML example