

# TEST CASE – H5 CORRECTION

---

**Version:** 1.0  
**Author:** Cina Arjmand

netcompany

Document history

Version	Date	Author	Status	Comments
0.1	06-03-2024	Cina Arjmand	Draft	Original Draft
0.2	15-10-2024	Emilie Madsen	Draft	Review
1.0	24-10-2024	Emilie Madsen	Completed	

Table of contents

1        **Pre-conditions..... 3**

2        **Process flow..... 3**

3        **Test Scenarios ..... 4**

    3.1        **Description of test scenarios ..... 4**

    3.2        **Test scenario 1 – Acceptance..... 5**

        3.2.1        XML example..... 5

    3.3        **Test scenario 2 – Rejection ..... 6**

        3.3.1        XML example..... 6

# 1 Pre-conditions

To complete the functional test case for “H5 Correction”, the company must have an established connection to the AS4 Gateway, and have a functioning system user to DMS Import, see [Connectivity Guide & System Guide](#).

Furthermore, ensure that you for this test case have the correct URLs, Services, and Actions, as seen below. In place of {CVR} and {UID}, fill out your own CVR and UID in the URLs below. While the URLs and Services are the same for all the test cases, the Actions however, will change depending on the test case you are performing, please keep an eye out that you have the correct Action for the test case in hand.

To submit the XMLs for this test case, use the following endpoints:

URL	UFE Service	TFE Service	Action
<a href="https://secureftpgatewaytest.skat.dk/6384/exchange/CVR_{CVR}_UI_{UID}">https://secureftpgatewaytest.skat.dk/6384/exchange/CVR_{CVR}_UI_{UID}</a>	DMS.Import4		Declaration.Submit
<a href="https://secureftpgatewaytest.skat.dk/6384/exchange/CVR_{CVR}_UI_{UID}">https://secureftpgatewaytest.skat.dk/6384/exchange/CVR_{CVR}_UI_{UID}</a>	DMS.Import4		Declaration.Amend

For retrieving the notification, use the following endpoint:

URL	UFE Service	TFE Service	Action
<a href="https://secureftpgatewaytest.skat.dk/6384/exchange/CVR_{CVR}_UI_{UID}">https://secureftpgatewaytest.skat.dk/6384/exchange/CVR_{CVR}_UI_{UID}</a>	DMS.Import4		Notification

Please ensure that the “**Test Case – H5 Pre-lodged**” have been completed **before** you try to complete the “**Test Case – H5 Correction**” scenarios.

# 2 Process flow

The process flow for a H5 pre-lodged declaration with a correction request can be seen in Figure 1 below:




Figure 1: process flow for H5 correction

## 3 Test Scenarios

To complete this test case, test scenario 1 and 2 must be passed successfully. Descriptions and specifics for each test can be found in the coming sections. Be sure to go through the scenarios thoroughly. It is recommended that you use the attached files to test the notifications.

Test no.	Test scenario	Passed/Failed
1	Submit H5 – Correction XML, which is accepted	<input type="checkbox"/>
2	Submit H5 – Correction XML, which is rejected	<input type="checkbox"/>

### 3.1 Description of test scenarios

The following sections will describe the aim of each specific scenario and provide the desired results of the test scenarios. It is worth noting that there can be changes in the notifications provided by DMS Import as the solution is still in development.

The purpose of the test scenarios is to ensure your connection to the system, and that you as a company can receive the correct notifications when sending in XMLs. Each step describes what you need to do when going through the test case. For each case there will be an XML available in the same folder where you found this test case document.

For both the Correction and Amendment test scenarios, it is important to note that System Specific Fields and Group 11 fields cannot be changed as part of the Correction or Amendment. The fields can be found in the [Import XML Guide](#). For simplicity, the acceptance of the Correction scenario will include changes to a field that is allowed to be corrected.

The difference between Correction and Amendment is that an Amendment is submitted after acceptance of a declaration (after receiving the CWMACC notification) and generates a manual case task, after initial validation, to be handled by a customs officer and thereby accepted (or rejected). A correction is submitted to a pre-lodged declaration that has not yet had a work task generated.

## 3.2 Test scenario 1 – Acceptance

The aim of this scenario is to get a notification that the H5 Correction XML has been accepted.

The following table shows the necessary test steps for completing this scenario as well as expected results. For the first step it is recommended using the provided declaration XML found in the **Test Case** folder. Secondly, make sure that your **LRN** is unique, and that the **Submitter** field is correct (this is done by putting your CVR in the **Submitter/Name** and **Submitter/ID** fields) in the H5 Pre-lodged XML. The fields **DeclarantEORI**, **ExporterEORI**, and **ImporterEORI** should also be filled out with the corresponding EORI numbers for the Declarant, Exporter, and Importer roles.

Step no.	Description of steps	Expected result	Passed
1	Submit a <b>H5 Pre-lodged Registered XML</b> (you can use the H1 Pre-lodged Registered XML from the H5 Pre-lodged test case). It is found in folder where you found this test case document (remember to fill out the <b>LRN</b> , <b>Submitter</b> , <b>Declarant</b> , <b>Exporter</b> , and <b>Importer</b> fields)	You should have the test <b>XML</b> ready for the next step	<input type="checkbox"/>
2	Submit the declaration using the conditions found under Pre-conditions	The declaration should be sent to the system	<input type="checkbox"/>
3	Pull the notifications	You should be able to pull the notification from the system	<input type="checkbox"/>
4	Registration of submission of declaration	Receive a <b>CWMRCV</b> notification	<input type="checkbox"/>
5	Use the <b>H5 Correction Acceptance XML</b> found in the test case folder (remember to replace the <b>{{LRN}}</b> , <b>{{CVR}}</b> and <b>{{MRN}}</b> placeholders – <b>{{LRN}}</b> and <b>{{MRN}}</b> should match the MRN and LRN from the initially submitted <b>H1 declaration</b> )	Find the <b>H5 Correction Acceptance XML</b> in the correction test case folder	<input type="checkbox"/>
6	Submit the <b>H5 correction Acceptance XML</b> with the information in the <b>Statistical value</b> (99 06 000 000) element presented in section 3.2.1	The <b>H5 Correction Acceptance XML</b> should be sent to the system	<input type="checkbox"/>
7	Pull the notifications	You should be able to pull the notifications from the system	<input type="checkbox"/>
8	Acceptance of submission of correction request by receiving the <b>CWMRCV</b> , <b>CWMREQ</b> and <b>CWMRES</b> notifications	Receive <b>CWMRCV</b> , <b>CWMREQ</b> and <b>CWMRES</b> notifications and pass the test	<input type="checkbox"/>

### 3.2.1 XML example

```
<ns3:StatisticalValueAmount>8442</ns3:StatisticalValueAmount>
```

### 3.3 Test scenario 2 – Rejection

The aim of this scenario is for the EO to get a notification that the H5 Correction XML has been rejected.

The following table shows the test steps necessary to complete this scenario as well as expected results. For the first step it is recommended adapting the provided declaration XML found in the **Test Case** folder. Secondly, make sure that your **LRN** is unique, and that the **Submitter** field is correct (this is done by putting your CVR in the **Submitter/Name** and **Submitter/ID** fields) in the H5 Pre-lodged XML. The fields **DeclarantEORI**, **ExporterEORI**, and **ImporterEORI** should also be filled out with the corresponding EORI numbers for the Declarant, Exporter, and Importer roles.

Step no.	Description of steps	Expected result	Passed
1	Submit a <b>H5 Pre-lodged Registered XML</b> (you can use the H5 Pre-lodged Registered XML from the H5 Pre-lodged test case). It is found in folder where you found this test case document (remember to fill out the <b>LRN</b> , <b>Submitter</b> , <b>Declarant</b> , <b>Exporter</b> , and <b>Importer</b> fields)	Should have a template <b>XML</b> ready for the next step	<input type="checkbox"/>
2	Submit the declaration using the conditions found under Pre-conditions	The declaration should be sent to the system	<input type="checkbox"/>
3	Pull notifications	You should be able to pull the notification from the system	<input type="checkbox"/>
4	Registration of submission of declaration	Receive a <b>CWMRCV</b> notification	<input type="checkbox"/>
5	Use the <b>H5 Correction Acceptance XML</b> found in the test case folder (remember to replace the <b>{{LRN}}</b> , <b>{{CVR}}</b> and <b>{{MRN}}</b> placeholders – <b>{{LRN}}</b> and <b>{{MRN}}</b> should match the MRN and LRN from the initially Pre-lodged <b>H5 declaration</b> )	Find the H5 Correction Acceptance XML in the Correction test case folder	<input type="checkbox"/>
6	Adapt the H5 XML with the information with the invalid data in the element <b>GovernmentProcedure (11 09 001 000)</b> as shown in section 3.3.1, to ensure rejection of the XML.	Adapt the H5 Correction Acceptance XML in the Correction test case folder or use your own	<input type="checkbox"/>
7	Submit the XML	The adapted <b>H5 correction XML</b> request should be sent to the system	<input type="checkbox"/>
8	Pull notifications	You should be able to pull notification from the system	<input type="checkbox"/>
9	Rejection of a submission of correction request by receiving the <b>CWMREJ</b> notification	Receive the <b>CWMREJ</b> notification and pass the test	<input type="checkbox"/>

#### 3.3.1 XML example

```
<ns3:GovernmentProcedure>
  <ns3:SequenceNumeric>1</ns3:SequenceNumeric>
  <ns3:CurrentCode>31</ns3:CurrentCode>
  <ns3:PreviousCode>00</ns3:PreviousCode>
</ns3:GovernmentProcedure>
```