

TEST CASE – A3 AMENDMENT

Version: 1.0
Author: Alexander Vejling Sennefelder

netcompany

Document history

| Version | Date | Author | Status | Comments |
|---------|------------|-------------------------------|----------|---|
| 0.1 | 12-01-2023 | Alexander Vejling Sennefelder | Draft | Original Draft |
| 0.2 | 16-01-2023 | Lukas Martin Wick | Review | Comments added |
| 0.3 | 09-05-2023 | Lukas Martin Wick | Draft | Updated |
| 1.0 | 11-05-2023 | Alexander Vejling Sennefelder | Finished | Minor last corrections, made ready for official release |

Table of contents

Contents

| | | |
|-------|-------------------------------------|---|
| 1 | Pre-conditions..... | 3 |
| 1.1 | Process flow | 3 |
| 2 | Test Scenarios | 4 |
| 2.1 | Description of test scenarios | 4 |
| 2.2 | Test scenario 1 – Acceptance..... | 5 |
| 2.2.1 | XML example | 6 |
| 2.3 | Test scenario 2 – Rejection | 6 |
| 2.3.1 | XML example | 7 |

1 Pre-conditions

To complete the functional test case for “A3 Amendment”, the company must have an established connection to the AS4-gateway, and have a functioning system user to DMS Export, see [Connectivity Guide & System Guide](#).

Furthermore, ensure that you for this test case have the correct URLs, Services, and Actions, as seen below. In place of {CVR} and {UUID}, fill out your own CVR and UUID in the URLs below. While the URLs and Services are the same for all the test cases, the Actions however, will change depending on the test case you are performing, please keep an eye out that you have the correct Action for the test case in hand.

To submit the XMLs for this test case, use the following endpoints:

| URL | UFE Service | TFE Service | Action |
|---|-------------|-------------|-------------------------|
| https://secureftpgatewaytest.skat.dk:6384/exchange/CVR_{CVR}_UI_{UUID} | DMS.Export2 | DMS.Export | Exit.Declaration.Submit |
| https://secureftpgatewaytest.skat.dk:6384/exchange/CVR_{CVR}_UI_{UUID} | DMS.Export2 | DMS.Export | Exit.Declaration.Amend |

For retrieving the notification, use the following endpoint:

| URL | UFE Service | TFE Service | Action |
|---|-------------|-------------|--------------|
| https://secureftpgatewaytest.skat.dk:6384/exchange/CVR_{CVR}_UI_{UUID} | DMS.Export2 | DMS.Export | Notification |

Please ensure that the “**Test Case – A3 Standard**” has been completed **before** you try to complete the “**Test Case – A3 Amendment**” scenarios.

1.1 Process flow

The process flow for an A3 standard declaration with an amendment request can be seen in the Figure below:




Figure 1 – Process flow for an Amendment

2 Test Scenarios

To complete this test case, test scenarios 1 and 2 must be passed successfully. Descriptions and specifics for each test can be found in the coming sections. Be sure to go through the scenarios thoroughly. It is recommended that you use the attached files to test the notifications.

| Test no. | Test scenario | Passed/Failed |
|----------|--|--------------------------|
| 1 | Submit A3 – Amendment XML, which is accepted | <input type="checkbox"/> |
| 2 | Submit A3 – Amendment XML, which is rejected | <input type="checkbox"/> |

2.1 Description of test scenarios

The following sections will describe the aim of each specific scenario and provide the desired results of the test scenarios. It is worth noting that notifications that follow each other in a series might not always come out in the same order, due to timing differences.

The purpose of the test scenarios is to ensure connection to the system, and that you as a company can receive the correct notifications when sending in XMLs. Each step describes what you need to do when going through the test case. For the test case we recommend using the XML found in the test case folder.

For the Amendment test scenarios, it is important to note that System Specific Fields and Group 11 fields cannot be changed as part of the Amendment. The fields can be found in the [Exit XML Guide](#). For simplicity, the acceptance of the Amendment scenario will include changes to a field that is allowed to be amended. For the rejection scenario, the **Amendment element** will be used.

2.2 Test scenario 1 – Acceptance

The aim of this scenario is to get a notification that the A3 Amendment XML has been accepted.

The following table shows the necessary test steps for completing this scenario as well as expected results. For the first step it is recommended using the provided declaration **XML** found in the **Test Case** folder. Secondly, make sure that your **LRN** is unique, and that the **Submitter** field is correct (this is done by putting your CVR in the **Submitter/Name** and **Submitter/ID** fields). The other placeholders denoted by “**{{ }}**” should be filled out by values that are specific to your company. For the additional messages the MRN should correspond to the received MRN of the initial declaration. Then go to the “**Amendment**” element in the XML and ensure that it is as described in step no. 5.

| Step no. | Description of steps | Expected result | Passed |
|----------|---|--|--------------------------|
| 1 | Submit an A3 Standard Acceptance XML . It is found in folder where you found this test case document (remember to replace the {{LRN}} and the other {{ }} placeholders) | You should have the test XML ready for the next step | <input type="checkbox"/> |
| 2 | Submit the declaration using the conditions found under Pre-conditions | The declaration should be sent to the system | <input type="checkbox"/> |
| 3 | Pull the notifications | You should be able to pull the notifications from the system | <input type="checkbox"/> |
| 4 | Acceptance of submission of declaration | Receive the CWMRCV and CWMROG notifications | <input type="checkbox"/> |
| 5 | Use the A3 Amendment Acceptance XML found in the test case folder. Remember to replace the {{LRN}} , {{MRN}} and other {{ }} placeholders. The LRN and MRN should correspond to the initially submitted A3 Standard XML. Make sure that the Amendment field is filled in as shown in section 2.2.1 | Find the A3 Amendment Acceptance XML in the amendment test case folder | <input type="checkbox"/> |
| 6 | Submit the A3 Amendment XML . | The A3 Amendment XML request should be sent to the system | <input type="checkbox"/> |
| 7 | Pull the notifications | You should be able to pull the notifications from the system | <input type="checkbox"/> |
| 8 | Successful validation of submission of invalidation request by receiving the CWMRCV and CWMCAS notifications | You should receive the CWMRCV and CWMCAS notifications | <input type="checkbox"/> |
| 9 | After receiving the CWMCAS , read the AdditionalInformation field regarding the status. | You should find a StatementCode field with the number 41 (CWMCAS Queued). Then in the StatementDescription field there should be an explanation | <input type="checkbox"/> |
| 10 | This CWMCAS will then have to be manually handled before you can continue the flow. | CWMCAS will be handled and the process flow can continue | <input type="checkbox"/> |
| 11 | When the queued request (CWMCAS) has been handled, you will receive another CWMCAS . Then, once the new request has been completed, you will receive the final CWMCAS , both notifications with changes to AdditionalInformation . | Receive two notifications with StatementCode field 42 (CWMCAS in progress) and 43 (CWMCAS Completed) | <input type="checkbox"/> |

| | | | |
|----|--|---|--------------------------|
| 12 | Acceptance of submission of amendment request by receiving the CWMREQ and CWMROG notifications | Receive CWMREQ and CWMROG notifications and pass the test | <input type="checkbox"/> |
|----|--|---|--------------------------|

2.2.1 XML example

Ensure that the following XML example matches that of the A3 Amendment XML.

```
<ns3:Amendment>
  <ns3:sequence>
    <ns3:Numeric.Content>1</ns3:Numeric.Content>
  </ns3:sequence>
  <ns3:ChangeReasonCode>
    <ns3:Code.Content>5</ns3:Code.Content>
  </ns3:ChangeReasonCode>
  <ns3:ChangeReasonText>
    <ns3:Text.Content>This is the Change Reason Text</ns3:Text.Content>
  </ns3:ChangeReasonText>
</ns3:Amendment>
```

2.3 Test scenario 2 – Rejection

The aim of this scenario is for the EO to get a notification that the A3 Amendment XML has been rejected.

The following table shows the test steps necessary to complete this scenario as well as expected results. For the first step it is recommended using the provided declaration XML found in the **Test Case** folder. Secondly, make sure that your **LRN** is unique, and that the **Submitter** field is correct (this is done by putting your CVR in the **Submitter/Name** and **Submitter/ID** fields) in the A3 Standard XML. In this case we will fill in the **Amendment** field with an invalid **ChangeReasonText** of more than 70 characters, as described in step no. 5.

| Step no. | Description of steps | Expected resultp | Passed |
|----------|---|---|--------------------------|
| 1 | Submit a A3 Standard Acceptance XML. It is found in the folder where you found this test case document (remember to replace the {{LRN}} and {{CVR}} placeholders) | You should have the test XML ready for the next step | <input type="checkbox"/> |
| 2 | Submit the declaration using the conditions found under Pre-conditions | The declaration should be sent to the system | <input type="checkbox"/> |
| 3 | Pull the notifications | You should be able to pull the notifications from the system | <input type="checkbox"/> |
| 4 | Acceptance of submission of declaration | Receive the CWMROG notifications | <input type="checkbox"/> |
| 5 | Use the A3 Amendment Acceptance XML found in the test case folder. Remember to replace the {{LRN}}, {{MRN}} and other {{ }} placeholders. The LRN and MRN should correspond to the initially submitted A3 Standard XML. Make sure that the Amendment field is filled in as shown in section 2.3.1 | Find the A3 Amendment Acceptance XML in the amendment test case folder | <input type="checkbox"/> |
| 6 | Submit the A3 Amendment Rejection XML | The A3 Amendment Rejection XML request should be sent to the system | <input type="checkbox"/> |
| 7 | Pull the notifications | You should be able to pull notifications from the system | <input type="checkbox"/> |
| 8 | Rejection of a submission of amendment request by receiving the CWMREJ notification | Receive the CWMREJ notification and pass the test | <input type="checkbox"/> |

2.3.1 XML example

Ensure that the following XML example matches that of the A3 Amendment XML.

```

<Amendment>
  <sequence>
    <urn:Numeric.Content>1</urn:Numeric.Content>
  </sequence>
  <ChangeReasonCode>
    <urn:Code.Content>73</urn:Code.Content>
  </ChangeReasonCode>
  <ChangeReasonText>

```

```
<ns3:Text.Content>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vest  
ibulum lectus. </ns3:Text.Content>  
  </ChangeReasonText>  
</Amendment>
```