# TEST CASE – B1 WITH IE507 AND IE590

Version: 1.3

**Author:** Jesper Sture Bergendorff

netcompany

#### **Document history**

Version	Date	Author	Status	Comments
1.0	16-12-2022	Jesper Sture Bergendorff	Draft	
1.1	06-03-2023	Lukas Martin Wick	Finished	Updated and finalized
1.2	07-03-2023	Alexander Vejling Sennefelder	Reviewed	Reviewed documentation
1.3	12-05-2023	Alexander Vejling Sennefelder	Updated	Updated test scenario test case steps

# **Table of contents**

1		Pre-conditions	3
	1.1	Process flow	3
2		Test Scenarios	4
	2.1	Description of test scenarios	4
	2.2	Test scenario 1 – Acceptance	5
	2 .	2.1 VMI example	-

## 1 Pre-conditions

To complete the functional test case for "B1 Standard with IE507 and IE590", the company must have an established connection to the AS4-gateway, and have a functioning system user to DMS Export, see <a href="Connectivity Guide & System Guide">Connectivity Guide & System Guide</a>.

Furthermore, ensure that you for this test case have the correct URLs, Services, and Actions, as seen in the table below. In place of {CVR} and {UID}, fill out your own CVR and UID in the URLs. While the URLs and Services are the same for all the test cases, the Actions however, will change depending on the test case you are performing, please keep an eye out that you have the correct Action for the test case in hand.

To submit the XML for this test case, use the following endpoint:

URL	UFE Service	TFE Service	Action
https://secureftpgatewaytest.skat.dk:6384/exchange/CVR_{CVR}_UID_{UID}	DMS.Export2	DMS.Export	Declaration.Submit

To submit arrival notification (IE507) and exit notification (IE590) respectively, use the following endpoints:

URL	UFE Service	TFE Service	Action
https://secureftpgatewaytest.skat.dk:6384/exchange/CVR_{CVR}_UID_{UID}	DMS.Export2	DMS.Export	Declaration.ArrivalNo tification
https://secureftpgatewaytest.skat.dk:6384/exchange/CVR {CVR} UID {UID}	DMS.Export2	DMS.Export	Declaration.ExitNotifi cation

For retrieving the notification, use the following endpoint:

URL	UFE Service	TFE Service	Action
https://secureftpgatewaytest.skat.dk:6384/exchange/CVR_{CVR}_UID_{UID}	DMS.Export2	DMS.Export	Notification

Please ensure that the "Test Case – B1 Standard" have been completed before you try to complete the "Test Case – B1 Standard with IE507 and IE590" scenarios.

#### 1.1 Process flow

The process flow for a B1 standard declaration, with a submission of an IE507 and an IE500, can be seen in Figure 1 below:




Figure 1 – Process flow for a B1 Standard declaration with IE507 and IE590

## 2 Test Scenarios

To complete this test case, test scenario 1 in the table below must be passed successfully. Be sure to go through the scenario thoroughly. It is recommended that you use the attached files to test the notifications.

Test no.	Test scenario	Passed/Failed
1	Submit B1 – Standard declaration, which is accepted, along with IE507 and IE590	

#### 2.1 Description of test scenarios

The following sections will describe the aim of the scenario and provide the desired results of the test scenario.

The purpose of the test scenarios is to ensure connection to the system, and that you as a company can receive the correct notifications when sending in XMLs. Each step describes what you need to do when going through the test case. For each case there will be an XML available in the same folder where you found this test case document.

#### 2.2 Test scenario 1 – Acceptance

The aim of this scenario is to get a notification that the B1 Standard XML has been accepted, and to subsequently send the IE messages for Arrival at Exit (IE507) followed by an Exit Notification (IE590). The following table shows the necessary test steps for completing this scenario, as well as expected results.

For the first step, it is recommended to use the provided declaration XML found in the **Test Case** folder. Secondly, make sure that your **LRN** is unique, and that the **Submitter** field is correct (this is done by putting your CVR in the **Submitter/Name** and **Submitter/ID** fields).

Step no.	Description of steps	Expected result	Passed
1	Use the provided "Test Case – B1 Standard Acceptance" XML found in the test case folder (remember to replace the {{LRN}} and {{CVR}} placeholders)  You should have the test XML ready for the next step		
2	Enter information from section 2.2.1 with the valid data in the element GoodsLocation (16 15 000 000) to ensure acceptance	GoodsLocation (16 15 000 000) element should resemble section 2.2.1	
3	Submit the declaration using the conditions found under Pre-conditions	The declaration should be sent to the system	
4	Pull the notifications	You should be able to pull notifications from the system	
5	Acceptance of submission of B1 declaration by receiving the CWMACC, CWMACC, CWMCLE and CWMROG notifications  CWMROG and pass the test		
6	Use the provided "Test Case – IE507 Arrival notification" XML found in the test case folder (remember to replace the {{CVR}} and {{MRN}} placeholders – {{MRN}} should match the MRN and LRN from the initially submitted <b>B1</b> declaration)  You should have a template IE507 XML ready for the next step		
7	Submit an <b>Arrival at Exit</b> (IE507) message  The IE507 should be sent to the system		
8	Pull notifications	You should be able to pull notifications from the system	
9	Receive <b>CWMRCV</b> and <b>CWMROG</b> indicating that the declaration is queued for manual case handling	Should receive <b>CWMRCV</b> and <b>CWMROG</b> notification	
10	Use the provided "Test Case – IE590 Exit" XML found in the test case folder (remember to replace the {{CVR}} and {{MRN}} placeholders – {{MRN}} should match the MRN and LRN from the initially submitted <b>B1 declaration</b> )	You should have the test IE590 <b>XML</b> ready for the next step	
11	Submit an <b>Exit Notification</b> (IE590) message	IE590 should be sent to the system	

12	Pull notifications	You should be able to pull notifications from the system	
13	Receive <b>CWMRCV</b> and Exit of Goods notification <b>CWMEOG</b> to complete the test case	Should receive the  CWMRCV and CWMEOG  notification	

### 2.2.1 XML example